

Appendix L_NR Bands *P_{limit}* Conducted Power

L.1 NR FDD Band n5 Maximum Conducted Power

NR FDD Band n5 Conducted Power_ Measured Pmax, RSI = 0 (Free, Grip Sensor Off) _Main1

ANT.

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.28	24.10	24.32	0
				1	13	23.27	23.97	24.14	0
				1	23	23.37	23.97	24.21	0
				12	0	22.80	23.62	23.80	0.5
				12	7	23.40	24.08	24.26	0
				12	13	22.88	23.55	23.76	0.5
				25	0	22.87	23.60	23.77	0.5
			QPSK	1	1	23.32	24.11	24.38	0
				1	13	23.33	24.01	24.16	0
				1	23	23.43	23.97	24.23	0
				12	0	22.37	23.14	23.31	1
				12	7	23.38	24.10	24.26	0
				12	13	22.41	23.07	23.24	1
				25	0	22.39	23.12	23.28	1
			16QAM	1	1	22.46	23.09	23.32	1
			64QAM	1	1	20.83	21.55	21.89	2.5
			256QAM	1	1	18.86	19.61	19.86	4.5
		CP	QPSK	1	1	21.82	22.62	22.90	1.5

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.14	0
				1	26	24.27	0
				1	50	23.86	0
				25	0	23.66	0.5
				25	14	24.11	0
				25	27	23.49	0.5
				50	0	23.65	0.5
			QPSK	1	1	24.21	0
				1	26	24.20	0
				1	50	23.89	0
				25	0	23.18	1
				25	14	24.14	0
				25	27	22.98	1
				50	0	23.14	1
			16QAM	1	1	23.28	1
			64QAM	1	1	21.72	2.5
			256QAM	1	1	19.74	4.5
		CP	QPSK	1	1	22.60	1.5

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.12	0
				1	40	23.99	0
				1	77	23.70	0
				36	0	23.68	0.5
				36	22	24.12	0
				36	43	23.42	0.5
				75	0	23.64	0.5
			QPSK	1	1	24.20	0
				1	40	24.06	0
				1	77	23.72	0
				36	0	23.20	1
				36	22	24.11	0
				36	43	22.93	1
				75	0	23.13	1
			16QAM	1	1	23.17	1
			64QAM	1	1	21.74	2.5
			256QAM	1	1	19.74	4.5
		CP	QPSK	1	1	22.62	1.5

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.10	0
				1	53	24.25	0
				1	104	23.44	0
				50	0	23.71	0.5
				50	28	24.13	0
				50	56	23.36	0.5
				100	0	23.64	0.5
			QPSK	1	1	24.14	0
				1	53	24.10	0
				1	104	23.42	0
				50	0	23.21	1
				50	28	24.12	0
				50	56	22.86	1
				100	0	23.15	1
			16QAM	1	1	23.15	1
			64QAM	1	1	21.72	2.5
			256QAM	1	1	19.71	4.5
		CP	QPSK	1	1	22.68	1.5

NR FDD Band n5 Conducted Power_ Measured RSI = 2 (GRIP 2 ON) _Main1 ANT.

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.06	13.94	13.62	0
				1	13	13.94	13.82	13.53	0
				1	23	14.05	13.83	13.57	0
				12	0	14.06	13.95	13.63	0
				12	7	14.05	13.93	13.60	0
				12	13	14.04	13.90	13.57	0
				25	0	14.05	13.92	13.57	0
			QPSK	1	1	14.09	13.99	13.65	0
				1	13	13.97	13.82	13.56	0
				1	23	14.06	13.85	13.60	0
				12	0	14.06	13.95	13.67	0
				12	7	14.08	13.91	13.59	0
				12	13	14.04	13.91	13.60	0
				25	0	14.07	13.92	13.61	0
			16QAM	1	1	13.99	13.95	13.62	0
			64QAM	1	1	14.05	14.21	13.82	0
			256QAM	1	1	14.11	14.00	13.51	0
		CP	QPSK	1	1	14.00	13.92	13.69	0

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						167300		
						836.5 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	13.95		0
				1	26	13.99		0
				1	50	13.72		0
				25	0	13.95		0
				25	14	13.89		0
				25	27	13.83		0
				50	0	13.91		0
			QPSK	1	1	13.98		0
				1	26	13.94		0
				1	50	13.73		0
				25	0	13.97		0
				25	14	13.93		0
				25	27	13.81		0
				50	0	13.89		0
			16QAM	1	1	13.90		0
			64QAM	1	1	14.11		0
			256QAM	1	1	13.88		0
		CP	OPSK	1	1	13.98		0

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	13.98	0
				1	40	13.79	0
				1	77	13.65	0
				36	0	13.98	0
				36	22	13.93	0
				36	43	13.8	0
				75	0	13.92	0
			QPSK	1	1	14.04	0
				1	40	13.86	0
				1	77	13.74	0
				36	0	13.97	0
				36	22	13.94	0
				36	43	13.78	0
				75	0	13.92	0
			16QAM	1	1	14.14	0
			64QAM	1	1	14.14	0
			256QAM	1	1	13.96	0
		CP	QPSK	1	1	14.02	0

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.02	0
				1	53	13.89	0
				1	104	13.58	0
				50	0	13.99	0
				50	28	13.91	0
				50	56	13.73	0
				100	0	13.93	0
			QPSK	1	1	14.00	0
				1	53	14.03	0
				1	104	13.56	0
				50	0	13.99	0
				50	28	13.94	0
				50	56	13.71	0
				100	0	13.95	0
			16QAM	1	1	14.03	0
			64QAM	1	1	13.97	0
			256QAM	1	1	13.92	0
		CP	QPSK	1	1	13.98	0

L.2. NR FDD Band n26 Maximum Conducted Power

NR FDD Band n26 Conducted Power_ Measured Pmax, RSI = 0 (Free, Grip Sensor Off)
Main1 ANT.

NR FDD Band n26_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163300	166300	169300	
						816.5 MHz	831.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.00	23.47	23.96	0
				1	13	22.95	23.39	23.82	0
				1	23	23.09	23.45	23.90	0
				12	0	22.50	23.01	23.44	0.5
				12	7	23.02	23.51	23.91	0
				12	13	22.58	23.01	23.39	0.5
				25	0	22.57	23.00	23.44	0.5
			QPSK	1	1	22.99	23.53	23.94	0
				1	13	22.99	23.45	23.90	0
				1	23	23.13	23.52	23.93	0
				12	0	22.01	22.53	22.98	1
				12	7	23.05	23.54	23.92	0
				12	13	22.08	22.49	22.93	1
				25	0	22.08	22.53	22.93	1
			16QAM	1	1	22.00	22.51	22.88	1
			64QAM	1	1	20.52	20.83	21.42	2.5
			256QAM	1	1	18.38	19.14	19.36	4.5
		CP	QPSK	1	1	21.52	21.95	22.45	1.5

NR FDD Band n26_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163800	166300	168800	
						819 MHz	831.5 MHz	844 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.99	23.47	23.97	0
				1	26	23.19	23.62	23.65	0
				1	50	23.20	23.48	23.51	0
				25	0	22.56	23.03	23.37	0.5
				25	14	23.12	23.54	23.66	0
				25	27	22.72	23.02	23.08	0.5
				50	0	22.66	23.02	23.16	0.5
			QPSK	1	1	23.03	23.50	23.97	0
				1	26	23.20	23.53	23.70	0
				1	50	23.22	23.47	23.57	0
				25	0	22.08	22.53	22.90	1
				25	14	23.15	23.51	23.66	0
				25	27	22.21	22.50	22.56	1
				50	0	22.13	22.52	22.70	1
			16QAM	1	1	22.01	22.47	22.97	1
			64QAM	1	1	20.52	21.09	21.46	2.5
			256QAM	1	1	18.35	18.91	19.33	4.5
		CP	QPSK	1	1	21.52	22.01	22.45	1.5

NR FDD Band n26_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						164300	166300	168300	
						821.5 MHz	831.5 MHz	841.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.01		23.88	0
				1	40	23.10		23.48	0
				1	77	23.29		23.25	0
				36	0	22.62		23.40	0.5
				36	22	23.22		23.60	0
				36	43	22.80		22.80	0.5
				75	0	22.73		23.18	0.5
			QPSK	1	1	23.06		23.96	0
				1	40	23.13		23.55	0
				1	77	23.32		23.26	0
				36	0	22.16		22.91	1
				36	22	23.25		23.62	0
				36	43	22.31		22.33	1
				75	0	22.21		22.66	1
			16QAM	1	1	22.01		22.97	1
			64QAM	1	1	20.62		21.40	2.5
			256QAM	1	1	18.47		19.33	4.5
		CP	QPSK	1	1	21.53		22.39	1.5

NR FDD Band n26_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						166300		
						831.5 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.37		0
				1	53	23.66		0
				1	104	23.18		0
				50	0	23.00		0.5
				50	28	23.53		0
				50	56	22.98		0.5
				100	0	23.03		0.5
			QPSK	1	1	23.42		0
				1	53	23.35		0
				1	104	23.19		0
				50	0	22.50		1
				50	28	23.54		0
				50	56	22.49		1
				100	0	22.53		1
			16QAM	1	1	22.43		1
			64QAM	1	1	20.96		2.5
			256QAM	1	1	18.93		4.5
		CP	OPSK	1	1	21.84		1.5

NR FDD Band n26 Conducted Power_ Measured RSI = 1, 3 (GRIP 1, GRIP 3 ON) _Main1 ANT.

NR FDD Band n26_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163300	166300	169300	
						816.5 MHz	831.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.95	21.82	21.51	0
				1	13	21.90	21.72	21.39	0
				1	23	22.01	21.80	21.48	0
				12	0	21.94	21.83	21.52	0
				12	7	22.00	21.81	21.56	0
				12	13	22.02	21.81	21.51	0
				25	0	22.02	21.86	21.53	0
			QPSK	1	1	22.00	21.87	21.59	0
				1	13	21.93	21.76	21.48	0
				1	23	22.03	21.81	21.55	0
				12	0	22.01	21.89	21.55	0
				12	7	22.00	21.83	21.56	0
				12	13	22.02	21.83	21.54	0
				25	0	22.00	21.88	21.58	0
			16QAM	1	1	22.04	21.89	21.61	0
			64QAM	1	1	21.16	20.93	20.68	1
			256QAM	1	1	18.99	18.87	18.59	3
		CP	QPSK	1	1	21.96	21.84	21.55	0

NR FDD Band n26_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163800	166300	168800	
						819 MHz	831.5 MHz	844 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.89	21.88	21.63	0
				1	26	22.02	21.99	21.55	0
				1	50	21.95	21.80	21.40	0
				25	0	21.96	21.86	21.59	0
				25	14	22.02	21.86	21.51	0
				25	27	22.01	21.82	21.46	0
				50	0	22.03	21.87	21.50	0
			QPSK	1	1	21.98	21.90	21.65	0
				1	26	22.11	21.91	21.53	0
				1	50	21.96	21.82	21.41	0
				25	0	22.01	21.93	21.59	0
				25	14	22.01	21.86	21.49	0
				25	27	22.01	21.84	21.49	0
				50	0	22.02	21.90	21.50	0
			16QAM	1	1	22.07	21.95	21.90	0
			64QAM	1	1	21.22	20.92	20.85	1
			256QAM	1	1	18.99	18.85	18.72	3
		CP	QPSK	1	1	21.94	21.89	21.64	0

NR FDD Band n26_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						164300	166300	168300	
						821.5 MHz	831.5 MHz	841.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.86		21.76	0
				1	40	21.86		21.51	0
				1	77	21.85		21.41	0
				36	0	21.95		21.74	0
				36	22	21.94		21.61	0
				36	43	21.88		21.53	0
				75	0	21.99		21.65	0
			QPSK	1	1	21.91		21.84	0
				1	40	21.89		21.54	0
				1	77	21.90		21.48	0
				36	0	21.96		21.78	0
				36	22	21.99		21.64	0
				36	43	21.96		21.54	0
				75	0	21.96		21.67	0
			16QAM	1	1	21.98		21.90	0
			64QAM	1	1	21.10		20.95	1
			256QAM	1	1	18.96		18.93	3
		CP	QPSK	1	1	21.93		21.77	0

NR FDD Band n26_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						166300	
						831.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.89	0
				1	53	21.96	0
				1	104	21.61	0
				50	0	21.89	0
				50	28	21.85	0
				50	56	21.80	0
			QPSK	100	0	21.89	0
				1	1	21.88	0
				1	53	21.91	0
				1	104	21.62	0
				50	0	21.90	0
				50	28	21.88	0
				50	56	21.81	0
				100	0	21.88	0
			16QAM	1	1	21.89	0
			64QAM	1	1	21.11	1
			256QAM	1	1	18.97	3
		CP	OPSK	1	1	21.92	0

NR FDD Band n26 Conducted Power_ Measured RSI = 2 (GRIP 2 ON) _Main1 ANT.

NR FDD Band n26_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163300	166300	169300	
						816.5 MHz	831.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.00	13.93	13.60	0
				1	13	13.99	13.82	13.46	0
				1	23	14.05	13.88	13.60	0
				12	0	14.04	13.94	13.63	0
				12	7	14.07	13.95	13.58	0
				12	13	14.08	13.92	13.59	0
				25	0	14.08	13.91	13.61	0
			QPSK	1	1	14.10	13.93	13.62	0
				1	13	14.01	13.83	13.51	0
				1	23	14.09	13.90	13.61	0
				12	0	14.10	13.93	13.61	0
				12	7	14.05	13.92	13.60	0
				12	13	14.08	13.93	13.61	0
				25	0	14.10	13.94	13.63	0
			16QAM	1	1	14.06	13.97	13.66	0
			64QAM	1	1	14.03	13.97	13.42	0
			256QAM	1	1	14.09	14.00	13.56	0
		CP	QPSK	1	1	14.03	13.96	13.63	0

NR FDD Band n26_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163800	166300	168800	
						819 MHz	831.5 MHz	844 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.00	13.95	13.68	0
				1	26	14.10	14.02	13.67	0
				1	50	13.98	13.86	13.46	0
				25	0	14.02	13.93	13.63	0
				25	14	14.03	13.91	13.57	0
				25	27	14.03	13.90	13.51	0
				50	0	14.05	13.93	13.54	0
			QPSK	1	1	14.01	14.01	13.69	0
				1	26	14.10	13.98	13.58	0
				1	50	14.00	13.89	13.51	0
				25	0	14.04	13.97	13.60	0
				25	14	14.05	13.94	13.54	0
				25	27	14.03	13.90	13.49	0
				50	0	14.07	13.96	13.53	0
			16QAM	1	1	13.97	13.89	13.76	0
			64QAM	1	1	14.08	13.97	13.88	0
			256QAM	1	1	14.00	13.77	13.67	0
		CP	QPSK	1	1	13.99	13.90	13.64	0

NR FDD Band n26_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						164300	166300	168300	
						821.5 MHz	831.5 MHz	841.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	13.88		13.83	0
				1	40	13.87		13.53	0
				1	77	13.92		13.46	0
				36	0	14.01		13.80	0
				36	22	14.01		13.65	0
				36	43	13.98		13.53	0
				75	0	13.99		13.63	0
			QPSK	1	1	13.97		13.83	0
				1	40	13.97		13.60	0
				1	77	13.96		13.49	0
				36	0	14.04		13.79	0
				36	22	14.01		13.65	0
				36	43	14.00		13.52	0
				75	0	14.02		13.67	0
			16QAM	1	1	13.90		13.79	0
			64QAM	1	1	14.07		14.00	0
			256QAM	1	1	13.93		13.77	0
		CP	QPSK	1	1	13.96		13.82	0

NR FDD Band n26_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						166300	
						831.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	13.93	0
				1	53	13.98	0
				1	104	13.61	0
				50	0	13.93	0
				50	28	13.88	0
				50	56	13.79	0
				100	0	13.87	0
			QPSK	1	1	13.92	0
				1	53	13.90	0
				1	104	13.64	0
				50	0	13.91	0
				50	28	13.88	0
				50	56	13.82	0
				100	0	13.89	0
			16QAM	1	1	14.00	0
			64QAM	1	1	13.91	0
			256QAM	1	1	13.99	0
		CP	OPSK	1	1	13.92	0

L.2 NR TDD Band n41 Maximum Conducted Power

NR TDD Band n41 Conducted Power_ Measured RSI = 0 (Free, Grip Sensor Off) _Main1 ANT.

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	19.00	19.11	19.15	18.74	18.46	0
				1	12	19.07	19.14	19.16	19.19	18.54	0
				1	22	19.04	19.07	19.16	19.21	18.52	0
				12	0	19.03	19.11	19.13	19.07	18.49	0
				12	6	19.05	19.08	19.14	19.13	18.52	0
				12	12	19.04	19.08	19.15	19.19	18.53	0
				24	0	19.04	19.09	19.15	19.13	18.51	0
			QPSK	1	1	18.98	19.10	19.10	19.04	18.46	0
				1	12	19.07	19.07	19.10	19.11	18.58	0
				1	22	19.03	19.06	19.14	19.21	18.50	0
				12	0	19.02	19.11	19.13	19.07	18.49	0
				12	6	19.04	19.08	19.16	19.14	18.51	0
				12	12	19.05	19.06	19.15	19.19	18.52	0
				24	0	19.03	19.08	19.13	19.13	18.52	0
			16QAM	1	1	19.18	19.15	19.18	18.97	18.43	0
			64QAM	1	1	19.04	19.19	19.21	19.03	18.46	0
			256QAM	1	1	18.93	19.11	19.19	19.03	18.44	0
		CP	QPSK	1	1	18.98	19.08	19.13	18.98	18.43	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	19.01	19.17	19.12	18.90	18.55	0
				1	18	18.51	19.07	19.11	19.02	18.60	0
				1	36	19.00	19.08	19.16	19.22	18.69	0
				18	0	18.87	19.13	19.12	18.95	18.59	0
				18	9	19.09	19.13	19.15	19.05	18.66	0
				18	18	19.06	19.10	19.15	19.13	18.69	0
				36	0	19.10	19.11	19.15	19.07	18.66	0
			QPSK	1	1	19.04	19.13	19.09	18.87	18.55	0
				1	18	19.04	19.04	19.07	18.99	18.58	0
				1	36	19.00	19.08	19.13	19.17	18.66	0
				18	0	19.11	19.16	19.12	18.97	18.60	0
				18	9	19.09	19.12	19.16	19.08	18.65	0
				18	18	19.05	19.11	19.16	19.14	18.69	0
				36	0	19.09	19.12	19.15	19.06	18.66	0
			16QAM	1	1	19.13	19.30	19.15	18.94	18.63	0
			64QAM	1	1	19.02	19.09	19.12	18.91	18.60	0
			256QAM	1	1	18.95	19.14	19.07	18.84	18.55	0
		CP	QPSK	1	1	19.01	19.15	19.11	18.84	18.51	0

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	18.85	19.19	19.10	18.61	18.33	0
				1	26	18.89	19.11	19.13	19.01	18.56	0
				1	49	18.80	19.00	19.13	19.18	18.67	0
				25	0	18.93	19.16	19.11	18.88	18.51	0
				25	13	18.92	19.12	19.13	19.02	18.57	0
				25	26	18.85	19.09	19.14	19.13	18.68	0
				50	0	18.91	19.12	19.14	19.02	18.58	0
			QPSK	1	1	18.85	19.16	19.08	18.75	18.47	0
				1	26	18.87	19.09	19.11	19.01	18.54	0
				1	49	18.79	19.00	19.12	19.17	18.64	0
				25	0	18.93	19.15	19.11	18.87	18.51	0
				25	13	18.91	19.12	19.15	19.02	18.57	0
				25	26	18.86	19.09	19.15	19.13	18.67	0
				50	0	18.91	19.11	19.14	19.02	18.58	0
			16QAM	1	1	18.88	19.23	19.20	18.82	18.53	0
			64QAM	1	1	18.95	19.22	19.06	18.81	18.49	0
			256QAM	1	1	18.75	19.30	19.08	18.69	18.41	0
		CP	QPSK	1	1	18.85	19.18	19.07	18.73	18.43	0

NR TDD Band n41 _25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	18.89	19.21	18.92	18.68	18.25	0
				1	32	18.74	19.15	19.15	18.95	18.50	0
				1	63	18.80	18.95	19.14	19.17	18.62	0
				32	0	18.75	19.18	19.10	18.78	18.43	0
				32	17	18.93	19.15	19.15	18.97	18.48	0
				32	33	18.89	19.08	19.15	19.11	18.61	0
				64	0	18.92	19.14	19.16	18.94	18.48	0
			QPSK	1	1	18.90	19.23	19.10	18.68	18.43	0
				1	32	19.02	19.24	19.19	19.03	18.56	0
				1	63	18.81	18.97	19.15	19.18	18.64	0
				32	0	18.98	19.19	19.11	18.79	18.43	0
				32	17	18.93	19.18	19.16	18.99	18.50	0
				32	33	18.86	19.09	19.16	19.11	18.62	0
				64	0	18.92	19.15	19.15	18.96	18.49	0
			16QAM	1	1	19.05	19.28	19.09	18.75	18.43	0
			64QAM	1	1	18.95	19.18	19.04	18.67	18.36	0
			256QAM	1	1	18.91	19.16	18.96	18.63	18.42	0
		CP	QPSK	1	1	18.87	19.21	19.07	18.65	18.38	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.92	19.21	19.04	18.49	18.48	0
				1	39	18.88	19.21	19.16	19.18	18.70	0
				1	76	18.81	18.90	19.17	19.22	18.76	0
				36	0	19.02	19.23	19.09	18.91	18.59	0
				36	21	18.97	19.18	19.16	19.10	18.64	0
				36	42	18.89	19.04	19.15	19.27	18.75	0
				75	0	18.97	19.17	19.13	19.07	18.62	0
			QPSK	1	1	19.01	19.24	19.06	18.79	18.60	0
				1	39	19.04	19.20	19.14	19.14	18.65	0
				1	76	18.84	18.92	19.12	19.28	18.72	0
				36	0	19.05	19.22	19.10	18.91	18.58	0
				36	21	18.98	19.18	19.15	19.12	18.61	0
				36	42	18.88	19.03	19.14	19.27	18.75	0
				75	0	18.96	19.18	19.14	19.08	18.62	0
			16QAM	1	1	19.06	19.33	18.94	18.90	18.78	0
			64QAM	1	1	19.00	19.27	18.98	18.89	18.58	0
			256QAM	1	1	18.92	19.12	19.02	18.77	18.63	0
		CP	QPSK	1	1	18.93	19.22	19.03	18.74	18.54	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01	2567.34		2618.67	2670	
						MHz	MHz		MHz	MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	18.89	18.66		18.63	18.12	0
				1	53	18.86	18.80		18.73	18.49	0
				1	104	18.81	18.81		19.04	18.66	0
				50	0	18.90	18.97		18.66	18.54	0
				50	28	18.83	18.82		18.70	18.49	0
				50	56	18.77	18.80		18.83	18.60	0
				100	0	18.83	18.82		18.68	18.48	0
			QPSK	1	1	18.87	19.00		18.58	18.68	0
				1	53	18.88	18.78		18.67	18.54	0
				1	104	18.82	18.80		19.03	18.64	0
				50	0	18.91	18.98		18.66	18.52	0
				50	28	18.83	18.82		18.71	18.50	0
				50	56	18.78	18.80		18.85	18.60	0
				100	0	18.82	18.82		18.68	18.48	0
			16QAM	1	1	18.92	19.35		18.75	18.67	0
			64QAM	1	1	18.99	18.94		18.64	18.61	0
			256QAM	1	1	18.82	19.00		18.56	18.36	0
		CP	QPSK	1	1	18.87	19.09		18.57	18.61	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						504204		518598			
						2521.02 MHz		2592.99 MHz			
50 MHz	30	DFT-s	pi/2 BPSK	1	1	18.62		18.67		18.73	0
				1	67	18.86		19.14		18.57	0
				1	131	18.83		19.12		18.66	0
				64	0	18.98		19.07		18.77	0
				64	35	18.89		19.17		18.60	0
				64	69	18.90		19.15		18.62	0
				128	0	18.87		19.13		18.59	0
			QPSK	1	1	18.94		19.01		18.72	0
				1	67	18.85		19.11		18.54	0
				1	131	18.83		19.10		18.64	0
				64	0	18.98		19.09		18.78	0
				64	35	18.90		19.17		18.61	0
				64	69	18.90		19.15		18.60	0
				128	0	18.89		19.14		18.59	0
			16QAM	1	1	19.03		18.97		18.41	0
			64QAM	1	1	19.15		19.03		18.76	0
			256QAM	1	1	18.96		19.22		18.76	0
		CP	QPSK	1	1	18.92		19.09		18.70	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	18.59		18.69		18.06	0
				1	81	18.75		19.18		18.57	0
				1	160	18.71		19.10		18.61	0
				81	0	18.86		19.06		18.70	0
				81	41	18.77		19.15		18.55	0
				81	81	18.84		19.14		18.51	0
				162	0	18.75		19.10		18.52	0
			QPSK	1	1	18.80		19.05		18.35	0
				1	81	18.70		19.18		18.56	0
				1	160	18.69		19.12		18.62	0
				81	0	18.84		19.04		18.70	0
				81	41	18.76		19.15		18.55	0
				81	81	18.83		19.15		18.52	0
				162	0	18.75		19.11		18.51	0
			16QAM	1	1	19.00		19.07		18.28	0
			64QAM	1	1	18.70		18.92		18.24	0
			256QAM	1	1	18.67		18.92		18.40	0
		CP	QPSK	1	1	18.79		18.96		18.32	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04					2654.97
						MHz					MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	18.57				18.61	0
				1	95	18.87				18.51	0
				1	187	18.50				18.58	0
				90	0	18.91				18.45	0
				90	50	18.90				18.54	0
				90	99	18.83				18.43	0
				180	0	18.84				18.56	0
			QPSK	1	1	18.91				18.08	0
				1	95	18.89				18.54	0
				1	187	18.52				18.61	0
				90	0	18.91				18.46	0
				90	50	18.89				18.56	0
				90	99	18.84				18.44	0
				180	0	18.84				18.57	0
			16QAM	1	1	18.96				18.13	0
			64QAM	1	1	18.89				18.03	0
			256QAM	1	1	18.91				18.03	0
		CP	QPSK	1	1	18.84				18.07	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
						MHz					MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	18.82				18.37	0
				1	109	18.79				18.68	0
				1	215	18.46				18.60	0
				108	0	18.77				18.35	0
				108	55	18.81				18.71	0
				108	109	18.71				18.46	0
				216	0	18.81				18.66	0
			QPSK	1	1	18.83				18.12	0
				1	109	18.81				18.72	0
				1	215	18.49				18.63	0
				108	0	18.77				18.36	0
				108	55	18.81				18.70	0
				108	109	18.71				18.45	0
				216	0	18.80				18.68	0
			16QAM	1	1	18.81				18.10	0
			64QAM	1	1	18.82				18.15	0
			256QAM	1	1	18.83				18.06	0
		CP	QPSK	1	1	18.78				18.08	0

NR TDD Band n41 _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	18.88				18.15	0
				1	123	18.89				18.73	0
				1	243	18.48				18.58	0
				120	0	18.83				18.31	0
				120	63	18.91				18.71	0
				120	125	18.57				18.47	0
				243	0	18.87				18.75	0
			QPSK	1	1	18.89				18.13	0
				1	123	18.92				18.71	0
				1	243	18.51				18.54	0
				120	0	18.85				18.31	0
				120	63	18.93				18.72	0
				120	125	18.58				18.48	0
				243	0	18.89				18.75	0
			16QAM	1	1	18.88				18.18	0
			64QAM	1	1	18.92				18.14	0
			256QAM	1	1	18.84				18.10	0
		CP	QPSK	1	1	18.86				18.13	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99		
								MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			19.27		0
				1	137			19.12		0
				1	271			19.48		0
				135	0			19.01		0
				135	69			19.15		0
				135	138			19.10		0
				270	0			19.06		0
			QPSK	1	1			19.29		0
				1	137			19.17		0
				1	271			19.45		0
				135	0			19.02		0
				135	69			19.11		0
				135	138			19.12		0
				270	0			19.07		0
			16QAM	1	1			19.28		0
			64QAM	1	1			19.25		0
			256QAM	1	1			19.33		0
		CP	QPSK	1	1			19.27		0

NR TDD Band n41 Conducted Power_ Measured RSI = 2 (GRIP 2 ON) _Main1 ANT.

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01	2547	2592.99	2639.01	2685	
						MHz	MHz	MHz	MHz	MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	8.81	8.92	8.97	8.54	8.34	0
				1	12	8.81	8.89	8.90	8.67	8.44	0
				1	22	8.82	8.93	8.87	8.57	8.38	0
				12	0	8.89	8.72	8.54	8.53	8.35	0
				12	6	8.78	8.91	8.89	8.54	8.36	0
				12	12	8.79	8.90	8.87	8.57	8.36	0
			24	0	8.78	8.91	8.68	8.55	8.34	0	
			QPSK	1	1	8.80	8.92	8.95	8.56	8.36	0
				1	12	8.84	8.96	8.86	8.59	8.38	0
				1	22	8.76	8.91	8.88	8.60	8.38	0
				12	0	8.77	8.90	8.90	8.53	8.34	0
				12	6	8.77	8.88	8.89	8.56	8.34	0
				12	12	8.77	8.89	8.85	8.57	8.36	0
			24	0	8.79	8.89	8.90	8.57	8.35	0	
			16QAM	1	1	8.76	8.94	9.01	8.58	8.55	0
			64QAM	1	1	8.79	8.97	8.90	8.65	8.19	0
			256QAM	1	1	8.75	8.88	8.95	8.49	8.28	0
		CP	QPSK	1	1	8.76	8.88	8.89	8.48	8.29	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						500700	509664	518598	527562	536496		
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz		
15 MHz	30	DFT-s	pi/2 BPSK	1	1	8.82	8.93	8.97	8.51	8.46	0	
				1	18	8.76	8.87	8.83	8.48	8.49	0	
				1	36	8.78	8.90	8.85	8.53	8.54	0	
				18	0	8.82	8.92	8.94	8.51	8.51	0	
				18	9	8.81	8.91	8.89	8.52	8.51	0	
				18	18	8.80	8.91	8.86	8.54	8.53	0	
			QPSK	36	0	8.80	8.92	8.89	8.52	8.54	0	
				1	1	8.82	8.91	8.95	8.48	8.46	0	
				1	18	8.75	8.84	8.81	8.47	8.49	0	
				1	36	8.79	8.91	8.83	8.48	8.54	0	
				18	0	8.83	8.92	8.93	8.52	8.50	0	
				18	9	8.81	8.92	8.90	8.52	8.33	0	
				18	18	8.81	8.92	8.86	8.54	8.53	0	
				36	0	8.80	8.93	8.90	8.54	8.52	0	
				16QAM	1	1	8.92	8.97	8.98	8.60	8.52	0
				64QAM	1	1	8.80	8.94	9.05	8.45	8.40	0
				256QAM	1	1	8.76	8.84	8.93	8.32	8.44	0
		CP	QPSK	1	1	8.82	8.92	8.97	8.50	8.44	0	

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	8.66	8.98	8.99	8.47	8.40	0
				1	26	8.67	8.96	8.87	8.51	8.49	0
				1	49	8.66	8.94	8.83	8.52	8.51	0
				25	0	8.66	8.95	8.96	8.49	8.43	0
				25	13	8.66	8.95	8.90	8.50	8.51	0
				25	26	8.61	8.93	8.86	8.53	8.31	0
				50	0	8.66	8.94	8.91	8.49	8.49	0
			QPSK	1	1	8.67	8.98	8.99	8.50	8.42	0
				1	26	8.63	8.96	8.94	8.52	8.51	0
				1	49	8.62	8.92	8.85	8.50	8.50	0
				25	0	8.66	8.94	8.95	8.49	8.88	0
				25	13	8.67	8.94	8.90	8.50	8.51	0
				25	26	8.64	8.90	8.85	8.53	8.52	0
				50	0	8.66	8.93	8.90	8.51	8.49	0
			16QAM	1	1	8.70	9.06	9.05	8.47	8.39	0
			64QAM	1	1	8.71	8.91	9.00	8.47	8.44	0
			256QAM	1	1	8.59	8.93	8.88	8.43	8.34	0
		CP	QPSK	1	1	8.64	8.92	8.96	8.46	8.36	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	8.75	8.98	8.97	8.60	8.52	0
				1	39	8.89	9.04	8.95	8.70	8.56	0
				1	76	8.75	8.98	8.78	8.62	8.58	0
				36	0	8.76	9.02	8.97	8.63	8.51	0
				36	21	8.75	9.02	8.92	8.67	8.54	0
				36	42	8.76	8.98	8.86	8.66	8.59	0
				75	0	8.74	9.00	8.90	8.64	8.51	0
			QPSK	1	1	8.73	8.99	8.98	8.62	8.51	0
				1	39	8.75	9.00	8.94	8.63	8.50	0
				1	76	8.75	8.97	8.78	8.57	8.53	0
				36	0	8.78	9.03	8.97	8.62	8.52	0
				36	21	8.76	9.02	8.91	8.65	8.52	0
				36	42	8.76	9.00	8.86	8.66	8.58	0
				75	0	8.76	9.01	8.90	8.64	8.53	0
			16QAM	1	1	8.80	9.15	9.10	8.73	8.53	0
			64QAM	1	1	8.66	9.04	9.00	8.58	8.58	0
			256QAM	1	1	8.73	9.01	8.86	8.58	8.54	0
		CP	QPSK	1	1	8.73	8.95	8.91	8.58	8.56	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	8.66	8.90		8.75	8.54	0
				1	53	8.70	8.95		8.62	8.50	0
				1	104	8.88	8.90		8.54	8.54	0
				50	0	8.66	8.85		8.66	8.45	0
				50	28	8.66	8.92		8.56	8.44	0
				50	56	8.38	8.94		8.56	8.52	0
				100	0	8.65	8.89		8.58	8.42	0
			QPSK	1	1	8.65	8.86		8.75	8.56	0
				1	53	8.73	8.98		8.63	8.49	0
				1	104	8.86	8.91		8.59	8.56	0
				50	0	8.66	8.88		8.67	8.47	0
				50	28	8.66	8.91		8.57	8.44	0
				50	56	8.72	8.93		8.56	8.51	0
				100	0	8.65	8.90		8.57	8.42	0
			16QAM	1	1	8.72	8.96		8.72	8.59	0
			64QAM	1	1	8.82	8.94		8.75	8.55	0
			256QAM	1	1	8.79	8.86		8.74	8.61	0
		CP	QPSK	1	1	8.53	8.85		8.69	8.47	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	8.76		8.97		8.65	0
				1	67	8.79		8.90		8.53	0
				1	131	8.97		8.64		8.53	0
				64	0	8.77		8.99		8.65	0
				64	35	8.81		8.91		8.56	0
				64	69	8.87		8.78		8.51	0
				128	0	8.77		8.90		8.52	0
			QPSK	1	1	8.78		8.99		8.64	0
				1	67	8.81		8.93		8.54	0
				1	131	8.97		8.64		8.53	0
				64	0	8.76		8.99		8.65	0
				64	35	8.81		8.92		8.57	0
				64	69	8.95		8.79		8.52	0
				128	0	8.79		8.89		8.52	0
			16QAM	1	1	8.87		9.17		8.79	0
			64QAM	1	1	8.51		9.08		8.59	0
			256QAM	1	1	8.73		8.97		8.47	0
		CP	QPSK	1	1	8.63		8.86		8.64	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526		2592.99			2659.98
						MHz		MHz		MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	8.64		8.93		8.50	0
				1	81	8.75		8.97		8.55	0
				1	160	8.90		8.57		8.51	0
				81	0	8.63		8.99		8.54	0
				81	41	8.73		8.92		8.49	0
				81	81	8.92		8.77		8.43	0
			162	0	8.73		8.89		8.46	0	
			QPSK	1	1	8.63		8.93		8.50	0
				1	81	8.77		8.93		8.52	0
				1	160	8.90		8.57		8.50	0
				81	0	8.65		9.01		8.55	0
				81	41	8.74		8.93		8.49	0
				81	81	8.93		8.77		8.45	0
			162	0	8.72		8.90		8.45	0	
			16QAM	1	1	8.78		8.99		8.45	0
			64QAM	1	1	8.45		8.91		8.37	0
			256QAM	1	1	8.53		8.83		8.44	0
			CP	QPSK	1	1	8.56		8.89		8.46

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	8.70				8.42	0
				1	95	8.91				8.41	0
				1	187	8.90				8.49	0
				90	0	8.58				8.44	0
				90	50	8.88				8.43	0
				90	99	8.95				8.35	0
				180	0	8.83				8.44	0
			QPSK	1	1	8.65				8.37	0
				1	95	8.87				8.39	0
				1	187	8.86				8.42	0
				90	0	8.73				8.45	0
				90	50	8.91				8.42	0
				90	99	8.96				8.43	0
				180	0	8.84				8.42	0
			16QAM	1	1	8.69				8.48	0
			64QAM	1	1	8.56				8.49	0
			256QAM	1	1	8.59				8.45	0
		CP	QPSK	1	1	8.63				8.43	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
						MHz					MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	8.65				8.62	0
				1	109	8.84				8.56	0
				1	215	8.99				8.49	0
				108	0	8.62				8.54	0
				108	55	8.87				8.56	0
				108	109	8.86				8.41	0
				216	0	8.86				8.55	0
			QPSK	1	1	8.68				8.60	0
				1	109	8.87				8.54	0
				1	215	9.00				8.45	0
				108	0	8.64				8.56	0
				108	55	8.89				8.55	0
				108	109	8.88				8.41	0
				216	0	8.86				8.53	0
			16QAM	1	1	8.67				8.73	0
			64QAM	1	1	8.65				8.70	0
			256QAM	1	1	8.53				8.57	0
		CP	QPSK	1	1	8.63				8.61	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	8.73				8.81	0
				1	123	9.02				8.67	0
				1	243	8.92				8.48	0
				120	0	8.74				8.62	0
				120	63	9.02				8.66	0
				120	125	8.92				8.44	0
				243	0	8.98				8.59	0
			QPSK	1	1	8.69				8.75	0
				1	123	8.97				8.64	0
				1	243	8.92				8.42	0
				120	0	8.74				8.62	0
				120	63	9.00				8.67	0
				120	125	8.94				8.45	0
				243	0	8.99				8.61	0
			16QAM	1	1	8.84				8.92	0
			64QAM	1	1	8.73				8.77	0
			256QAM	1	1	8.66				8.67	0
		CP	QPSK	1	1	8.69				8.79	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
								518598			
								2592.99 MHz			
100 MHz	30	DFT-s	pi/2 BPSK	1	1			8.99			0
				1	137			8.92			0
				1	271			8.56			0
				135	0			8.97			0
				135	69			8.90			0
				135	138			8.62			0
				270	0			8.88			0
			QPSK	1	1			8.95			0
				1	137			8.87			0
				1	271			8.54			0
				135	0			8.99			0
				135	69			8.91			0
				135	138			8.61			0
				270	0			8.88			0
			16QAM	1	1			9.08			0
			64QAM	1	1			8.97			0
			256QAM	1	1			8.94			0
		CP	QPSK	1	1			8.96			0

L.3 NR FDD Band n66 Maximum Conducted Power

NR FDD Band n66 Conducted Power_ Measured Pmax, RSI = 0 (Free, Grip Sensor Off)

_Main1 ANT.

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.80	23.51	23.50	0
				1	13	23.73	23.43	23.43	0
				1	23	23.76	23.61	23.51	0
				12	0	23.37	23.05	23.06	0.5
				12	7	23.82	23.59	23.52	0
				12	13	23.32	23.10	23.03	0.5
				25	0	23.37	23.08	23.06	0.5
			QPSK	1	1	23.93	23.58	23.53	0
				1	13	23.79	23.52	23.44	0
				1	23	23.85	23.62	23.49	0
				12	0	22.91	22.60	22.57	1
				12	7	23.88	23.59	23.54	0
				12	13	22.83	22.63	22.54	1
				25	0	22.89	22.60	22.53	1
			16QAM	1	1	22.96	22.56	22.61	1
			64QAM	1	1	21.36	21.18	21.04	2.5
			256QAM	1	1	19.37	19.12	19.02	4.5
		CP	QPSK	1	1	22.38	22.00	22.00	1.5

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.99	23.51	23.51	0
				1	26	23.96	23.66	23.66	0
				1	50	23.71	23.67	23.52	0
				25	0	23.41	23.07	23.06	0.5
				25	14	23.91	23.61	23.61	0
				25	27	23.32	23.19	23.11	0.5
				50	0	23.43	23.11	23.12	0.5
			QPSK	1	1	23.90	23.54	23.58	0
				1	26	23.95	23.61	23.61	0
				1	50	23.74	23.70	23.56	0
				25	0	22.94	22.60	22.58	1
				25	14	23.93	23.61	23.63	0
				25	27	22.84	22.67	22.59	1
				50	0	22.95	22.60	22.60	1
			16QAM	1	1	22.93	22.65	22.43	1
			64QAM	1	1	21.43	21.05	21.23	2.5
			256QAM	1	1	19.41	18.95	18.84	4.5
		CP	QPSK	1	1	22.44	21.95	22.03	1.5

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.98	23.44	23.33	0
				1	40	23.70	23.49	23.38	0
				1	77	23.61	23.71	23.47	0
				36	0	23.49	23.05	22.96	0.5
				36	22	23.83	23.61	23.51	0
				36	43	23.17	23.21	23.04	0.5
				75	0	23.35	23.13	23.01	0.5
			QPSK	1	1	23.90	23.50	23.39	0
				1	40	23.77	23.56	23.41	0
				1	77	23.66	23.78	23.51	0
				36	0	22.91	22.60	22.48	1
				36	22	23.82	23.64	23.49	0
				36	43	22.72	22.71	22.54	1
				75	0	22.85	22.64	22.51	1
			16QAM	1	1	22.91	22.58	22.43	1
			64QAM	1	1	21.41	20.99	20.90	2.5
			256QAM	1	1	19.45	18.94	18.69	4.5
		CP	QPSK	1	1	22.47	21.95	21.85	1.5

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.93	23.34	23.33	0
				1	53	23.77	23.65	23.60	0
				1	104	23.63	23.67	23.49	0
				50	0	23.45	23.03	22.91	0.5
				50	28	23.74	23.64	23.50	0
				50	56	23.15	23.21	23.06	0.5
				100	0	23.29	23.13	23.01	0.5
			QPSK	1	1	23.92	23.41	23.43	0
				1	53	23.74	23.67	23.57	0
				1	104	23.68	23.72	23.57	0
				50	0	22.90	22.56	22.42	1
				50	28	23.78	23.64	23.52	0
				50	56	22.69	22.72	22.58	1
				100	0	22.80	22.64	22.49	1
			16QAM	1	1	22.98	22.39	22.54	1
			64QAM	1	1	21.48	20.82	20.92	2.5
			256QAM	1	1	19.48	18.71	18.78	4.5
		CP	QPSK	1	1	22.45	21.85	21.84	1.5

NR FDD Band n66 Conducted Power_ Measured RSI = 1, 3 (GRIP 1, GRIP 3 ON) _Main1 ANT.

NR FDD Band n66 _5 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.66	17.86	17.56	0
				1	13	17.55	17.73	17.48	0
				1	23	17.68	17.83	17.55	0
				12	0	17.66	17.83	17.55	0
				12	7	17.66	17.81	17.57	0
				12	13	17.69	17.84	17.56	0
				25	0	17.65	17.88	17.56	0
			QPSK	1	1	17.71	17.86	17.59	0
				1	13	17.59	17.77	17.48	0
				1	23	17.67	17.84	17.56	0
				12	0	17.66	17.84	17.55	0
				12	7	17.67	17.82	17.55	0
				12	13	17.68	17.80	17.54	0
				25	0	17.65	17.83	17.56	0
			16QAM	1	1	17.70	17.96	17.75	0
			64QAM	1	1	17.75	17.86	17.54	0
			256QAM	1	1	17.66	17.82	17.52	0
		CP	QPSK	1	1	17.70	17.93	17.56	0

NR FDD Band n66 _10 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.72	17.87	17.62	0
				1	26	17.78	17.91	17.74	0
				1	50	17.71	17.81	17.60	0
				25	0	17.73	17.87	17.64	0
				25	14	17.73	17.89	17.63	0
				25	27	17.72	17.86	17.66	0
				50	0	17.75	17.88	17.67	0
			QPSK	1	1	17.82	17.92	17.65	0
				1	26	17.72	17.90	17.69	0
				1	50	17.78	17.85	17.66	0
				25	0	17.77	17.91	17.66	0
				25	14	17.77	17.87	17.69	0
				25	27	17.72	17.85	17.69	0
				50	0	17.75	17.87	17.65	0
			16QAM	1	1	17.69	17.83	17.62	0
			64QAM	1	1	17.75	17.93	17.63	0
			256QAM	1	1	17.67	17.85	17.52	0
		CP	QPSK	1	1	17.84	17.91	17.56	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.67	17.93	17.49	0
				1	40	17.62	17.74	17.42	0
				1	77	17.76	17.75	17.49	0
				36	0	17.73	17.86	17.52	0
				36	22	17.71	17.85	17.49	0
				36	43	17.73	17.81	17.55	0
				75	0	17.72	17.85	17.53	0
			QPSK	1	1	17.74	17.97	17.50	0
				1	40	17.63	17.76	17.40	0
				1	77	17.77	17.82	17.50	0
				36	0	17.74	17.89	17.48	0
				36	22	17.71	17.87	17.49	0
				36	43	17.76	17.85	17.54	0
				75	0	17.74	17.85	17.49	0
			16QAM	1	1	17.74	17.85	17.61	0
			64QAM	1	1	17.85	17.98	17.49	0
			256QAM	1	1	17.58	17.94	17.35	0
		CP	QPSK	1	1	17.78	17.98	17.49	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.67	17.95	17.57	0
				1	53	17.75	17.90	17.64	0
				1	104	17.88	17.75	17.51	0
				50	0	17.70	17.94	17.58	0
				50	28	17.75	17.87	17.58	0
				50	56	17.80	17.79	17.56	0
				100	0	17.74	17.90	17.56	0
			QPSK	1	1	17.76	17.95	17.65	0
				1	53	17.83	17.83	17.57	0
				1	104	17.93	17.74	17.58	0
				50	0	17.75	17.93	17.58	0
				50	28	17.73	17.87	17.56	0
				50	56	17.81	17.82	17.59	0
				100	0	17.75	17.86	17.55	0
			16QAM	1	1	17.54	17.89	17.58	0
			64QAM	1	1	17.66	17.90	17.70	0
			256QAM	1	1	17.57	17.99	17.54	0
		CP	QPSK	1	1	17.71	18.03	17.59	0

NR FDD Band n66 Conducted Power_ Measured RSI = 2 (GRIP 2 ON) _Main1 ANT.

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.63	11.76	11.68	0
				1	13	11.49	11.65	11.58	0
				1	23	11.58	11.75	11.67	0
				12	0	11.58	11.76	11.73	0
				12	7	11.58	11.76	11.69	0
				12	13	11.60	11.74	11.70	0
				25	0	11.59	11.77	11.72	0
			QPSK	1	1	11.64	11.85	11.72	0
				1	13	11.53	11.74	11.66	0
				1	23	11.62	11.78	11.72	0
				12	0	11.61	11.81	11.77	0
				12	7	11.56	11.79	11.71	0
				12	13	11.63	11.83	11.76	0
				25	0	11.60	11.81	11.77	0
			16QAM	1	1	11.61	11.90	11.82	0
			64QAM	1	1	11.62	11.82	11.56	0
			256QAM	1	1	11.57	11.83	11.86	0
		CP	QPSK	1	1	11.65	11.96	11.71	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.93	12.01	11.54	0
				1	26	11.92	11.94	11.70	0
				1	50	11.94	11.88	11.57	0
				25	0	11.93	11.96	11.58	0
				25	14	11.97	11.89	11.59	0
				25	27	11.95	11.88	11.61	0
				50	0	11.96	11.90	11.59	0
			QPSK	1	1	11.99	11.92	11.56	0
				1	26	11.89	11.86	11.63	0
				1	50	11.93	11.82	11.63	0
				25	0	11.92	11.88	11.57	0
				25	14	11.89	11.85	11.58	0
				25	27	11.90	11.84	11.60	0
				50	0	11.91	11.87	11.61	0
			16QAM	1	1	11.84	11.91	11.49	0
			64QAM	1	1	11.96	11.98	11.50	0
			256QAM	1	1	11.92	11.67	11.52	0
		CP	QPSK	1	1	11.94	11.92	11.54	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.72	11.88	11.45	0
				1	40	11.62	11.72	11.38	0
				1	77	11.70	11.73	11.48	0
				36	0	11.68	11.85	11.48	0
				36	22	11.71	11.77	11.48	0
				36	43	11.73	11.78	11.53	0
				75	0	11.69	11.78	11.48	0
			QPSK	1	1	11.71	11.93	11.49	0
				1	40	11.60	11.71	11.40	0
				1	77	11.72	11.73	11.49	0
				36	0	11.67	11.84	11.46	0
				36	22	11.71	11.79	11.47	0
				36	43	11.72	11.79	11.52	0
				75	0	11.70	11.81	11.43	0
			16QAM	1	1	11.79	11.92	11.58	0
			64QAM	1	1	11.79	11.84	11.53	0
			256QAM	1	1	11.60	11.80	11.39	0
		CP	QPSK	1	1	11.74	11.91	11.47	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.59	11.86	11.48	0
				1	53	11.68	11.83	11.55	0
				1	104	11.80	11.60	11.43	0
				50	0	11.59	11.80	11.49	0
				50	28	11.67	11.75	11.46	0
				50	56	11.67	11.71	11.46	0
				100	0	11.61	11.77	11.49	0
			QPSK	1	1	11.62	11.90	11.49	0
				1	53	11.67	11.74	11.45	0
				1	104	11.82	11.70	11.47	0
				50	0	11.62	11.85	11.44	0
				50	28	11.65	11.76	11.45	0
				50	56	11.68	11.73	11.48	0
				100	0	11.63	11.76	11.48	0
			16QAM	1	1	11.55	11.79	11.63	0
			64QAM	1	1	11.59	12.10	11.45	0
			256QAM	1	1	11.57	11.85	11.48	0
		CP	QPSK	1	1	11.61	11.86	11.55	0

L.4 NR FDD Band n71 Maximum Conducted Power

NR FDD Band n71 Conducted Power_ Measured Pmax, RSI = 0 (Free, Grip Sensor Off)
Main1 ANT.

NR FDD Band n71_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.72	24.19	23.99	0
				1	13	23.74	24.17	23.90	0
				1	23	23.88	24.28	24.00	0
				12	0	23.32	23.72	23.54	0.5
				12	7	23.87	24.24	24.04	0
				12	13	23.36	23.78	23.53	0.5
				25	0	23.36	23.78	23.53	0.5
			QPSK	1	1	23.80	24.20	24.10	0
				1	13	23.79	24.14	23.97	0
				1	23	23.93	24.30	24.02	0
				12	0	22.85	23.23	23.07	1
				12	7	23.85	24.25	24.09	0
				12	13	22.89	23.29	23.04	1
				25	0	22.87	23.28	23.06	1
			16QAM	1	1	22.88	23.21	23.25	1
			64QAM	1	1	21.55	21.76	21.50	2.5
			256QAM	1	1	19.18	19.76	19.56	4.5
		CP	QPSK	1	1	22.36	22.68	22.57	1.5

NR FDD Band n71_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.73	24.11	23.98	0
				1	26	24.10	24.40	24.13	0
				1	50	24.04	24.27	23.89	0
				25	0	23.30	23.71	23.60	0.5
				25	14	23.89	24.27	24.02	0
				25	27	23.49	23.83	23.49	0.5
				50	0	23.39	23.78	23.52	0.5
			QPSK	1	1	23.78	24.13	24.05	0
				1	26	23.96	24.31	24.04	0
				1	50	24.09	24.25	23.93	0
				25	0	22.85	23.25	23.14	1
				25	14	23.93	24.28	24.01	0
				25	27	23.01	23.35	23.00	1
				50	0	22.91	23.31	23.05	1
			16QAM	1	1	22.95	23.16	23.07	1
			64QAM	1	1	21.35	21.71	21.54	2.5
			256QAM	1	1	19.34	19.49	19.67	4.5
		CP	QPSK	1	1	22.27	22.66	22.53	1.5

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						136100	
						680.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.99	0
				1	40	24.16	0
				1	77	24.21	0
				36	0	23.67	0.5
				36	22	24.27	0
				36	43	23.79	0.5
				75	0	23.77	0.5
			QPSK	1	1	24.00	0
				1	40	24.16	0
				1	77	24.22	0
				36	0	23.20	1
				36	22	24.29	0
				36	43	23.31	1
				75	0	23.29	1
			16QAM	1	1	23.13	1
			64QAM	1	1	21.58	2.5
			256QAM	1	1	19.41	4.5
		CP	QPSK	1	1	22.56	1.5

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						136100	
						680.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.87	0
				1	53	24.41	0
				1	104	24.11	0
				50	0	23.63	0.5
				50	28	24.27	0
				50	56	23.79	0.5
				100	0	23.79	0.5
			QPSK	1	1	23.93	0
				1	53	24.33	0
				1	104	24.16	0
				50	0	23.16	1
				50	28	24.31	0
				50	56	23.28	1
				100	0	23.27	1
			16QAM	1	1	23.01	1
			64QAM	1	1	21.53	2.5
			256QAM	1	1	19.44	4.5
		CP	QPSK	1	1	22.39	1.5

NR FDD Band n71 Conducted Power_ Measured RSI = 2 (GRIP 2 ON) _Main1 ANT.

NR FDD Band n71 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.33	15.33	15.70	0
				1	13	15.28	15.27	15.58	0
				1	23	15.39	15.44	15.69	0
				12	0	15.37	15.33	15.72	0
				12	7	15.41	15.38	15.70	0
				12	13	15.39	15.41	15.70	0
				25	0	15.41	15.38	15.72	0
			QPSK	1	1	15.40	15.31	15.73	0
				1	13	15.32	15.30	15.69	0
				1	23	15.43	15.41	15.74	0
				12	0	15.40	15.36	15.73	0
				12	7	15.42	15.37	15.73	0
				12	13	15.45	15.41	15.67	0
				25	0	15.41	15.39	15.75	0
			16QAM	1	1	15.53	15.40	15.78	0
			64QAM	1	1	15.42	15.43	15.70	0
			256QAM	1	1	15.47	15.21	15.69	0
		CP	QPSK	1	1	15.34	15.33	15.75	0

NR FDD Band n71 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.27	15.33	15.54	0
				1	26	15.39	15.56	15.83	0
				1	50	15.37	15.46	15.61	0
				25	0	15.35	15.38	15.58	0
				25	14	15.37	15.38	15.72	0
				25	27	15.33	15.43	15.66	0
				50	0	15.36	15.37	15.69	0
			QPSK	1	1	15.33	15.40	15.55	0
				1	26	15.47	15.40	15.73	0
				1	50	15.39	15.49	15.59	0
				25	0	15.32	15.37	15.62	0
				25	14	15.36	15.37	15.71	0
				25	27	15.35	15.43	15.68	0
				50	0	15.38	15.38	15.73	0
			16QAM	1	1	15.28	15.42	15.80	0
			64QAM	1	1	15.33	15.27	15.51	0
			256QAM	1	1	15.31	15.25	15.48	0
		CP	QPSK	1	1	15.27	15.34	15.52	0

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						136100	
						680.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.31	0
				1	40	15.28	0
				1	77	15.50	0
				36	0	15.39	0
				36	22	15.37	0
				36	43	15.47	0
				75	0	15.38	0
			QPSK	1	1	15.31	0
				1	40	15.30	0
				1	77	15.54	0
				36	0	15.36	0
				36	22	15.36	0
				36	43	15.48	0
				75	0	15.39	0
			16QAM	1	1	15.31	0
			64QAM	1	1	15.36	0
			256QAM	1	1	15.34	0
		CP	QPSK	1	1	15.34	0

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						136100	
						680.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.25	0
				1	53	15.57	0
				1	104	15.54	0
				50	0	15.34	0
				50	28	15.40	0
				50	56	15.51	0
				100	0	15.38	0
			QPSK	1	1	15.32	0
				1	53	15.42	0
				1	104	15.56	0
				50	0	15.40	0
				50	28	15.42	0
				50	56	15.55	0
				100	0	15.37	0
			16QAM	1	1	15.36	0
			64QAM	1	1	15.40	0
			256QAM	1	1	15.10	0
		CP	QPSK	1	1	15.33	0

L.5 NR TDD Band n77 Maximum Conducted Power

NR TDD Band n77 Conducted Power_ Measured RSI = 0 (Free, Grip Sensor Off) _Main2 ANT.

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705	3759	3813	3867	3921	3975	
						MHz	MHz	MHz	MHz	MHz	MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	18.48	19.20	18.64	18.48	19.17	19.40	0
				1	12	18.47	19.12	18.52	18.53	19.19	19.49	0
				1	22	18.59	19.09	18.42	18.59	19.20	19.52	0
				12	0	18.44	19.14	18.57	18.48	19.16	19.40	0
				12	6	18.51	19.12	18.51	18.51	19.18	19.44	0
				12	12	18.53	19.10	18.44	18.54	19.18	19.46	0
				24	0	18.48	19.12	18.51	18.51	19.18	19.44	0
			QPSK	1	1	18.47	19.18	18.64	18.44	19.15	19.41	0
				1	12	18.53	19.12	18.53	18.50	19.20	19.44	0
				1	22	18.60	19.10	18.41	18.59	19.19	19.50	0
				12	0	18.43	19.15	18.57	18.46	19.17	19.42	0
				12	6	18.49	19.11	18.50	18.50	19.18	19.44	0
				12	12	18.53	19.09	18.44	18.55	19.19	19.48	0
				24	0	18.50	19.13	18.50	18.51	19.16	19.45	0
			16QAM	1	1	18.43	19.28	18.61	18.46	19.27	19.40	0
			64QAM	1	1	18.46	19.16	18.58	18.42	19.15	19.31	0
			256QAM	1	1	18.38	19.22	18.68	18.38	19.16	19.33	0
		CP	QPSK	1	1	18.50	19.22	18.67	18.44	19.15	19.45	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654234	657766	661300	664832	
						3 707.52	3 760.5	3 813.51	3 866.5	3 919.5	3 972.48	
						MHz	MHz	MHz	MHz	MHz	MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	18.42	19.19	18.70	18.38	19.07	19.46	0
				1	18	18.45	19.06	18.48	18.49	19.17	19.44	0
				1	36	18.63	18.98	18.32	18.60	19.20	19.54	0
				18	0	18.50	19.15	18.59	18.41	19.10	19.45	0
				18	9	18.55	19.11	18.50	18.47	19.15	19.48	0
				18	18	18.58	19.04	18.38	18.55	19.17	19.50	0
				36	0	18.54	19.11	18.49	18.47	19.15	19.48	0
			QPSK	1	1	18.44	19.16	18.67	18.34	19.04	19.41	0
				1	18	18.47	19.03	18.43	18.43	19.11	19.42	0
				1	36	18.64	18.97	18.28	18.54	19.17	19.50	0
				18	0	18.50	19.16	18.60	18.41	19.09	19.43	0
				18	9	18.54	19.11	18.49	18.48	19.16	19.47	0
				18	18	18.58	19.07	18.39	18.54	19.19	19.48	0
				36	0	18.54	19.11	18.49	18.47	19.17	19.47	0
			16QAM	1	1	18.44	19.20	18.60	18.36	19.10	19.43	0
			64QAM	1	1	18.39	19.20	18.68	18.30	18.98	19.40	0
			256QAM	1	1	18.50	19.26	18.58	18.34	18.91	19.42	0
		CP	QPSK	1	1	18.58	19.18	18.69	18.37	19.06	19.46	0

NR TDD Band n77_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.50	19.24	18.71	18.28	18.94	19.34	0
				1	26	18.61	19.11	18.48	18.52	19.13	19.43	0
				1	49	18.75	18.96	18.23	18.58	19.17	19.51	0
				25	0	18.55	19.17	18.61	18.38	19.01	19.36	0
				25	13	18.60	19.08	18.48	18.48	19.11	19.42	0
				25	26	18.67	19.01	18.32	18.56	19.16	19.45	0
				50	0	18.61	19.09	18.48	18.47	19.11	19.42	0
			QPSK	1	1	18.45	19.20	18.67	18.23	18.90	19.29	0
				1	26	18.57	19.05	18.43	18.43	19.09	19.38	0
				1	49	18.72	18.91	18.17	18.50	19.11	19.46	0
				25	0	18.55	19.18	18.62	18.37	19.02	19.38	0
				25	13	18.62	19.09	18.48	18.47	19.11	19.42	0
				25	26	18.69	19.01	18.32	18.57	19.15	19.45	0
				50	0	18.59	19.12	18.47	18.48	19.11	19.41	0
			16QAM	1	1	18.47	19.15	18.62	18.20	18.81	19.25	0
			64QAM	1	1	18.56	19.27	18.77	18.33	18.87	19.28	0
			256QAM	1	1	18.47	19.21	18.65	18.28	18.87	19.24	0
		CP	QPSK	1	1	18.49	19.25	18.74	18.30	18.96	19.34	0

NR TDD Band n77_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5 MHz	3763.5 MHz	3814.5 MHz	3865.5 MHz	3916.5 MHz	3967.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.52	19.25	18.76	18.17	18.81	19.27	0
				1	32	18.71	19.07	18.51	18.46	19.13	19.36	0
				1	63	18.84	18.88	18.15	18.55	19.17	19.51	0
				32	0	18.59	19.17	18.64	18.33	18.96	19.31	0
				32	17	18.66	19.07	18.46	18.48	19.08	19.41	0
				32	33	18.72	18.95	18.27	18.56	19.18	19.46	0
				64	0	18.63	19.07	18.45	18.46	19.08	19.38	0
			QPSK	1	1	18.53	19.23	18.76	18.17	18.80	19.27	0
				1	32	18.62	19.06	18.41	18.44	19.06	19.36	0
				1	63	18.83	18.87	18.13	18.54	19.15	19.52	0
				32	0	18.58	19.19	18.64	18.33	18.96	19.32	0
				32	17	18.65	19.07	18.48	18.47	19.09	19.40	0
				32	33	18.72	18.95	18.25	18.55	19.17	19.47	0
				64	0	18.64	19.07	18.50	18.47	19.10	19.39	0
			16QAM	1	1	18.43	19.16	18.65	18.13	18.73	19.21	0
			64QAM	1	1	18.44	19.22	18.77	18.25	18.78	19.34	0
			256QAM	1	1	18.46	19.17	18.72	18.16	18.82	19.25	0
		CP	QPSK	1	1	18.49	19.20	18.75	18.16	18.78	19.28	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
						MHz	MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.38	19.08	18.63	18.20	18.66	19.33	0
				1	39	18.68	18.97	18.41	18.54	19.06	19.40	0
				1	76	18.94	18.84	18.13	18.45	19.14	19.41	0
				36	0	18.46	19.07	18.54	18.37	18.84	19.34	0
				36	21	18.62	18.97	18.38	18.50	19.04	19.38	0
				36	42	18.78	18.89	18.21	18.52	19.14	19.42	0
				75	0	18.62	18.97	18.38	18.47	19.00	19.37	0
			QPSK	1	1	18.38	19.09	18.62	18.27	18.61	19.28	0
				1	39	18.65	18.98	18.38	18.58	18.95	19.36	0
				1	76	18.95	18.86	18.11	18.49	19.10	19.41	0
				36	0	18.48	19.06	18.53	18.36	18.84	19.33	0
				36	21	18.64	18.97	18.38	18.50	19.04	19.39	0
				36	42	18.80	18.90	18.20	18.52	19.15	19.43	0
				75	0	18.61	18.99	18.38	18.48	19.01	19.37	0
			16QAM	1	1	18.37	19.16	18.71	18.13	18.55	19.31	0
			64QAM	1	1	18.30	19.00	18.61	18.16	18.62	19.29	0
			256QAM	1	1	18.47	19.15	18.67	18.24	18.63	19.30	0
		CP	QPSK	1	1	18.41	19.15	18.66	18.27	18.65	19.37	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
						MHz	MHz	MHz	MHz	MHz	MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.45	19.17	18.68	18.10	18.62	19.16	0
				1	53	18.73	19.02	18.35	18.51	19.05	19.38	0
				1	104	19.08	18.83	18.07	18.41	19.13	19.48	0
				50	0	18.57	19.06	18.56	18.24	18.79	19.30	0
				50	28	18.76	18.93	18.35	18.48	19.05	19.35	0
				50	56	18.96	18.83	18.13	18.49	19.15	19.43	0
				100	0	18.72	18.95	18.37	18.45	19.01	19.33	0
			QPSK	1	1	18.42	19.11	18.61	18.04	18.55	19.14	0
				1	53	18.80	18.89	18.33	18.44	19.01	19.29	0
				1	104	19.17	18.78	18.00	18.39	19.07	19.42	0
				50	0	18.56	19.06	18.56	18.27	18.78	19.30	0
				50	28	18.74	18.94	18.35	18.48	19.04	19.34	0
				50	56	18.96	18.83	18.12	18.51	19.16	19.44	0
				100	0	18.72	18.94	18.36	18.44	19.01	19.32	0
			16QAM	1	1	18.44	19.07	18.64	17.94	18.29	19.13	0
			64QAM	1	1	18.41	19.35	18.42	18.07	18.76	18.97	0
			256QAM	1	1	18.48	18.80	18.51	18.09	18.50	19.22	0
		CP	QPSK	1	1	18.37	19.13	18.64	18.02	18.60	19.21	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01	3782.49	3840		3897.51	3954.99	
						MHz	MHz	MHz		MHz	MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.36	19.17	18.33		18.44	19.19	0
				1	67	18.87	18.89	18.04		18.68	19.39	0
				1	131	19.22	18.61	18.47		19.12	19.39	0
				64	0	18.54	18.97	18.06		18.42	19.26	0
				64	35	18.85	18.85	18.00		18.65	19.36	0
				64	69	19.11	18.77	18.20		18.95	19.37	0
				128	0	18.80	18.83	17.99		18.60	19.32	0
			QPSK	1	1	18.31	19.07	18.27		18.39	19.15	0
				1	67	18.79	18.81	17.97		18.63	19.35	0
				1	131	19.17	18.55	18.41		19.11	19.36	0
				64	0	18.54	18.96	18.09		18.42	19.25	0
				64	35	18.84	18.86	18.03		18.66	19.36	0
				64	69	19.11	18.77	18.22		18.97	19.37	0
				128	0	18.80	18.83	18.00		18.62	19.33	0
			16QAM	1	1	18.48	19.21	18.21		18.16	18.97	0
			64QAM	1	1	18.28	19.23	18.32		18.49	19.12	0
			256QAM	1	1	18.42	19.11	18.37		18.23	19.32	0
		CP	QPSK	1	1	18.24	19.11	18.34		18.39	19.27	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.95	18.91			17.97	19.09	0
				1	81	19.03	18.77			18.55	19.33	0
				1	160	19.06	18.01			18.86	19.45	0
				81	0	18.63	18.85			18.34	19.15	0
				81	41	18.96	18.73			18.49	19.34	0
				81	81	19.15	18.30			18.54	19.39	0
				162	0	18.93	18.69			18.49	19.31	0
			QPSK	1	1	18.37	18.84			17.96	19.05	0
				1	81	18.97	18.74			18.52	19.32	0
				1	160	19.00	17.91			18.85	19.45	0
				81	0	18.64	18.84			18.36	19.16	0
				81	41	19.00	18.72			18.50	19.32	0
				81	81	19.15	18.31			18.54	19.38	0
				162	0	18.96	18.70			18.47	19.30	0
			16QAM	1	1	18.31	19.02			17.74	19.10	0
			64QAM	1	1	18.55	18.99			17.94	18.96	0
			256QAM	1	1	18.38	18.90			18.04	19.11	0
		CP	QPSK	1	1	18.42	18.93			17.84	19.11	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.30	18.95			17.82	18.82	0
				1	95	19.04	18.68			18.49	19.21	0
				1	187	18.98	17.88			18.97	19.54	0
				90	0	18.58	18.87			18.22	19.02	0
				90	50	19.04	18.71			18.50	19.22	0
				90	99	18.95	18.16			18.57	19.39	0
				180	0	18.99	18.70			18.47	19.18	0
			QPSK	1	1	18.30	18.94			17.88	18.79	0
				1	95	19.03	18.73			18.56	19.19	0
				1	187	18.70	17.88			19.02	19.52	0
				90	0	18.61	18.86			18.20	19.02	0
				90	50	19.05	18.69			18.48	19.22	0
				90	99	18.97	18.17			18.57	19.38	0
				180	0	19.01	18.68			18.47	19.17	0
			16QAM	1	1	18.42	18.97			17.88	18.91	0
			64QAM	1	1	18.29	18.92			17.86	18.74	0
			256QAM	1	1	18.30	18.93			17.90	18.84	0
		CP	QPSK	1	1	18.33	18.97			17.90	18.88	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.41		18.63		18.69		0
				1	109	19.15		17.98		19.22		0
				1	215	18.78		18.49		19.43		0
				108	0	18.68		18.18		19.13		0
				108	55	19.14		18.00		19.22		0
				108	109	19.05		18.37		19.32		0
				216	0	19.09		17.97		19.17		0
			QPSK	1	1	18.40		18.65		18.64		0
				1	109	19.13		18.01		19.16		0
				1	215	18.80		18.46		19.44		0
				108	0	18.71		18.21		19.13		0
				108	55	19.15		18.01		19.19		0
				108	109	19.07		18.39		19.33		0
				216	0	19.11		17.97		19.16		0
			16QAM	1	1	18.52		18.66		18.75		0
			64QAM	1	1	18.39		18.63		18.81		0
			256QAM	1	1	18.41		18.67		18.76		0
		CP	QPSK	1	1	18.49		18.66		18.71		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649668		656000		662332		
						3745.02 MHz		3840 MHz		3934.98 MHz		
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.41		18.72		18.62		0
				1	123	19.14		18.02		19.23		0
				1	243	18.90		18.49		19.37		0
				120	0	18.71		18.29		19.06		0
				120	63	19.14		18.02		19.19		0
				120	125	18.99		18.43		19.25		0
				243	0	19.12		17.97		19.15		0
			QPSK	1	1	18.35		18.71		18.57		0
				1	123	19.13		18.00		19.21		0
				1	243	18.90		18.49		19.32		0
				120	0	18.67		18.30		19.07		0
				120	63	19.16		18.01		19.19		0
				120	125	19.00		18.45		19.24		0
				243	0	19.13		17.98		19.16		0
			16QAM	1	1	18.29		18.62		18.57		0
			64QAM	1	1	18.40		18.83		18.54		0
			256QAM	1	1	18.36		18.71		18.65		0
		CP	QPSK	1	1	18.20		18.77		18.17		0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						650000				662000		
						3750 MHz				3930 MHz		
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.53				18.56		0
				1	137	19.05				19.21		0
				1	271	18.82				19.57		0
				135	0	18.85				18.80		0
				135	69	19.21				19.14		0
				135	138	18.89				19.31		0
			QPSK	270	0	19.18				19.13		0
				1	1	18.51				18.51		0
				1	137	19.23				19.14		0
				1	271	18.80				19.51		0
				135	0	18.87				18.82		0
				135	69	19.23				19.14		0
				135	138	18.88				19.31		0
				270	0	19.20				19.12		0
			16QAM	1	1	18.54				18.43		0
			64QAM	1	1	18.58				18.39		0
			256QAM	1	1	18.54				18.53		0
		CP	QPSK	1	1	18.54				18.17		0

NR TDD Band n77 Conducted Power_ Measured RSI = 4 (GRIP 4 ON) _Main2 ANT.

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705	3759	3813	3867	3921	3975	
						MHz	MHz	MHz	MHz	MHz	MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	8.46	9.14	8.59	8.39	9.09	9.36	0
				1	12	8.55	9.18	8.49	8.44	9.17	9.45	0
				1	22	8.58	9.06	8.36	8.54	9.12	9.47	0
				12	0	8.44	9.11	8.52	8.40	9.09	9.37	0
				12	6	8.47	8.34	8.45	8.45	9.13	9.39	0
				12	12	8.51	9.05	8.39	8.48	9.13	9.42	0
				24	0	8.52	9.07	8.44	8.44	9.12	9.39	0
			QPSK	1	1	8.43	9.12	8.60	8.38	9.10	9.35	0
				1	12	8.52	9.08	8.48	8.46	9.17	9.40	0
				1	22	8.53	9.02	8.34	8.53	9.13	9.45	0
				12	0	8.43	9.09	8.52	8.41	9.11	9.36	0
				12	6	8.46	9.08	8.45	8.47	9.13	9.40	0
				12	12	8.50	9.04	8.27	8.49	9.13	9.42	0
				24	0	8.47	9.06	8.18	8.46	9.15	9.39	0
			16QAM	1	1	8.44	8.99	8.17	8.26	9.06	9.31	0
			64QAM	1	1	8.26	9.14	8.09	8.28	9.14	9.34	0
			256QAM	1	1	8.34	9.07	8.59	8.30	8.99	9.35	0
		CP	QPSK	1	1	8.42	9.15	8.57	8.40	9.10	9.40	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654234	657766	661300	664832	
						3 707.52	3 760.5	3 813.51	3 866.5	3 919.5	3 972.48	
						MHz	MHz	MHz	MHz	MHz	MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	8.40	9.12	8.63	8.32	9.00	9.40	0
				1	18	8.42	9.00	8.42	8.44	9.09	9.39	0
				1	36	8.57	8.94	8.26	8.51	9.12	9.48	0
				18	0	8.31	9.10	8.53	8.34	9.05	9.40	0
				18	9	8.49	9.06	8.44	8.42	9.10	9.42	0
				18	18	8.53	9.00	8.33	8.47	9.13	9.42	0
				36	0	8.48	9.06	8.44	8.41	9.09	9.42	0
			QPSK	1	1	8.39	9.11	8.60	8.29	8.96	9.32	0
				1	18	8.42	8.98	8.37	8.37	9.02	9.35	0
				1	36	8.59	8.92	8.20	8.48	9.09	9.44	0
				18	0	8.46	9.09	8.54	8.35	9.02	9.38	0
				18	9	8.49	9.06	8.43	8.42	9.10	9.40	0
				18	18	8.54	8.98	8.34	8.49	9.11	9.44	0
				36	0	8.50	9.06	8.45	8.41	9.10	9.40	0
			16QAM	1	1	8.39	9.14	8.52	8.34	8.93	9.35	0
			64QAM	1	1	8.41	9.10	8.55	8.40	8.86	9.44	0
			256QAM	1	1	8.34	9.16	8.56	8.25	9.02	9.28	0
		CP	QPSK	1	1	8.44	9.14	8.68	8.33	9.04	9.38	0

NR TDD Band n77_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.45	9.19	8.67	8.22	8.88	9.28	0
				1	26	8.56	9.06	8.42	8.44	9.09	9.39	0
				1	49	8.69	8.89	8.20	8.51	9.13	9.48	0
				25	0	8.49	9.11	8.55	8.32	8.98	9.33	0
				25	13	8.57	9.05	8.44	8.42	9.08	9.38	0
				25	26	8.63	8.93	8.26	8.50	9.11	8.79	0
				50	0	8.55	9.05	8.43	8.41	9.06	9.37	0
			QPSK	1	1	8.42	9.11	8.62	8.17	8.85	9.22	0
				1	26	8.53	8.99	8.38	8.38	9.04	9.35	0
				1	49	8.68	8.84	8.11	8.47	9.07	9.41	0
				25	0	8.51	9.10	8.56	8.32	8.96	9.33	0
				25	13	8.58	9.05	8.43	8.43	9.07	9.39	0
				25	26	8.63	8.95	8.27	8.50	9.10	9.41	0
				50	0	8.56	9.07	8.43	8.42	9.06	9.36	0
			16QAM	1	1	8.40	9.11	8.66	8.24	8.85	9.34	0
			64QAM	1	1	8.51	9.17	8.67	8.23	8.94	9.24	0
			256QAM	1	1	8.49	9.13	8.65	8.22	8.87	9.25	0
		CP	QPSK	1	1	8.47	9.16	8.67	8.23	8.92	9.29	0

NR TDD Band n77_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5 MHz	3763.5 MHz	3814.5 MHz	3865.5 MHz	3916.5 MHz	3967.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.45	9.19	8.74	8.12	8.75	9.21	0
				1	32	8.67	9.02	8.47	8.40	9.06	9.31	0
				1	63	8.80	8.84	8.10	8.50	9.12	9.45	0
				32	0	8.52	9.11	8.61	8.29	8.90	9.24	0
				32	17	8.62	9.05	8.42	8.42	9.04	9.33	0
				32	33	8.69	8.89	8.21	8.52	9.10	9.42	0
				64	0	8.59	9.03	8.43	8.41	9.01	9.33	0
			QPSK	1	1	8.49	9.18	8.71	8.11	8.76	9.21	0
				1	32	8.60	9.01	8.38	8.36	9.02	9.32	0
				1	63	8.79	8.83	8.10	8.51	9.11	9.45	0
				32	0	8.53	9.13	8.60	8.28	8.92	9.23	0
				32	17	8.61	9.02	8.43	8.43	9.03	9.34	0
				32	33	8.69	8.90	8.22	8.49	9.11	9.41	0
				64	0	8.60	9.02	8.43	8.42	9.02	9.33	0
			16QAM	1	1	8.42	9.25	8.68	8.67	8.74	9.15	0
			64QAM	1	1	8.44	9.15	8.76	8.13	8.67	9.21	0
			256QAM	1	1	8.43	9.15	8.71	8.04	8.68	9.19	0
		CP	QPSK	1	1	8.46	9.15	8.69	8.14	8.72	9.19	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
						MHz	MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	8.33	9.00	8.56	8.15	8.59	9.29	0
				1	39	8.65	8.90	8.38	8.49	9.02	9.37	0
				1	76	8.89	8.77	8.07	8.42	9.10	9.38	0
				36	0	8.43	8.99	8.50	8.33	8.79	9.30	0
				36	21	8.58	8.91	8.36	8.46	8.99	9.35	0
				36	42	8.74	8.82	8.15	8.49	9.10	9.39	0
				75	0	8.57	8.91	8.33	8.45	8.96	9.33	0
			QPSK	1	1	8.33	9.03	8.58	8.12	8.54	9.23	0
				1	39	8.62	8.92	8.33	8.40	8.92	9.35	0
				1	76	8.90	8.79	8.07	8.36	9.08	9.35	0
				36	0	8.43	9.01	8.50	8.31	8.78	9.29	0
				36	21	8.58	8.92	8.35	8.45	8.98	9.37	0
				36	42	8.73	8.84	8.17	8.49	9.11	9.37	0
				75	0	8.56	8.92	8.34	8.44	8.97	9.32	0
			16QAM	1	1	8.37	9.05	8.70	8.19	8.67	9.27	0
			64QAM	1	1	8.37	8.88	8.67	8.01	8.75	9.32	0
			256QAM	1	1	8.30	9.03	8.56	8.12	8.53	9.23	0
		CP	QPSK	1	1	8.37	9.10	8.59	8.19	8.63	9.31	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
						MHz	MHz	MHz	MHz	MHz	MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.37	9.13	8.64	8.06	8.55	9.13	0
				1	53	8.71	8.94	8.30	8.49	8.99	9.35	0
				1	104	9.05	8.78	8.04	8.40	9.08	9.42	0
				50	0	8.52	9.02	8.51	8.23	8.73	9.23	0
				50	28	8.71	8.88	8.31	8.45	8.98	9.31	0
				50	56	8.93	8.77	8.08	8.47	9.10	9.37	0
				100	0	8.67	8.89	8.32	8.39	8.95	9.27	0
			QPSK	1	1	8.36	9.04	8.57	8.01	8.46	9.07	0
				1	53	8.69	8.87	8.29	8.37	8.99	9.24	0
				1	104	8.99	8.72	8.62	8.33	9.00	9.40	0
				50	0	8.53	9.02	8.51	8.21	8.72	9.23	0
				50	28	8.70	8.89	8.30	8.44	8.99	9.30	0
				50	56	8.92	8.77	8.09	8.46	9.10	9.37	0
				100	0	8.67	8.89	8.31	8.43	8.98	9.26	0
			16QAM	1	1	8.34	9.15	8.59	8.25	8.27	9.16	0
			64QAM	1	1	8.43	9.05	8.55	8.34	8.33	9.26	0
			256QAM	1	1	8.34	9.09	8.53	8.20	8.61	8.91	0
		CP	QPSK	1	1	8.46	9.05	8.76	8.01	8.60	9.17	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						648334	652166	656000		659834		663666
						3725.01	3782.49	3840		3897.51		3954.99
						MHz	MHz	MHz		MHz		MHz
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.25	9.10	8.28		8.35	9.13	0
				1	67	8.79	8.81	7.99		8.61	9.33	0
				1	131	9.17	8.55	8.40		9.10	9.32	0
				64	0	8.48	8.90	8.04		8.39	9.21	0
				64	35	8.78	8.78	7.95		8.61	9.30	0
				64	69	9.06	8.71	8.17		8.93	9.32	0
				128	0	8.74	8.79	7.95		8.57	9.27	0
			QPSK	1	1	8.26	9.03	8.21		8.37	9.09	0
				1	67	8.76	8.75	7.94		8.60	9.30	0
				1	131	9.12	8.49	8.36		9.07	9.29	0
				64	0	8.47	8.88	8.04		8.40	9.22	0
				64	35	8.78	8.80	7.94		8.63	9.30	0
				64	69	9.05	8.70	8.17		8.93	9.32	0
				128	0	8.72	8.77	7.96		8.56	9.29	0
			16QAM	1	1	8.29	9.03	8.38		8.23	9.12	0
			64QAM	1	1	8.39	9.16	8.20		8.16	9.33	0
			256QAM	1	1	8.25	9.01	8.33		8.37	9.04	0
		CP	QPSK	1	1	8.25	9.03	8.33		8.38	9.15	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	9.10	8.89			8.72	9.03	0
				1	81	9.01	8.71			8.51	9.36	0
				1	160	9.06	8.75			8.83	9.37	0
				81	0	8.66	8.82			8.31	8.54	0
				81	41	8.35	8.69			8.47	9.29	0
				81	81	9.14	8.27			8.50	9.35	0
				162	0	8.93	8.68			8.44	9.26	0
			QPSK	1	1	8.34	8.81			8.52	9.02	0
				1	81	8.95	8.68			8.49	9.28	0
				1	160	8.98	8.65			8.82	9.4	0
				81	0	8.60	8.81			8.34	9.10	0
				81	41	8.66	8.71			8.48	9.30	0
				81	81	8.26	8.27			8.51	9.34	0
				162	0	8.91	8.67			8.46	9.25	0
			16QAM	1	1	8.25	8.87			8.38	8.81	0
			64QAM	1	1	8.19	8.82			8.17	9.05	0
			256QAM	1	1	8.50	8.63			8.02	9.08	0
		CP	QPSK	1	1	8.30	8.85			8.26	9.15	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.27	8.93			8.88	8.77	0
				1	95	9.02	8.68			8.46	9.18	0
				1	187	8.97	8.85			8.93	9.50	0
				90	0	8.83	8.44			8.64	9.12	0
				90	50	8.45	8.66			8.46	9.17	0
				90	99	9.15	8.72			8.51	8.91	0
				180	0	8.41	8.66			8.44	9.13	0
			QPSK	1	1	8.26	8.90			8.77	8.77	0
				1	95	9.03	8.69			8.41	9.18	0
				1	187	8.99	8.86			8.89	9.51	0
				90	0	8.82	8.79			8.15	8.92	0
				90	50	8.99	8.64			8.45	9.18	0
				90	99	9.15	8.11			8.53	9.33	0
				180	0	8.93	8.66			8.45	9.12	0
			16QAM	1	1	8.34	8.87			8.79	8.89	0
			64QAM	1	1	8.40	8.91			8.76	8.72	0
			256QAM	1	1	8.22	8.85			8.79	8.68	0
		CP	QPSK	1	1	8.27	8.91			8.83	8.85	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.66		8.59		8.65		0
				1	109	9.12		7.95		9.14		0
				1	215	8.73		7.98		9.38		0
				108	0	8.65		7.89		9.04		0
				108	55	9.10		7.95		9.14		0
				108	109	9.02		8.31		9.25		0
				216	0	9.05		7.94		9.11		0
			QPSK	1	1	8.41		8.60		8.58		0
				1	109	9.15		7.95		9.09		0
				1	215	8.73		8.40		9.39		0
				108	0	8.67		8.16		9.06		0
				108	55	9.09		7.94		9.14		0
				108	109	9.01		8.33		8.78		0
				216	0	9.05		7.91		9.12		0
			16QAM	1	1	8.38		8.61		8.59		0
			64QAM	1	1	8.38		8.57		8.59		0
			256QAM	1	1	8.28		8.60		8.56		0
		CP	QPSK	1	1	8.38		8.63		8.68		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						649668		656000		662332	
						3745.02 MHz		3840 MHz		3934.98 MHz	
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.28		8.70		8.57	0
				1	123	9.06		7.96		9.12	0
				1	243	8.84		8.46		9.30	0
				120	0	8.78		8.21		8.77	0
				120	63	9.08		7.93		9.12	0
				120	125	8.98		8.37		9.16	0
				243	0	9.06		7.90		9.09	0
			QPSK	1	1	8.25		8.62		8.51	0
				1	123	9.03		7.91		9.13	0
				1	243	8.79		8.40		9.27	0
				120	0	8.81		8.49		8.99	0
				120	63	9.08		7.93		9.12	0
				120	125	8.92		8.37		9.17	0
				243	0	9.06		7.92		9.06	0
			16QAM	1	1	8.17		8.64		8.42	0
			64QAM	1	1	8.39		8.70		8.44	0
			256QAM	1	1	8.31		8.54		8.45	0
		CP	QPSK	1	1	8.43		8.70		8.48	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						650000				662000	
						3750 MHz				3930 MHz	
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.46				8.49	0
				1	137	9.12				9.09	0
				1	271	8.72				9.47	0
				135	0	8.96				8.53	0
				135	69	9.15				8.50	0
				135	138	8.80				9.24	0
				270	0	8.56				9.06	0
			QPSK	1	1	8.68				8.45	0
				1	137	9.14				9.04	0
				1	271	8.74				9.41	0
				135	0	8.77				8.75	0
				135	69	9.14				9.07	0
				135	138	8.81				9.26	0
				270	0	9.12				9.04	0
			16QAM	1	1	8.27				8.92	0
			64QAM	1	1	8.49				8.33	0
			256QAM	1	1	8.37				8.43	0
		CP	QPSK	1	1	8.48				8.51	0

L.6 NR TDD Band n77 DoD Maximum Conducted Power

NR TDD Band n77 DoD Conducted Power_ Measured RSI = 4 (GRIP 4 ON) _ MAIN2 Antenna

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	9.39	9.40	8.97	0
				1	12	9.42	9.35	8.96	0
				1	22	9.51	9.27	8.91	0
				12	0	8.83	9.37	8.95	0
				12	6	9.42	9.37	8.93	0
				12	12	8.50	9.29	8.93	0
				24	0	9.43	9.36	8.92	0
			QPSK	1	1	9.39	9.36	8.98	0
				1	12	9.47	9.38	8.98	0
				1	22	9.48	9.28	8.88	0
				12	0	9.38	8.55	8.95	0
				12	6	9.42	9.35	8.92	0
				12	12	9.46	9.32	8.92	0
				24	0	9.42	9.38	8.93	0
			16QAM	1	1	9.42	9.42	9.01	0
			64QAM	1	1	9.42	9.37	9.07	0
			256QAM	1	1	9.29	9.46	8.98	0
		CP	QPSK	1	1	9.35	9.35	9.00	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	9.41	9.40	8.96	0
				1	18	9.45	9.34	8.89	0
				1	36	9.51	9.21	8.88	0
				18	0	9.45	8.75	8.93	0
				18	9	9.51	8.40	8.90	0
				18	18	9.56	9.27	8.87	0
				36	0	9.51	8.81	8.89	0
			QPSK	1	1	9.39	9.37	8.91	0
				1	18	9.45	9.29	8.81	0
				1	36	9.50	9.17	8.83	0
				18	0	9.46	9.39	8.91	0
				18	9	9.51	9.36	8.91	0
				18	18	9.55	9.29	8.86	0
				36	0	9.52	9.37	8.91	0
			16QAM	1	1	9.49	9.33	8.85	0
			64QAM	1	1	9.47	9.51	8.91	0
			256QAM	1	1	9.42	9.34	8.88	0
		CP	QPSK	1	1	9.40	9.44	8.92	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	9.58	9.40	8.90	0
				1	26	9.58	9.36	8.84	0
				1	49	9.54	9.13	8.76	0
				25	0	9.51	9.37	8.88	0
				25	13	9.60	9.36	8.85	0
				25	26	9.56	9.23	8.37	0
				50	0	9.59	9.35	8.85	0
			QPSK	1	1	9.42	9.35	8.88	0
				1	26	9.55	9.30	8.80	0
				1	49	9.52	9.08	8.75	0
				25	0	9.51	9.39	8.88	0
				25	13	9.59	9.36	8.87	0
				25	26	9.57	9.24	8.82	0
				50	0	9.58	9.36	8.86	0
			16QAM	1	1	9.42	9.38	8.92	0
			64QAM	1	1	9.45	9.45	8.94	0
			256QAM	1	1	9.36	9.41	8.79	0
		CP	QPSK	1	1	9.44	9.41	8.86	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635832	
						3462.51 MHz	3500.01 MHz	3537.48 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	9.53	9.40	8.82	0
				1	26	9.63	9.36	8.80	0
				1	49	9.54	9.06	8.75	0
				25	0	9.60	9.20	8.80	0
				25	13	9.63	9.17	8.82	0
				25	26	9.57	9.18	8.80	0
				50	0	9.62	9.35	8.80	0
			QPSK	1	1	9.55	9.40	8.83	0
				1	26	9.61	9.37	8.77	0
				1	49	9.55	9.08	8.75	0
				25	0	9.60	9.38	8.82	0
				25	13	9.63	9.35	8.82	0
				25	26	9.57	9.18	8.78	0
				50	0	8.95	9.35	8.80	0
			16QAM	1	1	9.16	9.40	8.87	0
			64QAM	1	1	9.22	9.39	8.92	0
			256QAM	1	1	9.45	9.35	8.72	0
		CP	QPSK	1	1	9.58	9.42	8.81	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	9.35	9.40	9.00	0
				1	39	9.55	9.35	9.08	0
				1	76	9.38	9.02	8.84	0
				36	0	9.43	9.37	8.98	0
				36	21	8.72	9.37	8.98	0
				36	42	9.42	9.14	8.94	0
				75	0	9.46	9.36	8.98	0
			QPSK	1	1	9.34	9.43	9.01	0
				1	39	9.47	9.41	9.03	0
				1	76	9.41	9.08	8.87	0
				36	0	9.46	9.39	9.00	0
				36	21	9.47	9.37	8.98	0
				36	42	9.42	9.15	8.93	0
				75	0	9.45	9.36	8.97	0
			16QAM	1	1	9.48	9.42	8.95	0
			64QAM	1	1	9.40	9.43	9.08	0
			256QAM	1	1	9.29	9.35	8.97	0
		CP	QPSK	1	1	9.33	9.39	9.08	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	9.49		9.00	0
				1	53	9.55		8.95	0
				1	104	9.45		8.76	0
				50	0	9.56		8.92	0
				50	28	9.52		8.89	0
				50	56	9.48		8.85	0
				100	0	9.53		8.87	0
			QPSK	1	1	9.46		8.96	0
				1	53	9.61		8.84	0
				1	104	9.46		8.73	0
				50	0	9.57		8.90	0
				50	28	9.53		8.88	0
				50	56	9.45		8.84	0
				100	0	9.53		8.88	0
			16QAM	1	1	9.28		9.04	0
			64QAM	1	1	9.68		8.73	0
			256QAM	1	1	9.39		8.98	0
		CP	QPSK	1	1	9.49		9.11	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	9.35		9.14	0
				1	67	9.41		8.81	0
				1	131	9.36		8.70	0
				64	0	9.45		8.89	0
				64	35	9.40		8.80	0
				64	69	9.35		8.78	0
				128	0	9.39		8.79	0
			QPSK	1	1	9.33		9.15	0
				1	67	9.36		8.77	0
				1	131	9.33		8.67	0
				64	0	9.45		8.90	0
				64	35	9.40		8.80	0
				64	69	9.35		8.77	0
				128	0	9.40		8.80	0
			16QAM	1	1	9.38		9.24	0
			64QAM	1	1	9.03		9.00	0
			256QAM	1	1	9.33		9.20	0
		CP	QPSK	1	1	9.35		9.23	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		9.42		0
				1	81		9.41		0
				1	160		8.89		0
				81	0		9.39		0
				81	41		9.34		0
				81	81		8.98		0
				162	0		9.31		0
			QPSK	1	1		9.37		0
				1	81		9.31		0
				1	160		8.84		0
				81	0		9.40		0
				81	41		9.34		0
				81	81		9.00		0
				162	0		9.31		0
			16QAM	1	1		9.39		0
			64QAM	1	1		9.27		0
			256QAM	1	1		9.37		0
		CP	QPSK	1	1		9.45		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		9.41		0
				1	95		9.36		0
				1	187		8.83		0
				90	0		9.38		0
				90	50		9.34		0
				90	99		8.94		0
				180	0		9.31		0
			QPSK	1	1		9.43		0
				1	95		9.36		0
				1	187		8.85		0
				90	0		9.39		0
				90	50		9.34		0
				90	99		8.93		0
				180	0		9.33		0
			16QAM	1	1		9.39		0
			64QAM	1	1		9.39		0
			256QAM	1	1		9.43		0
		CP	QPSK	1	1		9.45		0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		9.45		0
				1	109		9.36		0
				1	215		8.84		0
				108	0		9.38		0
				108	55		9.34		0
				108	109		8.78		0
				216	0		9.29		0
			QPSK	1	1		9.49		0
				1	109		9.39		0
				1	215		8.81		0
				108	0		9.38		0
				108	55		9.34		0
				108	109		8.91		0
				216	0		9.29		0
			16QAM	1	1		9.52		0
			64QAM	1	1		9.51		0
			256QAM	1	1		8.70		0
		CP	QPSK	1	1		9.58		0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		9.44		0
				1	123		9.02		0
				1	243		9.13		0
				120	0		8.98		0
				120	63		9.33		0
				120	125		8.88		0
				243	0		9.22		0
			QPSK	1	1		9.40		0
				1	123		9.30		0
				1	243		8.74		0
				120	0		9.38		0
				120	63		9.33		0
				120	125		9.24		0
				243	0		9.27		0
			16QAM	1	1		9.40		0
			64QAM	1	1		9.49		0
			256QAM	1	1		9.31		0
		CP	QPSK	1	1		9.48		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		9.37		0
				1	137		9.32		0
				1	271		8.76		0
				135	0		9.04		0
				135	69		9.16		0
				135	138		8.54		0
				270	0		9.27		0
			QPSK	1	1		9.33		0
				1	137		9.29		0
				1	271		8.76		0
				135	0		9.40		0
				135	69		9.31		0
				135	138		8.86		0
				270	0		9.27		0
			16QAM	1	1		9.31		0
			64QAM	1	1		9.37		0
			256QAM	1	1		9.38		0
		CP	QPSK	1	1		9.41		0

NR TDD Band n77 DoD Conducted Power_ Measured RSI = 0 (Free, Grip Sensor Off)_ MAIN2

Antenna

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	19.45	19.47	19.05	0
				1	12	19.54	19.41	18.98	0
				1	22	19.58	19.36	18.96	0
				12	0	19.45	19.43	19.00	0
				12	6	19.49	19.41	18.98	0
				12	12	19.55	19.38	18.96	0
				24	0	19.50	19.42	18.99	0
			QPSK	1	1	19.47	19.48	19.03	0
				1	12	19.53	19.43	19.03	0
				1	22	19.58	19.36	18.96	0
				12	0	19.47	19.44	19.01	0
				12	6	19.49	19.42	18.99	0
				12	12	19.54	19.36	18.96	0
				24	0	19.50	19.43	18.98	0
			16QAM	1	1	19.46	19.47	19.02	0
			64QAM	1	1	19.40	19.47	19.00	0
			256QAM	1	1	19.36	19.37	18.96	0
		CP	QPSK	1	1	19.45	19.49	19.04	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	19.46	19.51	19.04	0
				1	18	19.53	19.44	18.95	0
				1	36	19.58	19.31	18.96	0
				18	0	19.53	19.46	19.01	0
				18	9	19.58	19.45	18.98	0
				18	18	19.62	19.36	18.95	0
				36	0	19.59	19.43	18.98	0
			QPSK	1	1	19.49	19.45	18.99	0
				1	18	19.52	19.37	18.93	0
				1	36	19.58	19.25	18.91	0
				18	0	19.53	19.45	18.99	0
				18	9	19.59	19.44	18.99	0
				18	18	19.62	19.37	18.95	0
				36	0	19.59	19.44	18.98	0
			16QAM	1	1	19.47	19.32	18.99	0
			64QAM	1	1	19.52	19.46	18.98	0
			256QAM	1	1	19.45	19.38	18.92	0
		CP	QPSK	1	1	19.55	19.52	19.04	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	19.57	19.47	18.96	0
				1	26	19.67	19.43	18.95	0
				1	49	19.64	19.21	18.91	0
				25	0	19.62	19.45	18.95	0
				25	13	19.69	19.43	18.95	0
				25	26	19.65	19.30	18.89	0
				50	0	19.67	19.42	18.94	0
			QPSK	1	1	19.52	19.46	18.94	0
				1	26	19.67	19.39	18.92	0
				1	49	19.59	19.17	18.84	0
				25	0	19.60	19.47	18.95	0
				25	13	19.68	19.43	18.94	0
				25	26	19.65	19.29	18.90	0
				50	0	19.65	19.42	18.96	0
			16QAM	1	1	19.58	19.40	18.87	0
			64QAM	1	1	19.49	19.41	18.99	0
			256QAM	1	1	19.43	19.40	18.88	0
		CP	QPSK	1	1	19.55	19.46	18.97	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635832	
						3462.51 MHz	3500.01 MHz	3537.48 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	19.66	19.50	18.92	0
				1	26	19.71	19.51	18.86	0
				1	49	19.64	19.16	18.83	0
				25	0	19.70	19.47	18.89	0
				25	13	19.72	19.45	18.89	0
				25	26	19.69	19.27	18.86	0
				50	0	19.74	19.45	18.90	0
			QPSK	1	1	19.63	19.48	18.94	0
				1	26	19.71	19.40	18.87	0
				1	49	19.64	19.15	18.84	0
				25	0	19.71	19.48	18.91	0
				25	13	19.72	19.45	18.91	0
				25	26	19.67	19.28	18.86	0
				50	0	19.71	19.43	18.91	0
			16QAM	1	1	19.61	19.38	18.84	0
			64QAM	1	1	19.66	19.42	18.87	0
			256QAM	1	1	19.61	19.53	18.88	0
		CP	QPSK	1	1	19.64	19.45	18.93	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	19.44	19.47	19.05	0
				1	39	19.54	19.39	19.03	0
				1	76	19.48	19.09	18.89	0
				36	0	19.52	19.46	19.07	0
				36	21	19.55	19.44	19.04	0
				36	42	19.51	19.22	18.98	0
				75	0	19.53	19.42	19.02	0
			QPSK	1	1	19.44	19.47	19.04	0
				1	39	19.56	19.45	19.02	0
				1	76	19.48	19.08	18.87	0
				36	0	19.53	19.46	19.05	0
				36	21	19.55	19.43	19.05	0
				36	42	19.50	19.21	18.98	0
				75	0	19.54	19.43	19.03	0
			16QAM	1	1	19.53	19.51	18.99	0
			64QAM	1	1	19.36	19.35	19.00	0
			256QAM	1	1	19.36	19.37	18.95	0
		CP	QPSK	1	1	19.44	19.49	19.10	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	19.50		19.09	0
				1	53	19.60		18.98	0
				1	104	19.50		18.83	0
				50	0	19.65		18.97	0
				50	28	19.60		18.95	0
				50	56	19.54		18.90	0
				100	0	19.60		18.92	0
			QPSK	1	1	19.47		19.02	0
				1	53	19.69		18.95	0
				1	104	19.50		18.76	0
				50	0	19.65		18.97	0
				50	28	19.60		18.94	0
				50	56	19.55		18.90	0
				100	0	19.60		18.94	0
			16QAM	1	1	19.35		18.92	0
			64QAM	1	1	19.50		19.11	0
			256QAM	1	1	19.27		18.93	0
		CP	QPSK	1	1	19.52		19.09	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	19.39		19.23	0
				1	67	19.48		18.88	0
				1	131	19.39		18.74	0
				64	0	19.55		18.96	0
				64	35	19.47		18.88	0
				64	69	19.46		18.84	0
				128	0	19.46		18.85	0
			QPSK	1	1	19.38		19.18	0
				1	67	19.43		18.88	0
				1	131	19.38		18.76	0
				64	0	19.53		18.95	0
				64	35	19.48		18.88	0
				64	69	19.45		18.83	0
				128	0	19.47		18.85	0
			16QAM	1	1	19.32		19.26	0
			64QAM	1	1	19.27		19.18	0
			256QAM	1	1	19.24		18.79	0
		CP	QPSK	1	1	19.34		19.28	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		19.48		0
				1	81		19.42		0
				1	160		18.92		0
				81	0		19.46		0
				81	41		19.43		0
				81	81		19.05		0
				162	0		19.37		0
			QPSK	1	1		19.42		0
				1	81		19.38		0
				1	160		18.92		0
				81	0		19.47		0
				81	41		19.41		0
				81	81		19.09		0
				162	0		19.38		0
			16QAM	1	1		19.30		0
			64QAM	1	1		19.56		0
			256QAM	1	1		19.30		0
		CP	QPSK	1	1		19.44		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		19.49		0
				1	95		19.42		0
				1	187		18.89		0
				90	0		19.44		0
				90	50		19.40		0
				90	99		18.99		0
				180	0		19.38		0
			QPSK	1	1		19.49		0
				1	95		19.42		0
				1	187		18.89		0
				90	0		19.45		0
				90	50		19.41		0
				90	99		19.00		0
				180	0		19.38		0
			16QAM	1	1		19.56		0
			64QAM	1	1		19.46		0
			256QAM	1	1		19.35		0
		CP	QPSK	1	1		19.52		0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		19.62		0
				1	109		19.43		0
				1	215		18.88		0
				108	0		19.45		0
				108	55		19.40		0
				108	109		18.96		0
				216	0		19.35		0
			QPSK	1	1		19.54		0
				1	109		19.44		0
				1	215		18.88		0
				108	0		19.45		0
				108	55		19.39		0
				108	109		18.98		0
				216	0		19.36		0
			16QAM	1	1		19.65		0
			64QAM	1	1		19.69		0
			256QAM	1	1		19.40		0
		CP	QPSK	1	1		19.57		0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		19.47		0
				1	123		19.38		0
				1	243		18.83		0
				120	0		19.46		0
				120	63		19.37		0
				120	125		18.95		0
				243	0		19.34		0
			QPSK	1	1		19.49		0
				1	123		19.38		0
				1	243		18.83		0
				120	0		19.45		0
				120	63		19.38		0
				120	125		18.92		0
				243	0		19.34		0
			16QAM	1	1		19.46		0
			64QAM	1	1		19.49		0
			256QAM	1	1		19.31		0
		CP	QPSK	1	1		19.57		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		19.45		0
				1	137		19.23		0
				1	271		18.85		0
				135	0		19.47		0
				135	69		19.39		0
				135	138		18.93		0
				270	0		19.33		0
			QPSK	1	1		19.46		0
				1	137		19.39		0
				1	271		18.83		0
				135	0		19.47		0
				135	69		19.38		0
				135	138		18.93		0
				270	0		19.33		0
			16QAM	1	1		19.34		0
			64QAM	1	1		19.50		0
			256QAM	1	1		19.27		0
		CP	QPSK	1	1		18.28		0

L.7 NR TDD Band n78 Maximum Conducted Power

NR TDD Band n78 Conducted Power_ Measured RSI = 4 (GRIP 4 ON) _ MAIN2 Antenna

NR TDD Band n78 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	8.42	9.21	8.71	0
				1	12	8.43	9.17	8.67	0
				1	22	8.52	9.16	8.73	0
				12	0	8.40	9.15	8.67	0
				12	6	8.44	9.18	8.69	0
				12	12	8.48	9.16	8.69	0
				24	0	8.44	9.18	8.69	0
			QPSK	1	1	8.40	9.19	8.69	0
				1	12	8.48	9.19	8.70	0
				1	22	8.53	9.15	8.71	0
				12	0	8.41	9.16	8.68	0
				12	6	8.44	9.16	8.69	0
				12	12	8.47	9.15	8.69	0
				24	0	8.44	9.18	8.68	0
			16QAM	1	1	8.45	9.14	8.67	0
			64QAM	1	1	8.31	9.19	8.59	0
			256QAM	1	1	8.35	9.05	8.65	0
		CP	QPSK	1	1	8.41	9.20	8.68	0

NR TDD Band n78 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647168	650000	652832	
						3707.52 MHz	3750 MHz	3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	8.40	9.15	8.82	0
				1	18	8.41	9.12	8.77	0
				1	36	8.56	9.11	8.75	0
				18	0	8.50	9.15	8.76	0
				18	10	8.11	9.18	8.77	0
				18	20	8.55	9.13	8.74	0
				36	0	8.47	9.18	8.76	0
			QPSK	1	1	8.37	9.13	8.79	0
				1	18	8.38	9.11	8.69	0
				1	36	8.53	9.09	8.73	0
				18	0	8.45	9.15	8.77	0
				18	10	8.50	9.16	8.77	0
				18	20	8.55	9.14	8.76	0
				36	0	8.48	9.17	8.77	0
			16QAM	1	1	8.38	9.00	8.84	0
			64QAM	1	1	8.43	9.14	8.79	0
			256QAM	1	1	8.36	9.10	8.80	0
		CP	QPSK	1	1	8.42	9.21	8.82	0

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	8.44	9.18	8.79	0
				1	26	8.58	9.17	8.75	0
				1	49	8.69	9.10	8.75	0
				25	0	8.50	9.16	8.77	0
				25	13	8.57	9.19	8.74	0
				25	26	8.63	8.66	8.74	0
				50	0	8.55	9.18	8.74	0
			QPSK	1	1	8.42	9.11	8.74	0
				1	26	8.53	9.15	8.72	0
				1	49	8.67	9.07	8.71	0
				25	0	8.52	9.15	8.77	0
				25	13	8.55	9.18	8.76	0
				25	26	8.63	9.15	8.74	0
				50	0	8.56	9.18	8.76	0
			16QAM	1	1	8.37	9.10	8.71	0
			64QAM	1	1	8.43	9.11	8.78	0
			256QAM	1	1	8.39	9.10	8.80	0
		CP	QPSK	1	1	8.48	9.12	8.77	0

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	8.49	9.11	8.74	0
				1	32	8.60	9.22	8.70	0
				1	63	8.78	9.06	8.73	0
				32	0	8.53	9.15	8.73	0
				32	17	8.62	9.18	8.70	0
				32	33	8.68	9.11	8.73	0
				64	0	8.58	9.16	8.74	0
			QPSK	1	1	8.49	9.13	8.78	0
				1	32	8.58	9.21	8.75	0
				1	63	8.79	9.06	8.75	0
				32	0	8.54	9.14	8.73	0
				32	17	8.61	9.17	8.75	0
				32	33	8.69	9.12	8.75	0
				64	0	8.60	9.17	8.74	0
			16QAM	1	1	8.49	9.16	8.82	0
			64QAM	1	1	8.39	9.09	8.61	0
			256QAM	1	1	8.36	9.03	8.70	0
		CP	QPSK	1	1	8.47	9.13	8.81	0

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647668	650000	652332	
						3715.02 MHz	3750 MHz	3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	8.63	9.06	8.93	0
				1	39	8.67	9.18	8.78	0
				1	76	8.85	8.95	8.66	0
				36	0	8.57	8.81	8.86	0
				36	21	8.65	9.18	8.80	0
				36	42	8.76	9.09	8.72	0
				75	0	8.62	9.18	8.80	0
			QPSK	1	1	8.49	9.02	8.90	0
				1	39	8.70	9.21	8.83	0
				1	76	8.84	9.00	8.67	0
				36	0	8.57	9.15	8.85	0
				36	21	8.65	9.19	8.81	0
				36	42	8.74	9.09	8.73	0
				75	0	8.63	9.17	8.79	0
			16QAM	1	1	8.56	9.10	8.88	0
			64QAM	1	1	8.44	9.02	8.89	0
			256QAM	1	1	8.49	8.97	8.93	0
		CP	QPSK	1	1	8.51	9.09	8.98	0

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648000		652000	
						3720 MHz		3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	8.35		9.03	0
				1	53	8.63		8.85	0
				1	104	9.04		8.71	0
				50	0	8.45		8.87	0
				50	28	8.64		8.77	0
				50	56	8.87		8.74	0
				100	0	8.61		8.79	0
			QPSK	1	1	8.34		8.96	0
				1	53	8.64		8.76	0
				1	104	9.03		8.67	0
				50	0	8.44		8.83	0
				50	28	8.66		8.75	0
				50	56	8.88		8.71	0
				100	0	8.61		8.75	0
			16QAM	1	1	8.32		9.23	0
			64QAM	1	1	8.55		9.01	0
			256QAM	1	1	8.43		9.09	0
		CP	QPSK	1	1	8.26		9.08	0

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3725.01 MHz		3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	8.28		9.15	0
				1	67	8.79		8.84	0
				1	131	9.15		8.60	0
				64	0	8.45		9.02	0
				64	35	8.76		8.80	0
				64	69	8.63		8.67	0
				128	0	8.69		8.81	0
			QPSK	1	1	8.21		9.10	0
				1	67	8.70		8.78	0
				1	131	9.05		8.55	0
				64	0	8.44		9.01	0
				64	35	8.75		8.83	0
				64	69	9.02		8.69	0
				128	0	8.71		8.81	0
			16QAM	1	1	8.20		9.24	0
			64QAM	1	1	8.09		9.27	0
			256QAM	1	1	8.18		9.16	0
		CP	QPSK	1	1	8.33		9.22	0

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		8.63		0
				1	81		9.13		0
				1	160		8.73		0
				81	0		8.60		0
				81	41		9.14		0
				81	81		8.75		0
				162	0		9.11		0
			QPSK	1	1		8.60		0
				1	81		9.09		0
				1	160		8.69		0
				81	0		8.98		0
				81	41		9.13		0
				81	81		8.93		0
				162	0		9.12		0
			16QAM	1	1		8.72		0
			64QAM	1	1		8.70		0
			256QAM	1	1		8.58		0
		CP	QPSK	1	1		8.68		0

NR TDD Band n78_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		8.56		0
				1	95		9.14		0
				1	187		8.70		0
				90	0		8.90		0
				90	50		9.13		0
				90	99		8.87		0
				180	0		9.10		0
			QPSK	1	1		8.59		0
				1	95		9.15		0
				1	187		8.68		0
				90	0		8.73		0
				90	50		9.13		0
				90	99		8.87		0
				180	0		9.12		0
			16QAM	1	1		8.50		0
			64QAM	1	1		8.47		0
			256QAM	1	1		8.51		0
		CP	QPSK	1	1		8.52		0

NR TDD Band n78_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		8.52		0
				1	109		9.15		0
				1	215		8.69		0
				108	0		8.87		0
				108	55		9.11		0
				108	109		8.82		0
				216	0		9.09		0
			QPSK	1	1		8.48		0
				1	109		9.17		0
				1	215		8.70		0
				108	0		8.88		0
				108	55		9.14		0
				108	109		8.83		0
				216	0		9.08		0
			16QAM	1	1		8.35		0
			64QAM	1	1		8.67		0
			256QAM	1	1		8.40		0
		CP	QPSK	1	1		8.30		0

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		8.41		0
				1	123		9.10		0
				1	243		8.68		0
				120	0		8.51		0
				120	63		8.44		0
				120	125		8.79		0
				243	0		9.12		0
			QPSK	1	1		8.46		0
				1	123		9.19		0
				1	243		8.76		0
				120	0		8.93		0
				120	63		9.25		0
				120	125		8.92		0
				243	0		9.18		0
			16QAM	1	1		8.40		0
			64QAM	1	1		8.45		0
			256QAM	1	1		8.39		0
		CP	QPSK	1	1		8.37		0

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		8.41		0
				1	137		8.32		0
				1	271		8.71		0
				135	0		8.78		0
				135	69		8.46		0
				135	138		8.78		0
				270	0		9.12		0
			QPSK	1	1		8.41		0
				1	137		9.11		0
				1	271		8.67		0
				135	0		8.72		0
				135	69		9.13		0
				135	138		8.77		0
				270	0		9.10		0
			16QAM	1	1		8.44		0
			64QAM	1	1		8.37		0
			256QAM	1	1		8.40		0
		CP	QPSK	1	1		8.47		0

NR TDD Band n78 Conducted Power_ Measured RSI = 0 (Free, Grip Sensor Off)_ MAIN2

Antenna

NR TDD Band n78 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	18.47	19.28	18.79	0
				1	12	18.48	19.25	18.77	0
				1	22	18.60	19.25	18.83	0
				12	0	18.46	19.24	18.77	0
				12	6	18.52	19.26	18.78	0
				12	12	18.55	19.24	18.78	0
				24	0	18.51	19.24	18.77	0
			QPSK	1	1	18.47	19.27	18.79	0
				1	12	18.52	19.28	18.78	0
				1	22	18.59	19.24	18.80	0
				12	0	18.47	19.24	18.77	0
				12	6	18.48	19.25	18.78	0
				12	12	18.54	19.24	18.78	0
				24	0	18.51	19.26	18.78	0
			16QAM	1	1	18.49	19.21	18.73	0
			64QAM	1	1	18.40	19.19	18.85	0
			256QAM	1	1	18.47	19.20	18.91	0
		CP	QPSK	1	1	18.46	19.24	18.81	0

NR TDD Band n78 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647168	650000	652832	
						3707.52 MHz	3750 MHz	3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	18.46	19.21	18.83	0
				1	18	18.51	19.18	18.79	0
				1	36	18.66	19.17	18.77	0
				18	0	18.52	19.24	18.85	0
				18	10	18.56	19.24	18.81	0
				18	20	18.62	19.21	18.80	0
				36	0	18.55	19.25	18.84	0
			QPSK	1	1	18.47	19.19	18.82	0
				1	18	18.51	19.20	18.73	0
				1	36	18.65	19.15	18.77	0
				18	0	18.52	19.24	18.84	0
				18	10	18.58	19.24	18.81	0
				18	20	18.64	19.21	18.81	0
				36	0	18.57	19.24	18.84	0
			16QAM	1	1	18.50	19.16	18.85	0
			64QAM	1	1	18.45	19.16	18.79	0
			256QAM	1	1	18.54	19.15	18.93	0
		CP	QPSK	1	1	18.48	19.21	18.83	0

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	18.52	19.24	18.86	0
				1	26	18.62	19.27	18.83	0
				1	49	18.75	19.15	18.80	0
				25	0	18.58	19.23	18.85	0
				25	13	18.62	19.25	18.83	0
				25	26	18.69	19.20	18.81	0
				50	0	18.61	19.25	18.81	0
			QPSK	1	1	18.48	19.18	18.80	0
				1	26	18.58	19.21	18.78	0
				1	49	18.71	19.14	18.78	0
				25	0	18.55	19.23	18.83	0
				25	13	18.62	19.24	18.83	0
				25	26	18.68	19.21	18.82	0
				50	0	18.60	19.25	18.83	0
			16QAM	1	1	18.49	19.11	18.73	0
			64QAM	1	1	18.50	19.23	18.84	0
			256QAM	1	1	18.52	19.15	18.86	0
		CP	QPSK	1	1	18.50	19.22	18.87	0

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	18.56	19.21	18.85	0
				1	32	18.74	19.28	18.80	0
				1	63	18.85	19.15	18.78	0
				32	0	18.59	19.22	18.82	0
				32	17	18.68	19.25	18.83	0
				32	33	18.75	19.19	18.82	0
				64	0	18.67	19.26	18.82	0
			QPSK	1	1	18.56	19.16	18.85	0
				1	32	18.64	19.24	18.76	0
				1	63	18.86	19.13	18.79	0
				32	0	18.61	19.22	18.81	0
				32	17	18.70	19.26	18.82	0
				32	33	18.76	19.19	18.81	0
				64	0	18.67	19.27	18.82	0
			16QAM	1	1	18.41	19.18	18.75	0
			64QAM	1	1	18.62	19.18	18.91	0
			256QAM	1	1	18.53	19.08	18.79	0
		CP	QPSK	1	1	18.54	19.14	18.82	0

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647668	650000	652332	
						3715.02 MHz	3750 MHz	3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.56	19.12	18.98	0
				1	39	18.75	19.23	18.84	0
				1	76	18.91	19.05	18.72	0
				36	0	18.63	19.21	18.93	0
				36	21	18.71	19.24	18.86	0
				36	42	18.81	19.15	18.80	0
				75	0	18.70	19.24	18.86	0
			QPSK	1	1	18.57	19.12	18.97	0
				1	39	18.75	19.29	18.91	0
				1	76	18.91	19.07	18.74	0
				36	0	18.62	19.21	18.93	0
				36	21	18.71	19.25	18.87	0
				36	42	18.82	19.16	18.80	0
				75	0	18.69	19.24	18.86	0
			16QAM	1	1	18.69	19.09	19.15	0
			64QAM	1	1	18.74	19.11	19.02	0
			256QAM	1	1	18.54	19.11	19.03	0
		CP	QPSK	1	1	18.58	19.21	18.99	0

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648000		652000	
						3720 MHz		3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	18.40		19.12	0
				1	53	18.70		18.91	0
				1	104	19.10		18.83	0
				50	0	18.51		18.93	0
				50	28	18.71		18.87	0
				50	56	18.92		18.81	0
				100	0	18.68		18.85	0
			QPSK	1	1	18.37		19.05	0
				1	53	18.71		18.85	0
				1	104	19.08		18.77	0
				50	0	18.51		18.93	0
				50	28	18.71		18.86	0
				50	56	18.93		18.82	0
				100	0	18.69		18.86	0
			16QAM	1	1	18.33		19.02	0
			64QAM	1	1	18.33		19.00	0
			256QAM	1	1	18.40		19.17	0
		CP	QPSK	1	1	18.41		19.04	0

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3725.01 MHz		3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	18.81		19.27	0
				1	67	18.87		18.94	0
				1	131	19.26		18.69	0
				64	0	18.55		19.11	0
				64	35	18.85		18.92	0
				64	69	19.13		18.77	0
				128	0	18.80		18.91	0
			QPSK	1	1	18.31		19.20	0
				1	67	18.85		18.88	0
				1	131	19.15		18.62	0
				64	0	18.56		19.10	0
				64	35	18.86		18.91	0
				64	69	19.13		18.78	0
				128	0	18.81		18.90	0
			16QAM	1	1	18.36		19.17	0
			64QAM	1	1	18.28		19.39	0
			256QAM	1	1	18.55		19.28	0
		CP	QPSK	1	1	18.41		19.33	0

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		18.72		0
				1	81		19.23		0
				1	160		18.82		0
				81	0		19.06		0
				81	41		19.23		0
				81	81		19.02		0
				162	0		19.22		0
			QPSK	1	1		18.73		0
				1	81		19.20		0
				1	160		18.77		0
				81	0		19.08		0
				81	41		19.24		0
				81	81		19.03		0
				162	0		19.20		0
			16QAM	1	1		18.66		0
			64QAM	1	1		18.62		0
			256QAM	1	1		18.88		0
		CP	QPSK	1	1		18.71		0

NR TDD Band n78_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		18.67		0
				1	95		19.24		0
				1	187		18.79		0
				90	0		19.00		0
				90	50		19.23		0
				90	99		18.95		0
				180	0		19.19		0
			QPSK	1	1		18.67		0
				1	95		19.23		0
				1	187		18.82		0
				90	0		19.00		0
				90	50		19.23		0
				90	99		18.96		0
				180	0		19.19		0
			16QAM	1	1		18.73		0
			64QAM	1	1		18.72		0
			256QAM	1	1		18.62		0
		CP	QPSK	1	1		18.63		0

NR TDD Band n78_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		18.58		0
				1	109		19.26		0
				1	215		18.79		0
				108	0		18.97		0
				108	55		19.23		0
				108	109		18.94		0
				216	0		19.20		0
			QPSK	1	1		18.57		0
				1	109		19.25		0
				1	215		18.77		0
				108	0		18.96		0
				108	55		19.23		0
				108	109		18.93		0
				216	0		19.19		0
			16QAM	1	1		18.70		0
			64QAM	1	1		18.59		0
			256QAM	1	1		18.59		0
		CP	QPSK	1	1		18.57		0

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		18.50		0
				1	123		19.19		0
				1	243		18.77		0
				120	0		18.93		0
				120	63		19.23		0
				120	125		18.90		0
				243	0		19.19		0
			QPSK	1	1		18.52		0
				1	123		19.20		0
				1	243		18.78		0
				120	0		18.92		0
				120	63		19.24		0
				120	125		18.90		0
				243	0		19.20		0
			16QAM	1	1		18.44		0
			64QAM	1	1		18.56		0
			256QAM	1	1		18.58		0
		CP	QPSK	1	1		18.56		0

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		18.51		0
				1	137		19.19		0
				1	271		18.80		0
				135	0		18.86		0
				135	69		19.22		0
				135	138		18.88		0
				270	0		19.20		0
			QPSK	1	1		18.52		0
				1	137		19.23		0
				1	271		18.80		0
				135	0		18.86		0
				135	69		19.23		0
				135	138		18.88		0
				270	0		19.19		0
			16QAM	1	1		18.46		0
			64QAM	1	1		18.50		0
			256QAM	1	1		18.55		0
		CP	QPSK	1	1		18.17		0

L.8 NR TDD Band n78 DoD Maximum Conducted Power

NR TDD Band n78 DoD Conducted Power_ Measured RSI = 4 (GRIP 4 ON) _ MAIN2 Antenna

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	9.41	9.38	8.93	0
				1	12	9.44	9.39	8.90	0
				1	22	9.49	9.24	8.87	0
				12	0	9.37	8.38	8.92	0
				12	6	9.41	9.34	8.90	0
				12	12	9.44	9.28	8.89	0
				24	0	9.42	9.34	8.91	0
			QPSK	1	1	9.38	9.36	8.96	0
				1	12	9.44	9.36	8.92	0
				1	22	9.49	9.25	8.86	0
				12	0	9.38	9.33	8.91	0
				12	6	9.42	9.33	8.90	0
				12	12	9.46	9.29	8.87	0
				24	0	9.41	9.33	8.91	0
			16QAM	1	1	9.30	9.31	9.08	0
			64QAM	1	1	9.40	9.43	8.91	0
			256QAM	1	1	9.30	9.32	8.91	0
		CP	QPSK	1	1	9.41	9.41	8.97	0

NR TDD Band n78 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	9.48	9.39	8.93	0
				1	18	9.45	9.35	8.82	0
				1	36	9.51	9.21	8.82	0
				18	0	9.43	9.36	8.88	0
				18	9	9.49	9.35	8.86	0
				18	18	9.53	9.25	8.77	0
				36	0	9.48	9.35	8.87	0
			QPSK	1	1	9.36	9.36	8.84	0
				1	18	9.44	9.27	8.81	0
				1	36	9.49	9.15	8.78	0
				18	0	9.42	9.37	8.89	0
				18	9	9.49	9.32	8.87	0
				18	18	9.52	9.24	8.84	0
				36	0	9.48	9.34	8.86	0
			16QAM	1	1	9.42	9.33	8.95	0
			64QAM	1	1	9.41	9.30	8.90	0
			256QAM	1	1	9.38	9.33	9.01	0
		CP	QPSK	1	1	9.40	9.42	8.96	0

NR TDD Band n78 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	9.56	9.39	9.39	0
				1	26	9.59	9.35	9.34	0
				1	49	9.53	9.12	9.12	0
				25	0	9.49	9.14	9.35	0
				25	13	9.58	9.34	9.34	0
				25	26	9.53	9.21	9.21	0
				50	0	9.58	9.33	9.33	0
			QPSK	1	1	9.39	9.35	9.34	0
				1	26	9.53	9.30	9.29	0
				1	49	9.48	9.05	9.05	0
				25	0	9.50	9.34	9.35	0
				25	13	9.58	9.33	9.34	0
				25	26	9.54	9.20	9.22	0
				50	0	9.57	9.33	9.34	0
			16QAM	1	1	9.45	9.28	9.44	0
			64QAM	1	1	9.48	9.45	9.36	0
			256QAM	1	1	9.36	9.35	9.33	0
		CP	QPSK	1	1	9.45	9.37	9.40	0

NR TDD Band n78 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635832	
						3462.51 MHz	3500.01 MHz	3537.48 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	9.53	9.37	8.78	0
				1	26	9.59	9.36	8.79	0
				1	49	9.53	9.05	8.71	0
				25	0	9.60	9.36	8.81	0
				25	13	9.61	9.32	8.81	0
				25	26	9.57	9.16	8.77	0
				50	0	9.61	9.33	8.79	0
			QPSK	1	1	9.50	9.38	8.78	0
				1	26	9.57	9.27	8.76	0
				1	49	9.52	9.02	8.67	0
				25	0	9.60	9.35	8.79	0
				25	13	9.61	9.33	8.79	0
				25	26	9.55	9.16	8.75	0
				50	0	9.61	9.33	8.77	0
			16QAM	1	1	9.52	9.39	8.77	0
			64QAM	1	1	9.54	9.36	8.75	0
			256QAM	1	1	9.44	9.38	8.78	0
		CP	QPSK	1	1	9.51	9.40	8.84	0

NR TDD Band n78 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	9.34	9.36	8.96	0
				1	39	9.50	9.39	8.92	0
				1	76	9.38	8.99	8.80	0
				36	0	9.40	9.37	8.97	0
				36	21	9.43	9.34	8.93	0
				36	42	9.41	9.14	8.88	0
				75	0	9.44	9.33	8.94	0
			QPSK	1	1	9.31	9.34	8.95	0
				1	39	9.45	9.37	8.93	0
				1	76	9.37	9.00	8.79	0
				36	0	9.41	9.37	8.41	0
				36	21	9.44	9.34	8.95	0
				36	42	9.40	9.12	8.89	0
				75	0	9.43	9.32	8.94	0
			16QAM	1	1	9.31	9.33	8.93	0
			64QAM	1	1	9.36	9.36	8.89	0
			256QAM	1	1	9.22	9.32	8.90	0
		CP	QPSK	1	1	9.35	9.45	9.01	0

NR TDD Band n78 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	9.51		8.95	0
				1	53	9.52		8.85	0
				1	104	9.45		8.73	0
				50	0	9.55		8.88	0
				50	28	9.54		8.88	0
				50	56	9.44		8.79	0
				100	0	9.14		8.84	0
			QPSK	1	1	9.43		8.95	0
				1	53	9.50		8.83	0
				1	104	9.42		8.70	0
				50	0	9.55		8.87	0
				50	28	9.52		8.87	0
				50	56	9.46		8.81	0
				100	0	9.51		8.85	0
			16QAM	1	1	9.46		8.91	0
			64QAM	1	1	9.50		8.98	0
			256QAM	1	1	9.26		8.82	0
		CP	QPSK	1	1	9.52		9.01	0

NR TDD Band n78 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	9.28		9.11	0
				1	67	9.38		8.76	0
				1	131	9.32		8.66	0
				64	0	8.46		8.85	0
				64	35	9.39		8.79	0
				64	69	9.32		8.76	0
				128	0	9.37		8.77	0
			QPSK	1	1	9.27		9.12	0
				1	67	9.30		8.77	0
				1	131	9.29		8.65	0
				64	0	9.43		8.88	0
				64	35	9.38		8.78	0
				64	69	9.34		8.75	0
				128	0	9.37		8.78	0
			16QAM	1	1	9.22		9.12	0
			64QAM	1	1	9.19		9.31	0
			256QAM	1	1	9.24		9.07	0
		CP	QPSK	1	1	9.32		9.19	0

NR TDD Band n78 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		9.37		0
				1	81		9.33		0
				1	160		8.80		0
				81	0		9.35		0
				81	41		9.32		0
				81	81		8.99		0
				162	0		9.29		0
			QPSK	1	1		9.33		0
				1	81		9.32		0
				1	160		8.77		0
				81	0		9.36		0
				81	41		9.32		0
				81	81		8.98		0
				162	0		9.29		0
			16QAM	1	1		9.41		0
			64QAM	1	1		9.11		0
			256QAM	1	1		9.14		0
		CP	QPSK	1	1		9.49		0

NR TDD Band n78 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		9.41		0
				1	95		9.34		0
				1	187		8.81		0
				90	0		9.36		0
				90	50		9.32		0
				90	99		8.91		0
				180	0		9.29		0
			QPSK	1	1		9.40		0
				1	95		9.34		0
				1	187		8.80		0
				90	0		9.36		0
				90	50		9.33		0
				90	99		8.91		0
				180	0		9.30		0
			16QAM	1	1		9.52		0
			64QAM	1	1		9.39		0
			256QAM	1	1		9.41		0
		CP	QPSK	1	1		9.42		0

NR TDD Band n78 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		8.33		0
				1	109		9.35		0
				1	215		8.81		0
				108	0		9.34		0
				108	55		9.29		0
				108	109		8.87		0
				216	0		9.26		0
			QPSK	1	1		9.44		0
				1	109		9.33		0
				1	215		8.80		0
				108	0		9.34		0
				108	55		9.30		0
				108	109		8.87		0
				216	0		9.25		0
			16QAM	1	1		9.39		0
			64QAM	1	1		9.45		0
			256QAM	1	1		9.35		0
		CP	QPSK	1	1		9.46		0

NR TDD Band n78 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		9.36		0
				1	123		9.30		0
				1	243		8.74		0
				120	0		9.35		0
				120	63		9.30		0
				120	125		8.86		0
				243	0		9.27		0
			QPSK	1	1		9.36		0
				1	123		9.29		0
				1	243		8.70		0
				120	0		9.35		0
				120	63		9.31		0
				120	125		8.86		0
				243	0		9.25		0
			16QAM	1	1		9.39		0
			64QAM	1	1		9.33		0
			256QAM	1	1		9.26		0
		CP	QPSK	1	1		9.41		0

NR TDD Band n78 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
10 0MHz	30	DFT-s	pi/2 BPSK	1	1		9.36		0
				1	137		9.34		0
				1	271		8.76		0
				135	0		9.37		0
				135	69		9.30		0
				135	138		8.85		0
				270	0		9.24		0
			QPSK	1	1		9.34		0
				1	137		9.31		0
				1	271		8.76		0
				135	0		9.38		0
				135	69		9.31		0
				135	138		8.85		0
				270	0		9.25		0
			16QAM	1	1		9.27		0
			64QAM	1	1		9.42		0
			256QAM	1	1		9.26		0
		CP	QPSK	1	1		9.39		0

NR TDD Band n78 DoD Conducted Power_ Measured RSI = 0 (Free, Grip Sensor Off) _ MAIN2 Antenna

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	18.97	19.49	19.53	0
				1	12	19.05	19.44	19.48	0
				1	22	19.09	19.36	19.47	0
				12	0	18.98	19.44	19.51	0
				12	6	19.01	19.44	19.49	0
				12	12	19.05	19.38	19.49	0
				24	0	19.02	19.43	19.48	0
			QPSK	1	1	18.98	19.48	19.54	0
				1	12	19.06	19.46	19.50	0
				1	22	19.10	19.37	19.46	0
				12	0	18.98	19.44	19.50	0
				12	6	19.02	19.43	19.51	0
				12	12	19.04	19.37	19.47	0
				24	0	19.01	19.45	19.50	0
			16QAM	1	1	18.95	19.37	19.51	0
			64QAM	1	1	19.02	19.41	19.45	0
			256QAM	1	1	18.90	19.37	19.48	0
		CP	QPSK	1	1	18.99	19.44	19.51	0

NR TDD Band n78 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	18.97	19.49	19.52	0
				1	18	19.03	19.44	19.45	0
				1	36	19.10	19.31	19.45	0
				18	0	19.03	19.47	19.48	0
				18	9	19.08	19.44	19.47	0
				18	18	19.11	19.33	19.44	0
				36	0	19.09	19.45	19.47	0
			QPSK	1	1	18.97	19.45	19.49	0
				1	18	19.02	19.35	19.41	0
				1	36	19.08	19.26	19.41	0
				18	0	19.04	19.46	19.49	0
				18	9	19.09	19.44	19.48	0
				18	18	19.13	19.34	19.44	0
				36	0	19.09	19.44	19.48	0
			16QAM	1	1	18.97	19.42	19.58	0
			64QAM	1	1	18.98	19.40	19.52	0
			256QAM	1	1	18.87	19.45	19.48	0
		CP	QPSK	1	1	18.97	19.50	19.52	0

NR TDD Band n78 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	19.07	19.49	19.90	0
				1	26	19.17	19.45	19.94	0
				1	49	19.14	19.23	19.71	0
				25	0	19.11	19.47	19.98	0
				25	13	19.18	19.44	19.94	0
				25	26	19.15	19.31	19.81	0
				50	0	19.19	19.43	19.92	0
			QPSK	1	1	19.02	19.45	19.96	0
				1	26	19.16	19.40	19.90	0
				1	49	19.11	19.16	19.67	0
				25	0	19.13	19.47	19.97	0
				25	13	19.19	19.45	19.94	0
				25	26	19.15	19.32	19.81	0
				50	0	19.19	19.44	19.94	0
			16QAM	1	1	19.01	19.31	19.93	0
			64QAM	1	1	19.03	19.51	19.91	0
			256QAM	1	1	18.98	19.36	19.93	0
		CP	QPSK	1	1	19.08	19.51	19.99	0

NR TDD Band n78 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635832	
						3462.51 MHz	3500.01 MHz	3537481 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	19.13	19.47	19.40	0
				1	26	19.19	19.47	19.35	0
				1	49	19.14	19.14	19.33	0
				25	0	19.20	19.46	19.39	0
				25	13	19.22	19.44	19.39	0
				25	26	19.17	19.27	19.35	0
				50	0	19.21	19.43	19.39	0
			QPSK	1	1	19.12	19.49	19.42	0
				1	26	19.20	19.37	19.34	0
				1	49	19.14	19.14	19.33	0
				25	0	19.22	19.46	19.39	0
				25	13	19.22	19.45	19.41	0
				25	26	19.16	19.27	19.35	0
				50	0	19.22	19.42	19.39	0
			16QAM	1	1	19.10	19.56	19.46	0
			64QAM	1	1	19.05	19.47	19.33	0
			256QAM	1	1	19.06	19.37	19.27	0
		CP	QPSK	1	1	19.09	19.47	19.39	0

NR TDD Band n78 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.94	19.47	19.57	0
				1	39	19.12	19.42	19.54	0
				1	76	18.98	19.08	19.40	0
				36	0	19.03	19.47	19.57	0
				36	21	19.05	19.44	19.56	0
				36	42	19.01	19.21	19.51	0
				75	0	19.04	19.44	19.54	0
			QPSK	1	1	18.93	19.48	19.55	0
				1	39	19.04	19.45	19.53	0
				1	76	19.00	19.10	19.40	0
				36	0	19.02	19.48	19.58	0
				36	21	19.04	19.45	19.55	0
				36	42	18.99	19.21	19.50	0
				75	0	19.04	19.44	19.54	0
			16QAM	1	1	18.95	19.33	19.69	0
			64QAM	1	1	18.94	19.52	19.40	0
			256QAM	1	1	18.86	19.35	19.45	0
		CP	QPSK	1	1	18.97	19.56	19.59	0

NR TDD Band n78 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	19.05		19.57	0
				1	53	19.12		19.49	0
				1	104	19.01		19.34	0
				50	0	19.17		19.47	0
				50	28	19.14		19.47	0
				50	56	19.03		19.42	0
				100	0	19.11		19.45	0
			QPSK	1	1	19.04		19.53	0
				1	53	19.15		19.42	0
				1	104	18.99		19.29	0
				50	0	19.17		19.47	0
				50	28	19.13		19.47	0
				50	56	19.04		19.41	0
				100	0	19.11		19.46	0
			16QAM	1	1	19.16		19.57	0
			64QAM	1	1	19.07		19.62	0
			256QAM	1	1	18.80		19.43	0
		CP	QPSK	1	1	18.99		19.69	0

NR TDD Band n78 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	18.97		19.70	0
				1	67	19.00		19.34	0
				1	131	18.91		19.25	0
				64	0	19.03		19.47	0
				64	35	18.97		19.39	0
				64	69	18.94		19.33	0
				128	0	18.97		19.36	0
			QPSK	1	1	18.88		19.73	0
				1	67	18.95		19.36	0
				1	131	18.90		19.25	0
				64	0	19.03		19.48	0
				64	35	18.98		19.37	0
				64	69	18.93		19.33	0
				128	0	18.96		19.37	0
			16QAM	1	1	19.33		19.65	0
			64QAM	1	1	18.97		19.92	0
			256QAM	1	1	18.85		19.61	0
		CP	QPSK	1	1	18.95		19.80	0

NR TDD Band n78 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		19.47		0
				1	81		19.43		0
				1	160		18.92		0
				81	0		19.46		0
				81	41		19.42		0
				81	81		19.07		0
				162	0		19.38		0
			QPSK	1	1		19.44		0
				1	81		19.41		0
				1	160		18.88		0
				81	0		19.45		0
				81	41		19.43		0
				81	81		19.04		0
				162	0		19.39		0
			16QAM	1	1		19.35		0
			64QAM	1	1		19.32		0
			256QAM	1	1		19.39		0
		CP	QPSK	1	1		19.56		0

NR TDD Band n78 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		19.53		0
				1	95		19.43		0
				1	187		18.89		0
				90	0		19.45		0
				90	50		19.41		0
				90	99		19.00		0
				180	0		19.40		0
			QPSK	1	1		19.53		0
				1	95		19.43		0
				1	187		18.91		0
				90	0		19.45		0
				90	50		19.40		0
				90	99		19.00		0
				180	0		19.38		0
			16QAM	1	1		19.59		0
			64QAM	1	1		19.49		0
			256QAM	1	1		19.38		0
		CP	QPSK	1	1		19.52		0

NR TDD Band n78 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		19.55		0
				1	109		19.43		0
				1	215		18.89		0
				108	0		19.46		0
				108	55		19.39		0
				108	109		18.98		0
				216	0		19.36		0
			QPSK	1	1		19.56		0
				1	109		19.43		0
				1	215		18.87		0
				108	0		19.44		0
				108	55		19.42		0
				108	109		18.98		0
				216	0		19.35		0
			16QAM	1	1		19.58		0
			64QAM	1	1		19.56		0
			256QAM	1	1		19.39		0
		CP	QPSK	1	1		19.16		0

NR TDD Band n78 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		18.51		0
				1	123		19.38		0
				1	243		18.85		0
				120	0		19.46		0
				120	63		19.38		0
				120	125		18.96		0
				243	0		19.36		0
			QPSK	1	1		19.47		0
				1	123		19.39		0
				1	243		18.85		0
				120	0		19.46		0
				120	63		19.41		0
				120	125		18.96		0
				243	0		19.34		0
			16QAM	1	1		19.39		0
			64QAM	1	1		19.47		0
			256QAM	1	1		19.33		0
		CP	QPSK	1	1		19.56		0

NR TDD Band n78 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		19.47		0
				1	137		19.40		0
				1	271		18.84		0
				135	0		19.47		0
				135	69		19.37		0
				135	138		18.96		0
				270	0		19.34		0
			QPSK	1	1		19.46		0
				1	137		19.38		0
				1	271		18.82		0
				135	0		19.46		0
				135	69		19.39		0
				135	138		18.95		0
				270	0		19.35		0
			16QAM	1	1		19.46		0
			64QAM	1	1		19.45		0
			256QAM	1	1		19.35		0
		CP	QPSK	1	1		19.50		0