

**HCT Co., Ltd.**

2-6, 73, 74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383 KOREA
Tel. +82 31 645 6300 Fax. +82 31 645 6401

Appendix A: Test Setup Photo

FCC ID: A3LSMX520


File No.
HCT-SR-2502-FC015-P

REVISION HISTORY

The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	Feb. 21, 2025	Initial Release

- DUT Antenna Information




- SAR Test Setup Photo.


1. Body

The SAR measurement position of the DUT was tested with the front (screen surface) reference plane.

1.1 Body All (ELI Phantom)



1.2 Body Rear



Distance of 0 mm from the EUT



Distance of 0 mm from the EUT with Cover Variant 1



Distance of 0 mm from the EUT with Cover Variant 2



Distance of 18 mm from the EUT

1.3 Body Left



Distance of 0 mm from the EUT



Distance of 0 mm from the EUT with Cover Variant 1 Laptop Mode



Distance of 0 mm from the EUT with Cover Variant 1 Laptop Mode



Distance of 10 mm from the EUT

1.4 Body Right



Distance of 0 mm from the EUT



Distance of 10 mm from the EUT

1.5 Body Top



Distance of 0 mm from the EUT



Distance of 18 mm from the EUT


2.1 Body All (SAM Phantom)




2.2 Body Rear



Distance of 0 mm from the EUT



Distance of 0 mm from the EUT with Cover Variant 1 Laptop Mode



Distance of 0 mm from the EUT with Cover Variant 2 Laptop Mode



Distance of 18 mm from the EUT

2.3 Body Left



Distance of 0 mm from the EUT



Distance of 0 mm from the EUT with Cover Variant 1 Laptop Mode



Distance of 0 mm from the EUT with Cover Variant 2 Laptop Mode



Distance of 10 mm from the EUT

2.4 Body Right



Distance of 0 mm from the EUT



Distance of 10 mm from the EUT


2.5 Body Top





Distance of 0 mm from the EUT



Distance of 18 mm from the EUT

Spacer 1mm

Spacer 2mm

Spacer 5mm

Spacer 10mm