

**HCT Co., Ltd.**

74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383 KOREA
Tel. +82 31 634 6300 Fax. +82 31 645 6401

Appendix A: Test Setup Photo

FCC ID
A3LSMX700

File No.

HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P
HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P
HCT-RF-2112-FC008-P	HCT-RF-2112-FC009-P
HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P
HCT-RF-2112-FC012-P	

REVISION HISTORY


The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	December 01, 2021	Initial Release


File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	

1. Radiated Test Setup Photo


Radiated spurious emissions & Restricted Band Edge (Above 1 GHz)




File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	




File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	




File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	



File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	




File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	




File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	


Radiated spurious emissions (Below 1GHz)




File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	




File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	




File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	



File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	




File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	



File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	


WPS Radiated Test Setup Photo for below 30 MHz:



File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	



File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	



File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	



File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	



File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	



File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	

WPT Radiated Test Setup Photo for 30 MHz ~ 1 GHz :



File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	




File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	



File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	



File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	




File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	




File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	

2. Conducted Test Setup Photo



File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	

3. DFS Test Setup Photo



File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	

4. AC Power Line Conducted Test Setup Photo



File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	

AC Power Line Conducted Test WPS (S-Pen) Setup Photo



File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	

5. Contention Based Protocol



File No.	HCT-RF-2112-FC004-P	HCT-RF-2112-FC005-P	HCT-RF-2112-FC006-P	HCT-RF-2112-FC007-P	HCT-RF-2112-FC008-P
	HCT-RF-2112-FC009-P	HCT-RF-2112-FC010-P	HCT-RF-2112-FC011-P	HCT-RF-2112-FC012-P	