

**HCT Co., Ltd.**

74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383 KOREA
Tel. +82 31 634 6300 Fax. +82 31 645 6401

Appendix A: Test Setup Photo

FCC ID
A3LSMX818U

File No.	
HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P
HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P
HCT-RF-2305-FC040-P	HCT-RF-2305-FC041-P
HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P
HCT-RF-2305-FC044-P	

REVISION HISTORY


The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	May 09, 2023	Initial Release


File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	

1. Radiated Test Setup Photo


Radiated spurious emissions & Restricted Band Edge (Above 1 GHz)




File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	




File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	




File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	



File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	




File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	




File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	


Radiated spurious emissions (Below 1GHz)




File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	




File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	




File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	



File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	




File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	



File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	


WPS Radiated Test Setup Photo for




File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	




File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	




File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	



File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	




File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	




File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	


WPS Radiated Test Setup Photo for 30 MHz ~ 1 GHz :



File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	



File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	




File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	



File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	



File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	




File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	

2. Conducted Test Setup Photo



File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	

3. DFS Test Setup Photo



File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	

4. AC Power Line Conducted Test Setup Photo




File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	

AC PowerLine Conducted Test WPS(S-pen) Setup Photo



File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	

5. Contention Based Protocol



File No.	HCT-RF-2305-FC036-P	HCT-RF-2305-FC037-P	HCT-RF-2305-FC038-P	HCT-RF-2305-FC039-P	HCT-RF-2305-FC040-P
	HCT-RF-2305-FC041-P	HCT-RF-2305-FC042-P	HCT-RF-2305-FC043-P	HCT-RF-2305-FC044-P	