



Element Suwon
13, Heungdeok 1-ro, Giheung-gu, Yongin-si,
Gyeonggi-do, 16954 South Korea
Tel. 031.660.7319 / Fax 031.660.7318
<http://www.element.com>

MEASUREMENT REPORT

FCC PART 15.407 802.11a/n/ac/ax

Applicant Name:

Samsung Electronics Co., Ltd.
129, Samsung-ro,
Yeongtong-gu, Suwon-si
Gyeonggi-do, 16677, Korea

Date of Testing:

04/03 – 05/15/2023

Test Report Issue Date:

05/17/2023

Test Site/Location:

Element Lab. Yongin-Si, Gyeonggi-do, South Korea

Test Report Serial No.:

1M2303200036-06.A3L

FCC ID:

A3LSMX910

APPLICANT:

Samsung Electronics Co., Ltd.

Application Type:

Certification

Model:

SM-X910

EUT Type:

Portable Tablet

Frequency Range:

5180 – 5885MHz

Modulation Type:

OFDM

FCC Equipment Class:

Unlicensed National Information Infrastructure TX (NII)

FCC Rule Part(s):

Part 15 Subpart E (15.407)

Test Procedure(s):

ANSI C63.10-2013, KDB 789033 D02 v02r01

KDB 662911 D01 v02r01,

KDB 291074 D02 v01

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and has been tested in accordance with the measurement procedures specified in ANSI C63.10-2013 (See Test Report). These measurements were performed with no deviation from the standards. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

Prepared by

Reviewed by

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 1 of 255

© 2023 ELEMENT

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without written permission from Element. If you have any questions about this or have an inquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

V9.0 02/01/2019

T A B L E O F C O N T E N T S

1.0	INTRODUCTION	4
1.1	Scope.....	4
1.2	Element Test Location.....	4
1.3	Test Facility / Accreditations.....	4
2.0	PRODUCT INFORMATION	5
2.1	Equipment Description	5
2.2	Device Capabilities.....	5
2.3	Antenna Description.....	7
2.4	Test Configuration.....	8
2.5	Software and Firmware	8
2.6	EMI Suppression Device(s)/Modifications.....	8
3.0	DESCRIPTION OF TESTS	9
3.1	Evaluation Procedure	9
3.2	AC Line Conducted Emissions	9
3.3	Radiated Emissions.....	10
3.4	Environmental Conditions.....	10
4.0	ANTENNA REQUIREMENTS	11
5.0	MEASUREMENT UNCERTAINTY	12
6.0	TEST EQUIPMENT CALIBRATION DATA.....	13
7.0	TEST RESULTS	13
7.1	Summary.....	14
7.2	26dB Bandwidth Measurement – 802.11a/n/ac/ax.....	15
7.3	6dB Bandwidth Measurement – 802.11a/n/ac/ax.....	74
7.4	UNII Output Power Measurement – 802.11a/n/ac/ax.....	109
7.5	Maximum Power Spectral Density – 802.11a/n/ac/ax.....	115
7.6	Radiated Spurious Emission Measurements – Above 1GHz	207
7.6.1	MIMO Radiated Spurious Emission Measurements.....	211
7.6.2	Simultaneous Tx Radiated Spurious Emissions Measurements	222
7.6.3	MIMO Radiated Band Edge Measurements (20MHz BW)	226
7.6.4	MIMO Radiated Band Edge Measurements (40MHz BW)	229
7.6.5	MIMO Radiated Band Edge Measurements (80MHz BW)	232
7.6.6	MIMO Radiated Band Edge Measurements (160MHz BW)	235
7.7	Radiated Spurious Emissions Measurements – Below 1GHz	238
7.8	Line-Conducted Test Data.....	243
8.0	CONCLUSION.....	255

FCC ID: A3LSMX910		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet		Page 2 of 255

MEASUREMENT REPORT

UNII Band	Channel Bandwidth (MHz)	Tx Frequency (MHz)	MIMO	
			Max. Power (mW)	Max. Power (dBm)
1	20	5180 - 5240	121.060	20.83
2A		5260 - 5320	108.643	20.36
2C		5500 - 5720	116.145	20.65
3		5745 - 5825	119.950	20.79
4		5845 - 5885	52.360	17.19
1	40	5190 - 5230	93.111	19.69
2A		5270 - 5310	85.901	19.34
2C		5510 - 5710	95.719	19.81
3		5755 - 5795	93.972	19.73
4		5835 - 5875	41.305	16.16
1	80	5210	76.033	18.81
2A		5290	67.298	18.28
2C		5530 - 5690	69.984	18.45
3		5775	74.473	18.72
4		5855	34.594	15.39
1/2A	160	5250	54.576	17.37
2C		5570	56.624	17.53
3/4		5815	26.122	14.17

EUT Overview

Note: UNII Band 4 powers shown in the table above are EIRP values

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 3 of 255

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and Innovation, Science and Economic Development Canada.

1.2 Element Test Location

These measurement tests were conducted at the Element Suwon Laboratory located at 13, Heungdeok 1-ro, Giheung-gu, Yongin-si, Gyeonggi-do, 16954, South Korea. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

1.3 Test Facility / Accreditations

Measurements were performed at Element Materials Technology Suwon, Ltd. located in Yongin-si, Gyeonggi-do, 16954, South Korea.

- Element Materials Technology Suwon, Ltd. is an ISO 17025-2017 accredited test facility under the American Association for Laboratory Accreditation(A2LA) with Certificate number 2041.04 for Specific Absorption Rate (SAR), and Electromagnetic Compatibility (EMC) & Telecommunications testing for FCC and Innovation, Science, and Economic Development Canada rules.
- Element Materials Technology Suwon, Ltd. facility is accredited, designated, and recognized in accordance with the provision of Radio Wave Act and International Standard ISO/IEC 17025:2017 under the National Radio Research Agency.
 - Designation Number / CABID: KR0169
 - Test Firm Registration Number of FCC: 417945
 - Test Firm Registration Number of ISED: 26168

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 4 of 255

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Samsung Portable Tablet FCC ID: A3LSMX910**. The test data contained in this report pertains only to the emissions due to the EUT's UNII transmitter.

Test Device Serial No.: 0150M, 4628G, 4174M, 3657M, 0154M, 0155M.

2.2 Device Capabilities

This device contains the following capabilities:

802.11b/g/n/ax WLAN, 802.11a/n/ac/ax UNII (5GHz and 6GHz), Bluetooth (1x, EDR, LE), Wireless Power Transfer.

Band 1		Band 2A		Band 2C		Band 3		Band 4	
Ch.	Frequency (MHz)	Ch.	Frequency (MHz)	Ch.	Frequency (MHz)	Ch.	Frequency (MHz)	Ch.	Frequency (MHz)
36	5180	52	5260	100	5500	149	5745	169	5845
:	:	:	:	:	:	:	:	:	:
40	5200	56	5280	120	5600	157	5785	173	5865
:	:	:	:	:	:	:	:	:	:
48	5240	64	5320	144	5720	165	5825	177	5885

Table 2-1. 802.11a/n/ac/ax (20MHz) Frequency / Channel Operations

Band 1		Band 2A		Band 2C		Band 3		Band 4	
Ch.	Frequency (MHz)	Ch.	Frequency (MHz)	Ch.	Frequency (MHz)	Ch.	Frequency (MHz)	Ch.	Frequency (MHz)
38	5190	54	5270	102	5510	151	5755	167	5835
:	:	:	:	:	:	:	:	:	:
46	5230	62	5310	118	5590	159	5795	175	5875
				:	:				
				142	5710				

Table 2-2. 802.11n/ac/ax (40MHz BW) Frequency / Channel Operations

Band 1		Band 2A		Band 2C		Band 3		Band 4	
Ch.	Frequency (MHz)	Ch.	Frequency (MHz)	Ch.	Frequency (MHz)	Ch.	Frequency (MHz)	Ch.	Frequency (MHz)
42	5210	58	5290	106	5530	155	5775	171	5855
				:	:				
				138	5690				

Table 2-3. 802.11ac/ax (80MHz BW) Frequency / Channel Operations

Band 1/2A		Band 2C		Band 3/4	
Ch.	Frequency (MHz)	Ch.	Frequency (MHz)	Ch.	Frequency (MHz)
50	5250	114	5570	163	5815

Table 2-4. 802.11ac / 802.11ax (160MHz BW) Frequency / Channel Operations

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 5 of 255

Notes:

- 5GHz NII operation is possible in 20MHz, 40MHz, 80MHz, and 160MHz channel bandwidth. The maximum achievable duty cycles for all modes were determined based on measurements performed on a spectrum analyzer in zero-span mode with RBW = 8MHz, VBW = 50MHz, and detector = peak per the guidance of Section B)2)b) of ANSI C63.10-2013 and KDB 789033 D02 v02r01. The RBW and VBW were both greater than 50/T, where T is the minimum transmission duration, and the number of sweep points across T was greater than 100. The duty cycles are as follows:

Maximum Achievable Duty		
802.11 Mode/Band		MIMO
		Duty Cycle [%]
5GHz	a	96.6
	n (HT20)	98.1
	ac (HT20)	98.1
	ax (HT20)	99.7
	n (HT40)	98.0
	ac (HT40)	96.1
	ax (HT40)	99.7
	ac (HT80)	92.1
	ax (HT80)	99.7
	ac (HT160)	92.2
	ax (HT160)	99.7

Table 2-5. Measured Duty Cycles

- The device employs MIMO technology. Below are the possible configurations.

WiFi Configurations		SISO		SDM		CDD	
		ANT1	ANT2	ANT1	ANT2	ANT1	ANT2
5GHz	11ax (20MHz)	✗	✗	✓	✓	✓	✓
	11ax (40MHz)	✗	✗	✓	✓	✓	✓
	11ax (80MHz)	✗	✗	✓	✓	✓	✓
	11ax (160MHz)	✗	✗	✓	✓	✓	✓

Table 2-6. Frequency / Channel Operations

✓ = Support ; ✗ = NOT Support

SISO = Single Input Single Output

SDM = Spatial Diversity Multiplexing – MIMO function

CDD = Cyclic Delay Diversity – 2Tx Function

- This device supports simultaneous transmission operation, which allows for two SISO channels to operate independent of one another in the 2.4GHz (WLAN & BT) and 5GHz bands simultaneously on each antenna. The following tables show the worst case configurations determined during testing. The data for these configurations is contained in this test report. The BT + 5GHz case is not considered as worst case since the BT power is lower than the 2.4GHz WLAN power.

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 6 of 255

Configuration 1: ANT1 and ANT2 both transmitting in 2.4GHz and 5GHz mode simultaneously.

Description	2.4 GHz Emission	5 GHz Emission
Antenna	1,2	1,2
Channel	6	120
Operating Frequency (MHz)	2437	5600
Data Rate (Mbps)	1Mbps	6Mbps
Mode	b	a

Table 2-7. Config-1 (MIMO 2.4GHz & MIMO 5GHz)

Configuration 2: ANT1 and ANT2 both transmitting in 2.4GHz and 6GHz modes simultaneously.

Description	2.4 GHz Emission	6 GHz Emission
Antenna	1, 2	1, 2
Channel	6	2
Operating Frequency (MHz)	2437	5935
Data Rate (Mbps)	1Mbps	MCS0
Mode	b	ax

Table 2-8. Config-3 (MIMO 2.4GHz & MIMO 6GHz)

2.3 Antenna Description

Following antenna was used for the testing.

Frequency [GHz]	Antenna 1 Gain (dBi)	Antenna 2 Gain (dBi)	Directional Gain (dBi)
5.20	-5.65	-6.89	-3.24
5.30	-5.26	-6.16	-2.69
5.50	-5.35	-5.80	-2.56
5.80	-5.86	-6.92	-3.36
5.85	-5.91	-7.06	-3.46

Table 2-9. Antenna Peak Gain

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 7 of 255



2.4 Test Configuration

The EUT was tested per the guidance of KDB 789033 D02 v02r01. ANSI C63.10-2013 was used to reference the appropriate EUT setup for radiated spurious emissions testing and AC line conducted testing. See Sections 3.2 for AC line conducted emissions test setups, 3.3 for radiated emissions test setups, and 7.2, 7.3, 7.4, and 7.5 for antenna port conducted emissions test setups.

2.5 Software and Firmware

The test was conducted with software/firmware version X910XXU0AWD5JH installed on the EUT.

2.6 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and/or no modifications were made during testing.

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 8 of 255

3.0 DESCRIPTION OF TESTS

3.1 Evaluation Procedure

The measurement procedures described in the American National Standard of Procedures for Compliance Testing of Unlicensed Wireless Devices (ANSI C63.10-2013) and the guidance provided in KDB 789033 D02 v02r01 were used in the measurement of the EUT.

Deviation from measurement procedure.....None

3.2 AC Line Conducted Emissions

The line-conducted facility is located inside a 10'x16'x9' shielded enclosure. The shielded enclosure is manufactured by SY cooperation RF Enclosures. The line-conducted facility is located inside a 7m x 3.66m x 2.7m shielded enclosure. The shielding effectiveness of the shielded room is in accordance with MIL-Std-285 or NSA 65-5. A 1m x 1.5m wooden table 80cm high is placed 40cm away from the vertical wall and 80cm away from the sidewall of the shielded room. Two 10kHz-30MHz, 50Ω/50μH Line-Impedance Stabilization Networks (LISNs) are bonded to the shielded room floor. Power to the LISNs is filtered by external high-current high-insertion loss power line filters. The external power line filter is an ETS Lindgren Model LPRX-4X30 (100dB Attenuation, 14kHz-18GHz) and the two EMI/RFI filters are ETS Lindgren Model LRW-2030-S1 (100dB Minimum Insertion Loss, 14kHz – 10GHz). These filters attenuate ambient signal noise from entering the measurement lines. These filters are also bonded to the shielded enclosure.

The EUT is powered from one LISN and the support equipment is powered from the second LISN. If the EUT is a DC-powered device, power will be derived from the source power supply it normally will be powered from and this supply line(s) will be connected to the second LISN. All interconnecting cables more than 1 meter were shortened to a 1 meter length by non-inductive bundling (serpentine fashion) and draped over the back edge of the test table. All cables were at least 40cm above the horizontal reference groundplane. Power cables for support equipment were routed down to the second LISN while ensuring that that cables were not draped over the second LISN.

Sufficient time for the EUT, support equipment, and test equipment was allowed in order for them to warm up to their normal operating condition. The RF output of the LISN was connected to the spectrum analyzer and exploratory measurements were made to determine the frequencies producing the maximum emission from the EUT. The spectrum was scanned from 150kHz to 30MHz with a spectrum analyzer. The detector function was set to peak mode for exploratory measurements while the bandwidth of the analyzer was set to 10kHz. The EUT, support equipment, and interconnecting cables were arranged and manipulated to maximize each emission. Once the worst case emissions have been identified, the one EUT cable configuration/arrangement and mode of operation that produced these emissions is used for final measurements on the same test site. The analyzer is set to CISPR quasi-peak and average detectors with a 9kHz resolution bandwidth for final measurements.

Line conducted emissions test results are shown in Section 7.8. The EMI Receiver mode of the R&S ESW was used to perform AC line conducted emissions testing. Automated test software was used to perform the AC line conducted emissions testing. Automated measurement software utilized is Rohde & Schwarz EMC32, Version 10.20.01.

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 9 of 255

3.3 Radiated Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. An 80cm tall test table made of Styrodur is placed on top of the turn table. For measurements above 1GHz, an additional Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

For all measurements, the spectrum was scanned through all EUT azimuths and from 1 to 4 meter receive antenna height using a broadband antenna from 30MHz up to the upper frequency shown in 15.33 depending on the highest frequency generated or used in the device or on which the device operates or tunes. For frequencies above 1GHz, linearly polarized double ridge horn antennas were used. For frequencies below 30MHz, a calibrated loop antenna was used. When exploratory measurements were necessary, they were performed at 1 meter test distance inside the semi-anechoic chamber using broadband antennas, broadband amplifiers, and spectrum analyzers to determine the frequencies and modes producing the maximum emissions. Sufficient time for the EUT, support equipment, and test equipment was allowed in order for them to warm up to their normal operating condition. The test set-up was placed on top of the 1 x 1.5 meter table. The EUT, support equipment, and interconnecting cables were arranged and manipulated to maximize each emission. Appropriate precaution was taken to ensure that all emissions from the EUT were maximized and investigated. The system configuration, mode of operation, turntable azimuth, and receive antenna height was noted for each frequency found.

Final measurements were made in the semi-anechoic chamber using calibrated, linearly polarized broadband and horn antennas. The test setup was configured to the setup that produced the worst case emissions. The spectrum analyzer was set to investigate all frequencies required for testing to compare the highest radiated disturbances with respect to the specified limits. The turntable containing the EUT was rotated through 360 degrees and the height of the receive antenna was varied 1 to 4 meters and stopped at the azimuth and height producing the maximum emission. Each emission was maximized by changing the orientation of the EUT through three orthogonal planes and changing the polarity of the receive antenna, whichever produced the worst-case emissions.

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 414788 D01 v01r01.

3.4 Environmental Conditions

The temperature is controlled within range of 15°C to 35°C. The relative humidity is controlled within range of 10% to 75%. The atmospheric pressure is monitored within the range 86-106kPa (860-1060mbar).

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 10 of 255

4.0 ANTENNA REQUIREMENTS

Excerpt from §15.203 of the FCC Rules/Regulations:

“An intentional radiator antenna shall be designed to ensure that no antenna other than that furnished by the responsible party can be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.”

- The antennas of the EUT are **permanently attached**.
- There are no provisions for connection to an external antenna.

Conclusion:

The EUT complies with the requirement of §15.203.

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 11 of 255

5.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.10-2013. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty ($\pm$ dB)
Conducted Bench Top Measurements	1.37
Conducted Disturbance	3.09
Radiated Disturbance (<1GHz)	3.94
Radiated Disturbance (>1GHz)	4.75
Radiated Disturbance (>18GHz)	4.84

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 12 of 255

6.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Dual Directional Coupler	Cal Date	Cal Interval	Cal Due	Serial Number
Schwarzbeck	VULB9162	Broadband TRILOG Antenna(30MHz-1GHz)	2021-07-13	Biennial	2023-07-12	9162-217
Sunol Sciences	DRH-118	Horn Antenna(1GHz-18GHz)	2023-01-26	Biennial	2025-01-25	A102416-1
COM-Power Corporation	AL-130R	Active Loop Antenna	2022-10-21	Biennial	2024-10-20	10160045
Rohde & Schwarz	ESW	EMI Test Receiver(2Hz-44GHz)	2022-07-04	Annual	2023-07-03	101761
Rohde & Schwarz	FSW43	Signal and Spectrum Analyzer(2Hz-43.5GHz)	2023-01-13	Annual	2024-01-12	101955
Agilent	N9030A	PXA Signal Analyzer(3Hz-26.5GHz)	2022-07-04	Annual	2023-07-03	MY49432391
Anritsu	S820E	Cable and Antenna Analyzer	2022-07-06	Annual	2023-07-05	1839097
Anritsu	TOSLK50A-40	Calibration Kit	N/A	-	N/A	1825024
Rohde & Schwarz	TS-SFUNIT-Rx	Shielded Filter Unit	2023-01-13	Annual	2024-01-12	102131
NARDA	180-442A-KF	Horn Antenna(18GHz-40GHz)	2022-11-23	Biennial	2024-11-22	T058701-03
Rohde & Schwarz	TS-PR1840	Preamplifier(18GHz-40GHz)	2022-07-06	Annual	2023-07-05	100049
MINI-CIRCUITS	BW-N10W5+	ATTENUATOR(DC-18GHz)	2023-04-06	Annual	2024-04-05	2106
Rohde & Schwarz	ENV216	Two-Line V-Network	2023-04-07	Annual	2024-04-06	101319
TESTEK	-	LISN Extension Cord	2023-04-07	Annual	2024-04-06	N/A
Anritsu	MA24106A	USB Power Sensor	2023-01-13	Annual	2024-01-12	1344557

Table 6-1. Annual Test Equipment Calibration Schedule

Note:

- For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
- Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 13 of 255

7.0 TEST RESULTS

7.1 Summary

Company Name: Samsung Electronics Co., Ltd.
 FCC ID: A3LSMX910
 FCC Classification: Unlicensed National Information Infrastructure (UNII)

FCC Part Section(s)	RSS Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
N/A	RSS-Gen [6.6]	26dB Bandwidth	N/A	CONDUCTED	PASS	Section 7.2
15.407(e)	RSS-Gen [6.6]	6dB Bandwidth	>500kHz(5725-5850MHz)		PASS	Section 7.3
15.407 (a.1.iv), (a.2), (a.3)	RSS-247 [6.2]	Maximum Conducted Output Power	Maximum conducted powers must meet the limits detailed in 15.407 (a) (RSS-247 [6.2])		PASS	Section 7.4
15.407 (a.1.iv), (a.2), (a.3)	RSS-247 [6.2]	Maximum Power Spectral Density	Maximum power spectral density must meet the limits detailed in 15.407 (a) (RSS-247 [6.2])		PASS	Section 7.5
15.407(h)	RSS-247 [6.3]	Dynamic Frequency Selection	See DFS Test Report		PASS	See DFS Test Report
15.407(b.1), (2), (3), (4)	RSS-247 [6.2]	Undesirable Emissions	Undesirable emissions must meet the limits detailed in 15.407(b) (RSS-247 [6.2])	RADIATED	PASS	Section 7.6
15.205, 15.407(b.1), (4), (5), (6)	RSS-Gen [8.9]	General Field Strength Limits (Restricted Bands and Radiated Emission Limits)	Emissions in restricted bands must meet the radiated limits detailed in 15.209 (RSS-Gen [8.9])		PASS	Section 7.6, 7.7
15.407	RSS-Gen [8.8]	AC Conducted Emissions 150kHz – 30MHz	< FCC 15.207 (RSS-Gen [8.8]) limits	LINE CONDUCTED	PASS	Section 7.8

Table 7-1. Summary of Test Results

Notes:

- 1) All channels, modes, and modulations/data rates were investigated among all UNII bands. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots shown in this section were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables and attenuators used as part of the system to connect the EUT to the analyzer at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables and attenuators.
- 4) For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is “UNII Automation,” Version 4.7.
- 5) For radiated band edge, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is “Chamber Automation,” Version 1.3.1.

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 14 of 255

7.2 26dB Bandwidth Measurement – 802.11a/n/ac/ax

RSS-Gen [6.2]

Test Overview and Limit

The bandwidth at 26dB down from the highest in-band spectral density is measured with a spectrum analyzer connected to the antenna terminal while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2013 and KDB 789033 D02 v02r01, and at the appropriate frequencies. The spectrum analyzer's bandwidth measurement function is configured to measure the 26dB bandwidth.

The 26dB bandwidth is used to determine the conducted power limits.

Test Procedure Used

ANSI C63.10-2013 – Section 12.4

KDB 789033 D02 v02r01 – Section C

Test Settings

1. The signal analyzers' automatic bandwidth measurement capability was used to perform the 26dB bandwidth measurement. The "X" dB bandwidth parameter was set to $X = 26$. The automatic bandwidth measurement function also has the capability of simultaneously measuring the 99% occupied bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = approximately 1% of the emission bandwidth
3. $VBW \geq 3 \times RBW$
4. Detector = Peak
5. Trace mode = max hold

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-1. Test Instrument & Measurement Setup

Test Notes

None.


FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 15 of 255

MIMO Antenna-1 26dB Bandwidth Measurements


	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured 26dB Bandwidth [MHz]
Band 1	5180	36	a	6	22.86
	5200	40	a	6	23.08
	5240	48	a	6	23.42
	5180	36	n (20MHz)	6.5/7.2 (MCS0)	23.20
	5200	40	n (20MHz)	6.5/7.2 (MCS0)	23.52
	5240	48	n (20MHz)	6.5/7.2 (MCS0)	22.94
	5180	36	ax (20MHz)	6.5/7.2 (MCS0)	22.51
	5200	40	ax (20MHz)	6.5/7.2 (MCS0)	22.74
	5240	48	ax (20MHz)	6.5/7.2 (MCS0)	22.85
	5190	38	n (40MHz)	13.5/15 (MCS0)	44.44
	5230	46	n (40MHz)	13.5/15 (MCS0)	44.69
	5190	38	ax (40MHz)	13.5/15 (MCS0)	43.34
	5230	46	ax (40MHz)	13.5/15 (MCS0)	44.25
	5210	42	ac (80MHz)	29.3/32.5 (MCS0)	89.75
	5210	42	ax (80MHz)	29.3/32.5 (MCS0)	88.44
Band 1/2A	5250	50	ac (160MHz)	58.5/65 (MCS0)	171.20
	5250	50	ax (160MHz)	58.5/65 (MCS0)	173.50
Band 2A	5260	52	a	6	23.41
	5280	56	a	6	23.33
	5320	64	a	6	22.33
	5260	52	n (20MHz)	6.5/7.2 (MCS0)	23.06
	5280	56	n (20MHz)	6.5/7.2 (MCS0)	22.92
	5320	64	n (20MHz)	6.5/7.2 (MCS0)	23.71
	5260	52	ax (20MHz)	6.5/7.2 (MCS0)	22.38
	5280	56	ax (20MHz)	6.5/7.2 (MCS0)	23.33
	5320	64	ax (20MHz)	6.5/7.2 (MCS0)	22.92
	5270	54	n (40MHz)	13.5/15 (MCS0)	45.01
	5310	62	n (40MHz)	13.5/15 (MCS0)	44.09
	5270	54	ax (40MHz)	13.5/15 (MCS0)	44.92
	5310	62	ax (40MHz)	13.5/15 (MCS0)	43.27
	5290	58	ac (80MHz)	29.3/32.5 (MCS0)	90.66
	5290	58	ax (80MHz)	29.3/32.5 (MCS0)	85.66
Band 2C	5500	100	a	6	23.10
	5600	120	a	6	22.82
	5720	144	a	6	23.37
	5500	100	n (20MHz)	6.5/7.2 (MCS0)	23.19
	5600	120	n (20MHz)	6.5/7.2 (MCS0)	22.92
	5720	144	n (20MHz)	6.5/7.2 (MCS0)	23.25
	5500	100	ax (20MHz)	6.5/7.2 (MCS0)	22.60
	5600	120	ax (20MHz)	6.5/7.2 (MCS0)	23.42
	5720	144	ax (20MHz)	6.5/7.2 (MCS0)	23.32
	5510	102	n (40MHz)	13.5/15 (MCS0)	44.37
	5590	118	n (40MHz)	13.5/15 (MCS0)	44.69
	5710	142	n (40MHz)	13.5/15 (MCS0)	44.32
	5510	102	ax (40MHz)	13.5/15 (MCS0)	43.56
	5590	118	ax (40MHz)	13.5/15 (MCS0)	43.68
	5710	142	ax (40MHz)	13.5/15 (MCS0)	42.43
	5530	106	ac (80MHz)	29.3/32.5 (MCS0)	89.98
	5610	122	ac (80MHz)	29.3/32.5 (MCS0)	92.10
	5690	138	ac (80MHz)	29.3/32.5 (MCS0)	90.47
	5530	106	ax (80MHz)	29.3/32.5 (MCS0)	86.92
	5610	122	ax (80MHz)	29.3/32.5 (MCS0)	87.14
	5690	138	ax (80MHz)	29.3/32.5 (MCS0)	87.64
	5570	114	ac (160MHz)	58.5/65 (MCS0)	172.50
	5570	114	ax (160MHz)	58.5/65 (MCS0)	172.00

Table 7-2. Conducted Bandwidth Measurements MIMO ANT1

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 16 of 255




Plot 7-1. 26dB Bandwidth Plot ANT1 (802.11a (UNII Band 1) – Ch. 36)




Plot 7-2. 26dB Bandwidth Plot ANT1 (802.11a (UNII Band 1) – Ch. 40)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 17 of 255




Plot 7-3. 26dB Bandwidth Plot ANT1 (802.11a (UNII Band 1) – Ch. 48)




Plot 7-4. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11n (UNII Band 1) – Ch. 36)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 18 of 255




Plot 7-5. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11n (UNII Band 1) – Ch. 40)




Plot 7-6. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11n (UNII Band 1) – Ch. 48)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 19 of 255




Plot 7-7. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11ax (UNII Band 1) – Ch. 36)




Plot 7-8. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11ax (UNII Band 1) – Ch. 40)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 20 of 255




Plot 7-9. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11ax (UNII Band 1) – Ch. 48)




Plot 7-10. 26dB Bandwidth Plot ANT1 (40MHz BW 802.11n (UNII Band 1) – Ch. 38)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 21 of 255




Plot 7-11. 26dB Bandwidth Plot ANT1 (40MHz BW 802.11n (UNII Band 1) – Ch. 46)




Plot 7-12. 26dB Bandwidth Plot ANT1 (40MHz BW 802.11ax (UNII Band 1) – Ch. 38)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 22 of 255




Plot 7-13. 26dB Bandwidth Plot ANT1 (40MHz BW 802.11ax (UNII Band 1) – Ch. 46)




Plot 7-14. 26dB Bandwidth Plot ANT1 (80MHz BW 802.11ac (UNII Band 1) – Ch. 42)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 23 of 255




Plot 7-15. 26dB Bandwidth Plot ANT1 (80MHz BW 802.11ax (UNII Band 1) – Ch. 42)




Plot 7-16. 26dB Bandwidth Plot ANT1 (160MHz BW 802.11ac (UNII Band 1) – Ch. 50)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 24 of 255




Plot 7-17. 26dB Bandwidth Plot ANT1 (160MHz BW 802.11ax (UNII Band 1) – Ch. 50)




Plot 7-18. 26dB Bandwidth Plot ANT1 (802.11a (UNII Band 2A) – Ch. 52)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 25 of 255




Plot 7-19. 26dB Bandwidth Plot ANT1 (802.11a (UNII Band 2A) – Ch. 56)




Plot 7-20. 26dB Bandwidth Plot ANT1 (802.11a (UNII Band 2A) – Ch. 64)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 26 of 255




Plot 7-21. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11n (UNII Band 2A) – Ch. 52)




Plot 7-22. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11n (UNII Band 2A) – Ch. 56)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 27 of 255




Plot 7-23. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11n (UNII Band 2A) – Ch. 64)




Plot 7-24. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11ax (UNII Band 2A) – Ch. 52)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 28 of 255




Plot 7-25. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11ax (UNII Band 2A) – Ch. 56)




Plot 7-26. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11ax (UNII Band 2A) – Ch. 64)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 29 of 255




Plot 7-27. 26dB Bandwidth Plot ANT1 (40MHz BW 802.11n (UNII Band 2A) – Ch. 54)




Plot 7-28. 26dB Bandwidth Plot ANT1 (40MHz BW 802.11n (UNII Band 2A) – Ch. 62)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 30 of 255




Plot 7-29. 26dB Bandwidth Plot ANT1 (40MHz BW 802.11ax (UNII Band 2A) – Ch. 54)




Plot 7-30. 26dB Bandwidth Plot ANT1 (40MHz BW 802.11ax (UNII Band 2A) – Ch. 62)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 31 of 255




Plot 7-31. 26dB Bandwidth Plot ANT1 (80MHz BW 802.11ac (UNII Band 2A) – Ch. 58)




Plot 7-32. 26dB Bandwidth Plot ANT1 (80MHz BW 802.11ax (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 32 of 255




Plot 7-33. 26dB Bandwidth Plot ANT1 (802.11a (UNII Band 2C) – Ch. 100)




Plot 7-34. 26dB Bandwidth Plot ANT1 (802.11a (UNII Band 2C) – Ch. 120)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 33 of 255




Plot 7-35. 26dB Bandwidth Plot ANT1 (802.11a (UNII Band 2C) – Ch. 144)




Plot 7-36. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11n (UNII Band 2C) – Ch. 100)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 34 of 255




Plot 7-37. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11n (UNII Band 2C) – Ch. 120)




Plot 7-38. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11n (UNII Band 2C) – Ch. 144)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 35 of 255




Plot 7-39. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11ax (UNII Band 2C) – Ch. 100)




Plot 7-40. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11ax (UNII Band 2C) – Ch. 120)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 36 of 255




Plot 7-41. 26dB Bandwidth Plot ANT1 (20MHz BW 802.11ax (UNII Band 2C) – Ch. 144)




Plot 7-42. 26dB Bandwidth Plot ANT1 (40MHz BW 802.11n (UNII Band 2C) – Ch. 102)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 37 of 255




Plot 7-43. 26dB Bandwidth Plot ANT1 (40MHz BW 802.11n (UNII Band 2C) – Ch. 118)




Plot 7-44. 26dB Bandwidth Plot ANT1 (40MHz BW 802.11n (UNII Band 2C) – Ch. 142)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 38 of 255




Plot 7-45. 26dB Bandwidth Plot ANT1 (40MHz BW 802.11ax (UNII Band 2C) – Ch. 102)




Plot 7-46. 26dB Bandwidth Plot ANT1 (40MHz BW 802.11ax (UNII Band 2C) – Ch. 118)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 39 of 255




Plot 7-47. 26dB Bandwidth Plot ANT1 (40MHz BW 802.11ax (UNII Band 2C) – Ch. 142)




Plot 7-48. 26dB Bandwidth Plot ANT1 (80MHz BW 802.11ac (UNII Band 2C) – Ch. 106)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 40 of 255




Plot 7-49. 26dB Bandwidth Plot ANT1 (80MHz BW 802.11ac (UNII Band 2C) – Ch. 122)




Plot 7-50. 26dB Bandwidth Plot ANT1 (80MHz BW 802.11ac (UNII Band 2C) – Ch. 138)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 41 of 255




Plot 7-51. 26dB Bandwidth Plot ANT1 (80MHz BW 802.11ax (UNII Band 2C) – Ch. 106)




Plot 7-52. 26dB Bandwidth Plot ANT1 (80MHz BW 802.11ax (UNII Band 2C) – Ch. 122)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 42 of 255




Plot 7-53. 26dB Bandwidth Plot ANT1 (80MHz BW 802.11ax (UNII Band 2C) – Ch. 138)



Plot 7-54. 26dB Bandwidth Plot ANT1 (160MHz BW 802.11ac (UNII Band 2C) – Ch. 114)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 43 of 255



Plot 7-55. 26dB Bandwidth Plot ANT1 (160MHz BW 802.11ax (UNII Band 2C) – Ch. 114)


FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 44 of 255

MIMO Antenna-2 26dB Bandwidth Measurements


	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured 26dB Bandwidth [MHz]
Band 1	5180	36	a	6	23.47
	5200	40	a	6	23.16
	5240	48	a	6	23.33
	5180	36	n (20MHz)	6.5/7.2 (MCS0)	22.97
	5200	40	n (20MHz)	6.5/7.2 (MCS0)	23.20
	5240	48	n (20MHz)	6.5/7.2 (MCS0)	23.26
	5180	36	ax (20MHz)	6.5/7.2 (MCS0)	22.89
	5200	40	ax (20MHz)	6.5/7.2 (MCS0)	22.36
	5240	48	ax (20MHz)	6.5/7.2 (MCS0)	23.08
	5190	38	n (40MHz)	13.5/15 (MCS0)	43.05
	5230	46	n (40MHz)	13.5/15 (MCS0)	42.83
	5190	38	ax (40MHz)	13.5/15 (MCS0)	43.55
	5230	46	ax (40MHz)	13.5/15 (MCS0)	43.44
	5210	42	ac (80MHz)	29.3/32.5 (MCS0)	87.83
	5210	42	ax (80MHz)	29.3/32.5 (MCS0)	86.28
Band 1/2A	5250	50	ac (160MHz)	58.5/65 (MCS0)	172.50
	5250	50	ax (160MHz)	58.5/65 (MCS0)	172.90
Band 2A	5260	52	a	6	23.13
	5280	56	a	6	22.96
	5320	64	a	6	22.67
	5260	52	n (20MHz)	6.5/7.2 (MCS0)	23.13
	5280	56	n (20MHz)	6.5/7.2 (MCS0)	23.18
	5320	64	n (20MHz)	6.5/7.2 (MCS0)	23.29
	5260	52	ax (20MHz)	6.5/7.2 (MCS0)	22.45
	5280	56	ax (20MHz)	6.5/7.2 (MCS0)	22.88
	5320	64	ax (20MHz)	6.5/7.2 (MCS0)	22.83
	5270	54	n (40MHz)	13.5/15 (MCS0)	43.03
	5310	62	n (40MHz)	13.5/15 (MCS0)	43.58
	5270	54	ax (40MHz)	13.5/15 (MCS0)	42.45
	5310	62	ax (40MHz)	13.5/15 (MCS0)	43.35
	5290	58	ac (80MHz)	29.3/32.5 (MCS0)	87.61
	5290	58	ax (80MHz)	29.3/32.5 (MCS0)	85.30
Band 2C	5500	100	a	6	22.50
	5600	120	a	6	22.85
	5720	144	a	6	22.99
	5500	100	n (20MHz)	6.5/7.2 (MCS0)	23.51
	5600	120	n (20MHz)	6.5/7.2 (MCS0)	22.93
	5720	144	n (20MHz)	6.5/7.2 (MCS0)	23.36
	5500	100	ax (20MHz)	6.5/7.2 (MCS0)	22.71
	5600	120	ax (20MHz)	6.5/7.2 (MCS0)	22.35
	5720	144	ax (20MHz)	6.5/7.2 (MCS0)	22.17
	5510	102	n (40MHz)	13.5/15 (MCS0)	42.56
	5590	118	n (40MHz)	13.5/15 (MCS0)	42.98
	5710	142	n (40MHz)	13.5/15 (MCS0)	43.32
	5510	102	ax (40MHz)	13.5/15 (MCS0)	43.56
	5590	118	ax (40MHz)	13.5/15 (MCS0)	42.39
	5710	142	ax (40MHz)	13.5/15 (MCS0)	43.70
	5530	106	ac (80MHz)	29.3/32.5 (MCS0)	88.90
	5610	122	ac (80MHz)	29.3/32.5 (MCS0)	88.54
	5690	138	ac (80MHz)	29.3/32.5 (MCS0)	87.47
	5530	106	ax (80MHz)	29.3/32.5 (MCS0)	85.85
	5610	122	ax (80MHz)	29.3/32.5 (MCS0)	87.68
	5690	138	ax (80MHz)	29.3/32.5 (MCS0)	86.07
	5570	114	ac (160MHz)	58.5/65 (MCS0)	172.50
	5570	114	ax (160MHz)	58.5/65 (MCS0)	172.20

Table 7-3. Conducted Bandwidth Measurements MIMO ANT2

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 45 of 255




Plot 7-56. 26dB Bandwidth Plot ANT2 (802.11a (UNII Band 1) – Ch. 36)




Plot 7-57. 26dB Bandwidth Plot ANT2 (802.11a (UNII Band 1) – Ch. 40)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 46 of 255




Plot 7-58. 26dB Bandwidth Plot ANT2 (802.11a (UNII Band 1) – Ch. 48)




Plot 7-59. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11n (UNII Band 1) – Ch. 36)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 47 of 255




Plot 7-60. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11n (UNII Band 1) – Ch. 40)




Plot 7-61. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11n (UNII Band 1) – Ch. 48)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 48 of 255




Plot 7-62. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11ax (UNII Band 1) – Ch. 36)




Plot 7-63. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11ax (UNII Band 1) – Ch. 40)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 49 of 255




Plot 7-64. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11ax (UNII Band 1) – Ch. 48)




Plot 7-65. 26dB Bandwidth Plot ANT2 (40MHz BW 802.11n (UNII Band 1) – Ch. 38)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 50 of 255




Plot 7-66. 26dB Bandwidth Plot ANT2 (40MHz BW 802.11n (UNII Band 1) – Ch. 46)




Plot 7-67. 26dB Bandwidth Plot ANT2 (40MHz BW 802.11ax (UNII Band 1) – Ch. 38)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 51 of 255




Plot 7-68. 26dB Bandwidth Plot ANT2 (40MHz BW 802.11ax (UNII Band 1) – Ch. 46)




Plot 7-69. 26dB Bandwidth Plot ANT2 (80MHz BW 802.11ac (UNII Band 1) – Ch. 42)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 52 of 255




Plot 7-70. 26dB Bandwidth Plot ANT2 (80MHz BW 802.11ax (UNII Band 1) – Ch. 42)




Plot 7-71. 26dB Bandwidth Plot ANT2 (160MHz BW 802.11ac (UNII Band ½A) – Ch. 50)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 53 of 255




Plot 7-72. 26dB Bandwidth Plot ANT2 (160MHz BW 802.11ax (UNII Band 2A) – Ch. 50)




Plot 7-73. 26dB Bandwidth Plot ANT2 (802.11a (UNII Band 2A) – Ch. 52)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 54 of 255




Plot 7-74. 26dB Bandwidth Plot ANT2 (802.11a (UNII Band 2A) – Ch. 56)




Plot 7-75. 26dB Bandwidth Plot ANT2 (802.11a (UNII Band 2A) – Ch. 64)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 55 of 255




Plot 7-76. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11n (UNII Band 2A) – Ch. 52)




Plot 7-77. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11n (UNII Band 2A) – Ch. 56)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 56 of 255




Plot 7-78. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11n (UNII Band 2A) – Ch. 64)




Plot 7-79. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11ax (UNII Band 2A) – Ch. 52)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 57 of 255




Plot 7-80. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11ax (UNII Band 2A) – Ch. 56)




Plot 7-81. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11ax (UNII Band 2A) – Ch. 64)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 58 of 255




Plot 7-82. 26dB Bandwidth Plot ANT2 (40MHz BW 802.11n (UNII Band 2A) – Ch. 54)




Plot 7-83. 26dB Bandwidth Plot ANT2 (40MHz BW 802.11n (UNII Band 2A) – Ch. 62)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 59 of 255




Plot 7-84. 26dB Bandwidth Plot ANT2 (40MHz BW 802.11ax (UNII Band 2A) – Ch. 54)




Plot 7-85. 26dB Bandwidth Plot ANT2 (40MHz BW 802.11ax (UNII Band 2A) – Ch. 62)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 60 of 255




Plot 7-86. 26dB Bandwidth Plot ANT2 (80MHz BW 802.11ac (UNII Band 2A) – Ch. 58)




Plot 7-87. 26dB Bandwidth Plot ANT2 (80MHz BW 802.11ax (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 61 of 255




Plot 7-88. 26dB Bandwidth Plot ANT2 (802.11a (UNII Band 2C) – Ch. 100)




Plot 7-89. 26dB Bandwidth Plot ANT2 (802.11a (UNII Band 2C) – Ch. 120)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 62 of 255




Plot 7-90. 26dB Bandwidth Plot ANT2 (802.11a (UNII Band 2C) – Ch. 144)




Plot 7-91. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11n (UNII Band 2C) – Ch. 100)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 63 of 255




Plot 7-92. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11n (UNII Band 2C) – Ch. 120)




Plot 7-93. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11n (UNII Band 2C) – Ch. 144)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 64 of 255




Plot 7-94. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11ax (UNII Band 2C) – Ch. 100)




Plot 7-95. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11ax (UNII Band 2C) – Ch. 120)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 65 of 255




Plot 7-96. 26dB Bandwidth Plot ANT2 (20MHz BW 802.11ax (UNII Band 2C) – Ch. 144)




Plot 7-97. 26dB Bandwidth Plot ANT2 (40MHz BW 802.11n (UNII Band 2C) – Ch. 102)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 66 of 255




Plot 7-98. 26dB Bandwidth Plot ANT2 (40MHz BW 802.11n (UNII Band 2C) – Ch. 118)




Plot 7-99. 26dB Bandwidth Plot ANT2 (40MHz BW 802.11n (UNII Band 2C) – Ch. 142)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 67 of 255




Plot 7-100. 26dB Bandwidth Plot ANT2 (40MHz BW 802.11ax (UNII Band 2C) – Ch. 102)




Plot 7-101. 26dB Bandwidth Plot ANT2 (40MHz BW 802.11ax (UNII Band 2C) – Ch. 118)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 68 of 255




Plot 7-102. 26dB Bandwidth Plot ANT2 (40MHz BW 802.11ax (UNII Band 2C) – Ch. 142)




Plot 7-103. 26dB Bandwidth Plot ANT2 (80MHz BW 802.11ac (UNII Band 2C) – Ch. 106)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 69 of 255




Plot 7-104. 26dB Bandwidth Plot ANT2 (80MHz BW 802.11ac (UNII Band 2C) – Ch. 122)




Plot 7-105. 26dB Bandwidth Plot ANT2 (80MHz BW 802.11ac (UNII Band 2C) – Ch. 138)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 70 of 255



Plot 7-106. 26dB Bandwidth Plot ANT2 (80MHz BW 802.11ax (UNII Band 2C) – Ch. 106)



Plot 7-107. 26dB Bandwidth Plot ANT2 (80MHz BW 802.11ax (UNII Band 2C) – Ch. 122)

FCC ID: A3LSMX910	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2303200036-06.A3L	Test Dates: 04/03 - 05/15/2023	EUT Type: Portable Tablet	Page 71 of 255