



2. Sample Label




Technical Description

- 1. Use 'AI / PDF' provided by 'SAMSUNG' for letter and contents
- 2. Background color is 'WHITE', letter color is 'BLACK'
(reverse for SAMSUNG LOGO)
- 3. Back side should be attached to release paper once adhesive is applied.
- 4. No letter should be blur/smeared
- 5. The production must be proceed after the approval of SAMSUNG R&D Group
- 6. The product must be within approved sample's specification tolerance.
- 7. The product must be finished in a ROLL
- 8. Release paper must be unifiedn for material and color(blue)
- 9. Do not contain any substances which are specified in (OQA-2049).

MAT.	 OPP Laminating 16μ Adhesive 8μ WHITE POLYPROPYLENE 80μ Adhesive 25μ (0.13T±0.01)		FIN.		Semi transparency OPP laminating + UVP Coating		
TITLE	SPH-M830(승인용)					LABEL-MAIN	
UNIT	mm	DESIGNED	CHECKED	APPROVED	PROJECTION		
TOLERANCE	+0.0 -0.1	Park Tae San	Jo Kyeong Hwan	Kim June Sop			
SCALE	N/S				SHEET NO		1 / 1
Vendor		120406	120406	120406			
		Doc. CODE	GH68-00000A				

3. Label Location



The label is placed inside the battery compartment