


7.5 Test data for 802.11n_HT20 RLAN Mode

7.5.1 Test data for Antenna 0


-. Test Result : Pass

FREQUENCY RANGE (MHz)	CHANNEL	FREQUENCY (MHz)	26 dB Bandwidth (MHz)
5 150 ~ 5 250	Low	5 180.00	20.13
	Middle	5 220.00	20.28
	High	5 240.00	20.13
5 250 ~ 5 350	Low	5 260.00	20.23
	Middle	5 300.00	20.28
	High	5 320.00	20.18
5 470 ~ 5 725	Low	5 500.00	20.28
	Middle	5 580.00	20.23
	High	5 700.00	20.23
5 725 ~ 5 850	Low	5 745.00	20.33
	Middle	5 785.00	20.08
	High	5 825.00	20.38

Remark: See next page for measurement data.



Low Channel (5 180 MHz)




Middle Channel (5 220 MHz)


This Report is not correlated with the authentication of KOLAS

It should not be reproduced except in full, without the written approval of ONETECH Corp.


OTC-TRF-RF-001(0)

ONETECH Corp.: 43-14, Jinsaegol-gil, Chowol-eup, Gwangju-si, Gyeonggi-do, 12735, Korea (TEL: 82-31-799-9500, FAX: 82-31-799-9599)







Low Channel (5 260 MHz)




Middle Channel (5 300 MHz)





Low Channel (5 500 MHz)




Middle Channel (5 580 MHz)


This Report is not correlated with the authentication of KOLAS

It should not be reproduced except in full, without the written approval of ONETECH Corp.


OTC-TRF-RF-001(0)

ONETECH Corp.: 43-14, Jinsaegol-gil, Chowol-eup, Gwangju-si, Gyeonggi-do, 12735, Korea (TEL: 82-31-799-9500, FAX: 82-31-799-9599)





Low Channel (5 745 MHz)




Middle Channel (5 785 MHz)

This Report is not correlated with the authentication of KOLAS

It should not be reproduced except in full, without the written approval of ONETECH Corp.

OTC-TRF-RF-001(0)

ONETECH Corp.: 43-14, Jinsaegol-gil, Chowol-eup, Gwangju-si, Gyeonggi-do, 12735, Korea (TEL: 82-31-799-9500, FAX: 82-31-799-9599)




7.5.2 Test data for Antenna 1


-. Test Result : Pass

FREQUENCY RANGE (MHz)	CHANNEL	FREQUENCY (MHz)	26 dB Bandwidth (MHz)
5 150 ~ 5 250	Low	5 180.00	20.18
	Middle	5 220.00	20.13
	High	5 240.00	20.08
5 250 ~ 5 350	Low	5 260.00	20.08
	Middle	5 300.00	20.23
	High	5 320.00	20.08
5 470 ~ 5 725	Low	5 500.00	20.13
	Middle	5 580.00	20.13
	High	5 700.00	20.28
5 725 ~ 5 850	Low	5 745.00	20.38
	Middle	5 785.00	20.28
	High	5 825.00	20.08


Remark: See next page for measurement data.




Low Channel (5 180 MHz)




Middle Channel (5 220 MHz)





Low Channel (5 260 MHz)




Middle Channel (5 300 MHz)


This Report is not correlated with the authentication of KOLAS

It should not be reproduced except in full, without the written approval of ONETECH Corp.


OTC-TRF-RF-001(0)

ONETECH Corp.: 43-14, Jinsaegol-gil, Chowol-eup, Gwangju-si, Gyeonggi-do, 12735, Korea (TEL: 82-31-799-9500, FAX: 82-31-799-9599)





Low Channel (5 500 MHz)




Middle Channel (5 580 MHz)


This Report is not correlated with the authentication of KOLAS

It should not be reproduced except in full, without the written approval of ONETECH Corp.


OTC-TRF-RF-001(0)

ONETECH Corp.: 43-14, Jinsaegol-gil, Chowol-eup, Gwangju-si, Gyeonggi-do, 12735, Korea (TEL: 82-31-799-9500, FAX: 82-31-799-9599)






Low Channel (5 745 MHz)




Middle Channel (5 785 MHz)



7.5.3 Test data for Staddle Channel_Antenna 0

-. Test Result : Pass


FREQUENCY RANGE (MHz)	FREQUENCY (MHz)	26 dB Bandwidth (MHz)
5 470 ~ 5 725	5 720.00	15.19
5 725 ~ 5 850	5 720.00	5.14



7.5.4 Test data for Staddle Channel_Antenna 1

-. Test Result : Pass

FREQUENCY RANGE (MHz)	FREQUENCY (MHz)	26 dB Bandwidth (MHz)
5 470 ~ 5 725	5 720.00	15.09
5 725 ~ 5 850	5 720.00	5.04




7.6 Test data for 802.11n_HT40 RLAN Mode

7.6.1 Test data for Antenna 0


-. Test Result : Pass

FREQUENCY RANGE (MHz)	CHANNEL	FREQUENCY (MHz)	26 dB Bandwidth (MHz)
5 150 ~ 5 250	Low	5 190.00	40.76
	High	5 230.00	40.76
5 250 ~ 5 350	Low	5 270.00	40.66
	High	5 310.00	40.56
5 470 ~ 5 725	Low	5 510.00	40.66
	Middle	5 550.00	40.46
	High	5 670.00	40.66
5 725 ~ 5 850	Low	5 755.00	40.66
	High	5 795.00	40.46

Remark: See next page for measurement data.



Low Channel (5 190 MHz)




High Channel (5 230 MHz)

This Report is not correlated with the authentication of KOLAS


It should not be reproduced except in full, without the written approval of ONETECH Corp.

OTC-TRF-RF-001(0)


ONETECH Corp.: 43-14, Jinsaegol-gil, Chowol-eup, Gwangju-si, Gyeonggi-do, 12735, Korea (TEL: 82-31-799-9500, FAX: 82-31-799-9599)




Low Channel (5 270 MHz)




High Channel (5 310 MHz)




Low Channel (5 510 MHz)




Middle Channel (5 550 MHz)





Low Channel (5 755 MHz)




High Channel (5 795 MHz)

7.6.2 Test data for Antenna 1


-. Test Result : Pass

FREQUENCY RANGE (MHz)	CHANNEL	FREQUENCY (MHz)	26 dB Bandwidth (MHz)
5 150 ~ 5 250	Low	5 190.00	40.16
	High	5 230.00	40.16
5 250 ~ 5 350	Low	5 270.00	40.26
	High	5 310.00	40.16
5 470 ~ 5 725	Low	5 510.00	40.16
	Middle	5 550.00	39.76
	High	5 670.00	40.26
5 725 ~ 5 850	Low	5 755.00	40.06
	High	5 795.00	40.16

Remark: See next page for measurement data.



Low Channel (5 190 MHz)




High Channel (5 230 MHz)

This Report is not correlated with the authentication of KOLAS


It should not be reproduced except in full, without the written approval of ONETECH Corp.

OTC-TRF-RF-001(0)


ONETECH Corp.: 43-14, Jinsaegol-gil, Chowol-eup, Gwangju-si, Gyeonggi-do, 12735, Korea (TEL: 82-31-799-9500, FAX: 82-31-799-9599)




Low Channel (5 270 MHz)




High Channel (5 310 MHz)




Low Channel (5 510 MHz)




Middle Channel (5 550 MHz)





Low Channel (5 755 MHz)




High Channel (5 795 MHz)

7.6.3 Test data for Staddle Channel_Antenna 0

-. Test Result : Pass


FREQUENCY RANGE (MHz)	FREQUENCY (MHz)	26 dB Bandwidth (MHz)
5 470 ~ 5 725	5 710.00	35.48
5 725 ~ 5 850	5 710.00	5.28



7.6.4 Test data for Staddle Channel_Antenna 1

-. Test Result : Pass

FREQUENCY RANGE (MHz)	FREQUENCY (MHz)	26 dB Bandwidth (MHz)
5 470 ~ 5 725	5 710.00	35.18
5 725 ~ 5 850	5 710.00	5.08




7.7 Test data for 802.11ac_VHT80 RLAN Mode

7.7.1 Test data for Antenna 0


-. Test Result : Pass

FREQUENCY RANGE (MHz)	CHANNEL	FREQUENCY (MHz)	26 dB Bandwidth (MHz)
5 150 ~ 5 250	Middle	5 210.00	80.92
5 250 ~ 5 350	Middle	5 290.00	80.92
5 470 ~ 5 725	Middle	5 530.00	81.12
5 725 ~ 5 850	Middle	5 775.00	80.32


Remark: See next page for measurement data.




Middle Channel (5 210 MHz)



Middle Channel (5 290 MHz)



Middle Channel (5 530 MHz)




Middle Channel (5 775 MHz)

7.7.2 Test data for Antenna 1


-. Test Result : Pass

FREQUENCY RANGE (MHz)	CHANNEL	FREQUENCY (MHz)	26 dB Bandwidth (MHz)
5 150 ~ 5 250	Middle	5 210.00	81.52
5 250 ~ 5 350	Middle	5 290.00	80.72
5 470 ~ 5 725	Middle	5 530.00	80.92
5 725 ~ 5 850	Middle	5 775.00	81.12

Remark: See next page for measurement data.



Middle Channel (5 210 MHz)




Middle Channel (5 290 MHz)

This Report is not correlated with the authentication of KOLAS


It should not be reproduced except in full, without the written approval of ONETECH Corp.

OTC-TRF-RF-001(0)

ONETECH Corp.: 43-14, Jinsaegol-gil, Chowol-eup, Gwangju-si, Gyeonggi-do, 12735, Korea (TEL: 82-31-799-9500, FAX: 82-31-799-9599)



Middle Channel (5 530 MHz)



Middle Channel (5 775 MHz)

This Report is not correlated with the authentication of KOLAS

It should not be reproduced except in full, without the written approval of ONETECH Corp.


OTC-TRF-RF-001(0)

ONETECH Corp.: 43-14, Jinsaegol-gil, Chowol-eup, Gwangju-si, Gyeonggi-do, 12735, Korea (TEL: 82-31-799-9500, FAX: 82-31-799-9599)

7.7.3 Test data for Staddle Channel_Antenna 0

-. Test Result : Pass


FREQUENCY RANGE (MHz)	FREQUENCY (MHz)	26 dB Bandwidth (MHz)
5 470 ~ 5 725	5 690.00	75.36
5 725 ~ 5 850	5 690.00	5.56



7.7.4 Test data for Staddle Channel_Antenna 1

-. Test Result : Pass

FREQUENCY RANGE (MHz)	FREQUENCY (MHz)	26 dB Bandwidth (MHz)
5 470 ~ 5 725	5 690.00	75.96
5 725 ~ 5 850	5 690.00	5.76




8. 6 dB BANDWIDTH

8.1 Operating environment

Temperature : 23 °C
Relative humidity : 44 % R.H.

8.2 Test set-up

The antenna output of the EUT was connected to the spectrum analyzer. The resolution bandwidth is set to 100 kHz, and peak detection was used. The 6 dB bandwidth is defined as the total spectrum over which the power is higher than the peak power minus 6 dB.



8.3 Test Date


October 07, 2021 ~ October 20, 2021


8.4 Test data for 802.11a RLAN Mode

8.4.1 Test data for Antenna 0


-. Test Result : Pass

FREQUENCY RANGE (MHz)	CHANNEL	FREQUENCY (MHz)	6 dB Bandwidth (MHz)
5 725 ~ 5 850	Low	5 745.00	16.33
	Middle	5 785.00	16.33
	High	5 825.00	16.38





Middle Channel (5 785 MHz)



High Channel (5 825 MHz)

This Report is not correlated with the authentication of KOLAS

It should not be reproduced except in full, without the written approval of ONETECH Corp.


OTC-TRF-RF-001(0)


ONETECH Corp.: 43-14, Jinsaegol-gil, Chowol-eup, Gwangju-si, Gyeonggi-do, 12735, Korea (TEL: 82-31-799-9500, FAX: 82-31-799-9599)

8.4.2 Test data for Antenna 1


-. Test Result : Pass

FREQUENCY RANGE (MHz)	CHANNEL	FREQUENCY (MHz)	6 dB Bandwidth (MHz)
5 725 ~ 5 850	Low	5 745.00	16.33
	Middle	5 785.00	16.33
	High	5 825.00	16.33





Middle Channel (5 785 MHz)



High Channel (5 825 MHz)

This Report is not correlated with the authentication of KOLAS

It should not be reproduced except in full, without the written approval of ONETECH Corp.


OTC-TRF-RF-001(0)

ONETECH Corp.: 43-14, Jinsaegol-gil, Chowol-eup, Gwangju-si, Gyeonggi-do, 12735, Korea (TEL: 82-31-799-9500, FAX: 82-31-799-9599)

8.4.3 Test data for Staddle Channel_Antenna 0

-. Test Result : Pass


FREQUENCY RANGE (MHz)	FREQUENCY (MHz)	6 dB Bandwidth (MHz)
5 470 ~ 5 725	5 720.00	13.19
5 725 ~ 5 850	5 720.00	3.14



8.4.4 Test data for Staddle Channel_Antenna 1

-. Test Result : Pass

FREQUENCY RANGE (MHz)	FREQUENCY (MHz)	6 dB Bandwidth (MHz)
5 470 ~ 5 725	5 720.00	13.24
5 725 ~ 5 850	5 720.00	3.14





8.5 Test data for 802.11n_HT 20 RLAN Mode

8.5.1 Test data for Antenna 0


-. Test Result : Pass

FREQUENCY RANGE (MHz)	CHANNEL	FREQUENCY (MHz)	6 dB Bandwidth (MHz)
5 725 ~ 5 850	Low	5 745.00	17.53
	Middle	5 785.00	17.58
	High	5 825.00	17.58





Middle Channel (5 785 MHz)



High Channel (5 825 MHz)

This Report is not correlated with the authentication of KOLAS

It should not be reproduced except in full, without the written approval of ONETECH Corp.

OTC-TRF-RF-001(0)

ONETECH Corp.: 43-14, Jinsaegol-gil, Chowol-eup, Gwangju-si, Gyeonggi-do, 12735, Korea (TEL: 82-31-799-9500, FAX: 82-31-799-9599)