



Mode	802.11be(EHT20)	Channel	1
------	-----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2389.04	41.51	19.18	60.69	74	-13.31	PK
		2389.99	31.3	19.17	50.47	54	-3.53	AVG
	@	2412	87.16	19.14	106.3	N/A	N/A	PK
	@	2412	79.54	19.14	98.68	N/A	N/A	AVG
Vertical		2388.47	41.64	19.18	60.82	74	-13.18	PK
		2389.99	31.16	19.17	50.33	54	-3.67	AVG
	@	2412	90.15	19.14	109.29	N/A	N/A	PK
	@	2412	81.66	19.14	100.8	N/A	N/A	AVG


TX, 802.11be(EHT20) (Ch 1)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20) (Ch 1)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 1)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20) (Ch 1)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)	Channel	6
------	-----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBUV)	Correct (dB/m)	Result (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Remark
Horizontal		2344.77	40.44	19.39	59.83	74	-14.17	PK
		2360.35	28.41	19.35	47.76	54	-6.24	AVG
	@	2437	87.1	19.18	106.28	N/A	N/A	PK
	@	2437	78.27	19.18	97.45	N/A	N/A	AVG
		2484.8	39.49	19.19	58.68	74	-15.32	PK
		2493.92	28.58	19.19	47.77	54	-6.23	AVG
Vertical		2318.36	41.26	19.34	60.6	74	-13.4	PK
		2353.7	28.55	19.38	47.93	54	-6.07	AVG
	@	2437	90.62	19.18	109.8	N/A	N/A	PK
	@	2437	82.32	19.18	101.5	N/A	N/A	AVG
		2487.08	28.84	19.19	48.03	54	-5.97	AVG
		2492.4	39.58	19.19	58.77	74	-15.23	PK


TX, 802.11be(EHT20) (Ch 6)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20) (Ch 6)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 6)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20) (Ch 6)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)	Channel	11
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2462	84.15	19.19	103.34	N/A	N/A	PK
	@	2462	76.62	19.19	95.81	N/A	N/A	AVG
		2484.42	29.82	19.19	49.01	54	-4.99	AVG
		2492.4	40.62	19.19	59.81	74	-14.19	PK
Vertical	@	2462	90.79	19.19	109.98	N/A	N/A	PK
	@	2462	82.29	19.19	101.48	N/A	N/A	AVG
		2483.66	42.4	19.19	61.59	74	-12.41	PK
		2483.66	32.08	19.19	51.27	54	-2.73	AVG


TX, 802.11be(EHT20) (Ch 11)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20) (Ch 11)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 11)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20) (Ch 11)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)	Channel	12
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2467	87.44	19.19	106.63	N/A	N/A	PK
	@	2467	78.91	19.19	98.1	N/A	N/A	AVG
		2483.66	31.54	19.19	50.73	54	-3.27	AVG
		2485.37	41.76	19.19	60.95	74	-13.05	PK
Vertical	@	2467	91.77	19.19	110.96	N/A	N/A	PK
	@	2467	82.16	19.19	101.35	N/A	N/A	AVG
		2483.66	34.39	19.19	53.58	54	-0.42	AVG
		2485.94	44.22	19.19	63.41	74	-10.59	PK


TX, 802.11be(EHT20) (Ch 12)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20) (Ch 12)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 12)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20) (Ch 12)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)	Channel	13
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2472	85.88	19.19	105.07	N/A	N/A	PK
	@	2472	77.32	19.19	96.51	N/A	N/A	AVG
		2483.66	31.34	19.19	50.53	54	-3.47	AVG
		2484.61	42.55	19.19	61.74	74	-12.26	PK
Vertical	@	2472	88.72	19.19	107.91	N/A	N/A	PK
	@	2472	80.45	19.19	99.64	N/A	N/A	AVG
		2483.66	34.08	19.19	53.27	54	-0.73	AVG
		2485.94	44.06	19.19	63.25	74	-10.75	PK


TX, 802.11be(EHT20) (Ch 13)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20) (Ch 13)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 13)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20) (Ch 13)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20) - Emission	Channel	1
------	----------------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4824	36.25	2.63	38.88	74	-35.12	PK
		14470	28.76	26.07	54.83	74	-19.17	PK
		14470	20.49	26.07	46.56	54	-7.44	AVG
		15310	28.34	24.8	53.14	74	-20.86	PK
		15310	19.51	24.8	44.31	54	-9.69	AVG
	*	16884	34.06	4.03	38.09	74	-35.91	PK
	*	19296	34.79	2.54	37.33	74	-36.67	PK
	*	21708	33.3	5.05	38.35	74	-35.65	PK
Vertical	*	24120	31.89	10.19	42.08	74	-31.92	PK
	*	4824	35.43	2.63	38.06	74	-35.94	PK
		14470	28.92	26.07	54.99	74	-19.01	PK
		14470	20.65	26.07	46.72	54	-7.28	AVG
		15325	28.45	24.7	53.15	74	-20.85	PK
		15325	19.62	24.7	44.32	54	-9.68	AVG
	*	16884	33.74	4.03	37.77	74	-36.23	PK
	*	19296	34.69	2.54	37.23	74	-36.77	PK
	*	21708	32.76	5.05	37.81	74	-36.19	PK
	*	24120	32.92	10.19	43.11	74	-30.89	PK


TX, 802.11be(EHT20) - Emission (Ch 1) Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20) - Emission (Ch 1) Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20) - Emission (Ch 1) Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20) - Emission (Ch 1) Radiated Spurious Emission, Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1


Mode	802.11be(EHT20) - Emission	Channel	6
------	----------------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4874	36.15	2.66	38.81	74	-35.19	PK
		14485	28.98	26.08	55.06	74	-18.94	PK
		14485	20.71	26.08	46.79	54	-7.21	AVG
		15670	29.78	23.86	53.64	74	-20.36	PK
		15670	20.95	23.86	44.81	54	-9.19	AVG
	*	17059	33.79	3.73	37.52	74	-36.48	PK
	*	19496	35.32	2.96	38.28	74	-35.72	PK
	*	21933	31.74	5.26	37	74	-37	PK
Vertical	*	24370	32.09	10.58	42.67	74	-31.33	PK
	*	4874	36.98	2.66	39.64	74	-34.36	PK
		14485	28.46	26.08	54.54	74	-19.46	PK
		14485	20.19	26.08	46.27	54	-7.73	AVG
		15310	28.6	24.8	53.4	74	-20.6	PK
		15310	19.77	24.8	44.57	54	-9.43	AVG
	*	17059	34.33	3.73	38.06	74	-35.94	PK
	*	19496	35.06	2.96	38.02	74	-35.98	PK
	*	21933	31.78	5.26	37.04	74	-36.96	PK
	*	24370	32.04	10.58	42.62	74	-31.38	PK


TX, 802.11be(EHT20) - Emission (Ch 6) Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20) - Emission (Ch 6) Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20) - Emission (Ch 6) Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20) - Emission (Ch 6) Radiated Spurious Emission, Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1


Mode	802.11be(EHT20) - Emission	Channel	11
------	----------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4924	35.27	2.72	37.99	74	-36.01	PK
		14485	29.16	26.08	55.24	74	-18.76	PK
		14485	20.89	26.08	46.97	54	-7.03	AVG
		15310	28.36	24.8	53.16	74	-20.84	PK
		15310	19.53	24.8	44.33	54	-9.67	AVG
	*	17234	33.67	3.62	37.29	74	-36.71	PK
	*	19696	34.71	2.94	37.65	74	-36.35	PK
	*	22158	32.1	5.57	37.67	74	-36.33	PK
Vertical	*	24620	33.9	10.73	44.63	74	-29.37	PK
	*	4924	37.29	2.72	40.01	74	-33.99	PK
		14500	28.57	26.09	54.66	74	-19.34	PK
		14500	20.3	26.09	46.39	54	-7.61	AVG
		15355	28.54	24.5	53.04	74	-20.96	PK
		15355	19.71	24.5	44.21	54	-9.79	AVG
	*	17234	33.57	3.62	37.19	74	-36.81	PK
	*	19696	35.2	2.94	38.14	74	-35.86	PK
	*	22158	32.16	5.57	37.73	74	-36.27	PK
	*	24620	32.06	10.73	42.79	74	-31.21	PK


TX, 802.11be(EHT20) - Emission (Ch 11) Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20) - Emission (Ch 11) Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20) - Emission (Ch 11) Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20) - Emission (Ch 11) Radiated Spurious Emission, Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1


Mode	802.11be(EHT20) - Emission	Channel	12
------	----------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4934	34.54	2.73	37.27	74	-36.73	PK
		14500	28.06	26.09	54.15	74	-19.85	PK
		14500	19.79	26.09	45.88	54	-8.12	AVG
		15760	29.2	23.95	53.15	74	-20.85	PK
		15760	20.37	23.95	44.32	54	-9.68	AVG
	*	17269	34.6	3.54	38.14	74	-35.86	PK
	*	19736	35.46	2.93	38.39	74	-35.61	PK
	*	22203	33.44	5.64	39.08	74	-34.92	PK
Vertical	*	24670	32.12	10.69	42.81	74	-31.19	PK
	*	4934	34.6	2.73	37.33	74	-36.67	PK
		14485	28.87	26.08	54.95	74	-19.05	PK
		14485	20.6	26.08	46.68	54	-7.32	AVG
		15445	29.45	24.16	53.61	74	-20.39	PK
		15445	20.62	24.16	44.78	54	-9.22	AVG
	*	17269	35.32	3.54	38.86	74	-35.14	PK
	*	19736	34.36	2.93	37.29	74	-36.71	PK
	*	22203	33	5.64	38.64	74	-35.36	PK
	*	24670	31.56	10.69	42.25	74	-31.75	PK


TX, 802.11be(EHT20) - Emission (Ch 12)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20) - Emission (Ch 12)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20) - Emission (Ch 12)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20) - Emission (Ch 12)
Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20) - Emission	Channel	13
------	----------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4944	35.54	2.74	38.28	74	-35.72	PK
		14500	28.58	26.09	54.67	74	-19.33	PK
		14500	20.31	26.09	46.4	54	-7.6	AVG
		15400	29.56	24.21	53.77	74	-20.23	PK
		15400	20.73	24.21	44.94	54	-9.06	AVG
	*	17304	35.33	3.46	38.79	74	-35.21	PK
	*	19776	35.04	2.92	37.96	74	-36.04	PK
	*	22248	32.66	5.72	38.38	74	-35.62	PK
Vertical	*	24720	31.96	10.66	42.62	74	-31.38	PK
	*	4944	34.35	2.74	37.09	74	-36.91	PK
		14500	27.9	26.09	53.99	74	-20.01	PK
		14500	19.63	26.09	45.72	54	-8.28	AVG
		15895	29.38	23.74	53.12	74	-20.88	PK
		15895	20.55	23.74	44.29	54	-9.71	AVG
	*	17304	33.5	3.46	36.96	74	-37.04	PK
	*	19776	35.7	2.92	38.62	74	-35.38	PK
	*	22248	32.51	5.72	38.23	74	-35.77	PK
	*	24720	32.25	10.66	42.91	74	-31.09	PK


TX, 802.11be(EHT20) - Emission (Ch 13) Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20) - Emission (Ch 13) Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20) - Emission (Ch 13) Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20) - Emission (Ch 13) Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)RU26	Channel	1
------	---------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2319.88	40.17	19.34	59.51	74	-14.49	PK
		2386.19	30.66	19.19	49.85	54	-4.15	AVG
	@	2412	98.59	19.14	117.73	N/A	N/A	PK
	@	2412	89.78	19.14	108.92	N/A	N/A	AVG
Vertical		2384.67	42.78	19.2	61.98	74	-12.02	PK
		2386.57	29.96	19.2	49.16	54	-4.84	AVG
	@	2412	97.91	19.14	117.05	N/A	N/A	PK
	@	2412	89.07	19.14	108.21	N/A	N/A	AVG


TX, 802.11be(EHT20)RU26 (Ch 1)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20)RU26 (Ch 1)
Band Edge (Average), Vertical



TX, 802.11be(EHT20)RU26 (Ch 1)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20)RU26 (Ch 1)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)RU26	Channel	6
------	---------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2360.16	28.73	19.35	48.08	54	-5.92	AVG
		2378.59	40.58	19.23	59.81	74	-14.19	PK
	@	2437	98.22	19.18	117.4	N/A	N/A	PK
	@	2437	89.8	19.18	108.98	N/A	N/A	AVG
		2489.17	39.99	19.19	59.18	74	-14.82	PK
		2493.73	28.72	19.19	47.91	54	-6.09	AVG
Vertical		2327.1	40.47	19.35	59.82	74	-14.18	PK
		2350.47	28.52	19.4	47.92	54	-6.08	AVG
	@	2437	98.59	19.18	117.77	N/A	N/A	PK
	@	2437	90.18	19.18	109.36	N/A	N/A	AVG
		2490.5	28.89	19.19	48.08	54	-5.92	AVG
		2496.58	40.21	19.19	59.4	74	-14.6	PK


TX, 802.11be(EHT20)RU26 (Ch 6)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20)RU26 (Ch 6)
Band Edge (Average), Vertical



TX, 802.11be(EHT20)RU26 (Ch 6)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20)RU26 (Ch 6)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)RU26	Channel	11
------	---------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2462	98.96	19.19	118.15	N/A	N/A	PK
	@	2462	90.02	19.19	109.21	N/A	N/A	AVG
		2487.65	30.52	19.19	49.71	54	-4.29	AVG
		2488.41	40.21	19.19	59.4	74	-14.6	PK
Vertical	@	2462	98.87	19.19	118.06	N/A	N/A	PK
	@	2462	90.21	19.19	109.4	N/A	N/A	AVG
		2484.42	41.26	19.19	60.45	74	-13.55	PK
		2487.46	30.84	19.2	50.04	54	-3.96	AVG


TX, 802.11be(EHT20)RU26 (Ch 11)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20)RU26 (Ch 11)
Band Edge (Average), Vertical



TX, 802.11be(EHT20)RU26 (Ch 11)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20)RU26 (Ch 11)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)RU26	Channel	12
------	---------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2467	96.35	19.19	115.54	N/A	N/A	PK
	@	2467	89.98	19.19	109.17	N/A	N/A	AVG
		2483.66	31.22	19.19	50.41	54	-3.59	AVG
		2483.85	40.53	19.19	59.72	74	-14.28	PK
Vertical	@	2467	98.84	19.19	118.03	N/A	N/A	PK
	@	2467	90.21	19.19	109.4	N/A	N/A	AVG
		2483.66	31.26	19.19	50.45	54	-3.55	AVG
		2483.85	47.03	19.19	66.22	74	-7.78	PK


TX, 802.11be(EHT20)RU26 (Ch 12)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20)RU26 (Ch 12)
Band Edge (Average), Vertical



TX, 802.11be(EHT20)RU26 (Ch 12)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20)RU26 (Ch 12)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)RU26	Channel	13
------	---------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2472	95.7	19.19	114.89	N/A	N/A	PK
	@	2472	87.58	19.19	106.77	N/A	N/A	AVG
		2483.66	34.3	19.19	53.49	54	-0.51	AVG
		2483.85	45.95	19.19	65.14	74	-8.86	PK
Vertical	@	2472	98.08	19.19	117.27	N/A	N/A	PK
	@	2472	87.54	19.19	106.73	N/A	N/A	AVG
		2483.66	50.88	19.19	70.07	74	-3.93	PK
		2483.66	34.69	19.19	53.88	54	-0.12	AVG


TX, 802.11be(EHT20)RU26 (Ch 13)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20)RU26 (Ch 13)
Band Edge (Average), Vertical



TX, 802.11be(EHT20)RU26 (Ch 13)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20)RU26 (Ch 13)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)RU26 - Emission	Channel	1
------	--------------------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4824	35.7	2.63	38.33	74	-35.67	PK
		14470	28.07	26.07	54.14	74	-19.86	PK
		14470	19.8	26.07	45.87	54	-8.13	AVG
		15385	28.79	24.3	53.09	74	-20.91	PK
		15385	19.96	24.3	44.26	54	-9.74	AVG
	*	16884	33.73	4.03	37.76	74	-36.24	PK
	*	19296	34.62	2.54	37.16	74	-36.84	PK
	*	21708	32.33	5.05	37.38	74	-36.62	PK
	*	24120	32.55	10.19	42.74	74	-31.26	PK
Vertical	*	4824	37.17	2.63	39.8	74	-34.2	PK
		14500	27.8	26.09	53.89	74	-20.11	PK
		14500	19.53	26.09	45.62	54	-8.38	AVG
		15325	29.43	24.7	54.13	74	-19.87	PK
		15325	20.6	24.7	45.3	54	-8.7	AVG
	*	16884	34.48	4.03	38.51	74	-35.49	PK
	*	19296	34.62	2.54	37.16	74	-36.84	PK
	*	21708	33.71	5.05	38.76	74	-35.24	PK
	*	24120	32.05	10.19	42.24	74	-31.76	PK


TX, 802.11be(EHT20)RU26 - Emission (Ch 1)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 1)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)RU26 - Emission (Ch 1)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 1)
Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)RU26 - Emission	Channel	6
------	--------------------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		4824	35.19	2.63	37.82	74	-36.18	PK
		14470	27.47	26.07	53.54	74	-20.46	PK
		14470	19.2	26.07	45.27	54	-8.73	AVG
		15355	28.05	24.5	52.55	74	-21.45	PK
		15355	19.22	24.5	43.72	54	-10.28	AVG
	*	17059	33.75	3.73	37.48	74	-36.52	PK
	*	19496	34.88	2.96	37.84	74	-36.16	PK
	*	21933	32.11	5.26	37.37	74	-36.63	PK
	*	24370	32.21	10.58	42.79	74	-31.21	PK
Vertical		4824	35.77	2.63	38.4	74	-35.6	PK
		14470	28.36	26.07	54.43	74	-19.57	PK
		14470	20.09	26.07	46.16	54	-7.84	AVG
		15400	28.78	24.21	52.99	74	-21.01	PK
		15400	19.95	24.21	44.16	54	-9.84	AVG
	*	17059	34.15	3.73	37.88	74	-36.12	PK
	*	19496	35.05	2.96	38.01	74	-35.99	PK
	*	21933	32.34	5.26	37.6	74	-36.4	PK
	*	24370	32.72	10.58	43.3	74	-30.7	PK


TX, 802.11be(EHT20)RU26 - Emission (Ch 6)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 6)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)RU26 - Emission (Ch 6)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 6)
Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)RU26 - Emission	Channel	11
------	--------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4924	40.12	2.72	42.84	74	-31.16	PK
		14500	28.52	26.09	54.61	74	-19.39	PK
		14500	20.25	26.09	46.34	54	-7.66	AVG
		15325	28.02	24.7	52.72	74	-21.28	PK
		15325	19.19	24.7	43.89	54	-10.11	AVG
	*	17234	34.04	3.62	37.66	74	-36.34	PK
	*	19696	35.07	2.94	38.01	74	-35.99	PK
	*	22158	32.95	5.57	38.52	74	-35.48	PK
	*	24620	31.92	10.73	42.65	74	-31.35	PK
Vertical	*	4924	38.17	2.72	40.89	74	-33.11	PK
		14485	29.9	26.08	55.98	74	-18.02	PK
		14485	21.63	26.08	47.71	54	-6.29	AVG
		15430	29.02	24.18	53.2	74	-20.8	PK
		15430	20.19	24.18	44.37	54	-9.63	AVG
	*	17234	34.36	3.62	37.98	74	-36.02	PK
	*	19696	34.56	2.94	37.5	74	-36.5	PK
	*	22158	32.42	5.57	37.99	74	-36.01	PK
	*	24620	31.67	10.73	42.4	74	-31.6	PK


TX, 802.11be(EHT20)RU26 - Emission (Ch 11)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 11)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)RU26 - Emission (Ch 11)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 11)
Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)RU26 - Emission	Channel	12
------	--------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4934	37.75	2.73	40.48	74	-33.52	PK
		14500	27.91	26.09	54	74	-20	PK
		14500	19.64	26.09	45.73	54	-8.27	AVG
		15490	29	24.11	53.11	74	-20.89	PK
		15490	20.17	24.11	44.28	54	-9.72	AVG
	*	17269	33.84	3.54	37.38	74	-36.62	PK
	*	19736	34.91	2.93	37.84	74	-36.16	PK
	*	22203	33.13	5.64	38.77	74	-35.23	PK
	*	24670	31.23	10.69	41.92	74	-32.08	PK
Vertical	*	4934	37.51	2.73	40.24	74	-33.76	PK
		14500	27.92	26.09	54.01	74	-19.99	PK
		14500	19.65	26.09	45.74	54	-8.26	AVG
		15775	28.94	23.95	52.89	74	-21.11	PK
		15775	20.11	23.95	44.06	54	-9.94	AVG
	*	17269	35.07	3.54	38.61	74	-35.39	PK
	*	19736	34.96	2.93	37.89	74	-36.11	PK
	*	22203	32.52	5.64	38.16	74	-35.84	PK
	*	24670	32.95	10.69	43.64	74	-30.36	PK


TX, 802.11be(EHT20)RU26 - Emission (Ch 12)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 12)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)RU26 - Emission (Ch 12)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 12)
Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)RU26 - Emission	Channel	13
------	--------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4944	37.68	2.74	40.42	74	-33.58	PK
		14500	28.69	26.09	54.78	74	-19.22	PK
		14500	20.42	26.09	46.51	54	-7.49	AVG
		15370	28.82	24.41	53.23	74	-20.77	PK
		15370	19.99	24.41	44.4	54	-9.6	AVG
	*	17304	34.62	3.46	38.08	74	-35.92	PK
	*	19776	34.72	2.92	37.64	74	-36.36	PK
	*	22248	33.82	5.72	39.54	74	-34.46	PK
	*	24720	31.6	10.66	42.26	74	-31.74	PK
Vertical	*	4944	36.8	2.74	39.54	74	-34.46	PK
		14500	27.84	26.09	53.93	74	-20.07	PK
		14500	19.57	26.09	45.66	54	-8.34	AVG
		15445	28.21	24.16	52.37	74	-21.63	PK
		15445	19.38	24.16	43.54	54	-10.46	AVG
	*	17304	33.59	3.46	37.05	74	-36.95	PK
	*	19776	34.91	2.92	37.83	74	-36.17	PK
	*	22248	32.32	5.72	38.04	74	-35.96	PK
	*	24720	31.57	10.66	42.23	74	-31.77	PK


TX, 802.11be(EHT20)RU26 - Emission (Ch 13)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 13)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)RU26 - Emission (Ch 13)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 13)
Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)RU52	Channel	1
------	---------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2339.26	39.94	19.38	59.32	74	-14.68	PK
		2389.61	30.63	19.17	49.8	54	-4.2	AVG
	@	2412	95.59	19.14	114.73	N/A	N/A	PK
	@	2412	87.33	19.14	106.47	N/A	N/A	AVG
Vertical		2361.3	40.49	19.34	59.83	74	-14.17	PK
		2389.42	30.01	19.17	49.18	54	-4.82	AVG
	@	2412	95.24	19.14	114.38	N/A	N/A	PK
	@	2412	86.45	19.14	105.59	N/A	N/A	AVG


TX, 802.11be(EHT20)RU52 (Ch 1)
Band Edge (Average), Horizontal



TX, 802.11be(EHT20)RU52 (Ch 1)
Band Edge (Average), Vertical



TX, 802.11be(EHT20)RU52 (Ch 1)
Band Edge (Peak), Horizontal



TX, 802.11be(EHT20)RU52 (Ch 1)
Band Edge (Peak), Vertical

