


Mode	802.11be(EHT20)MRU52+26 - Emission	Channel	11
------	------------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4924	37.88	2.72	40.6	74	-33.4	PK
		14500	28.89	26.09	54.98	74	-19.02	PK
		14500	20.62	26.09	46.71	54	-7.29	AVG
		15310	28.95	24.8	53.75	74	-20.25	PK
		15310	20.12	24.8	44.92	54	-9.08	AVG
	*	17234	33.84	3.62	37.46	74	-36.54	PK
	*	19696	36.52	2.94	39.46	74	-34.54	PK
	*	22158	32.27	5.57	37.84	74	-36.16	PK
	*	24620	31.59	10.73	42.32	74	-31.68	PK
Vertical	*	4924	35.66	2.72	38.38	74	-35.62	PK
		14500	27.81	26.09	53.9	74	-20.1	PK
		14500	19.54	26.09	45.63	54	-8.37	AVG
		15370	28.57	24.41	52.98	74	-21.02	PK
		15370	19.74	24.41	44.15	54	-9.85	AVG
	*	17234	33.77	3.62	37.39	74	-36.61	PK
	*	19696	34.58	2.94	37.52	74	-36.48	PK
	*	22158	33.03	5.57	38.6	74	-35.4	PK
	*	24620	32.01	10.73	42.74	74	-31.26	PK


TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 11)

Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 11)

Radiated Spurious Emission, Vertical




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 11)

Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 11)

Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)MRU52+26 - Emission	Channel	12
------	------------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4934	38.01	2.73	40.74	74	-33.26	PK
		14500	28.87	26.09	54.96	74	-19.04	PK
		14500	20.6	26.09	46.69	54	-7.31	AVG
		15640	29.7	23.78	53.48	74	-20.52	PK
	*	15640	20.87	23.78	44.65	54	-9.35	AVG
		17269	34.39	3.54	37.93	74	-36.07	PK
		19736	34.27	2.93	37.2	74	-36.8	PK
		22203	33.16	5.64	38.8	74	-35.2	PK
Vertical	*	24670	33	10.69	43.69	74	-30.31	PK
		4934	37.81	2.73	40.54	74	-33.46	PK
		14485	28.87	26.08	54.95	74	-19.05	PK
		14485	20.6	26.08	46.68	54	-7.32	AVG
	*	15670	29.38	23.86	53.24	74	-20.76	PK
		15670	20.55	23.86	44.41	54	-9.59	AVG
		17269	34.42	3.54	37.96	74	-36.04	PK
		19736	33.98	2.93	36.91	74	-37.09	PK
	*	22203	32.44	5.64	38.08	74	-35.92	PK
		24670	32.27	10.69	42.96	74	-31.04	PK


TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 12)

Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 12)

Radiated Spurious Emission, Vertical




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 12)

Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 12)

Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)MRU52+26 - Emission	Channel	13
------	------------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4944	39.37	2.74	42.11	74	-31.89	PK
		14485	28.44	26.08	54.52	74	-19.48	PK
		14485	20.17	26.08	46.25	54	-7.75	AVG
		15370	29.8	24.41	54.21	74	-19.79	PK
		15370	20.97	24.41	45.38	54	-8.62	AVG
	*	17304	33.4	3.46	36.86	74	-37.14	PK
	*	19776	35.71	2.92	38.63	74	-35.37	PK
	*	22248	32.53	5.72	38.25	74	-35.75	PK
	*	24720	31.79	10.66	42.45	74	-31.55	PK
Vertical	*	4944	39.84	2.74	42.58	74	-31.42	PK
		14470	28.17	26.07	54.24	74	-19.76	PK
		14470	19.9	26.07	45.97	54	-8.03	AVG
		15340	28.21	24.6	52.81	74	-21.19	PK
		15340	19.38	24.6	43.98	54	-10.02	AVG
	*	17304	33.84	3.46	37.3	74	-36.7	PK
	*	19776	34.85	2.92	37.77	74	-36.23	PK
	*	22248	32.89	5.72	38.61	74	-35.39	PK
	*	24720	31.78	10.66	42.44	74	-31.56	PK


TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 13)

Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 13)

Radiated Spurious Emission, Vertical




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 13)

Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 13)


Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)MRU106+26	Channel	1
------	--------------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2389.8	29.98	19.17	49.15	54	-4.85	AVG
		2389.99	44.95	19.17	64.12	74	-9.88	PK
	@	2412	92.16	19.14	111.3	N/A	N/A	PK
	@	2412	83.61	19.14	102.75	N/A	N/A	AVG
Vertical		2389.99	41.37	19.17	60.54	74	-13.46	PK
		2389.99	29.34	19.17	48.51	54	-5.49	AVG
	@	2412	93.23	19.14	112.37	N/A	N/A	PK
	@	2412	83.79	19.14	102.93	N/A	N/A	AVG


TX, 802.11be(EHT20)MRU106+26 (Ch 1)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20)MRU106+26 (Ch 1)
Band Edge (Average), Vertical



TX, 802.11be(EHT20)MRU106+26 (Ch 1)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20)MRU106+26 (Ch 1)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)MRU106+26	Channel	6
------	--------------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2342.3	28.4	19.38	47.78	54	-6.22	AVG
		2389.23	40.55	19.18	59.73	74	-14.27	PK
	@	2437	91.69	19.18	110.87	N/A	N/A	PK
	@	2437	83.66	19.18	102.84	N/A	N/A	AVG
		2487.27	39.83	19.19	59.02	74	-14.98	PK
		2490.69	28.5	19.19	47.69	54	-6.31	AVG
Vertical		2346.67	40.48	19.39	59.87	74	-14.13	PK
		2356.36	28.35	19.37	47.72	54	-6.28	AVG
	@	2437	94.25	19.18	113.43	N/A	N/A	PK
	@	2437	84.59	19.18	103.77	N/A	N/A	AVG
		2495.82	28.7	19.19	47.89	54	-6.11	AVG
		2496.2	39.33	19.19	58.52	74	-15.48	PK


TX, 802.11be(EHT20)MRU106+26 (Ch 6)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20)MRU106+26 (Ch 6)
Band Edge (Average), Vertical



TX, 802.11be(EHT20)MRU106+26 (Ch 6)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20)MRU106+26 (Ch 6)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)MRU106+26	Channel	11
------	--------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2462	90.81	19.19	110	N/A	N/A	PK
	@	2462	83.9	19.19	103.09	N/A	N/A	AVG
		2483.85	29.34	19.19	48.53	54	-5.47	AVG
		2492.78	39.96	19.19	59.15	74	-14.85	PK
Vertical	@	2462	93.58	19.19	112.77	N/A	N/A	PK
	@	2462	84.74	19.19	103.93	N/A	N/A	AVG
		2483.85	29.98	19.19	49.17	54	-4.83	AVG
		2485.94	40.24	19.19	59.43	74	-14.57	PK


TX, 802.11be(EHT20)MRU106+26 (Ch 11)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20)MRU106+26 (Ch 11)
Band Edge (Average), Vertical



TX, 802.11be(EHT20)MRU106+26 (Ch 11)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20)MRU106+26 (Ch 11)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)MRU106+26	Channel	12
------	--------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2467	93.57	19.19	112.76	N/A	N/A	PK
	@	2467	83.41	19.19	102.6	N/A	N/A	AVG
		2483.66	43.7	19.19	62.89	74	-11.11	PK
		2483.66	33.47	19.19	52.66	54	-1.34	AVG
Vertical	@	2467	93.15	19.19	112.34	N/A	N/A	PK
	@	2467	84.46	19.19	103.65	N/A	N/A	AVG
		2483.66	34.53	19.19	53.72	54	-0.28	AVG
		2484.42	46.18	19.19	65.37	74	-8.63	PK


TX, 802.11be(EHT20)MRU106+26 (Ch 12)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20)MRU106+26 (Ch 12)
Band Edge (Average), Vertical



TX, 802.11be(EHT20)MRU106+26 (Ch 12)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20)MRU106+26 (Ch 12)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)MRU106+26	Channel	13
------	--------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2472	89.21	19.19	108.4	N/A	N/A	PK
	@	2472	80.29	19.19	99.48	N/A	N/A	AVG
		2483.85	33.2	19.19	52.39	54	-1.61	AVG
		2484.42	41.36	19.19	60.55	74	-13.45	PK
Vertical	@	2472	89.78	19.19	108.97	N/A	N/A	PK
	@	2472	81.05	19.19	100.24	N/A	N/A	AVG
		2483.66	34.32	19.19	53.51	54	-0.49	AVG
		2484.42	46.31	19.19	65.5	74	-8.5	PK


TX, 802.11be(EHT20)MRU106+26 (Ch 13)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20)MRU106+26 (Ch 13)
Band Edge (Average), Vertical



TX, 802.11be(EHT20)MRU106+26 (Ch 13)
Band Edge (Peak), Horizontal



TX, 802.11be(EHT20)MRU106+26 (Ch 13)
Band Edge (Peak), Vertical




Below 1 GHz

Mode	802.11b	Channel	11
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		147.37	33.65	-11.49	22.16	43.5	-21.34	PK
		206.54	45.99	-14.47	31.52	43.5	-11.98	PK
		219.15	46.44	-14.13	32.31	46	-13.69	PK
		239.52	47.33	-12.57	34.76	46	-11.24	PK
		268.62	38.39	-11.35	27.04	46	-18.96	PK
		344.28	37.88	-9.13	28.75	46	-17.25	PK
Vertical		159.98	32.29	-11.45	20.84	43.5	-22.66	PK
		215.27	35.5	-14.12	21.38	43.5	-22.12	PK
		241.46	34.88	-12.46	22.42	46	-23.58	PK
		415.09	33.88	-7.13	26.75	46	-19.25	PK
		519.85	34.67	-4.42	30.25	46	-15.75	PK
		697.36	31.42	-0.55	30.87	46	-15.13	PK


TX, 802.11b (Ch 11)

Radiated Spurious Emission, Horizontal



TX, 802.11b (Ch 11)

Radiated Spurious Emission, Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11g	Channel	11
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		145.43	34.31	-11.68	22.63	43.5	-20.87	PK
		205.57	46.29	-14.48	31.81	43.5	-11.69	PK
		219.15	45.87	-14.13	31.74	46	-14.26	PK
		244.37	47.57	-12.36	35.21	46	-10.79	PK
		342.34	38.52	-9.11	29.41	46	-16.59	PK
		517.91	36.29	-4.43	31.86	46	-14.14	PK
Vertical		159.98	32.72	-11.45	21.27	43.5	-22.23	PK
		216.24	35.83	-14.12	21.71	46	-24.29	PK
		239.52	35.46	-12.57	22.89	46	-23.11	PK
		345.25	32.93	-9.14	23.79	46	-22.21	PK
		427.7	35.27	-6.63	28.64	46	-17.36	PK
		515	37.93	-4.45	33.48	46	-12.52	PK





Mode	802.11be(EHT20)	Channel	11
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		107.6	37.65	-15.14	22.51	43.5	-20.99	PK
		147.37	35.93	-11.49	24.44	43.5	-19.06	PK
		205.57	46.38	-14.48	31.9	43.5	-11.6	PK
		217.21	45.45	-14.12	31.33	46	-14.67	PK
		240.49	43.64	-12.5	31.14	46	-14.86	PK
		491.72	41.56	-5.17	36.39	46	-9.61	PK
Vertical		98.87	35.29	-16.63	18.66	43.5	-24.84	PK
		107.6	38.27	-15.14	23.13	43.5	-20.37	PK
		149.31	33.77	-11.58	22.19	43.5	-21.31	PK
		341.37	35.97	-9.09	26.88	46	-19.12	PK
		420.91	34.74	-6.83	27.91	46	-18.09	PK
		769.14	32.4	0.91	33.31	46	-12.69	PK

TX, 802.11be(EHT20) (Ch 11)
Radiated Spurious Emission, Horizontal

TX, 802.11be(EHT20) (Ch 11)
Radiated Spurious Emission, Vertical


Mode	802.11be(EHT20)RU26	Channel	11
------	---------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		147.37	35.73	-11.49	24.24	43.5	-19.26	PK
		207.51	46.64	-14.45	32.19	43.5	-11.31	PK
		217.21	46.53	-14.12	32.41	46	-13.59	PK
		244.37	48.2	-12.36	35.84	46	-10.16	PK
		344.28	38.97	-9.13	29.84	46	-16.16	PK
		491.72	35.1	-5.17	29.93	46	-16.07	PK
Vertical		159.98	33.66	-11.45	22.21	43.5	-21.29	PK
		207.51	36.33	-14.45	21.88	43.5	-21.62	PK
		242.43	34.76	-12.42	22.34	46	-23.66	PK
		344.28	33.23	-9.13	24.1	46	-21.9	PK
		419.94	34.08	-6.85	27.23	46	-18.77	PK
		515	36.68	-4.45	32.23	46	-13.77	PK

TX, 802.11be(EHT20)RU26 (Ch 11)
Radiated Spurious Emission, Horizontal

TX, 802.11be(EHT20)RU26 (Ch 11)
Radiated Spurious Emission, Vertical


9 kHz ~ 30 MHz Data:

For 9 kHz to 30 MHz radiated emission have performed all modes of operation were investigated. The amplitude of spurious emissions attenuated more than 20 dB below the permissible value is not required to be report.

No non-compliance noted:

KDB 414788 D01 OATS and Chamber Correlation Justification

- Base on FCC 15.31 (f) (2): measurements may be performed at a distance closer than that specified in the regulations; however, an attempt should be made to avoid making measurements in the near field.

- OATs and chamber correlation testing had been performed and chamber measured test results is the worst case test result.

Although these tests were performed other than open area test site, adequate comparison measurements were confirmed against 30m open area test site. Therefore sufficient tests were made to demonstrate that the alternative site produces results that correlate with the ones of tests made in an open field based on KDB 414788.

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1

9.6. AC Power Line Conducted Emission

Requirements

Frequency (MHz)	Conducted limit (dB μ V)	
	Quasi-peak	Average
0.15 - 0.5	66 - 56	56 - 46
0.50 - 5.0	56	46
5.0 - 30	60	50

Note:

1. The lower limit shall apply at the transition frequencies.
2. The limit decreases in line with the logarithm of the frequency in the range of 0.15 to 0.50MHz.

Test Procedures

- a. The EUT was placed 0.4 meters from the conducting wall of the shielded room with EUT being connected to the power mains through a line impedance stabilization network (LISN). Other support units were connected to the power mains through another LISN. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument.
- b. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.
- c. The frequency range from 150kHz to 30MHz was searched. Emission levels under (Limit - 20dB) was not recorded.

NOTE:

1. The resolution bandwidth and video bandwidth of test receiver is 9kHz for quasi-peak detection (QP) and average detection (AV) at frequency 0.15MHz-30MHz.
2. All modes of operation were investigated (includes all external accessories) and the worst-case emissions are reported, the other emission levels were low against the limit.
3. Test data of Result value (dB μ V) = Reading value (dB μ V) + Correction Factor (dB).
4. Test data of Margin(dB) = Result value (dB μ V) - Limit value (dB μ V).
5. Test data of Correction Factor (dB) = Insertion loss(dB) + Cable loss(dB).

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1

Test Setup




Note: 1.Support units were connected to second LISN.

For the actual test configuration, please refer to the Setup Configurations.

Test Data

Mode	11b_TX2437	Channel	6
------	------------	---------	---



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1508	47.09	9.95	57.04	65.96	-8.92	QP
2	0.1508	24.93	9.95	34.88	55.96	-21.08	AVG
3	0.1698	44.49	9.95	54.44	64.97	-10.53	QP
4	0.1698	28.17	9.95	38.12	54.97	-16.85	AVG
5	0.1889	42.56	9.95	52.51	54.08	-1.57	AVG
6	0.1889	21.08	9.95	31.03	54.08	-23.05	AVG
7	0.2106	40.43	9.95	50.38	63.18	-12.80	QP
8	0.2106	22.19	9.95	32.14	53.18	-21.04	AVG
9	0.2870	32.78	9.96	42.74	60.61	-17.87	QP
10	0.2870	15.27	9.96	25.23	50.61	-25.38	AVG
11	0.5389	31.54	9.98	41.52	56.00	-14.48	QP
12	0.5389	21.87	9.98	31.85	46.00	-14.15	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1

Mode	11b_TX2437	Channel	6
------	------------	---------	---



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1742	44.44	9.94	54.38	64.76	-10.38	QP
2	0.1742	28.70	9.94	38.64	54.76	-16.12	AVG
3	0.1970	41.48	9.93	51.41	63.74	-12.33	QP
4	0.1970	20.87	9.93	30.80	53.74	-22.94	AVG
5	0.2092	40.58	9.93	50.51	63.24	-12.73	QP
6	0.2092	25.50	9.93	35.43	53.24	-17.81	AVG
7	0.2308	37.78	9.93	47.71	62.42	-14.71	QP
8	0.2308	19.39	9.93	29.32	52.42	-23.10	AVG
9	0.3469	30.84	9.94	40.78	59.04	-18.26	QP
10	0.3469	18.94	9.94	28.88	49.04	-20.16	AVG
11	0.5589	35.46	9.94	45.40	56.00	-10.60	QP
12	0.5589	26.76	9.94	36.70	46.00	-9.30	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948


Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1

Mode	11be20RU26_TX2462	Channel	11
------	-------------------	---------	----



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1586	44.55	9.95	54.50	65.54	-11.04	QP
2	0.1586	19.86	9.95	29.81	55.54	-25.73	AVG
3	0.1734	44.32	9.95	54.27	64.80	-10.53	QP
4	0.1734	28.05	9.95	38.00	54.80	-16.80	AVG
5	0.1945	40.79	9.95	50.74	63.84	-13.10	QP
6	0.1945	18.62	9.95	28.57	53.84	-25.27	AVG
7	0.2306	37.91	9.95	47.86	62.43	-14.57	QP
8	0.2306	17.32	9.95	27.27	52.43	-25.16	AVG
9	0.2506	35.61	9.95	45.56	61.74	-16.18	QP
10	0.2506	16.19	9.95	26.14	51.74	-25.60	AVG
11	0.2735	33.89	9.96	43.85	61.01	-17.16	QP
12	0.2735	16.93	9.96	26.89	51.01	-24.12	AVG

Mode	11be20RU26_TX2462	Channel	11
------	-------------------	---------	----



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1505	47.36	9.94	57.30	65.97	-8.67	QP
2	0.1505	25.78	9.94	35.72	55.97	-20.25	AVG
3	0.1710	44.17	9.94	54.11	64.91	-10.80	QP
4	0.1710	28.86	9.94	38.80	54.91	-16.11	AVG
5	0.2298	37.98	9.93	47.91	62.46	-14.55	QP
6	0.2298	18.81	9.93	28.74	52.46	-23.72	AVG
7	0.2492	36.24	9.93	46.17	61.78	-15.61	QP
8	0.2492	19.76	9.93	29.69	51.78	-22.09	AVG
9	0.2840	33.68	9.94	43.62	60.70	-17.08	QP
10	0.2840	18.50	9.94	28.44	50.70	-22.26	AVG
11	0.5654	35.44	9.94	45.38	56.00	-10.62	QP
12	0.5654	27.37	9.94	37.31	46.00	-8.69	AVG

END OF REPORT

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1