









Mode	802.11be(EHT20)MRU52+26	Channel	60
------	-------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	97.07	19.08	116.15	N/A	N/A	PK
	@	5300	87.93	19.08	107.01	N/A	N/A	AVG
		5350.2	41.71	19.29	61	74	-13	PK
		5350.8	29.35	19.29	48.64	54	-5.36	AVG
Vertical	@	5300	93.18	19.08	112.26	N/A	N/A	PK
	@	5300	84.67	19.08	103.75	N/A	N/A	AVG
		5448.6	39.94	19.89	59.83	74	-14.17	PK
		5458.2	28.26	19.94	48.2	54	-5.8	AVG

TX, 802.11be(EHT20)MRU52+26 (Ch 60)
Band Edge (Average), Horizontal

TX, 802.11be(EHT20)MRU52+26 (Ch 60)
Band Edge (Average), Vertical

TX, 802.11be(EHT20)MRU52+26 (Ch 60)
Band Edge (Peak), Horizontal

TX, 802.11be(EHT20)MRU52+26 (Ch 60)
Band Edge (Peak), Vertical






Mode	802.11be(EHT20)MRU52+26	Channel	64
------	-------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	95.4	19.17	114.57	N/A	N/A	PK
	@	5320	87.54	19.17	106.71	N/A	N/A	AVG
		5350.2	47.61	19.29	66.9	74	-7.1	PK
		5350.5	30.29	19.29	49.58	54	-4.42	AVG
Vertical	@	5320	92.01	19.17	111.18	N/A	N/A	PK
	@	5320	83.4	19.17	102.57	N/A	N/A	AVG
		5350.2	44.66	19.29	63.95	74	-10.05	PK
		5350.2	29.35	19.29	48.64	54	-5.36	AVG

TX, 802.11be(EHT20)MRU52+26 (Ch 64)
Band Edge (Average), Horizontal

TX, 802.11be(EHT20)MRU52+26 (Ch 64)
Band Edge (Average), Vertical

TX, 802.11be(EHT20)MRU52+26 (Ch 64)
Band Edge (Peak), Horizontal

TX, 802.11be(EHT20)MRU52+26 (Ch 64)
Band Edge (Peak), Vertical






Mode	802.11be(EHT20)MRU52+26	Channel	100
------	-------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5457.75	29.12	19.94	49.06	54	-4.94	AVG
		5459.5	40.44	19.95	60.39	74	-13.61	PK
		5465.45	42.57	19.97	62.54	68.2	-5.66	PK
	@	5500	94.39	20.13	114.52	N/A	N/A	PK
	@	5500	85.3	20.13	105.43	N/A	N/A	AVG
Vertical		5457.75	40.58	19.94	60.52	74	-13.48	PK
		5459.85	28.74	19.95	48.69	54	-5.31	AVG
		5465.1	39.95	19.97	59.92	68.2	-8.28	PK
	@	5500	93.24	20.13	113.37	N/A	N/A	PK
	@	5500	83.77	20.13	103.9	N/A	N/A	AVG

TX, 802.11be(EHT20)MRU52+26 (Ch 100)
Band Edge (Average), Horizontal

TX, 802.11be(EHT20)MRU52+26 (Ch 100)
Band Edge (Average), Vertical

TX, 802.11be(EHT20)MRU52+26 (Ch 100)
Band Edge (Peak), Horizontal

TX, 802.11be(EHT20)MRU52+26 (Ch 100)
Band Edge (Peak), Vertical






Mode	802.11be(EHT20)MRU52+26	Channel	116
------	-------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5457.75	28.31	19.94	48.25	54	-5.75	AVG
		5458.45	39.82	19.94	59.76	74	-14.24	PK
		5460.55	38.87	19.95	58.82	68.2	-9.38	PK
	@	5580	93.88	20.08	113.96	N/A	N/A	PK
	@	5580	85.29	20.08	105.37	N/A	N/A	AVG
		5747.55	39.72	20.42	60.14	68.2	-8.06	PK
Vertical		5449.7	39.41	19.9	59.31	74	-14.69	PK
		5455.3	28.32	19.92	48.24	54	-5.76	AVG
		5462.65	39.24	19.97	59.21	68.2	-8.99	PK
	@	5580	91.8	20.08	111.88	N/A	N/A	PK
	@	5580	83.83	20.08	103.91	N/A	N/A	AVG
		5733.2	41.31	20.28	61.59	68.2	-6.61	PK

TX, 802.11be(EHT20)MRU52+26 (Ch 116)
Band Edge (Average), Horizontal

TX, 802.11be(EHT20)MRU52+26 (Ch 116)
Band Edge (Average), Vertical

TX, 802.11be(EHT20)MRU52+26 (Ch 116)
Band Edge (Peak), Horizontal

TX, 802.11be(EHT20)MRU52+26 (Ch 116)
Band Edge (Peak), Vertical


Mode	802.11be(EHT20)MRU52+26	Channel	140
------	-------------------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5406.3	39.71	19.66	59.37	74	-14.63	PK
		5444.1	28.62	19.87	48.49	54	-5.51	AVG
		5465.1	38.92	19.97	58.89	68.2	-9.31	PK
	@	5700	94.24	19.96	114.2	N/A	N/A	PK
	@	5700	87	19.96	106.96	N/A	N/A	AVG
		5725.5	42.33	20.2	62.53	68.2	-5.67	PK
Vertical		5446.9	28.55	19.88	48.43	54	-5.57	AVG
		5451.45	39.12	19.9	59.02	74	-14.98	PK
		5469.3	38.69	19.99	58.68	68.2	-9.52	PK
	@	5700	91.09	19.96	111.05	N/A	N/A	PK
	@	5700	83.42	19.96	103.38	N/A	N/A	AVG
		5726.55	43.32	20.21	63.53	68.2	-4.67	PK

TX, 802.11be(EHT20)MRU52+26 (Ch 140)
Band Edge (Average), Horizontal

TX, 802.11be(EHT20)MRU52+26 (Ch 140)
Band Edge (Average), Vertical

TX, 802.11be(EHT20)MRU52+26 (Ch 140)
Band Edge (Peak), Horizontal

TX, 802.11be(EHT20)MRU52+26 (Ch 140)
Band Edge (Peak), Vertical



Mode	802.11be(EHT20)MRU52+26	Channel	149
------	-------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5587	41.42	20.1	61.52	68.2	-6.68	PK
		5700	40.9	19.96	60.86	105.2	-44.34	PK
	@	5745	94.49	20.39	114.88	N/A	N/A	PK
Vertical		5598	40.14	20.12	60.26	68.2	-7.94	PK
		5699.5	40.4	19.96	60.36	104.83	-44.47	PK
	@	5745	91.67	20.39	112.06	N/A	N/A	PK

TX, 802.11be(EHT20)MRU52+26 (Ch 149)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20)MRU52+26 (Ch 149)
Band Edge (Peak), Vertical



Mode	802.11be(EHT20)MRU52+26	Channel	157
------	-------------------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5632	40.54	20.08	60.62	68.2	-7.58	PK
		5672.5	41.02	20.01	61.03	84.89	-23.86	PK
		5785	92.57	20.83	113.4	N/A	N/A	PK
		5900.5	40.44	21.27	61.71	86.29	-24.58	PK
		5977.5	40.74	21.3	62.04	68.2	-6.16	PK
Vertical	@	5562	40.04	20.06	60.1	68.2	-8.1	PK
		5650.5	40.15	20.04	60.19	68.57	-8.38	PK
		5785	89.8	20.83	110.63	N/A	N/A	PK
		5900.5	40.54	21.27	61.81	86.29	-24.48	PK
		5987.5	40.77	21.32	62.09	68.2	-6.11	PK




Mode	802.11be(EHT20)MRU52+26	Channel	165
------	-------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	93.18	21.12	114.3	N/A	N/A	PK
		5888.5	40.27	21.27	61.54	95.18	-33.64	PK
		5982	40.83	21.31	62.14	68.2	-6.06	PK
Vertical	@	5825	91.51	21.12	112.63	N/A	N/A	PK
		5880	40.05	21.26	61.31	101.49	-40.18	PK
		5980	40.83	21.31	62.14	68.2	-6.06	PK

TX, 802.11be(EHT20)MRU52+26 (Ch 165)
Band Edge (Peak), Horizontal



TX, 802.11be(EHT20)MRU52+26 (Ch 165)
Band Edge (Peak), Vertical



Mode	802.11be(EHT20)MRU52+26 - Emission	Channel	36
------	------------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10360	32.17	17.77	49.94	68.2	-18.26	PK
		14470	28.22	26.07	54.29	68.2	-13.91	PK
		14470	19.95	26.07	46.02	54	-7.98	AVG
		15445	28.55	24.16	52.71	74	-21.29	PK
		15445	19.72	24.16	43.88	54	-10.12	AVG
	*	20720	33.2	3.98	37.18	74	-36.82	PK
	*	25900	33.45	9.47	42.92	68.2	-25.28	PK
	*	31080	33.5	11.68	45.18	68.2	-23.02	PK
	*	36260	37.75	11.19	48.94	68.2	-19.26	PK
		39808	38.01	17.11	55.12	74	-18.88	PK
Vertical		39808	28.17	17.11	45.28	54	-8.72	AVG
	*	10360	31.8	17.77	49.57	68.2	-18.63	PK
		14470	28.47	26.07	54.54	68.2	-13.66	PK
		14470	20.2	26.07	46.27	54	-7.73	AVG
		15730	28.83	23.94	52.77	74	-21.23	PK
		15730	20	23.94	43.94	54	-10.06	AVG
	*	20720	32.84	3.98	36.82	74	-37.18	PK
	*	25900	33.56	9.47	43.03	68.2	-25.17	PK
	*	31080	32.25	11.68	43.93	68.2	-24.27	PK
	*	36260	36.95	11.19	48.14	68.2	-20.06	PK
		39688	38.02	17.09	55.11	74	-18.89	PK
		39688	28.18	17.09	45.27	54	-8.73	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 36)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 36)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 36)
Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 36)
Radiated Spurious Emission, Vertical



Mode	802.11be(EHT20)MRU52+26 - Emission	Channel	44
------	------------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10440	30.85	18.13	48.98	68.2	-19.22	PK
		14470	28.32	26.07	54.39	68.2	-13.81	PK
		14470	20.05	26.07	46.12	54	-7.88	AVG
		15310	28.34	24.8	53.14	68.2	-15.06	PK
		15310	19.51	24.8	44.31	54	-9.69	AVG
	*	20880	34.37	4.06	38.43	74	-35.57	PK
	*	26100	34.34	9.58	43.92	68.2	-24.28	PK
	*	31320	32.74	11.96	44.7	74	-29.3	PK
	*	36540	37.53	10.51	48.04	68.2	-20.16	PK
		39520	37.51	17.13	54.64	74	-19.36	PK
Vertical		39520	27.67	17.13	44.8	54	-9.2	AVG
	*	10440	30.7	18.13	48.83	68.2	-19.37	PK
		14485	28.49	26.08	54.57	74	-19.43	PK
		14485	20.22	26.08	46.3	54	-7.7	AVG
		15475	28.7	24.13	52.83	74	-21.17	PK
		15475	19.87	24.13	44	54	-10	AVG
	*	20880	32.62	4.06	36.68	74	-37.32	PK
	*	26100	34.33	9.58	43.91	68.2	-24.29	PK
	*	31320	33.29	11.96	45.25	74	-28.75	PK
	*	36540	37.95	10.51	48.46	68.2	-19.74	PK
		39640	38.02	17.09	55.11	74	-18.89	PK
		39640	28.18	17.09	45.27	54	-8.73	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 44)

Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 44)

Radiated Spurious Emission, Vertical




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 44)

Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 44)

Radiated Spurious Emission, Vertical



Mode	802.11be(EHT20)MRU52+26 - Emission	Channel	48
------	------------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10480	30.19	18.26	48.45	68.2	-19.75	PK
		14470	29.21	26.07	55.28	68.2	-12.92	PK
		14470	20.94	26.07	47.01	54	-6.99	AVG
		15400	28.23	24.21	52.44	74	-21.56	PK
		15400	19.4	24.21	43.61	54	-10.39	AVG
	*	20960	32.47	4.08	36.55	74	-37.45	PK
	*	26200	33.74	9.71	43.45	68.2	-24.75	PK
	*	31440	32.86	11.41	44.27	74	-29.73	PK
	*	36680	37.31	10.96	48.27	68.2	-19.93	PK
		39784	37.27	17.1	54.37	74	-19.63	PK
Vertical		39784	27.43	17.1	44.53	54	-9.47	AVG
	*	10480	31.46	18.26	49.72	68.2	-18.48	PK
		14470	28.16	26.07	54.23	68.2	-13.97	PK
		14470	19.89	26.07	45.96	54	-8.04	AVG
		15715	29.48	23.95	53.43	74	-20.57	PK
		15715	20.65	23.95	44.6	54	-9.4	AVG
	*	20960	33.73	4.08	37.81	74	-36.19	PK
	*	26200	32.19	9.71	41.9	68.2	-26.3	PK
	*	31440	32.07	11.41	43.48	74	-30.52	PK
	*	36680	36.25	10.96	47.21	68.2	-20.99	PK
		39472	37.43	17.07	54.5	74	-19.5	PK
		39472	27.59	17.07	44.66	54	-9.34	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 48)

Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 48)

Radiated Spurious Emission, Vertical




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 48)

Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 48)

Radiated Spurious Emission, Vertical



Mode	802.11be(EHT20)MRU52+26 - Emission	Channel	52
------	------------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10520	30.6	18.3	48.9	68.2	-19.3	PK
		14470	28.17	26.07	54.24	68.2	-13.96	PK
		14470	19.9	26.07	45.97	54	-8.03	AVG
		15505	29.81	24.07	53.88	74	-20.12	PK
		15505	20.98	24.07	45.05	54	-8.95	AVG
	*	21040	32.32	4.17	36.49	74	-37.51	PK
	*	26300	33.86	9.87	43.73	68.2	-24.47	PK
	*	31560	33.33	11.17	44.5	74	-29.5	PK
	*	36820	37.87	11.45	49.32	68.2	-18.88	PK
		39352	37.81	16.84	54.65	74	-19.35	PK
Vertical		39352	27.97	16.84	44.81	54	-9.19	AVG
	*	10520	30.57	18.3	48.87	68.2	-19.33	PK
		14485	27.91	26.08	53.99	74	-20.01	PK
		14485	19.64	26.08	45.72	54	-8.28	AVG
		15400	29.97	24.21	54.18	74	-19.82	PK
		15400	21.14	24.21	45.35	54	-8.65	AVG
	*	21040	33.42	4.17	37.59	74	-36.41	PK
	*	26300	34.19	9.87	44.06	68.2	-24.14	PK
	*	31560	33.37	11.17	44.54	74	-29.46	PK
	*	36820	37.64	11.45	49.09	68.2	-19.11	PK
		39880	37.67	17.15	54.82	74	-19.18	PK
		39880	27.83	17.15	44.98	54	-9.02	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 52)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 52)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 52)
Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 52)
Radiated Spurious Emission, Vertical



Mode	802.11be(EHT20)MRU52+26 - Emission	Channel	60
------	------------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10600	30.19	18.22	48.41	74	-25.59	PK
		14500	28.51	26.09	54.6	68.2	-13.6	PK
		14500	20.24	26.09	46.33	54	-7.67	AVG
		15415	29.36	24.19	53.55	74	-20.45	PK
		15415	20.53	24.19	44.72	54	-9.28	AVG
	*	21200	32.63	4.44	37.07	74	-36.93	PK
	*	26500	34.04	10.22	44.26	68.2	-23.94	PK
	*	31800	33.16	11.33	44.49	68.2	-23.71	PK
	*	37100	36.63	12.09	48.72	68.2	-19.48	PK
		39736	38.95	17.09	56.04	74	-17.96	PK
Vertical		39736	29.11	17.09	46.2	54	-7.8	AVG
	*	10600	31.44	18.22	49.66	74	-24.34	PK
		14485	28.34	26.08	54.42	74	-19.58	PK
		14485	20.07	26.08	46.15	54	-7.85	AVG
		15355	29.12	24.5	53.62	74	-20.38	PK
		15355	20.29	24.5	44.79	54	-9.21	AVG
	*	21200	32.65	4.44	37.09	74	-36.91	PK
	*	26500	33.15	10.22	43.37	68.2	-24.83	PK
	*	31800	33.18	11.33	44.51	68.2	-23.69	PK
	*	37100	36.69	12.09	48.78	68.2	-19.42	PK
		39376	38.35	16.89	55.24	74	-18.76	PK
		39376	28.51	16.89	45.4	54	-8.6	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 60)

Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 60)

Radiated Spurious Emission, Vertical




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 60)

Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 60)

Radiated Spurious Emission, Vertical



Mode	802.11be(EHT20)MRU52+26 - Emission	Channel	64
------	------------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10640	30.94	18.35	49.29	74	-24.71	PK
		14470	29.27	26.07	55.34	68.2	-12.86	PK
		14470	21	26.07	47.07	54	-6.93	AVG
		15430	29.2	24.18	53.38	74	-20.62	PK
		15430	20.37	24.18	44.55	54	-9.45	AVG
	*	21280	33.52	4.57	38.09	74	-35.91	PK
	*	26600	33.39	10.1	43.49	68.2	-24.71	PK
	*	31920	33.23	11.46	44.69	68.2	-23.51	PK
	*	37240	37.15	12.01	49.16	68.2	-19.04	PK
		39520	37.92	17.13	55.05	74	-18.95	PK
Vertical		39520	28.08	17.13	45.21	54	-8.79	AVG
		10640	36.45	18.35	54.8	74	-19.2	PK
		10640	27.57	18.35	45.92	54	-8.08	AVG
		14485	28.93	26.08	55.01	74	-18.99	PK
		14485	20.66	26.08	46.74	54	-7.26	AVG
		15520	29.67	24.01	53.68	74	-20.32	PK
		15520	20.84	24.01	44.85	54	-9.15	AVG
	*	21280	31.91	4.57	36.48	74	-37.52	PK
	*	26600	34.1	10.1	44.2	68.2	-24	PK
	*	31920	33.41	11.46	44.87	68.2	-23.33	PK
	*	37240	36.68	12.01	48.69	68.2	-19.51	PK
		39688	38.28	17.09	55.37	74	-18.63	PK
		39688	28.44	17.09	45.53	54	-8.47	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 64)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 64)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 64)
Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 64)
Radiated Spurious Emission, Vertical



Mode	802.11be(EHT20)MRU52+26 - Emission	Channel	100
------	------------------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11000	33.78	18.57	52.35	74	-21.65	PK
		14470	29.05	26.07	55.12	68.2	-13.08	PK
		14470	20.78	26.07	46.85	54	-7.15	AVG
		15310	28.9	24.8	53.7	68.2	-14.5	PK
		15310	20.07	24.8	44.87	54	-9.13	AVG
	*	16500	34.57	4.02	38.59	68.2	-29.61	PK
	*	22000	32.5	5.31	37.81	68.2	-30.39	PK
	*	27500	33.05	9.1	42.15	68.2	-26.05	PK
	*	33000	35.46	11.46	46.92	68.2	-21.28	PK
		39664	37.07	17.09	54.16	74	-19.84	PK
Vertical		39664	27.23	17.09	44.32	54	-9.68	AVG
	*	11000	33.84	18.57	52.41	74	-21.59	PK
		14485	29.32	26.08	55.4	74	-18.6	PK
		14485	21.05	26.08	47.13	54	-6.87	AVG
		15580	29.8	23.74	53.54	74	-20.46	PK
		15580	20.97	23.74	44.71	54	-9.29	AVG
	*	16500	34.11	4.02	38.13	68.2	-30.07	PK
	*	22000	32.16	5.31	37.47	68.2	-30.73	PK
	*	27500	31.84	9.1	40.94	68.2	-27.26	PK
	*	33000	34.15	11.46	45.61	68.2	-22.59	PK
		39544	38.07	17.11	55.18	74	-18.82	PK
		39544	28.23	17.11	45.34	54	-8.66	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 100)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 100)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 100)
Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 100)
Radiated Spurious Emission, Vertical



Mode	802.11be(EHT20)MRU52+26 - Emission	Channel	116
------	------------------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11160	31.2	18.93	50.13	74	-23.87	PK
		14470	28.22	26.07	54.29	68.2	-13.91	PK
		14470	19.95	26.07	46.02	54	-7.98	AVG
		15445	28.43	24.16	52.59	74	-21.41	PK
		15445	19.6	24.16	43.76	54	-10.24	AVG
	*	16740	33.42	3.86	37.28	68.2	-30.92	PK
	*	22320	33.07	5.86	38.93	74	-35.07	PK
	*	27900	33.6	9.23	42.83	68.2	-25.37	PK
	*	33480	35.21	11.13	46.34	68.2	-21.86	PK
		39424	37.86	16.98	54.84	74	-19.16	PK
Vertical		39424	28.02	16.98	45	54	-9	AVG
	*	11160	31.24	18.93	50.17	74	-23.83	PK
		14485	28.7	26.08	54.78	74	-19.22	PK
		14485	20.43	26.08	46.51	54	-7.49	AVG
		15535	29.45	23.94	53.39	74	-20.61	PK
		15535	20.62	23.94	44.56	54	-9.44	AVG
	*	16740	33.73	3.86	37.59	68.2	-30.61	PK
	*	22320	33.4	5.86	39.26	74	-34.74	PK
	*	27900	33.37	9.23	42.6	68.2	-25.6	PK
	*	33480	35.15	11.13	46.28	68.2	-21.92	PK
		39688	38.28	17.09	55.37	74	-18.63	PK
		39688	28.44	17.09	45.53	54	-8.47	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 116)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 116)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 116)
Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 116)
Radiated Spurious Emission, Vertical



Mode	802.11be(EHT20)MRU52+26 - Emission	Channel	140
------	------------------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11400	30.9	19.28	50.18	74	-23.82	PK
		14500	28.68	26.09	54.77	68.2	-13.43	PK
		14500	20.41	26.09	46.5	54	-7.5	AVG
		15310	29.09	24.8	53.89	68.2	-14.31	PK
		15310	20.26	24.8	45.06	54	-8.94	AVG
	*	17100	33.73	3.8	37.53	68.2	-30.67	PK
	*	22800	33.25	7.08	40.33	74	-33.67	PK
	*	28500	32.89	10.28	43.17	68.2	-25.03	PK
	*	34200	34.68	10.53	45.21	68.2	-22.99	PK
		39544	37.9	17.11	55.01	74	-18.99	PK
Vertical		39544	28.06	17.11	45.17	54	-8.83	AVG
	*	11400	30.27	19.28	49.55	74	-24.45	PK
		14485	30.06	26.08	56.14	74	-17.86	PK
		14485	21.79	26.08	47.87	54	-6.13	AVG
		15310	29.51	24.8	54.31	68.2	-13.89	PK
		15310	20.68	24.8	45.48	54	-8.52	AVG
	*	17100	33.9	3.8	37.7	68.2	-30.5	PK
	*	22800	32.97	7.08	40.05	74	-33.95	PK
	*	28500	32.37	10.28	42.65	68.2	-25.55	PK
	*	34200	34.87	10.53	45.4	68.2	-22.8	PK
		39880	37.73	17.15	54.88	74	-19.12	PK
		39880	27.89	17.15	45.04	54	-8.96	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 140)

Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 140)

Radiated Spurious Emission, Vertical




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 140)

Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 140)

Radiated Spurious Emission, Vertical



Mode	802.11be(EHT20)MRU52+26 - Emission	Channel	144
------	------------------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11440	29.22	19.39	48.61	74	-25.39	PK
		14470	28.38	26.07	54.45	68.2	-13.75	PK
		14470	20.11	26.07	46.18	54	-7.82	AVG
		15340	28.42	24.6	53.02	68.2	-15.18	PK
		15340	19.59	24.6	44.19	54	-9.81	AVG
	*	17160	33.88	3.74	37.62	68.2	-30.58	PK
	*	22880	33.61	7.36	40.97	74	-33.03	PK
	*	28600	32.59	10.23	42.82	68.2	-25.38	PK
	*	34320	35.74	10.3	46.04	68.2	-22.16	PK
		39688	37.95	17.09	55.04	74	-18.96	PK
Vertical		39688	28.11	17.09	45.2	54	-8.8	AVG
	*	11440	29.26	19.39	48.65	74	-25.35	PK
		14485	28.22	26.08	54.3	74	-19.7	PK
		14485	19.95	26.08	46.03	54	-7.97	AVG
		15790	29.32	23.94	53.26	74	-20.74	PK
		15790	20.49	23.94	44.43	54	-9.57	AVG
	*	17160	34.37	3.74	38.11	68.2	-30.09	PK
	*	22880	32.69	7.36	40.05	74	-33.95	PK
	*	28600	33.28	10.23	43.51	68.2	-24.69	PK
	*	34320	34.55	10.3	44.85	68.2	-23.35	PK
		39736	37.59	17.09	54.68	74	-19.32	PK
		39736	27.75	17.09	44.84	54	-9.16	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 144)

Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 144)

Radiated Spurious Emission, Vertical




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 144)

Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 144)

Radiated Spurious Emission, Vertical



Mode	802.11be(EHT20)MRU52+26 - Emission	Channel	149
------	------------------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11490	29.86	19.52	49.38	74	-24.62	PK
		14485	27.49	26.08	53.57	74	-20.43	PK
		14485	19.22	26.08	45.3	54	-8.7	AVG
		15340	29.87	24.6	54.47	68.2	-13.73	PK
		15340	21.04	24.6	45.64	54	-8.36	AVG
	*	17235	32.78	3.61	36.39	68.2	-31.81	PK
	*	22980	32.24	7.7	39.94	74	-34.06	PK
	*	28725	33.37	10.18	43.55	68.2	-24.65	PK
	*	34470	35.24	10.03	45.27	68.2	-22.93	PK
		39640	38.25	17.09	55.34	74	-18.66	PK
Vertical		39640	28.41	17.09	45.5	54	-8.5	AVG
	*	11490	29.25	19.52	48.77	74	-25.23	PK
		14500	28.17	26.09	54.26	68.2	-13.94	PK
		14500	19.9	26.09	45.99	54	-8.01	AVG
		15970	29.59	23.53	53.12	74	-20.88	PK
		15970	20.76	23.53	44.29	54	-9.71	AVG
	*	17235	34.12	3.61	37.73	68.2	-30.47	PK
	*	22980	32.53	7.7	40.23	74	-33.77	PK
	*	28725	32.99	10.18	43.17	68.2	-25.03	PK
	*	34470	34.12	10.03	44.15	68.2	-24.05	PK
		39664	38.76	17.09	55.85	74	-18.15	PK
		39664	28.92	17.09	46.01	54	-7.99	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 149)

Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 149)

Radiated Spurious Emission, Vertical




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 149)

Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 149)

Radiated Spurious Emission, Vertical



Mode	802.11be(EHT20)MRU52+26 - Emission	Channel	157
------	------------------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11570	29.17	19.03	48.2	74	-25.8	PK
		14470	30.28	26.07	56.35	68.2	-11.85	PK
		14470	22.01	26.07	48.08	54	-5.92	AVG
		15355	28.57	24.5	53.07	74	-20.93	PK
		15355	19.74	24.5	44.24	54	-9.76	AVG
	*	17355	33.03	3.3	36.33	68.2	-31.87	PK
	*	23140	33.14	8.06	41.2	68.2	-27	PK
	*	28925	32.77	10.16	42.93	68.2	-25.27	PK
	*	34710	34.6	10.4	45	68.2	-23.2	PK
		39568	38.39	17.11	55.5	74	-18.5	PK
Vertical		39568	28.55	17.11	45.66	54	-8.34	AVG
	*	11570	29.69	19.03	48.72	74	-25.28	PK
		14500	28.72	26.09	54.81	68.2	-13.39	PK
		14500	20.45	26.09	46.54	54	-7.46	AVG
		15985	29.22	23.48	52.7	74	-21.3	PK
		15985	20.39	23.48	43.87	54	-10.13	AVG
	*	17355	34.11	3.3	37.41	68.2	-30.79	PK
	*	23140	33.39	8.06	41.45	68.2	-26.75	PK
	*	28925	32.91	10.16	43.07	68.2	-25.13	PK
	*	34710	36	10.4	46.4	68.2	-21.8	PK
		39856	38.19	17.14	55.33	74	-18.67	PK
		39856	28.35	17.14	45.49	54	-8.51	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1