




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 157)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 157)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 157)
Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 157)
Radiated Spurious Emission, Vertical



Mode	802.11be(EHT20)MRU52+26 - Emission	Channel	165
------	------------------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11650	29.03	18.75	47.78	74	-26.22	PK
		14470	28.84	26.07	54.91	68.2	-13.29	PK
		14470	20.57	26.07	46.64	54	-7.36	AVG
		15745	29.58	23.95	53.53	74	-20.47	PK
		15745	20.75	23.95	44.7	54	-9.3	AVG
	*	17475	33.32	3	36.32	68.2	-31.88	PK
	*	23300	32.85	8.39	41.24	68.2	-26.96	PK
	*	29125	34.83	10.48	45.31	68.2	-22.89	PK
	*	34950	35.9	10.72	46.62	68.2	-21.58	PK
		39640	38.61	17.09	55.7	74	-18.3	PK
Vertical		39640	28.77	17.09	45.86	54	-8.14	AVG
	*	11650	29.21	18.75	47.96	74	-26.04	PK
		14470	29.69	26.07	55.76	68.2	-12.44	PK
		14470	21.42	26.07	47.49	54	-6.51	AVG
		15370	28.65	24.41	53.06	74	-20.94	PK
		15370	19.82	24.41	44.23	54	-9.77	AVG
	*	17475	33.37	3	36.37	68.2	-31.83	PK
	*	23300	32.3	8.39	40.69	68.2	-27.51	PK
	*	29125	33.09	10.48	43.57	68.2	-24.63	PK
	*	34950	36.15	10.72	46.87	68.2	-21.33	PK
		39328	37.88	16.79	54.67	74	-19.33	PK
		39328	28.04	16.79	44.83	54	-9.17	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 165)

Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 165)

Radiated Spurious Emission, Vertical




TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 165)

Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)MRU52+26 - Emission (Ch 165)

Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)MRU106+26	Channel	36
------	--------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5106.4	31.08	19.67	50.75	54	-3.25	AVG
		5148.4	41.93	19.76	61.69	74	-12.31	PK
	@	5180	94.74	19.67	114.41	N/A	N/A	PK
	@	5180	86.74	19.67	106.41	N/A	N/A	AVG
Vertical		5043.05	42.2	19.43	61.63	74	-12.37	PK
		5080.5	30.97	19.59	50.56	54	-3.44	AVG
	@	5180	91.55	19.67	111.22	N/A	N/A	PK
	@	5180	83.93	19.67	103.6	N/A	N/A	AVG


TX, 802.11be(EHT20)MRU106+26 (Ch 36)

Band Edge (Average), Horizontal




TX, 802.11be(EHT20)MRU106+26 (Ch 36)

Band Edge (Average), Vertical




TX, 802.11be(EHT20)MRU106+26 (Ch 36)

Band Edge (Peak), Horizontal







TX, 802.11be(EHT20)MRU106+26 (Ch 36)

Band Edge (Peak), Vertical







Mode	802.11be(EHT20)MRU106+26	Channel	44
------	--------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5014.35	42.52	19.18	61.7	74	-12.3	PK
		5121.45	30.59	19.7	50.29	54	-3.71	AVG
	@	5220	95.06	19.48	114.54	N/A	N/A	PK
	@	5220	87.34	19.48	106.82	N/A	N/A	AVG
Vertical		5078.4	30.77	19.59	50.36	54	-3.64	AVG
		5144.9	41.77	19.75	61.52	74	-12.48	PK
	@	5220	92.31	19.48	111.79	N/A	N/A	PK
	@	5220	84.43	19.48	103.91	N/A	N/A	AVG

TX, 802.11be(EHT20)MRU106+26 (Ch 44)
Band Edge (Average), Horizontal

TX, 802.11be(EHT20)MRU106+26 (Ch 44)
Band Edge (Average), Vertical

TX, 802.11be(EHT20)MRU106+26 (Ch 44)
Band Edge (Peak), Horizontal

TX, 802.11be(EHT20)MRU106+26 (Ch 44)
Band Edge (Peak), Vertical






Mode	802.11be(EHT20)MRU106+26	Channel	48
------	--------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5070.7	30.74	19.56	50.3	54	-3.7	AVG
		5088.55	42.59	19.62	62.21	74	-11.79	PK
	@	5240	92.19	19.35	111.54	N/A	N/A	PK
	@	5240	84.9	19.35	104.25	N/A	N/A	AVG
Vertical		5062.3	30.84	19.53	50.37	54	-3.63	AVG
		5093.8	42.26	19.64	61.9	74	-12.1	PK
	@	5240	93.17	19.35	112.52	N/A	N/A	PK
	@	5240	83.34	19.35	102.69	N/A	N/A	AVG

TX, 802.11be(EHT20)MRU106+26 (Ch 48)
Band Edge (Average), Horizontal

TX, 802.11be(EHT20)MRU106+26 (Ch 48)
Band Edge (Average), Vertical

TX, 802.11be(EHT20)MRU106+26 (Ch 48)
Band Edge (Peak), Horizontal

TX, 802.11be(EHT20)MRU106+26 (Ch 48)
Band Edge (Peak), Vertical






Mode	802.11be(EHT20)MRU106+26	Channel	52
------	--------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	93.69	19.24	112.93	N/A	N/A	PK
	@	5260	86.32	19.24	105.56	N/A	N/A	AVG
		5452.5	40.59	19.91	60.5	74	-13.5	PK
		5459.1	28.24	19.95	48.19	54	-5.81	AVG
Vertical	@	5260	92.67	19.24	111.91	N/A	N/A	PK
	@	5260	83.43	19.24	102.67	N/A	N/A	AVG
		5378.4	41.18	19.48	60.66	74	-13.34	PK
		5454.9	28.27	19.92	48.19	54	-5.81	AVG

TX, 802.11be(EHT20)MRU106+26 (Ch 52)
Band Edge (Average), Horizontal

TX, 802.11be(EHT20)MRU106+26 (Ch 52)
Band Edge (Average), Vertical

TX, 802.11be(EHT20)MRU106+26 (Ch 52)
Band Edge (Peak), Horizontal

TX, 802.11be(EHT20)MRU106+26 (Ch 52)
Band Edge (Peak), Vertical






Mode	802.11be(EHT20)MRU106+26	Channel	60
------	--------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	92.5	19.08	111.58	N/A	N/A	PK
	@	5300	87.08	19.08	106.16	N/A	N/A	AVG
		5352.3	29.14	19.3	48.44	54	-5.56	AVG
		5433.3	39.3	19.81	59.11	74	-14.89	PK
Vertical	@	5300	92.06	19.08	111.14	N/A	N/A	PK
	@	5300	83.01	19.08	102.09	N/A	N/A	AVG
		5431.2	40.29	19.8	60.09	74	-13.91	PK
		5460	28.27	19.95	48.22	54	-5.78	AVG

TX, 802.11be(EHT20)MRU106+26 (Ch 60)
Band Edge (Average), Horizontal

TX, 802.11be(EHT20)MRU106+26 (Ch 60)
Band Edge (Average), Vertical

TX, 802.11be(EHT20)MRU106+26 (Ch 60)
Band Edge (Peak), Horizontal

TX, 802.11be(EHT20)MRU106+26 (Ch 60)
Band Edge (Peak), Vertical






Mode	802.11be(EHT20)MRU106+26	Channel	64
------	--------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	92.99	19.17	112.16	N/A	N/A	PK
	@	5320	85.9	19.17	105.07	N/A	N/A	AVG
		5350.2	30.27	19.29	49.56	54	-4.44	AVG
		5353.5	48.88	19.31	68.19	74	-5.81	PK
Vertical	@	5320	90.69	19.17	109.86	N/A	N/A	PK
	@	5320	81.76	19.17	100.93	N/A	N/A	AVG
		5405.4	40.89	19.65	60.54	74	-13.46	PK
		5457	28.31	19.93	48.24	54	-5.76	AVG

TX, 802.11be(EHT20)MRU106+26 (Ch 64)
Band Edge (Average), Horizontal

TX, 802.11be(EHT20)MRU106+26 (Ch 64)
Band Edge (Average), Vertical

TX, 802.11be(EHT20)MRU106+26 (Ch 64)
Band Edge (Peak), Horizontal

TX, 802.11be(EHT20)MRU106+26 (Ch 64)
Band Edge (Peak), Vertical






Mode	802.11be(EHT20)MRU106+26	Channel	100
------	--------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5456.7	41.31	19.93	61.24	74	-12.76	PK
		5459.5	29.97	19.95	49.92	54	-4.08	AVG
		5469.3	46.28	19.99	66.27	68.2	-1.93	PK
	@	5500	94.77	20.13	114.9	N/A	N/A	PK
	@	5500	84.58	20.13	104.71	N/A	N/A	AVG
Vertical		5431.5	40.11	19.81	59.92	74	-14.08	PK
		5459.5	29.58	19.95	49.53	54	-4.47	AVG
		5469.65	46.19	20	66.19	68.2	-2.01	PK
	@	5500	90.32	20.13	110.45	N/A	N/A	PK
	@	5500	83.52	20.13	103.65	N/A	N/A	AVG

TX, 802.11be(EHT20)MRU106+26 (Ch 100)
Band Edge (Average), Horizontal

TX, 802.11be(EHT20)MRU106+26 (Ch 100)
Band Edge (Average), Vertical

TX, 802.11be(EHT20)MRU106+26 (Ch 100)
Band Edge (Peak), Horizontal

TX, 802.11be(EHT20)MRU106+26 (Ch 100)
Band Edge (Peak), Vertical






Mode	802.11be(EHT20)MRU106+26	Channel	116
------	--------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5456.7	39.27	19.93	59.2	74	-14.8	PK
		5459.5	28.41	19.95	48.36	54	-5.64	AVG
		5466.15	40.07	19.98	60.05	68.2	-8.15	PK
	@	5580	91.68	20.08	111.76	N/A	N/A	PK
	@	5580	83.57	20.08	103.65	N/A	N/A	AVG
		5739.15	40	20.33	60.33	68.2	-7.87	PK
Vertical		5446.9	40.04	19.88	59.92	74	-14.08	PK
		5459.5	28.2	19.95	48.15	54	-5.85	AVG
		5468.95	40.8	19.99	60.79	68.2	-7.41	PK
	@	5580	89.82	20.08	109.9	N/A	N/A	PK
	@	5580	81.62	20.08	101.7	N/A	N/A	AVG
		5733.9	39.86	20.28	60.14	68.2	-8.06	PK

TX, 802.11be(EHT20)MRU106+26 (Ch 116)
Band Edge (Average), Horizontal

TX, 802.11be(EHT20)MRU106+26 (Ch 116)
Band Edge (Average), Vertical

TX, 802.11be(EHT20)MRU106+26 (Ch 116)
Band Edge (Peak), Horizontal

TX, 802.11be(EHT20)MRU106+26 (Ch 116)
Band Edge (Peak), Vertical


Mode	802.11be(EHT20)MRU106+26	Channel	140
------	--------------------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5412.6	39.44	19.69	59.13	74	-14.87	PK
		5456.7	28.41	19.93	48.34	54	-5.66	AVG
		5461.25	38.52	19.95	58.47	68.2	-9.73	PK
	@	5700	92.76	19.96	112.72	N/A	N/A	PK
	@	5700	85.21	19.96	105.17	N/A	N/A	AVG
		5725.15	47.43	20.2	67.63	68.2	-0.57	PK
Vertical		5438.5	39.78	19.84	59.62	74	-14.38	PK
		5443.4	28.55	19.86	48.41	54	-5.59	AVG
		5466.5	38.62	19.98	58.6	68.2	-9.6	PK
	@	5700	89.86	19.96	109.82	N/A	N/A	PK
	@	5700	81.7	19.96	101.66	N/A	N/A	AVG
		5725	44.51	20.2	64.71	68.2	-3.49	PK

TX, 802.11be(EHT20)MRU106+26 (Ch 140)
Band Edge (Average), Horizontal

TX, 802.11be(EHT20)MRU106+26 (Ch 140)
Band Edge (Average), Vertical

TX, 802.11be(EHT20)MRU106+26 (Ch 140)
Band Edge (Peak), Horizontal

TX, 802.11be(EHT20)MRU106+26 (Ch 140)
Band Edge (Peak), Vertical



Mode	802.11be(EHT20)MRU106+26	Channel	149
------	--------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5543	40.44	20.06	60.5	68.2	-7.7	PK
		5689.5	40.42	19.98	60.4	97.46	-37.06	PK
	@	5745	92.45	20.39	112.84	N/A	N/A	PK
Vertical		5576.5	40.62	20.08	60.7	68.2	-7.5	PK
		5675.5	39.98	20	59.98	87.11	-27.13	PK
	@	5745	89.79	20.39	110.18	N/A	N/A	PK

TX, 802.11be(EHT20)MRU106+26 (Ch 149)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20)MRU106+26 (Ch 149)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)MRU106+26	Channel	157
------	--------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5543.5	41.27	20.06	61.33	68.2	-6.87	PK
		5685.5	40.68	19.99	60.67	94.5	-33.83	PK
		5785	91.96	20.83	112.79	N/A	N/A	PK
		5900	41.38	21.27	62.65	86.66	-24.01	PK
		5939	40.19	21.22	61.41	68.2	-6.79	PK
Vertical	@	5628	40.55	20.07	60.62	68.2	-7.58	PK
		5662	39.67	20.02	59.69	77.11	-17.42	PK
		5785	92.52	20.83	113.35	N/A	N/A	PK
		5903.5	40.84	21.27	62.11	84.07	-21.96	PK
		5970.5	40.36	21.27	61.63	68.2	-6.57	PK

TX, 802.11be(EHT20)MRU106+26 (Ch 157)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20)MRU106+26 (Ch 157)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)MRU106+26	Channel	165
------	--------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	91.59	21.12	112.71	N/A	N/A	PK
		5901	40.31	21.27	61.58	85.92	-24.34	PK
		5943.5	39.93	21.22	61.15	68.2	-7.05	PK
Vertical	@	5825	89.01	21.12	110.13	N/A	N/A	PK
		5894.5	40.46	21.27	61.73	90.73	-29	PK
		5952	40.02	21.21	61.23	68.2	-6.97	PK

TX, 802.11be(EHT20)MRU106+26 (Ch 165)
Band Edge (Peak), Horizontal







TX, 802.11be(EHT20)MRU106+26 (Ch 165)
Band Edge (Peak), Vertical



Mode	802.11be(EHT80)MRU484+242	Channel	42
------	---------------------------	---------	----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5094.5	42.37	19.64	62.01	74	-11.99	PK
		5143.15	33.8	19.74	53.54	54	-0.46	AVG
	@	5210	86.23	19.56	105.79	N/A	N/A	PK
	@	5210	77.98	19.56	97.54	N/A	N/A	AVG
Vertical		5078.4	43.22	19.59	62.81	74	-11.19	PK
		5147.35	31.95	19.75	51.7	54	-2.3	AVG
	@	5210	84.45	19.56	104.01	N/A	N/A	PK
	@	5210	75.73	19.56	95.29	N/A	N/A	AVG

TX, 802.11be(EHT80)MRU484+242 (Ch 42)
Band Edge (Average), Horizontal

TX, 802.11be(EHT80)MRU484+242 (Ch 42)
Band Edge (Average), Vertical

TX, 802.11be(EHT80)MRU484+242 (Ch 42)
Band Edge (Peak), Horizontal

TX, 802.11be(EHT80)MRU484+242 (Ch 42)
Band Edge (Peak), Vertical



Mode	802.11be(EHT80)MRU484+242	Channel	58
------	---------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5290	87.99	19.12	107.11	N/A	N/A	PK
	@	5290	78.66	19.12	97.78	N/A	N/A	AVG
		5351.4	31.77	19.3	51.07	54	-2.93	AVG
		5368.2	40.73	19.41	60.14	74	-13.86	PK
Vertical	@	5290	84.86	19.12	103.98	N/A	N/A	PK
	@	5290	75.37	19.12	94.49	N/A	N/A	AVG
		5350.2	29.74	19.29	49.03	54	-4.97	AVG
		5402.4	39.84	19.64	59.48	74	-14.52	PK


TX, 802.11be(EHT80)MRU484+242 (Ch 58)
Band Edge (Average), Horizontal




TX, 802.11be(EHT80)MRU484+242 (Ch 58)
Band Edge (Average), Vertical



TX, 802.11be(EHT80)MRU484+242 (Ch 58)
Band Edge (Peak), Horizontal







TX, 802.11be(EHT80)MRU484+242 (Ch 58)
Band Edge (Peak), Vertical







Mode	802.11be(EHT80)MRU484+242	Channel	106
------	---------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5456.35	31.28	19.93	51.21	54	-2.79	AVG
		5457.75	41.06	19.94	61	74	-13	PK
		5463.7	42.88	19.97	62.85	68.2	-5.35	PK
	@	5530	86.63	20.08	106.71	N/A	N/A	PK
	@	5530	77.13	20.08	97.21	N/A	N/A	AVG
Vertical		5428.35	41.24	19.78	61.02	74	-12.98	PK
		5459.15	30.24	19.95	50.19	54	-3.81	AVG
		5469.65	40.15	20	60.15	68.2	-8.05	PK
	@	5530	85.71	20.08	105.79	N/A	N/A	PK
	@	5530	75.61	20.08	95.69	N/A	N/A	AVG




Mode	802.11be(EHT80)MRU484+242	Channel	122
------	---------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5446.2	39.91	19.87	59.78	74	-14.22	PK
		5457.75	28.71	19.94	48.65	54	-5.35	AVG
		5460.2	39.5	19.95	59.45	68.2	-8.75	PK
	@	5610	84.68	20.1	104.78	N/A	N/A	PK
	@	5610	77.76	20.1	97.86	N/A	N/A	AVG
		5736	39.88	20.3	60.18	68.2	-8.02	PK
Vertical		5447.6	39.15	19.89	59.04	74	-14.96	PK
		5457.4	28.58	19.93	48.51	54	-5.49	AVG
		5466.15	39.36	19.98	59.34	68.2	-8.86	PK
	@	5610	82.31	20.1	102.41	N/A	N/A	PK
	@	5610	74.28	20.1	94.38	N/A	N/A	AVG
		5748.6	39.22	20.43	59.65	68.2	-8.55	PK



Mode	802.11be(EHT80)MRU484+242	Channel	155
------	---------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5609	40.95	20.1	61.05	68.2	-7.15	PK
		5686.5	47.85	19.99	67.84	95.24	-27.4	PK
		5775	85.47	20.72	106.19	N/A	N/A	PK
		5898	40.35	21.27	61.62	88.14	-26.52	PK
		5931.5	39.97	21.22	61.19	68.2	-7.01	PK
Vertical	@	5540	40.25	20.06	60.31	68.2	-7.89	PK
		5687.5	45.76	19.98	65.74	95.98	-30.24	PK
		5775	82.15	20.72	102.87	N/A	N/A	PK
		5891.5	40.63	21.27	61.9	92.96	-31.06	PK
		5932	40.83	21.23	62.06	68.2	-6.14	PK




Mode	802.11be(EHT80)Puncturing	Channel	42
------	---------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5148.75	32.23	19.76	51.99	54	-2.01	AVG
		5149.45	42.46	19.76	62.22	74	-11.78	PK
	@	5210	85.42	19.56	104.98	N/A	N/A	PK
	@	5210	78.33	19.56	97.89	N/A	N/A	AVG
Vertical		5144.9	42.23	19.75	61.98	74	-12.02	PK
		5148.75	31.72	19.76	51.48	54	-2.52	AVG
	@	5210	83.73	19.56	103.29	N/A	N/A	PK
	@	5210	76.66	19.56	96.22	N/A	N/A	AVG


TX, 802.11be(EHT80)Puncturing (Ch 42)

Band Edge (Average), Horizontal




TX, 802.11be(EHT80)Puncturing (Ch 42)

Band Edge (Average), Vertical




TX, 802.11be(EHT80)Puncturing (Ch 42)

Band Edge (Peak), Horizontal



TX, 802.11be(EHT80)Puncturing (Ch 42)

Band Edge (Peak), Vertical




Mode	802.11be(EHT80)Puncturing	Channel	58
------	---------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5290	86.82	19.12	105.94	N/A	N/A	PK
	@	5290	79.67	19.12	98.79	N/A	N/A	AVG
		5352	32.08	19.3	51.38	54	-2.62	AVG
		5394.3	41.88	19.59	61.47	74	-12.53	PK
Vertical	@	5290	84.79	19.12	103.91	N/A	N/A	PK
	@	5290	77.11	19.12	96.23	N/A	N/A	AVG
		5352.3	29.89	19.3	49.19	54	-4.81	AVG
		5436	40.54	19.82	60.36	74	-13.64	PK


TX, 802.11be(EHT80)Puncturing (Ch 58)

Band Edge (Average), Horizontal




TX, 802.11be(EHT80)Puncturing (Ch 58)

Band Edge (Average), Vertical




TX, 802.11be(EHT80)Puncturing (Ch 58)

Band Edge (Peak), Horizontal



TX, 802.11be(EHT80)Puncturing (Ch 58)

Band Edge (Peak), Vertical



Mode	802.11be(EHT80)Puncturing	Channel	106
------	---------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5449.7	41.03	19.9	60.93	74	-13.07	PK
		5455.65	30.18	19.93	50.11	54	-3.89	AVG
		5468.6	40.73	19.99	60.72	68.2	-7.48	PK
	@	5530	86.23	20.08	106.31	N/A	N/A	PK
	@	5530	77.78	20.08	97.86	N/A	N/A	AVG
Vertical		5443.4	40.53	19.86	60.39	74	-13.61	PK
		5458.8	29.19	19.94	49.13	54	-4.87	AVG
		5465.8	39.74	19.97	59.71	68.2	-8.49	PK
	@	5530	84.44	20.08	104.52	N/A	N/A	PK
	@	5530	76.24	20.08	96.32	N/A	N/A	AVG

