


Mode	802.11a - Emission	Channel	44
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10440	31.51	18.13	49.64	68.2	-18.56	PK
		14485	27.67	26.08	53.75	74	-20.25	PK
		14485	19.4	26.08	45.48	54	-8.52	AVG
		15775	29.57	23.95	53.52	74	-20.48	PK
		15775	20.74	23.95	44.69	54	-9.31	AVG
	*	20880	33.4	4.06	37.46	74	-36.54	PK
	*	26100	34.61	9.58	44.19	68.2	-24.01	PK
	*	31320	33.68	11.96	45.64	74	-28.36	PK
	*	36540	37.88	10.51	48.39	68.2	-19.81	PK
		39976	37.95	17.21	55.16	74	-18.84	PK
Vertical		39976	28.11	17.21	45.32	54	-8.68	AVG
	*	10440	31.72	18.13	49.85	68.2	-18.35	PK
		14470	27.6	26.07	53.67	68.2	-14.53	PK
		14470	19.33	26.07	45.4	54	-8.6	AVG
		15805	29.12	23.93	53.05	74	-20.95	PK
		15805	20.29	23.93	44.22	54	-9.78	AVG
	*	20880	33.08	4.06	37.14	74	-36.86	PK
	*	26100	33.02	9.58	42.6	68.2	-25.6	PK
	*	31320	31.11	11.96	43.07	74	-30.93	PK
	*	36540	35.48	10.51	45.99	68.2	-22.21	PK
		39760	38.48	17.08	55.56	74	-18.44	PK
		39760	28.64	17.08	45.72	54	-8.28	AVG




Mode	802.11a - Emission	Channel	48
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10480	30.48	18.26	48.74	68.2	-19.46	PK
		14470	28.46	26.07	54.53	68.2	-13.67	PK
		14470	20.19	26.07	46.26	54	-7.74	AVG
		15430	28.99	24.18	53.17	74	-20.83	PK
		15430	20.16	24.18	44.34	54	-9.66	AVG
	*	20960	32.43	4.08	36.51	74	-37.49	PK
	*	26200	34.22	9.71	43.93	68.2	-24.27	PK
	*	31440	33.17	11.41	44.58	74	-29.42	PK
	*	36680	37.75	10.96	48.71	68.2	-19.49	PK
		39736	38.19	17.09	55.28	74	-18.72	PK
Vertical		39736	28.35	17.09	45.44	54	-8.56	AVG
	*	10480	30.87	18.26	49.13	68.2	-19.07	PK
		14485	27.48	26.08	53.56	74	-20.44	PK
		14485	19.21	26.08	45.29	54	-8.71	AVG
		15520	31.4	24.01	55.41	74	-18.59	PK
		15520	22.57	24.01	46.58	54	-7.42	AVG
	*	20960	32.45	4.08	36.53	74	-37.47	PK
	*	26200	34.09	9.71	43.8	68.2	-24.4	PK
	*	31440	34.31	11.41	45.72	74	-28.28	PK
	*	36680	36.9	10.96	47.86	68.2	-20.34	PK
		39736	38.18	17.09	55.27	74	-18.73	PK
		39736	28.34	17.09	45.43	54	-8.57	AVG


TX, 802.11a - Emission (Ch 48)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 48)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 48)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 48)

Radiated Spurious Emission, Vertical







Mode	802.11a - Emission	Channel	52
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10520	30.29	18.3	48.59	68.2	-19.61	PK
		14500	27.77	26.09	53.86	68.2	-14.34	PK
		14500	19.5	26.09	45.59	54	-8.41	AVG
		15790	28.75	23.94	52.69	74	-21.31	PK
		15790	19.92	23.94	43.86	54	-10.14	AVG
	*	21040	33.13	4.17	37.3	74	-36.7	PK
	*	26300	34.21	9.87	44.08	68.2	-24.12	PK
	*	31560	33.66	11.17	44.83	74	-29.17	PK
	*	36820	37.49	11.45	48.94	68.2	-19.26	PK
		39496	37.68	17.12	54.8	74	-19.2	PK
Vertical		39496	27.84	17.12	44.96	54	-9.04	AVG
	*	10520	31.17	18.3	49.47	68.2	-18.73	PK
		14485	27.84	26.08	53.92	74	-20.08	PK
		14485	19.57	26.08	45.65	54	-8.35	AVG
		15760	28.93	23.95	52.88	74	-21.12	PK
		15760	20.1	23.95	44.05	54	-9.95	AVG
	*	21040	33.65	4.17	37.82	74	-36.18	PK
	*	26300	33.26	9.87	43.13	68.2	-25.07	PK
	*	31560	32.8	11.17	43.97	74	-30.03	PK
	*	36820	36.08	11.45	47.53	68.2	-20.67	PK
		39256	38.67	16.65	55.32	74	-18.68	PK
		39256	28.83	16.65	45.48	54	-8.52	AVG




Mode	802.11a - Emission	Channel	60
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10600	30.45	18.22	48.67	74	-25.33	PK
		14470	27.78	26.07	53.85	68.2	-14.35	PK
		14470	19.51	26.07	45.58	54	-8.42	AVG
		15460	28.83	24.15	52.98	74	-21.02	PK
		15460	20	24.15	44.15	54	-9.85	AVG
	*	21200	32.3	4.44	36.74	74	-37.26	PK
	*	26500	33.14	10.22	43.36	68.2	-24.84	PK
	*	31800	32.92	11.33	44.25	68.2	-23.95	PK
	*	37100	37.44	12.09	49.53	68.2	-18.67	PK
		39376	37.61	16.89	54.5	74	-19.5	PK
Vertical		39376	27.77	16.89	44.66	54	-9.34	AVG
	*	10600	30.41	18.22	48.63	74	-25.37	PK
		14470	28.44	26.07	54.51	68.2	-13.69	PK
		14470	20.17	26.07	46.24	54	-7.76	AVG
		15310	28.4	24.8	53.2	68.2	-15	PK
		15310	19.57	24.8	44.37	54	-9.63	AVG
	*	21200	32.39	4.44	36.83	74	-37.17	PK
	*	26500	33.22	10.22	43.44	68.2	-24.76	PK
	*	31800	33.35	11.33	44.68	68.2	-23.52	PK
	*	37100	37.54	12.09	49.63	68.2	-18.57	PK
		39448	38.52	17.02	55.54	74	-18.46	PK
		39448	28.68	17.02	45.7	54	-8.3	AVG







Mode	802.11a - Emission	Channel	64
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10640	30.29	18.35	48.64	74	-25.36	PK
		14470	27.11	26.07	53.18	68.2	-15.02	PK
		14470	18.84	26.07	44.91	54	-9.09	AVG
		15415	28.73	24.19	52.92	74	-21.08	PK
		15415	19.9	24.19	44.09	54	-9.91	AVG
	*	21280	33.8	4.57	38.37	74	-35.63	PK
	*	26600	33.15	10.1	43.25	68.2	-24.95	PK
	*	31920	33.92	11.46	45.38	68.2	-22.82	PK
	*	37240	36.85	12.01	48.86	68.2	-19.34	PK
		39304	38.29	16.75	55.04	74	-18.96	PK
Vertical		39304	28.45	16.75	45.2	54	-8.8	AVG
	*	10640	30.59	18.35	48.94	74	-25.06	PK
		14500	28.99	26.09	55.08	68.2	-13.12	PK
		14500	20.72	26.09	46.81	54	-7.19	AVG
		15820	29.35	23.9	53.25	74	-20.75	PK
		15820	20.52	23.9	44.42	54	-9.58	AVG
	*	21280	33.64	4.57	38.21	74	-35.79	PK
	*	26600	33.42	10.1	43.52	68.2	-24.68	PK
	*	31920	33.66	11.46	45.12	68.2	-23.08	PK
	*	37240	36.27	12.01	48.28	68.2	-19.92	PK
		39952	37.65	17.2	54.85	74	-19.15	PK
		39952	27.81	17.2	45.01	54	-8.99	AVG







Mode	802.11a - Emission	Channel	100
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11000	30.49	18.57	49.06	74	-24.94	PK
		14500	28.16	26.09	54.25	68.2	-13.95	PK
		14500	19.89	26.09	45.98	54	-8.02	AVG
		15355	28.4	24.5	52.9	74	-21.1	PK
		15355	19.57	24.5	44.07	54	-9.93	AVG
	*	16500	34.09	4.02	38.11	68.2	-30.09	PK
	*	22000	31.46	5.31	36.77	68.2	-31.43	PK
	*	27500	33.28	9.1	42.38	68.2	-25.82	PK
	*	33000	34.76	11.46	46.22	68.2	-21.98	PK
		39544	38.34	17.11	55.45	74	-18.55	PK
Vertical		39544	28.5	17.11	45.61	54	-8.39	AVG
	*	11000	30.35	18.57	48.92	74	-25.08	PK
		14485	28.41	26.08	54.49	74	-19.51	PK
		14485	20.14	26.08	46.22	54	-7.78	AVG
		15355	28.09	24.5	52.59	74	-21.41	PK
		15355	19.26	24.5	43.76	54	-10.24	AVG
	*	16500	34.34	4.02	38.36	68.2	-29.84	PK
	*	22000	33.22	5.31	38.53	68.2	-29.67	PK
	*	27500	32.95	9.1	42.05	68.2	-26.15	PK
	*	33000	34.8	11.46	46.26	68.2	-21.94	PK
		39640	38.48	17.09	55.57	74	-18.43	PK
		39640	28.64	17.09	45.73	54	-8.27	AVG







Mode	802.11a - Emission	Channel	116
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11160	30.73	18.93	49.66	74	-24.34	PK
		14470	28.45	26.07	54.52	68.2	-13.68	PK
		14470	20.18	26.07	46.25	54	-7.75	AVG
		15880	29.39	23.76	53.15	74	-20.85	PK
		15880	20.56	23.76	44.32	54	-9.68	AVG
	*	16740	34.44	3.86	38.3	68.2	-29.9	PK
	*	22320	32.9	5.86	38.76	74	-35.24	PK
	*	27900	33.63	9.23	42.86	68.2	-25.34	PK
	*	33480	34.82	11.13	45.95	68.2	-22.25	PK
		39520	38.71	17.13	55.84	74	-18.16	PK
		39520	28.87	17.13	46	54	-8	AVG
Vertical	*	11160	30.49	18.93	49.42	74	-24.58	PK
		14485	28.01	26.08	54.09	74	-19.91	PK
		14485	19.74	26.08	45.82	54	-8.18	AVG
		15550	28.76	23.88	52.64	74	-21.36	PK
		15550	19.93	23.88	43.81	54	-10.19	AVG
	*	16740	33.86	3.86	37.72	68.2	-30.48	PK
	*	22320	33.22	5.86	39.08	74	-34.92	PK
	*	27900	31.88	9.23	41.11	68.2	-27.09	PK
	*	33480	34.33	11.13	45.46	68.2	-22.74	PK
		39232	38.36	16.5	54.86	74	-19.14	PK
		39232	28.52	16.5	45.02	54	-8.98	AVG







Mode	802.11a - Emission	Channel	140
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11400	29.55	19.28	48.83	74	-25.17	PK
		14500	28.74	26.09	54.83	68.2	-13.37	PK
		14500	20.47	26.09	46.56	54	-7.44	AVG
		15790	30.03	23.94	53.97	74	-20.03	PK
		15790	21.2	23.94	45.14	54	-8.86	AVG
	*	17100	34.11	3.8	37.91	68.2	-30.29	PK
		22800	33.18	7.08	40.26	74	-33.74	PK
		28500	33.42	10.28	43.7	68.2	-24.5	PK
		34200	35.31	10.53	45.84	68.2	-22.36	PK
		39688	38.14	17.09	55.23	74	-18.77	PK
Vertical	*	39688	28.3	17.09	45.39	54	-8.61	AVG
		11400	30.71	19.28	49.99	74	-24.01	PK
		14485	28.04	26.08	54.12	74	-19.88	PK
		14485	19.77	26.08	45.85	54	-8.15	AVG
		15700	28.84	23.95	52.79	74	-21.21	PK
	*	15700	20.01	23.95	43.96	54	-10.04	AVG
		17100	35.35	3.8	39.15	68.2	-29.05	PK
		22800	33.01	7.08	40.09	74	-33.91	PK
		28500	33.33	10.28	43.61	68.2	-24.59	PK
		34200	34.15	10.53	44.68	68.2	-23.52	PK
		39472	37.47	17.07	54.54	74	-19.46	PK
		39472	27.63	17.07	44.7	54	-9.3	AVG







Mode	802.11a - Emission	Channel	144
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11440	29.26	19.39	48.65	74	-25.35	PK
		14485	28.84	26.08	54.92	74	-19.08	PK
		14485	20.57	26.08	46.65	54	-7.35	AVG
		15670	29.63	23.86	53.49	74	-20.51	PK
		15670	20.8	23.86	44.66	54	-9.34	AVG
	*	17160	35.36	3.74	39.1	68.2	-29.1	PK
	*	22880	32.34	7.36	39.7	74	-34.3	PK
	*	28600	33.18	10.23	43.41	68.2	-24.79	PK
	*	34320	37.02	10.3	47.32	68.2	-20.88	PK
		39520	38.35	17.13	55.48	74	-18.52	PK
		39520	28.51	17.13	45.64	54	-8.36	AVG
Vertical	*	11440	30.56	19.39	49.95	74	-24.05	PK
		14500	28.47	26.09	54.56	68.2	-13.64	PK
		14500	20.2	26.09	46.29	54	-7.71	AVG
		15640	29.29	23.78	53.07	74	-20.93	PK
		15640	20.46	23.78	44.24	54	-9.76	AVG
	*	17160	34.13	3.74	37.87	68.2	-30.33	PK
	*	22880	33.42	7.36	40.78	74	-33.22	PK
	*	28600	33.1	10.23	43.33	68.2	-24.87	PK
	*	34320	33	10.3	43.3	68.2	-24.9	PK
		39928	37.35	17.19	54.54	74	-19.46	PK
		39928	27.51	17.19	44.7	54	-9.3	AVG







Mode	802.11a - Emission	Channel	149
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11490	30.24	19.52	49.76	74	-24.24	PK
		14500	27.86	26.09	53.95	68.2	-14.25	PK
		14500	19.59	26.09	45.68	54	-8.32	AVG
		15910	29.23	23.69	52.92	74	-21.08	PK
		15910	20.4	23.69	44.09	54	-9.91	AVG
	*	17235	33.97	3.61	37.58	68.2	-30.62	PK
	*	22980	33.11	7.7	40.81	74	-33.19	PK
	*	28725	33.38	10.18	43.56	68.2	-24.64	PK
	*	34470	34.72	10.03	44.75	68.2	-23.45	PK
		39352	38.03	16.84	54.87	74	-19.13	PK
Vertical		39352	28.19	16.84	45.03	54	-8.97	AVG
	*	11490	30.6	19.52	50.12	74	-23.88	PK
		14500	28.25	26.09	54.34	68.2	-13.86	PK
		14500	19.98	26.09	46.07	54	-7.93	AVG
		15340	28.66	24.6	53.26	68.2	-14.94	PK
		15340	19.83	24.6	44.43	54	-9.57	AVG
	*	17235	34.75	3.61	38.36	68.2	-29.84	PK
	*	22980	32.21	7.7	39.91	74	-34.09	PK
	*	28725	32.64	10.18	42.82	68.2	-25.38	PK
	*	34470	36.45	10.03	46.48	68.2	-21.72	PK
		39736	37.72	17.09	54.81	74	-19.19	PK
		39736	27.88	17.09	44.97	54	-9.03	AVG







Mode	802.11a - Emission	Channel	157
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11570	30.17	19.03	49.2	74	-24.8	PK
		14485	28.43	26.08	54.51	74	-19.49	PK
		14485	20.16	26.08	46.24	54	-7.76	AVG
		15730	29.23	23.94	53.17	74	-20.83	PK
		15730	20.4	23.94	44.34	54	-9.66	AVG
	*	17355	32.92	3.3	36.22	68.2	-31.98	PK
	*	23140	33.3	8.06	41.36	68.2	-26.84	PK
	*	28925	32.37	10.16	42.53	68.2	-25.67	PK
	*	34710	35.2	10.4	45.6	68.2	-22.6	PK
		39424	37.84	16.98	54.82	74	-19.18	PK
		39424	28	16.98	44.98	54	-9.02	AVG
Vertical	*	11570	29.34	19.03	48.37	74	-25.63	PK
		14470	30	26.07	56.07	68.2	-12.13	PK
		14470	21.73	26.07	47.8	54	-6.2	AVG
		15700	29.07	23.95	53.02	74	-20.98	PK
		15700	20.24	23.95	44.19	54	-9.81	AVG
	*	17355	35.14	3.3	38.44	68.2	-29.76	PK
	*	23140	32.45	8.06	40.51	68.2	-27.69	PK
	*	28925	33.87	10.16	44.03	68.2	-24.17	PK
	*	34710	35.39	10.4	45.79	68.2	-22.41	PK
		39856	37.43	17.14	54.57	74	-19.43	PK
		39856	27.59	17.14	44.73	54	-9.27	AVG



Mode	802.11a - Emission	Channel	165
------	--------------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11650	29.78	18.75	48.53	74	-25.47	PK
		14470	27.61	26.07	53.68	68.2	-14.52	PK
		14470	19.34	26.07	45.41	54	-8.59	AVG
		15490	28.92	24.11	53.03	74	-20.97	PK
		15490	20.09	24.11	44.2	54	-9.8	AVG
	*	17475	34.33	3	37.33	68.2	-30.87	PK
		23300	32.93	8.39	41.32	68.2	-26.88	PK
		29125	33.56	10.48	44.04	68.2	-24.16	PK
		34950	36.17	10.72	46.89	68.2	-21.31	PK
		39400	37.61	16.93	54.54	74	-19.46	PK
Vertical	*	39400	27.77	16.93	44.7	54	-9.3	AVG
		11650	29.07	18.75	47.82	74	-26.18	PK
		14500	28.22	26.09	54.31	68.2	-13.89	PK
		14500	19.95	26.09	46.04	54	-7.96	AVG
		15370	28.6	24.41	53.01	74	-20.99	PK
	*	15370	19.77	24.41	44.18	54	-9.82	AVG
		17475	34.21	3	37.21	68.2	-30.99	PK
		23300	33.18	8.39	41.57	68.2	-26.63	PK
		29125	33.46	10.48	43.94	68.2	-24.26	PK
		34950	35.11	10.72	45.83	68.2	-22.37	PK
		39832	37.85	17.13	54.98	74	-19.02	PK
		39832	28.01	17.13	45.14	54	-8.86	AVG




Mode	802.11ac(VHT20)	Channel	36
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5089.95	30.37	19.63	50	54	-4	AVG
		5109.9	42.64	19.67	62.31	74	-11.69	PK
	@	5180	89.66	19.67	109.33	N/A	N/A	PK
	@	5180	82.29	19.67	101.96	N/A	N/A	AVG
Vertical		5061.25	42.08	19.53	61.61	74	-12.39	PK
		5070	30.45	19.56	50.01	54	-3.99	AVG
	@	5180	88.93	19.67	108.6	N/A	N/A	PK
	@	5180	81.01	19.67	100.68	N/A	N/A	AVG


TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	44
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5058.8	42.83	19.52	62.35	74	-11.65	PK
		5093.8	30.39	19.64	50.03	54	-3.97	AVG
	@	5220	91.79	19.48	111.27	N/A	N/A	PK
	@	5220	84.79	19.48	104.27	N/A	N/A	AVG
Vertical		5072.8	30.49	19.57	50.06	54	-3.94	AVG
		5116.2	41.96	19.69	61.65	74	-12.35	PK
	@	5220	88.33	19.48	107.81	N/A	N/A	PK
	@	5220	81.49	19.48	100.97	N/A	N/A	AVG


TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	48
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5080.85	42.36	19.59	61.95	74	-12.05	PK
		5096.95	30.41	19.64	50.05	54	-3.95	AVG
	@	5240	90.72	19.35	110.07	N/A	N/A	PK
	@	5240	83.71	19.35	103.06	N/A	N/A	AVG
Vertical		5096.95	42.17	19.64	61.81	74	-12.19	PK
		5099.75	30.43	19.65	50.08	54	-3.92	AVG
	@	5240	88.6	19.35	107.95	N/A	N/A	PK
	@	5240	81.54	19.35	100.89	N/A	N/A	AVG


TX, 802.11ac(VHT20) (Ch 48)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 48)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 48)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 48)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	52
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	91.07	19.24	110.31	N/A	N/A	PK
	@	5260	83.77	19.24	103.01	N/A	N/A	AVG
		5429.4	39.84	19.79	59.63	74	-14.37	PK
		5456.7	28.09	19.93	48.02	54	-5.98	AVG
Vertical	@	5260	89.65	19.24	108.89	N/A	N/A	PK
	@	5260	81.43	19.24	100.67	N/A	N/A	AVG
		5456.4	28.06	19.93	47.99	54	-6.01	AVG
		5458.2	39.59	19.94	59.53	74	-14.47	PK


TX, 802.11ac(VHT20) (Ch 52)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 52)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 52)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 52)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	60
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	91.33	19.08	110.41	N/A	N/A	PK
	@	5300	83.31	19.08	102.39	N/A	N/A	AVG
		5448.6	28.17	19.89	48.06	54	-5.94	AVG
		5450.4	40.31	19.9	60.21	74	-13.79	PK
Vertical	@	5300	88.76	19.08	107.84	N/A	N/A	PK
	@	5300	80.98	19.08	100.06	N/A	N/A	AVG
		5446.5	39.7	19.88	59.58	74	-14.42	PK
		5458.8	28.17	19.94	48.11	54	-5.89	AVG


TX, 802.11ac(VHT20) (Ch 60)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 60)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 60)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 60)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	64
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	91.17	19.17	110.34	N/A	N/A	PK
	@	5320	83.13	19.17	102.3	N/A	N/A	AVG
		5350.5	41.01	19.29	60.3	74	-13.7	PK
		5351.1	30.06	19.3	49.36	54	-4.64	AVG
Vertical	@	5320	87.49	19.17	106.66	N/A	N/A	PK
	@	5320	79.76	19.17	98.93	N/A	N/A	AVG
		5351.7	29.24	19.3	48.54	54	-5.46	AVG
		5422.2	40.58	19.75	60.33	74	-13.67	PK


TX, 802.11ac(VHT20) (Ch 64)
Band Edge (Average), Horizontal



TX, 802.11ac(VHT20) (Ch 64)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 64)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT20) (Ch 64)
Band Edge (Peak), Vertical

