



Mode	802.11be(EHT20)	Channel	52
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	91.33	19.24	110.57	N/A	N/A	PK
	@	5260	83.95	19.24	103.19	N/A	N/A	AVG
		5439	39.84	19.85	59.69	74	-14.31	PK
		5459.1	28.08	19.95	48.03	54	-5.97	AVG
Vertical	@	5260	89.65	19.24	108.89	N/A	N/A	PK
	@	5260	81.03	19.24	100.27	N/A	N/A	AVG
		5433.3	39.49	19.81	59.3	74	-14.7	PK
		5449.2	28.14	19.9	48.04	54	-5.96	AVG


TX, 802.11be(EHT20) (Ch 52)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20) (Ch 52)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 52)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20) (Ch 52)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)	Channel	60
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	90.23	19.08	109.31	N/A	N/A	PK
	@	5300	83.5	19.08	102.58	N/A	N/A	AVG
		5448	39.79	19.89	59.68	74	-14.32	PK
		5459.1	28.09	19.95	48.04	54	-5.96	AVG
Vertical	@	5300	87.44	19.08	106.52	N/A	N/A	PK
	@	5300	80.7	19.08	99.78	N/A	N/A	AVG
		5454.3	39.54	19.92	59.46	74	-14.54	PK
		5458.5	28.12	19.94	48.06	54	-5.94	AVG


TX, 802.11be(EHT20) (Ch 60)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20) (Ch 60)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 60)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20) (Ch 60)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)	Channel	64
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	93.14	19.17	112.31	N/A	N/A	PK
	@	5320	83	19.17	102.17	N/A	N/A	AVG
		5350.2	31.72	19.29	51.01	54	-2.99	AVG
		5351.1	42.27	19.3	61.57	74	-12.43	PK
Vertical	@	5320	87.1	19.17	106.27	N/A	N/A	PK
	@	5320	79.27	19.17	98.44	N/A	N/A	AVG
		5351.1	29.24	19.3	48.54	54	-5.46	AVG
		5447.7	39.83	19.89	59.72	74	-14.28	PK




Mode	802.11be(EHT20)	Channel	100
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5453.2	43.13	19.92	63.05	74	-10.95	PK
		5459.85	30.99	19.95	50.94	54	-3.06	AVG
		5465.45	45.63	19.97	65.6	68.2	-2.6	PK
	@	5500	91.67	20.13	111.8	N/A	N/A	PK
	@	5500	82.5	20.13	102.63	N/A	N/A	AVG
Vertical		5449.7	39.79	19.9	59.69	74	-14.31	PK
		5459.85	30.05	19.95	50	54	-4	AVG
		5465.8	44.18	19.97	64.15	68.2	-4.05	PK
	@	5500	89.55	20.13	109.68	N/A	N/A	PK
	@	5500	82.1	20.13	102.23	N/A	N/A	AVG



Mode	802.11be(EHT20)	Channel	116
------	-----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5452.5	28.26	19.91	48.17	54	-5.83	AVG
		5458.8	39.61	19.94	59.55	74	-14.45	PK
		5461.25	38.83	19.95	58.78	68.2	-9.42	PK
	@	5580	91.27	20.08	111.35	N/A	N/A	PK
	@	5580	82.73	20.08	102.81	N/A	N/A	AVG
		5741.25	40.08	20.35	60.43	68.2	-7.77	PK
Vertical		5456	39.54	19.93	59.47	74	-14.53	PK
		5459.85	28.12	19.95	48.07	54	-5.93	AVG
		5465.45	39.37	19.97	59.34	68.2	-8.86	PK
	@	5580	88.71	20.08	108.79	N/A	N/A	PK
	@	5580	81.07	20.08	101.15	N/A	N/A	AVG
		5746.5	40.22	20.4	60.62	68.2	-7.58	PK




Mode	802.11be(EHT20)	Channel	140
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5451.8	39.87	19.91	59.78	74	-14.22	PK
		5455.3	28.19	19.92	48.11	54	-5.89	AVG
		5463.35	38.61	19.97	58.58	68.2	-9.62	PK
	@	5700	91.22	19.96	111.18	N/A	N/A	PK
	@	5700	83.28	19.96	103.24	N/A	N/A	AVG
		5725	47.27	20.2	67.47	68.2	-0.73	PK
Vertical		5425.9	39.31	19.77	59.08	74	-14.92	PK
		5456.35	28.08	19.93	48.01	54	-5.99	AVG
		5468.6	39.17	19.99	59.16	68.2	-9.04	PK
	@	5700	88.95	19.96	108.91	N/A	N/A	PK
	@	5700	80.44	19.96	100.4	N/A	N/A	AVG
		5728.65	42.15	20.23	62.38	68.2	-5.82	PK


TX, 802.11be(EHT20) (Ch 140)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20) (Ch 140)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 140)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20) (Ch 140)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)	Channel	149
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5594	41.16	20.11	61.27	68.2	-6.93	PK
		5692	40.36	19.97	60.33	99.3	-38.97	PK
	@	5745	92.2	20.39	112.59	N/A	N/A	PK
Vertical		5573	39.91	20.08	59.99	68.2	-8.21	PK
		5652.5	41.22	20.04	61.26	70.06	-8.8	PK
	@	5745	87.4	20.39	107.79	N/A	N/A	PK

TX, 802.11be(EHT20) (Ch 149)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20) (Ch 149)
Band Edge (Peak), Vertical



Mode	802.11be(EHT20)	Channel	157
------	-----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5586	40.61	20.09	60.7	68.2	-7.5	PK
		5697.5	40.43	19.96	60.39	103.36	-42.97	PK
		5785	90.28	20.83	111.11	N/A	N/A	PK
		5889.5	40.46	21.27	61.73	94.44	-32.71	PK
		5970.5	40.43	21.27	61.7	68.2	-6.5	PK
Vertical	@	5636.5	41.15	20.06	61.21	68.2	-6.99	PK
		5653	39.97	20.03	60	70.43	-10.43	PK
		5785	89.44	20.83	110.27	N/A	N/A	PK
		5910	39.94	21.26	61.2	79.27	-18.07	PK
		5946	40.59	21.22	61.81	68.2	-6.39	PK




Mode	802.11be(EHT20)	Channel	165
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	88.2	21.12	109.32	N/A	N/A	PK
		5876.5	39.81	21.26	61.07	104.09	-43.02	PK
		5980.5	40.35	21.31	61.66	68.2	-6.54	PK
Vertical	@	5825	88.23	21.12	109.35	N/A	N/A	PK
		5912.5	40.37	21.26	61.63	77.42	-15.79	PK
		5936	39.92	21.23	61.15	68.2	-7.05	PK

TX, 802.11be(EHT20) (Ch 165)
Band Edge (Peak), Horizontal







TX, 802.11be(EHT20) (Ch 165)
Band Edge (Peak), Vertical







Mode	802.11be(EHT20) - Emission	Channel	36
------	----------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10360	30.66	17.77	48.43	68.2	-19.77	PK
		14485	27.69	26.08	53.77	74	-20.23	PK
		14485	19.42	26.08	45.5	54	-8.5	AVG
		15865	29.11	23.8	52.91	74	-21.09	PK
		15865	20.28	23.8	44.08	54	-9.92	AVG
	*	20720	32.62	3.98	36.6	74	-37.4	PK
	*	25900	33.48	9.47	42.95	68.2	-25.25	PK
	*	31080	31.11	11.68	42.79	68.2	-25.41	PK
	*	36260	36.66	11.19	47.85	68.2	-20.35	PK
		39544	38.31	17.11	55.42	74	-18.58	PK
Vertical		39544	28.47	17.11	45.58	54	-8.42	AVG
	*	10360	30.87	17.77	48.64	68.2	-19.56	PK
		14485	27.59	26.08	53.67	74	-20.33	PK
		14485	19.32	26.08	45.4	54	-8.6	AVG
		15370	28.85	24.41	53.26	74	-20.74	PK
		15370	20.02	24.41	44.43	54	-9.57	AVG
	*	20720	32.73	3.98	36.71	74	-37.29	PK
	*	25900	34.12	9.47	43.59	68.2	-24.61	PK
	*	31080	31.07	11.68	42.75	68.2	-25.45	PK
	*	36260	35.58	11.19	46.77	68.2	-21.43	PK
		39640	37.67	17.09	54.76	74	-19.24	PK
		39640	27.83	17.09	44.92	54	-9.08	AVG







Mode	802.11be(EHT20) - Emission	Channel	44
------	----------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10440	30.72	18.13	48.85	68.2	-19.35	PK
		14485	28.42	26.08	54.5	74	-19.5	PK
		14485	20.15	26.08	46.23	54	-7.77	AVG
		15370	29.13	24.41	53.54	74	-20.46	PK
		15370	20.3	24.41	44.71	54	-9.29	AVG
	*	20880	32.56	4.06	36.62	74	-37.38	PK
	*	26100	34.79	9.58	44.37	68.2	-23.83	PK
	*	31320	33	11.96	44.96	74	-29.04	PK
	*	36540	37.46	10.51	47.97	68.2	-20.23	PK
		39688	37.82	17.09	54.91	74	-19.09	PK
		39688	27.98	17.09	45.07	54	-8.93	AVG
Vertical	*	10440	31.26	18.13	49.39	68.2	-18.81	PK
		14470	28.88	26.07	54.95	68.2	-13.25	PK
		14470	20.61	26.07	46.68	54	-7.32	AVG
		15715	28.78	23.95	52.73	74	-21.27	PK
		15715	19.95	23.95	43.9	54	-10.1	AVG
	*	20880	33.12	4.06	37.18	74	-36.82	PK
	*	26100	34.63	9.58	44.21	68.2	-23.99	PK
	*	31320	32.93	11.96	44.89	74	-29.11	PK
	*	36540	37.29	10.51	47.8	68.2	-20.4	PK
		39328	37.66	16.79	54.45	74	-19.55	PK
		39328	27.82	16.79	44.61	54	-9.39	AVG







Mode	802.11be(EHT20) - Emission	Channel	48
------	----------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10480	30.89	18.26	49.15	68.2	-19.05	PK
		14485	27.8	26.08	53.88	74	-20.12	PK
		14485	19.53	26.08	45.61	54	-8.39	AVG
		15835	29.61	23.87	53.48	74	-20.52	PK
		15835	20.78	23.87	44.65	54	-9.35	AVG
	*	20960	33.11	4.08	37.19	74	-36.81	PK
		26200	33.03	9.71	42.74	68.2	-25.46	PK
		31440	32.33	11.41	43.74	74	-30.26	PK
		36680	36.7	10.96	47.66	68.2	-20.54	PK
		39448	38.45	17.02	55.47	74	-18.53	PK
		39448	28.61	17.02	45.63	54	-8.37	AVG
Vertical	*	10480	30.63	18.26	48.89	68.2	-19.31	PK
		14470	28.8	26.07	54.87	68.2	-13.33	PK
		14470	20.53	26.07	46.6	54	-7.4	AVG
		15895	28.85	23.74	52.59	74	-21.41	PK
		15895	20.02	23.74	43.76	54	-10.24	AVG
	*	20960	32.2	4.08	36.28	74	-37.72	PK
		26200	34.49	9.71	44.2	68.2	-24	PK
		31440	32.28	11.41	43.69	74	-30.31	PK
		36680	36.07	10.96	47.03	68.2	-21.17	PK
		39688	37.55	17.09	54.64	74	-19.36	PK
		39688	27.71	17.09	44.8	54	-9.2	AVG







Mode	802.11be(EHT20) - Emission	Channel	52
------	----------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10520	30	18.3	48.3	68.2	-19.9	PK
		14470	28.18	26.07	54.25	68.2	-13.95	PK
		14470	19.91	26.07	45.98	54	-8.02	AVG
		15325	28.29	24.7	52.99	68.2	-15.21	PK
		15325	19.46	24.7	44.16	54	-9.84	AVG
	*	21040	33.65	4.17	37.82	74	-36.18	PK
	*	26300	35.21	9.87	45.08	68.2	-23.12	PK
	*	31560	34.61	11.17	45.78	74	-28.22	PK
	*	36820	38.03	11.45	49.48	68.2	-18.72	PK
		39616	37.6	17.11	54.71	74	-19.29	PK
Vertical		39616	27.76	17.11	44.87	54	-9.13	AVG
	*	10520	30.4	18.3	48.7	68.2	-19.5	PK
		14500	26.84	26.09	52.93	68.2	-15.27	PK
		14500	18.57	26.09	44.66	54	-9.34	AVG
		15700	29.27	23.95	53.22	74	-20.78	PK
		15700	20.44	23.95	44.39	54	-9.61	AVG
	*	21040	32.64	4.17	36.81	74	-37.19	PK
	*	26300	33.9	9.87	43.77	68.2	-24.43	PK
	*	31560	34.53	11.17	45.7	74	-28.3	PK
	*	36820	37.21	11.45	48.66	68.2	-19.54	PK
		39616	37.64	17.11	54.75	74	-19.25	PK
		39616	27.8	17.11	44.91	54	-9.09	AVG







Mode	802.11be(EHT20) - Emission	Channel	60
------	----------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10600	30.16	18.22	48.38	74	-25.62	PK
		14500	28.46	26.09	54.55	68.2	-13.65	PK
		14500	20.19	26.09	46.28	54	-7.72	AVG
		15475	29.55	24.13	53.68	74	-20.32	PK
		15475	20.72	24.13	44.85	54	-9.15	AVG
	*	21200	32.72	4.44	37.16	74	-36.84	PK
		26500	33.57	10.22	43.79	68.2	-24.41	PK
		31800	32.19	11.33	43.52	68.2	-24.68	PK
		37100	35.78	12.09	47.87	68.2	-20.33	PK
		39568	37.36	17.11	54.47	74	-19.53	PK
		39568	27.52	17.11	44.63	54	-9.37	AVG
Vertical	*	10600	30.96	18.22	49.18	74	-24.82	PK
		14485	27.36	26.08	53.44	74	-20.56	PK
		14485	19.09	26.08	45.17	54	-8.83	AVG
		15745	29.46	23.95	53.41	74	-20.59	PK
		15745	20.63	23.95	44.58	54	-9.42	AVG
	*	21200	32.48	4.44	36.92	74	-37.08	PK
		26500	32.61	10.22	42.83	68.2	-25.37	PK
		31800	32.07	11.33	43.4	68.2	-24.8	PK
		37100	36.57	12.09	48.66	68.2	-19.54	PK
		39832	37.39	17.13	54.52	74	-19.48	PK
		39832	27.55	17.13	44.68	54	-9.32	AVG







Mode	802.11be(EHT20) - Emission	Channel	64
------	----------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10640	31.09	18.35	49.44	74	-24.56	PK
		14485	27.98	26.08	54.06	74	-19.94	PK
		14485	19.71	26.08	45.79	54	-8.21	AVG
		15610	29.84	23.69	53.53	74	-20.47	PK
		15610	21.01	23.69	44.7	54	-9.3	AVG
	*	21280	32.23	4.57	36.8	74	-37.2	PK
		26600	32.86	10.1	42.96	68.2	-25.24	PK
		31920	33.25	11.46	44.71	68.2	-23.49	PK
		37240	37.73	12.01	49.74	68.2	-18.46	PK
		39640	37.73	17.09	54.82	74	-19.18	PK
Vertical	*	39640	27.89	17.09	44.98	54	-9.02	AVG
		10640	31.87	18.35	50.22	74	-23.78	PK
		14500	28.36	26.09	54.45	68.2	-13.75	PK
		14500	20.09	26.09	46.18	54	-7.82	AVG
		15385	28.55	24.3	52.85	74	-21.15	PK
	*	15385	19.72	24.3	44.02	54	-9.98	AVG
		21280	32.9	4.57	37.47	74	-36.53	PK
		26600	32.81	10.1	42.91	68.2	-25.29	PK
		31920	33.6	11.46	45.06	68.2	-23.14	PK
		37240	36.92	12.01	48.93	68.2	-19.27	PK
		39784	37.33	17.1	54.43	74	-19.57	PK
		39784	27.49	17.1	44.59	54	-9.41	AVG







Mode	802.11be(EHT20) - Emission	Channel	100
------	----------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11000	31.83	18.57	50.4	74	-23.6	PK
		14485	27.65	26.08	53.73	74	-20.27	PK
		14485	19.38	26.08	45.46	54	-8.54	AVG
		15385	28.93	24.3	53.23	74	-20.77	PK
		15385	20.1	24.3	44.4	54	-9.6	AVG
	*	16500	34.33	4.02	38.35	68.2	-29.85	PK
		22000	33.27	5.31	38.58	68.2	-29.62	PK
		27496	32.11	9.1	41.21	68.2	-26.99	PK
		32992	33.62	11.48	45.1	68.2	-23.1	PK
		39640	38.02	17.09	55.11	74	-18.89	PK
		39640	28.18	17.09	45.27	54	-8.73	AVG
		39640	28.18	17.09	45.27	54	-8.73	AVG
Vertical	*	11000	30.08	18.57	48.65	74	-25.35	PK
		14500	27.85	26.09	53.94	68.2	-14.26	PK
		14500	19.58	26.09	45.67	54	-8.33	AVG
		15895	29.16	23.74	52.9	74	-21.1	PK
		15895	20.33	23.74	44.07	54	-9.93	AVG
	*	16500	33.7	4.02	37.72	68.2	-30.48	PK
		22000	32.91	5.31	38.22	68.2	-29.98	PK
		27500	30.89	9.1	39.99	68.2	-28.21	PK
		33000	33.98	11.46	45.44	68.2	-22.76	PK
		39616	38.53	17.11	55.64	74	-18.36	PK
		39616	28.69	17.11	45.8	54	-8.2	AVG
		39616	28.69	17.11	45.8	54	-8.2	AVG







Mode	802.11be(EHT20) - Emission	Channel	116
------	----------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11160	30.1	18.93	49.03	74	-24.97	PK
		14485	28.93	26.08	55.01	74	-18.99	PK
		14485	20.66	26.08	46.74	54	-7.26	AVG
		15730	28.73	23.94	52.67	74	-21.33	PK
		15730	19.9	23.94	43.84	54	-10.16	AVG
	*	16740	33.8	3.86	37.66	68.2	-30.54	PK
	*	22320	33.33	5.86	39.19	74	-34.81	PK
	*	27900	33.41	9.23	42.64	68.2	-25.56	PK
	*	33480	35.51	11.13	46.64	68.2	-21.56	PK
		39520	37.8	17.13	54.93	74	-19.07	PK
		39520	27.96	17.13	45.09	54	-8.91	AVG
Vertical	*	11160	30.08	18.93	49.01	74	-24.99	PK
		14485	26.96	26.08	53.04	74	-20.96	PK
		14485	18.69	26.08	44.77	54	-9.23	AVG
		15775	30.02	23.95	53.97	74	-20.03	PK
		15775	21.19	23.95	45.14	54	-8.86	AVG
	*	16740	34.16	3.86	38.02	68.2	-30.18	PK
	*	22320	33.26	5.86	39.12	74	-34.88	PK
	*	27900	32.76	9.23	41.99	68.2	-26.21	PK
	*	33480	35.78	11.13	46.91	68.2	-21.29	PK
		39376	37.61	16.89	54.5	74	-19.5	PK
		39376	27.77	16.89	44.66	54	-9.34	AVG







Mode	802.11be(EHT20) - Emission	Channel	140
------	----------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11400	30.14	19.28	49.42	74	-24.58	PK
		14470	28.73	26.07	54.8	68.2	-13.4	PK
		14470	20.46	26.07	46.53	54	-7.47	AVG
		15715	28.62	23.95	52.57	74	-21.43	PK
		15715	19.79	23.95	43.74	54	-10.26	AVG
	*	17100	34.1	3.8	37.9	68.2	-30.3	PK
	*	22800	33.25	7.08	40.33	74	-33.67	PK
	*	28500	32.44	10.28	42.72	68.2	-25.48	PK
	*	34200	33.07	10.53	43.6	68.2	-24.6	PK
		39568	39.02	17.11	56.13	74	-17.87	PK
		39568	29.18	17.11	46.29	54	-7.71	AVG
Vertical	*	11400	29.3	19.28	48.58	74	-25.42	PK
		14470	28.63	26.07	54.7	68.2	-13.5	PK
		14470	20.36	26.07	46.43	54	-7.57	AVG
		15460	29.17	24.15	53.32	74	-20.68	PK
		15460	20.34	24.15	44.49	54	-9.51	AVG
	*	17100	34.03	3.8	37.83	68.2	-30.37	PK
	*	22800	33.21	7.08	40.29	74	-33.71	PK
	*	28500	32.8	10.28	43.08	68.2	-25.12	PK
	*	34200	33.48	10.53	44.01	68.2	-24.19	PK
		39424	38.08	16.98	55.06	74	-18.94	PK
		39424	28.24	16.98	45.22	54	-8.78	AVG



Mode	802.11be(EHT20) - Emission	Channel	144
------	----------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11440	31.14	19.39	50.53	74	-23.47	PK
		14500	29.21	26.09	55.3	68.2	-12.9	PK
		14500	20.94	26.09	47.03	54	-6.97	AVG
		15745	29.23	23.95	53.18	74	-20.82	PK
		15745	20.4	23.95	44.35	54	-9.65	AVG
	*	17160	33.96	3.74	37.7	68.2	-30.5	PK
	*	22880	32.92	7.36	40.28	74	-33.72	PK
	*	28600	32.72	10.23	42.95	68.2	-25.25	PK
	*	34320	33.97	10.3	44.27	68.2	-23.93	PK
		39520	37	17.13	54.13	74	-19.87	PK
Vertical	*	39520	27.16	17.13	44.29	54	-9.71	AVG
		11440	29.88	19.39	49.27	74	-24.73	PK
		14500	27.34	26.09	53.43	68.2	-14.77	PK
		14500	19.07	26.09	45.16	54	-8.84	AVG
		15505	29.07	24.07	53.14	74	-20.86	PK
	*	15505	20.24	24.07	44.31	54	-9.69	AVG
		17160	35.25	3.74	38.99	68.2	-29.21	PK
		22880	31.89	7.36	39.25	74	-34.75	PK
		28600	32.22	10.23	42.45	68.2	-25.75	PK
		34320	34.49	10.3	44.79	68.2	-23.41	PK
		39280	38.09	16.7	54.79	74	-19.21	PK
		39280	28.25	16.7	44.95	54	-9.05	AVG



Mode	802.11be(EHT20) - Emission	Channel	149
------	----------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11490	29.7	19.52	49.22	74	-24.78	PK
		14500	28.19	26.09	54.28	68.2	-13.92	PK
		14500	19.92	26.09	46.01	54	-7.99	AVG
		15940	29.14	23.61	52.75	74	-21.25	PK
		15940	20.31	23.61	43.92	54	-10.08	AVG
	*	17235	34.89	3.61	38.5	68.2	-29.7	PK
	*	22980	32.72	7.7	40.42	74	-33.58	PK
	*	28725	32.66	10.18	42.84	68.2	-25.36	PK
	*	34470	33.78	10.03	43.81	68.2	-24.39	PK
		39616	37.83	17.11	54.94	74	-19.06	PK
		39616	27.99	17.11	45.1	54	-8.9	AVG
Vertical	*	11490	29.32	19.52	48.84	74	-25.16	PK
		14470	27.39	26.07	53.46	68.2	-14.74	PK
		14470	19.12	26.07	45.19	54	-8.81	AVG
		15745	29.21	23.95	53.16	74	-20.84	PK
		15745	20.38	23.95	44.33	54	-9.67	AVG
	*	17235	34.59	3.61	38.2	68.2	-30	PK
	*	22980	32.42	7.7	40.12	74	-33.88	PK
	*	28725	33.03	10.18	43.21	68.2	-24.99	PK
	*	34470	33.43	10.03	43.46	68.2	-24.74	PK
		39736	37.58	17.09	54.67	74	-19.33	PK
		39736	27.74	17.09	44.83	54	-9.17	AVG

