









Mode	802.11be(EHT20) - Emission	Channel	157
------	----------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11570	30.01	19.03	49.04	74	-24.96	PK
		14485	29.26	26.08	55.34	74	-18.66	PK
		14485	20.99	26.08	47.07	54	-6.93	AVG
		15955	30.05	23.57	53.62	74	-20.38	PK
		15955	21.22	23.57	44.79	54	-9.21	AVG
	*	17355	34.67	3.3	37.97	68.2	-30.23	PK
		23140	32.55	8.06	40.61	68.2	-27.59	PK
		28925	32.95	10.16	43.11	68.2	-25.09	PK
		34710	36.26	10.4	46.66	68.2	-21.54	PK
		39496	38.76	17.12	55.88	74	-18.12	PK
Vertical	*	39496	28.92	17.12	46.04	54	-7.96	AVG
		11570	30.63	19.03	49.66	74	-24.34	PK
		14500	28.1	26.09	54.19	68.2	-14.01	PK
		14500	19.83	26.09	45.92	54	-8.08	AVG
		15325	28.45	24.7	53.15	68.2	-15.05	PK
	*	15325	19.62	24.7	44.32	54	-9.68	AVG
		17355	35.66	3.3	38.96	68.2	-29.24	PK
		23140	33.11	8.06	41.17	68.2	-27.03	PK
		28925	33.3	10.16	43.46	68.2	-24.74	PK
		34710	35.34	10.4	45.74	68.2	-22.46	PK
		39352	38.28	16.84	55.12	74	-18.88	PK
		39352	28.44	16.84	45.28	54	-8.72	AVG



Mode	802.11be(EHT20) - Emission	Channel	165
------	----------------------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11650	30.27	18.75	49.02	74	-24.98	PK
		14470	27.73	26.07	53.8	68.2	-14.4	PK
		14470	19.46	26.07	45.53	54	-8.47	AVG
		15715	28.56	23.95	52.51	74	-21.49	PK
		15715	19.73	23.95	43.68	54	-10.32	AVG
	*	17475	34.18	3	37.18	68.2	-31.02	PK
	*	23300	32.8	8.39	41.19	68.2	-27.01	PK
	*	29125	33.31	10.48	43.79	68.2	-24.41	PK
	*	34950	36.75	10.72	47.47	68.2	-20.73	PK
		39664	37.83	17.09	54.92	74	-19.08	PK
		39664	27.99	17.09	45.08	54	-8.92	AVG
Vertical	*	11650	30.49	18.75	49.24	74	-24.76	PK
		14470	28.14	26.07	54.21	68.2	-13.99	PK
		14470	19.87	26.07	45.94	54	-8.06	AVG
		15655	29.9	23.82	53.72	74	-20.28	PK
		15655	21.07	23.82	44.89	54	-9.11	AVG
	*	17475	34.29	3	37.29	68.2	-30.91	PK
	*	23300	32.72	8.39	41.11	68.2	-27.09	PK
	*	29125	33.07	10.48	43.55	68.2	-24.65	PK
	*	34950	34.16	10.72	44.88	68.2	-23.32	PK
		39760	37.09	17.08	54.17	74	-19.83	PK
		39760	27.25	17.08	44.33	54	-9.67	AVG




Mode	802.11be(EHT40)	Channel	38
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5074.55	42.98	19.57	62.55	74	-11.45	PK
		5149.45	31.42	19.76	51.18	54	-2.82	AVG
	@	5190	87.97	19.65	107.62	N/A	N/A	PK
	@	5190	80.77	19.65	100.42	N/A	N/A	AVG
Vertical		5022.75	43.1	19.25	62.35	74	-11.65	PK
		5149.8	30.55	19.76	50.31	54	-3.69	AVG
	@	5190	85.35	19.65	105	N/A	N/A	PK
	@	5190	77.04	19.65	96.69	N/A	N/A	AVG


TX, 802.11be(EHT40) (Ch 38)
Band Edge (Average), Horizontal




TX, 802.11be(EHT40) (Ch 38)
Band Edge (Average), Vertical



TX, 802.11be(EHT40) (Ch 38)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT40) (Ch 38)
Band Edge (Peak), Vertical




Mode	802.11be(EHT40)	Channel	46
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5070.7	42.4	19.56	61.96	74	-12.04	PK
		5148.75	30.6	19.76	50.36	54	-3.64	AVG
	@	5230	87.76	19.42	107.18	N/A	N/A	PK
	@	5230	78.54	19.42	97.96	N/A	N/A	AVG
Vertical		5075.95	30.66	19.58	50.24	54	-3.76	AVG
		5134.4	41.98	19.73	61.71	74	-12.29	PK
	@	5230	86.16	19.42	105.58	N/A	N/A	PK
	@	5230	77.13	19.42	96.55	N/A	N/A	AVG


TX, 802.11be(EHT40) (Ch 46)
Band Edge (Average), Horizontal




TX, 802.11be(EHT40) (Ch 46)
Band Edge (Average), Vertical



TX, 802.11be(EHT40) (Ch 46)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT40) (Ch 46)
Band Edge (Peak), Vertical




Mode	802.11be(EHT40)	Channel	54
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5270	87.72	19.2	106.92	N/A	N/A	PK
	@	5270	78.93	19.2	98.13	N/A	N/A	AVG
		5429.7	39.54	19.79	59.33	74	-14.67	PK
		5457	28.21	19.93	48.14	54	-5.86	AVG
Vertical	@	5270	85.67	19.2	104.87	N/A	N/A	PK
	@	5270	77.1	19.2	96.3	N/A	N/A	AVG
		5441.7	40.24	19.87	60.11	74	-13.89	PK
		5458.8	28.11	19.94	48.05	54	-5.95	AVG


TX, 802.11be(EHT40) (Ch 54)
Band Edge (Average), Horizontal




TX, 802.11be(EHT40) (Ch 54)
Band Edge (Average), Vertical



TX, 802.11be(EHT40) (Ch 54)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT40) (Ch 54)
Band Edge (Peak), Vertical




Mode	802.11be(EHT40)	Channel	62
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5310	86.34	19.12	105.46	N/A	N/A	PK
	@	5310	79.11	19.12	98.23	N/A	N/A	AVG
		5351.4	30.56	19.3	49.86	54	-4.14	AVG
		5417.4	39.76	19.72	59.48	74	-14.52	PK
Vertical	@	5310	84.48	19.12	103.6	N/A	N/A	PK
	@	5310	76.13	19.12	95.25	N/A	N/A	AVG
		5446.5	39.6	19.88	59.48	74	-14.52	PK
		5460	28.18	19.95	48.13	54	-5.87	AVG


TX, 802.11be(EHT40) (Ch 62)
Band Edge (Average), Horizontal




TX, 802.11be(EHT40) (Ch 62)
Band Edge (Average), Vertical



TX, 802.11be(EHT40) (Ch 62)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT40) (Ch 62)
Band Edge (Peak), Vertical




Mode	802.11be(EHT40)	Channel	102
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5414.35	39.95	19.71	59.66	74	-14.34	PK
		5459.15	28.67	19.95	48.62	54	-5.38	AVG
		5469.65	39.83	20	59.83	68.2	-8.37	PK
	@	5510	87.02	20.12	107.14	N/A	N/A	PK
	@	5510	78.98	20.12	99.1	N/A	N/A	AVG
Vertical		5457.75	39.38	19.94	59.32	74	-14.68	PK
		5458.1	28.3	19.94	48.24	54	-5.76	AVG
		5460.2	39.47	19.95	59.42	68.2	-8.78	PK
	@	5510	84.65	20.12	104.77	N/A	N/A	PK
	@	5510	77.08	20.12	97.2	N/A	N/A	AVG



Mode	802.11be(EHT40)	Channel	110
------	-----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5458.45	39.29	19.94	59.23	74	-14.77	PK
		5458.45	28.54	19.94	48.48	54	-5.52	AVG
		5468.95	38.9	19.99	58.89	68.2	-9.31	PK
	@	5550	87.35	20.04	107.39	N/A	N/A	PK
	@	5550	77.4	20.04	97.44	N/A	N/A	AVG
		5730.4	40.53	20.24	60.77	68.2	-7.43	PK
Vertical		5404.55	40.37	19.65	60.02	74	-13.98	PK
		5457.05	28.37	19.93	48.3	54	-5.7	AVG
		5470	39.65	20	59.65	68.2	-8.55	PK
	@	5550	84.95	20.04	104.99	N/A	N/A	PK
	@	5550	76.92	20.04	96.96	N/A	N/A	AVG
		5733.55	40.41	20.28	60.69	68.2	-7.51	PK




Mode	802.11be(EHT40)	Channel	134
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5455.3	28.3	19.92	48.22	54	-5.78	AVG
		5458.1	39.61	19.94	59.55	74	-14.45	PK
		5463.35	39.19	19.97	59.16	68.2	-9.04	PK
	@	5670	86.48	20.01	106.49	N/A	N/A	PK
	@	5670	79.63	20.01	99.64	N/A	N/A	AVG
		5744.75	40.83	20.39	61.22	68.2	-6.98	PK
Vertical		5425.9	39.19	19.77	58.96	74	-15.04	PK
		5452.15	28.18	19.91	48.09	54	-5.91	AVG
		5468.25	38.26	19.99	58.25	68.2	-9.95	PK
	@	5670	85.58	20.01	105.59	N/A	N/A	PK
	@	5670	77.57	20.01	97.58	N/A	N/A	AVG
		5734.6	40.44	20.29	60.73	68.2	-7.47	PK


TX, 802.11be(EHT40) (Ch 134)
Band Edge (Average), Horizontal




TX, 802.11be(EHT40) (Ch 134)
Band Edge (Average), Vertical



TX, 802.11be(EHT40) (Ch 134)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT40) (Ch 134)
Band Edge (Peak), Vertical




Mode	802.11be(EHT40)	Channel	151
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5583	40.37	20.09	60.46	68.2	-7.74	PK
		5680.5	39.87	19.99	59.86	90.81	-30.95	PK
	@	5755	87.14	20.49	107.63	N/A	N/A	PK
Vertical		5593	40.6	20.11	60.71	68.2	-7.49	PK
		5656	40.1	20.03	60.13	72.66	-12.53	PK
	@	5755	83.55	20.49	104.04	N/A	N/A	PK

TX, 802.11be(EHT40) (Ch 151)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT40) (Ch 151)
Band Edge (Peak), Vertical




Mode	802.11be(EHT40)	Channel	159
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5795	85.23	20.94	106.17	N/A	N/A	PK
		5924	40.66	21.24	61.9	68.94	-7.04	PK
		5986.5	40.25	21.32	61.57	68.2	-6.63	PK
Vertical	@	5795	82.15	20.94	103.09	N/A	N/A	PK
		5897	40.15	21.28	61.43	88.88	-27.45	PK
		5929.5	40.44	21.23	61.67	68.2	-6.53	PK

TX, 802.11be(EHT40) (Ch 159)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT40) (Ch 159)
Band Edge (Peak), Vertical




Mode	802.11be(EHT80)	Channel	42
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5144.2	42.4	19.75	62.15	74	-11.85	PK
		5149.45	32.58	19.76	52.34	54	-1.66	AVG
	@	5210	85.05	19.56	104.61	N/A	N/A	PK
	@	5210	76.26	19.56	95.82	N/A	N/A	AVG
Vertical		5086.45	42.45	19.61	62.06	74	-11.94	PK
		5149.8	31	19.76	50.76	54	-3.24	AVG
	@	5210	82.15	19.56	101.71	N/A	N/A	PK
	@	5210	74.05	19.56	93.61	N/A	N/A	AVG


TX, 802.11be(EHT80) (Ch 42)
Band Edge (Average), Horizontal




TX, 802.11be(EHT80) (Ch 42)
Band Edge (Average), Vertical



TX, 802.11be(EHT80) (Ch 42)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT80) (Ch 42)
Band Edge (Peak), Vertical




Mode	802.11be(EHT80)	Channel	58
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5290	85.48	19.12	104.6	N/A	N/A	PK
	@	5290	77.2	19.12	96.32	N/A	N/A	AVG
		5350.2	30.75	19.29	50.04	54	-3.96	AVG
		5352.6	42.31	19.31	61.62	74	-12.38	PK
Vertical	@	5290	82.36	19.12	101.48	N/A	N/A	PK
	@	5290	74.02	19.12	93.14	N/A	N/A	AVG
		5351.4	28.91	19.3	48.21	54	-5.79	AVG
		5430.6	40.09	19.8	59.89	74	-14.11	PK




Mode	802.11be(EHT80)	Channel	106
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5438.85	39.96	19.85	59.81	74	-14.19	PK
		5459.85	29.81	19.95	49.76	54	-4.24	AVG
		5468.6	39.58	19.99	59.57	68.2	-8.63	PK
	@	5530	83.52	20.08	103.6	N/A	N/A	PK
	@	5530	75.44	20.08	95.52	N/A	N/A	AVG
Vertical		5449	39.92	19.9	59.82	74	-14.18	PK
		5458.8	29.27	19.94	49.21	54	-4.79	AVG
		5468.25	39.89	19.99	59.88	68.2	-8.32	PK
	@	5530	86.04	20.08	106.12	N/A	N/A	PK
	@	5530	74.5	20.08	94.58	N/A	N/A	AVG




Mode	802.11be(EHT80)	Channel	122
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5435	39.59	19.82	59.41	74	-14.59	PK
		5458.8	28.29	19.94	48.23	54	-5.77	AVG
		5464.4	39.29	19.97	59.26	68.2	-8.94	PK
	@	5610	83.67	20.1	103.77	N/A	N/A	PK
	@	5610	75.53	20.1	95.63	N/A	N/A	AVG
		5744.05	39.56	20.38	59.94	68.2	-8.26	PK
Vertical		5456	39.8	19.93	59.73	74	-14.27	PK
		5459.5	28.12	19.95	48.07	54	-5.93	AVG
		5461.6	40.21	19.95	60.16	68.2	-8.04	PK
	@	5610	80.57	20.1	100.67	N/A	N/A	PK
	@	5610	72.17	20.1	92.27	N/A	N/A	AVG
		5741.95	40.02	20.37	60.39	68.2	-7.81	PK







Mode	802.11be(EHT80)	Channel	155
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5631	40.54	20.07	60.61	68.2	-7.59	PK
		5692.5	44.1	19.96	64.06	99.67	-35.61	PK
		5775	83.99	20.72	104.71	N/A	N/A	PK
		5893	40.78	21.27	62.05	91.84	-29.79	PK
		5950.5	40.2	21.21	61.41	68.2	-6.79	PK
Vertical	@	5558	40.7	20.05	60.75	68.2	-7.45	PK
		5680.5	41.71	19.99	61.7	90.81	-29.11	PK
		5775	81.79	20.72	102.51	N/A	N/A	PK
		5888.5	39.75	21.27	61.02	95.18	-34.16	PK
		5944.5	40.51	21.21	61.72	68.2	-6.48	PK







Mode	802.11be(EHT20)RU26	Channel	36
------	---------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5145.25	48.56	19.75	68.31	74	-5.69	PK
		5149.8	31.91	19.76	51.67	54	-2.33	AVG
	@	5180	98.96	19.67	118.63	N/A	N/A	PK
	@	5180	91.09	19.67	110.76	N/A	N/A	AVG
Vertical		5137.9	48.65	19.73	68.38	74	-5.62	PK
		5138.25	31.74	19.73	51.47	54	-2.53	AVG
	@	5180	97.51	19.67	117.18	N/A	N/A	PK
	@	5180	89.52	19.67	109.19	N/A	N/A	AVG

TX, 802.11be(EHT20)RU26 (Ch 36)
Band Edge (Average), Horizontal

TX, 802.11be(EHT20)RU26 (Ch 36)
Band Edge (Average), Vertical

TX, 802.11be(EHT20)RU26 (Ch 36)
Band Edge (Peak), Horizontal

TX, 802.11be(EHT20)RU26 (Ch 36)
Band Edge (Peak), Vertical






Mode	802.11be(EHT20)RU26	Channel	44
------	---------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5077	30.7	19.58	50.28	54	-3.72	AVG
		5136.5	42.11	19.73	61.84	74	-12.16	PK
	@	5220	98.2	19.48	117.68	N/A	N/A	PK
	@	5220	91.1	19.48	110.58	N/A	N/A	AVG
Vertical		5006.3	42.82	19.12	61.94	74	-12.06	PK
		5073.85	30.75	19.57	50.32	54	-3.68	AVG
	@	5220	97.05	19.48	116.53	N/A	N/A	PK
	@	5220	89.97	19.48	109.45	N/A	N/A	AVG

TX, 802.11be(EHT20)RU26 (Ch 44)
Band Edge (Average), Horizontal

TX, 802.11be(EHT20)RU26 (Ch 44)
Band Edge (Average), Vertical

TX, 802.11be(EHT20)RU26 (Ch 44)
Band Edge (Peak), Horizontal

TX, 802.11be(EHT20)RU26 (Ch 44)
Band Edge (Peak), Vertical


Mode	802.11be(EHT20)RU26	Channel	48
------	---------------------	---------	----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5084.35	30.63	19.61	50.24	54	-3.76	AVG
		5145.95	42.1	19.75	61.85	74	-12.15	PK
	@	5240	98.3	19.35	117.65	N/A	N/A	PK
	@	5240	90.32	19.35	109.67	N/A	N/A	AVG
Vertical		5090.3	30.73	19.63	50.36	54	-3.64	AVG
		5093.45	42.01	19.64	61.65	74	-12.35	PK
	@	5240	97.89	19.35	117.24	N/A	N/A	PK
	@	5240	89.74	19.35	109.09	N/A	N/A	AVG

TX, 802.11be(EHT20)RU26 (Ch 48)
Band Edge (Average), Horizontal

TX, 802.11be(EHT20)RU26 (Ch 48)
Band Edge (Average), Vertical

TX, 802.11be(EHT20)RU26 (Ch 48)
Band Edge (Peak), Horizontal

TX, 802.11be(EHT20)RU26 (Ch 48)
Band Edge (Peak), Vertical



Mode	802.11be(EHT20)RU26	Channel	52
------	---------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	98.37	19.24	117.61	N/A	N/A	PK
	@	5260	91.83	19.24	111.07	N/A	N/A	AVG
		5396.7	40.07	19.61	59.68	74	-14.32	PK
		5455.2	28.22	19.92	48.14	54	-5.86	AVG
Vertical	@	5260	96.58	19.24	115.82	N/A	N/A	PK
	@	5260	89.65	19.24	108.89	N/A	N/A	AVG
		5429.7	39.61	19.79	59.4	74	-14.6	PK
		5456.7	28.25	19.93	48.18	54	-5.82	AVG


TX, 802.11be(EHT20)RU26 (Ch 52)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20)RU26 (Ch 52)
Band Edge (Average), Vertical



TX, 802.11be(EHT20)RU26 (Ch 52)
Band Edge (Peak), Horizontal



TX, 802.11be(EHT20)RU26 (Ch 52)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)RU26	Channel	60
------	---------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	100.55	19.08	119.63	N/A	N/A	PK
	@	5300	91.5	19.08	110.58	N/A	N/A	AVG
		5390.7	40.39	19.56	59.95	74	-14.05	PK
		5458.5	28.24	19.94	48.18	54	-5.82	AVG
Vertical	@	5300	97.24	19.08	116.32	N/A	N/A	PK
	@	5300	89.43	19.08	108.51	N/A	N/A	AVG
		5416.5	40.73	19.72	60.45	74	-13.55	PK
		5458.5	28.2	19.94	48.14	54	-5.86	AVG


TX, 802.11be(EHT20)RU26 (Ch 60)

Band Edge (Average), Horizontal




TX, 802.11be(EHT20)RU26 (Ch 60)

Band Edge (Average), Vertical




TX, 802.11be(EHT20)RU26 (Ch 60)

Band Edge (Peak), Horizontal



TX, 802.11be(EHT20)RU26 (Ch 60)

Band Edge (Peak), Vertical



Mode	802.11be(EHT20)RU26	Channel	64
------	---------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	97.72	19.17	116.89	N/A	N/A	PK
	@	5320	90.75	19.17	109.92	N/A	N/A	AVG
		5351.4	30.6	19.3	49.9	54	-4.1	AVG
		5358.9	47.38	19.35	66.73	74	-7.27	PK
Vertical	@	5320	95.69	19.17	114.86	N/A	N/A	PK
	@	5320	88.14	19.17	107.31	N/A	N/A	AVG
		5350.8	51.75	19.29	71.04	74	-2.96	PK
		5362.5	29.64	19.38	49.02	54	-4.98	AVG

