



Mode	802.11be(EHT20)RU26	Channel	100
------	---------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5455.65	40.73	19.93	60.66	74	-13.34	PK
		5457.05	30.39	19.93	50.32	54	-3.68	AVG
		5461.95	39.46	19.95	59.41	68.2	-8.79	PK
	@	5500	98.6	20.13	118.73	N/A	N/A	PK
	@	5500	90.66	20.13	110.79	N/A	N/A	AVG
Vertical		5457.05	29.7	19.93	49.63	54	-4.37	AVG
		5458.8	40.74	19.94	60.68	74	-13.32	PK
		5468.95	45.52	19.99	65.51	68.2	-2.69	PK
	@	5500	96.97	20.13	117.1	N/A	N/A	PK
	@	5500	89.43	20.13	109.56	N/A	N/A	AVG




Mode	802.11be(EHT20)RU26	Channel	116
------	---------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5417.85	40.29	19.72	60.01	74	-13.99	PK
		5451.8	28.46	19.91	48.37	54	-5.63	AVG
		5465.45	39.05	19.97	59.02	68.2	-9.18	PK
	@	5580	97.82	20.08	117.9	N/A	N/A	PK
	@	5580	89.28	20.08	109.36	N/A	N/A	AVG
		5750	40.54	20.43	60.97	68.2	-7.23	PK
Vertical		5413.3	39.76	19.69	59.45	74	-14.55	PK
		5457.05	28.26	19.93	48.19	54	-5.81	AVG
		5467.55	38.87	19.99	58.86	68.2	-9.34	PK
	@	5580	96.17	20.08	116.25	N/A	N/A	PK
	@	5580	88.6	20.08	108.68	N/A	N/A	AVG
		5733.55	39.95	20.28	60.23	68.2	-7.97	PK



Mode	802.11be(EHT20)RU26	Channel	140
------	---------------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5446.55	41.3	19.88	61.18	74	-12.82	PK
		5455.3	28.58	19.92	48.5	54	-5.5	AVG
		5465.8	38.97	19.97	58.94	68.2	-9.26	PK
	@	5700	99.29	19.96	119.25	N/A	N/A	PK
	@	5700	91.95	19.96	111.91	N/A	N/A	AVG
		5730.05	47.86	20.24	68.1	68.2	-0.1	PK
Vertical		5430.45	39.52	19.79	59.31	74	-14.69	PK
		5453.55	28.59	19.92	48.51	54	-5.49	AVG
		5460.2	38.84	19.95	58.79	68.2	-9.41	PK
	@	5700	95.61	19.96	115.57	N/A	N/A	PK
	@	5700	88.66	19.96	108.62	N/A	N/A	AVG
		5746.85	40.41	20.4	60.81	68.2	-7.39	PK




Mode	802.11be(EHT20)RU26	Channel	149
------	---------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5614	40.3	20.09	60.39	68.2	-7.81	PK
		5700	41.01	19.96	60.97	105.2	-44.23	PK
	@	5745	100.37	20.39	120.76	N/A	N/A	PK
Vertical		5563.5	40.55	20.06	60.61	68.2	-7.59	PK
		5652.5	39.99	20.04	60.03	70.06	-10.03	PK
	@	5745	94.59	20.39	114.98	N/A	N/A	PK

TX, 802.11be(EHT20)RU26 (Ch 149)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20)RU26 (Ch 149)
Band Edge (Peak), Vertical



Mode	802.11be(EHT20)RU26	Channel	157
------	---------------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5624.5	40.22	20.08	60.3	68.2	-7.9	PK
		5664.5	40.26	20.01	60.27	78.96	-18.69	PK
		5785	96.33	20.83	117.16	N/A	N/A	PK
		5916.5	40.61	21.25	61.86	74.47	-12.61	PK
		5940.5	40.48	21.22	61.7	68.2	-6.5	PK
Vertical	@	5623	40.7	20.08	60.78	68.2	-7.42	PK
		5698.5	40.16	19.96	60.12	104.09	-43.97	PK
		5785	94.8	20.83	115.63	N/A	N/A	PK
		5910	41.45	21.26	62.71	79.27	-16.56	PK
		5981.5	39.96	21.31	61.27	68.2	-6.93	PK




Mode	802.11be(EHT20)RU26	Channel	165
------	---------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	96.82	21.12	117.94	N/A	N/A	PK
		5915	40.29	21.26	61.55	75.57	-14.02	PK
		6023	40.57	21.41	61.98	68.2	-6.22	PK
Vertical	@	5825	96.59	21.12	117.71	N/A	N/A	PK
		5898	39.73	21.27	61	88.14	-27.14	PK
		5947	40.84	21.21	62.05	68.2	-6.15	PK

TX, 802.11be(EHT20)RU26 (Ch 165)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20)RU26 (Ch 165)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)RU26 - Emission	Channel	36
------	--------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10360	33.11	17.77	50.88	68.2	-17.32	PK
		14485	28.87	26.08	54.95	74	-19.05	PK
		14485	20.6	26.08	46.68	54	-7.32	AVG
		15325	28.85	24.7	53.55	68.2	-14.65	PK
		15325	20.02	24.7	44.72	54	-9.28	AVG
	*	20720	33.32	3.98	37.3	74	-36.7	PK
	*	25900	33.28	9.47	42.75	68.2	-25.45	PK
	*	31080	32.33	11.68	44.01	68.2	-24.19	PK
	*	36260	36.49	11.19	47.68	68.2	-20.52	PK
		39760	37.42	17.08	54.5	74	-19.5	PK
Vertical		39760	27.58	17.08	44.66	54	-9.34	AVG
	*	10360	34.67	17.77	52.44	68.2	-15.76	PK
		14470	28.83	26.07	54.9	68.2	-13.3	PK
		14470	20.56	26.07	46.63	54	-7.37	AVG
		15580	29.79	23.74	53.53	74	-20.47	PK
		15580	20.96	23.74	44.7	54	-9.3	AVG
	*	20720	32.53	3.98	36.51	74	-37.49	PK
	*	25900	34.37	9.47	43.84	68.2	-24.36	PK
	*	31080	33.28	11.68	44.96	68.2	-23.24	PK
	*	36260	37.27	11.19	48.46	68.2	-19.74	PK
		39664	38.5	17.09	55.59	74	-18.41	PK
		39664	28.66	17.09	45.75	54	-8.25	AVG


TX, 802.11be(EHT20)RU26 - Emission (Ch 36)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 36)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)RU26 - Emission (Ch 36)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 36)
Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)RU26 - Emission	Channel	44
------	--------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10440	34.05	18.13	52.18	68.2	-16.02	PK
		14470	28.53	26.07	54.6	68.2	-13.6	PK
		14470	20.26	26.07	46.33	54	-7.67	AVG
		15505	29.37	24.07	53.44	74	-20.56	PK
		15505	20.54	24.07	44.61	54	-9.39	AVG
	*	20880	33.03	4.06	37.09	74	-36.91	PK
	*	26100	33.04	9.58	42.62	68.2	-25.58	PK
	*	31320	32.54	11.96	44.5	74	-29.5	PK
	*	36540	36.3	10.51	46.81	68.2	-21.39	PK
		39376	38.01	16.89	54.9	74	-19.1	PK
Vertical		39376	28.17	16.89	45.06	54	-8.94	AVG
	*	10440	33.1	18.13	51.23	68.2	-16.97	PK
		14485	27.86	26.08	53.94	74	-20.06	PK
		14485	19.59	26.08	45.67	54	-8.33	AVG
		15460	29.75	24.15	53.9	74	-20.1	PK
		15460	20.92	24.15	45.07	54	-8.93	AVG
	*	20880	33	4.06	37.06	74	-36.94	PK
	*	26100	33.83	9.58	43.41	68.2	-24.79	PK
	*	31320	32.83	11.96	44.79	74	-29.21	PK
	*	36540	38.11	10.51	48.62	68.2	-19.58	PK
		39808	38.37	17.11	55.48	74	-18.52	PK
		39808	28.53	17.11	45.64	54	-8.36	AVG


TX, 802.11be(EHT20)RU26 - Emission (Ch 44)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 44)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)RU26 - Emission (Ch 44)
Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)RU26 - Emission (Ch 44)
Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)RU26 - Emission	Channel	48
------	--------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10480	38.68	18.26	56.94	68.2	-11.26	PK
		14500	29.09	26.09	55.18	68.2	-13.02	PK
		14500	20.82	26.09	46.91	54	-7.09	AVG
		15310	28.67	24.8	53.47	68.2	-14.73	PK
		15310	19.84	24.8	44.64	54	-9.36	AVG
	*	20960	33.26	4.08	37.34	74	-36.66	PK
	*	26200	35.04	9.71	44.75	68.2	-23.45	PK
	*	31440	33.8	11.41	45.21	74	-28.79	PK
	*	36680	37.32	10.96	48.28	68.2	-19.92	PK
		39688	39.19	17.09	56.28	74	-17.72	PK
Vertical		39688	29.35	17.09	46.44	54	-7.56	AVG
	*	10480	34.73	18.26	52.99	68.2	-15.21	PK
		14485	27.89	26.08	53.97	74	-20.03	PK
		14485	19.62	26.08	45.7	54	-8.3	AVG
		15445	28.94	24.16	53.1	74	-20.9	PK
		15445	20.11	24.16	44.27	54	-9.73	AVG
	*	20960	33.16	4.08	37.24	74	-36.76	PK
	*	26200	33.04	9.71	42.75	68.2	-25.45	PK
	*	31440	33.56	11.41	44.97	74	-29.03	PK
	*	36680	36.28	10.96	47.24	68.2	-20.96	PK
		39472	38.32	17.07	55.39	74	-18.61	PK
		39472	28.48	17.07	45.55	54	-8.45	AVG


TX, 802.11be(EHT20)RU26 - Emission (Ch 48)

Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 48)

Radiated Spurious Emission, Vertical




TX, 802.11be(EHT20)RU26 - Emission (Ch 48)

Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)RU26 - Emission (Ch 48)

Radiated Spurious Emission, Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


Mode	802.11be(EHT20)RU26 - Emission	Channel	52
------	--------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10520	31.69	18.3	49.99	68.2	-18.21	PK
		14470	28.66	26.07	54.73	68.2	-13.47	PK
		14470	20.39	26.07	46.46	54	-7.54	AVG
		15355	28.33	24.5	52.83	74	-21.17	PK
		15355	19.5	24.5	44	54	-10	AVG
	*	21040	32.84	4.17	37.01	74	-36.99	PK
	*	26300	34	9.87	43.87	68.2	-24.33	PK
	*	31560	32.3	11.17	43.47	74	-30.53	PK
	*	36820	36.25	11.45	47.7	68.2	-20.5	PK
		39616	37.34	17.11	54.45	74	-19.55	PK
Vertical		39616	27.5	17.11	44.61	54	-9.39	AVG
	*	10520	32.82	18.3	51.12	68.2	-17.08	PK
		14470	27.8	26.07	53.87	68.2	-14.33	PK
		14470	19.53	26.07	45.6	54	-8.4	AVG
		15820	28.84	23.9	52.74	74	-21.26	PK
		15820	20.01	23.9	43.91	54	-10.09	AVG
	*	21040	33.22	4.17	37.39	74	-36.61	PK
	*	26300	34.66	9.87	44.53	68.2	-23.67	PK
	*	31560	34.53	11.17	45.7	74	-28.3	PK
	*	36820	36.95	11.45	48.4	68.2	-19.8	PK
		39208	38.62	16.34	54.96	74	-19.04	PK
		39208	28.78	16.34	45.12	54	-8.88	AVG


TX, 802.11be(EHT20)RU26 - Emission (Ch 52)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 52)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)RU26 - Emission (Ch 52)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 52)
Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)RU26 - Emission	Channel	60
------	--------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10600	31.62	18.22	49.84	74	-24.16	PK
		14500	27.89	26.09	53.98	68.2	-14.22	PK
		14500	19.62	26.09	45.71	54	-8.29	AVG
		15895	29.5	23.74	53.24	74	-20.76	PK
		15895	20.67	23.74	44.41	54	-9.59	AVG
	*	21200	32.97	4.44	37.41	74	-36.59	PK
	*	26500	33.72	10.22	43.94	68.2	-24.26	PK
	*	31800	33.21	11.33	44.54	68.2	-23.66	PK
	*	37100	38.07	12.09	50.16	68.2	-18.04	PK
		39856	38.02	17.14	55.16	74	-18.84	PK
Vertical		39856	28.18	17.14	45.32	54	-8.68	AVG
	*	10600	34.25	18.22	52.47	74	-21.53	PK
		14485	29.03	26.08	55.11	74	-18.89	PK
		14485	20.76	26.08	46.84	54	-7.16	AVG
		15535	28.87	23.94	52.81	74	-21.19	PK
		15535	20.04	23.94	43.98	54	-10.02	AVG
	*	21200	32.64	4.44	37.08	74	-36.92	PK
	*	26500	33.4	10.22	43.62	68.2	-24.58	PK
	*	31800	32.28	11.33	43.61	68.2	-24.59	PK
	*	37100	36.44	12.09	48.53	68.2	-19.67	PK
		39784	38.75	17.1	55.85	74	-18.15	PK
		39784	28.91	17.1	46.01	54	-7.99	AVG


TX, 802.11be(EHT20)RU26 - Emission (Ch 60)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 60)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)RU26 - Emission (Ch 60)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 60)
Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)RU26 - Emission	Channel	64
------	--------------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		10640	36.46	18.35	54.81	74	-19.19	PK
		10640	26.72	18.35	45.07	54	-8.93	AVG
		14485	28.38	26.08	54.46	74	-19.54	PK
		14485	20.11	26.08	46.19	54	-7.81	AVG
		15475	29.26	24.13	53.39	74	-20.61	PK
		15475	20.43	24.13	44.56	54	-9.44	AVG
	*	21280	32.87	4.57	37.44	74	-36.56	PK
	*	26600	32.33	10.1	42.43	68.2	-25.77	PK
	*	31920	33.71	11.46	45.17	68.2	-23.03	PK
	*	37240	37.27	12.01	49.28	68.2	-18.92	PK
Vertical		39496	37.81	17.12	54.93	74	-19.07	PK
		39496	27.97	17.12	45.09	54	-8.91	AVG
		10640	35.93	18.35	54.28	74	-19.72	PK
		10640	27.04	18.35	45.39	54	-8.61	AVG
		14500	28.8	26.09	54.89	68.2	-13.31	PK
		14500	20.53	26.09	46.62	54	-7.38	AVG
		15775	28.93	23.95	52.88	74	-21.12	PK
		15775	20.1	23.95	44.05	54	-9.95	AVG
	*	21280	32.74	4.57	37.31	74	-36.69	PK
	*	26600	32.96	10.1	43.06	68.2	-25.14	PK
	*	31920	34.57	11.46	46.03	68.2	-22.17	PK
	*	37240	37.54	12.01	49.55	68.2	-18.65	PK
		39640	38.31	17.09	55.4	74	-18.6	PK
		39640	28.47	17.09	45.56	54	-8.44	AVG


TX, 802.11be(EHT20)RU26 - Emission (Ch 64)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 64)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)RU26 - Emission (Ch 64)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 64)
Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)RU26 - Emission	Channel	100
------	--------------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11000	34.42	18.57	52.99	74	-21.01	PK
		14500	29.19	26.09	55.28	68.2	-12.92	PK
		14500	20.92	26.09	47.01	54	-6.99	AVG
		15340	28.53	24.6	53.13	68.2	-15.07	PK
		15340	19.7	24.6	44.3	54	-9.7	AVG
	*	16500	34.08	4.02	38.1	68.2	-30.1	PK
	*	22000	32.7	5.31	38.01	68.2	-30.19	PK
	*	27500	32.81	9.1	41.91	68.2	-26.29	PK
	*	33000	34.41	11.46	45.87	68.2	-22.33	PK
		39400	37.68	16.93	54.61	74	-19.39	PK
Vertical		39400	27.84	16.93	44.77	54	-9.23	AVG
	*	11000	31.12	18.57	49.69	74	-24.31	PK
		14500	28.39	26.09	54.48	68.2	-13.72	PK
		14500	20.12	26.09	46.21	54	-7.79	AVG
		15340	28.97	24.6	53.57	68.2	-14.63	PK
		15340	20.14	24.6	44.74	54	-9.26	AVG
	*	16500	33.88	4.02	37.9	68.2	-30.3	PK
	*	22000	32.91	5.31	38.22	68.2	-29.98	PK
	*	27500	32.29	9.1	41.39	68.2	-26.81	PK
	*	33000	35.16	11.46	46.62	68.2	-21.58	PK
		39472	37.99	17.07	55.06	74	-18.94	PK
		39472	28.15	17.07	45.22	54	-8.78	AVG


TX, 802.11be(EHT20)RU26 - Emission (Ch 100)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 100)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)RU26 - Emission (Ch 100)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 100)
Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)RU26 - Emission	Channel	116
------	--------------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11160	30.85	18.93	49.78	74	-24.22	PK
		14485	28.2	26.08	54.28	74	-19.72	PK
		14485	19.93	26.08	46.01	54	-7.99	AVG
		15670	29.37	23.86	53.23	74	-20.77	PK
		15670	20.54	23.86	44.4	54	-9.6	AVG
	*	16740	33.98	3.86	37.84	68.2	-30.36	PK
	*	22320	33.02	5.86	38.88	74	-35.12	PK
	*	27900	31.34	9.23	40.57	68.2	-27.63	PK
	*	33480	34.02	11.13	45.15	68.2	-23.05	PK
		39712	38.56	17.09	55.65	74	-18.35	PK
Vertical		39712	28.72	17.09	45.81	54	-8.19	AVG
	*	11160	34.15	18.93	53.08	74	-20.92	PK
		14500	28.41	26.09	54.5	68.2	-13.7	PK
		14500	20.14	26.09	46.23	54	-7.77	AVG
		15640	29.01	23.78	52.79	74	-21.21	PK
		15640	20.18	23.78	43.96	54	-10.04	AVG
	*	16740	33.23	3.86	37.09	68.2	-31.11	PK
	*	22320	32.95	5.86	38.81	74	-35.19	PK
	*	27900	32.92	9.23	42.15	68.2	-26.05	PK
	*	33480	35.64	11.13	46.77	68.2	-21.43	PK
		39640	38.08	17.09	55.17	74	-18.83	PK
		39640	28.24	17.09	45.33	54	-8.67	AVG


TX, 802.11be(EHT20)RU26 - Emission (Ch 116)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 116)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)RU26 - Emission (Ch 116)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 116)
Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)RU26 - Emission	Channel	140
------	--------------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11400	28.72	19.28	48	74	-26	PK
		14500	27.54	26.09	53.63	68.2	-14.57	PK
		14500	19.27	26.09	45.36	54	-8.64	AVG
		15325	28.1	24.7	52.8	68.2	-15.4	PK
		15325	19.27	24.7	43.97	54	-10.03	AVG
	*	17100	34.19	3.8	37.99	68.2	-30.21	PK
	*	22800	32.54	7.08	39.62	74	-34.38	PK
	*	28500	32.63	10.28	42.91	68.2	-25.29	PK
	*	34200	34.74	10.53	45.27	68.2	-22.93	PK
		39496	37.66	17.12	54.78	74	-19.22	PK
Vertical		39496	27.82	17.12	44.94	54	-9.06	AVG
	*	11400	30.01	19.28	49.29	74	-24.71	PK
		14485	29.41	26.08	55.49	74	-18.51	PK
		14485	21.14	26.08	47.22	54	-6.78	AVG
		15625	29.31	23.73	53.04	74	-20.96	PK
		15625	20.48	23.73	44.21	54	-9.79	AVG
	*	17100	33.3	3.8	37.1	68.2	-31.1	PK
	*	22800	33.96	7.08	41.04	74	-32.96	PK
	*	28500	32.84	10.28	43.12	68.2	-25.08	PK
	*	34200	34.59	10.53	45.12	68.2	-23.08	PK
		39304	38.32	16.75	55.07	74	-18.93	PK
		39304	28.48	16.75	45.23	54	-8.77	AVG


TX, 802.11be(EHT20)RU26 - Emission (Ch 140)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 140)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)RU26 - Emission (Ch 140)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 140)
Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)RU26 - Emission	Channel	144
------	--------------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11440	31.02	19.39	50.41	74	-23.59	PK
		14485	27.95	26.08	54.03	74	-19.97	PK
		14485	19.68	26.08	45.76	54	-8.24	AVG
		15400	28.81	24.21	53.02	74	-20.98	PK
		15400	19.98	24.21	44.19	54	-9.81	AVG
	*	17160	34.69	3.74	38.43	68.2	-29.77	PK
		22880	32.96	7.36	40.32	74	-33.68	PK
		28600	32.78	10.23	43.01	68.2	-25.19	PK
		34320	33.41	10.3	43.71	68.2	-24.49	PK
		39664	37.44	17.09	54.53	74	-19.47	PK
Vertical	*	39664	27.6	17.09	44.69	54	-9.31	AVG
		11440	30.29	19.39	49.68	74	-24.32	PK
		14500	28.69	26.09	54.78	68.2	-13.42	PK
		14500	20.42	26.09	46.51	54	-7.49	AVG
		15415	28.63	24.19	52.82	74	-21.18	PK
	*	15415	19.8	24.19	43.99	54	-10.01	AVG
		17160	32.85	3.74	36.59	68.2	-31.61	PK
		22880	32.65	7.36	40.01	74	-33.99	PK
		28600	32.36	10.23	42.59	68.2	-25.61	PK
		34320	35.01	10.3	45.31	68.2	-22.89	PK
		39424	38.53	16.98	55.51	74	-18.49	PK
		39424	28.69	16.98	45.67	54	-8.33	AVG


TX, 802.11be(EHT20)RU26 - Emission (Ch 144)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 144)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)RU26 - Emission (Ch 144)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 144)
Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)RU26 - Emission	Channel	149
------	--------------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11490	29.74	19.52	49.26	74	-24.74	PK
		14470	27.66	26.07	53.73	68.2	-14.47	PK
		14470	19.39	26.07	45.46	54	-8.54	AVG
		15505	28.73	24.07	52.8	74	-21.2	PK
		15505	19.9	24.07	43.97	54	-10.03	AVG
	*	17235	34.32	3.61	37.93	68.2	-30.27	PK
	*	22980	32.61	7.7	40.31	74	-33.69	PK
	*	28725	33.13	10.18	43.31	68.2	-24.89	PK
	*	34470	34.95	10.03	44.98	68.2	-23.22	PK
		39520	37.42	17.13	54.55	74	-19.45	PK
Vertical		39520	27.58	17.13	44.71	54	-9.29	AVG
	*	11490	30.61	19.52	50.13	74	-23.87	PK
		14485	28.3	26.08	54.38	74	-19.62	PK
		14485	20.03	26.08	46.11	54	-7.89	AVG
		15325	28.65	24.7	53.35	68.2	-14.85	PK
		15325	19.82	24.7	44.52	54	-9.48	AVG
	*	17235	33.07	3.61	36.68	68.2	-31.52	PK
	*	22980	32.47	7.7	40.17	74	-33.83	PK
	*	28725	33.3	10.18	43.48	68.2	-24.72	PK
	*	34470	33.26	10.03	43.29	68.2	-24.91	PK
		39688	38.31	17.09	55.4	74	-18.6	PK
		39688	28.47	17.09	45.56	54	-8.44	AVG


TX, 802.11be(EHT20)RU26 - Emission (Ch 149)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 149)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)RU26 - Emission (Ch 149)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 149)
Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)RU26 - Emission	Channel	157
------	--------------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11570	30.27	19.03	49.3	74	-24.7	PK
		14500	29.43	26.09	55.52	68.2	-12.68	PK
		14500	21.16	26.09	47.25	54	-6.75	AVG
		15700	29.71	23.95	53.66	74	-20.34	PK
		15700	20.88	23.95	44.83	54	-9.17	AVG
	*	17355	34.3	3.3	37.6	68.2	-30.6	PK
	*	23140	34.01	8.06	42.07	68.2	-26.13	PK
	*	28925	33.05	10.16	43.21	68.2	-24.99	PK
	*	34710	33.58	10.4	43.98	68.2	-24.22	PK
		39472	37.49	17.07	54.56	74	-19.44	PK
Vertical		39472	27.65	17.07	44.72	54	-9.28	AVG
	*	11570	29.24	19.03	48.27	74	-25.73	PK
		14470	28.23	26.07	54.3	68.2	-13.9	PK
		14470	19.96	26.07	46.03	54	-7.97	AVG
		15370	29.17	24.41	53.58	74	-20.42	PK
		15370	20.34	24.41	44.75	54	-9.25	AVG
	*	17355	33.23	3.3	36.53	68.2	-31.67	PK
	*	23140	32.41	8.06	40.47	68.2	-27.73	PK
	*	28925	33.09	10.16	43.25	68.2	-24.95	PK
	*	34710	36.09	10.4	46.49	68.2	-21.71	PK
		39688	38.35	17.09	55.44	74	-18.56	PK
		39688	28.51	17.09	45.6	54	-8.4	AVG


TX, 802.11be(EHT20)RU26 - Emission (Ch 157)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 157)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)RU26 - Emission (Ch 157)
Radiated Spurious Emission, Horizontal




TX, 802.11be(EHT20)RU26 - Emission (Ch 157)
Radiated Spurious Emission, Vertical




Mode	802.11be(EHT20)RU26 - Emission	Channel	165
------	--------------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11650	29.03	18.75	47.78	74	-26.22	PK
		14500	28.41	26.09	54.5	68.2	-13.7	PK
		14500	20.14	26.09	46.23	54	-7.77	AVG
		15400	28.64	24.21	52.85	74	-21.15	PK
		15400	19.81	24.21	44.02	54	-9.98	AVG
	*	17475	35.48	3	38.48	68.2	-29.72	PK
	*	23300	32.53	8.39	40.92	68.2	-27.28	PK
	*	29125	34.28	10.48	44.76	68.2	-23.44	PK
	*	34950	35.66	10.72	46.38	68.2	-21.82	PK
		39616	38.93	17.11	56.04	74	-17.96	PK
Vertical		39616	29.09	17.11	46.2	54	-7.8	AVG
	*	11650	28.99	18.75	47.74	74	-26.26	PK
		14485	27.84	26.08	53.92	74	-20.08	PK
		14485	19.57	26.08	45.65	54	-8.35	AVG
		15310	28.44	24.8	53.24	68.2	-14.96	PK
		15310	19.61	24.8	44.41	54	-9.59	AVG
	*	17475	32.58	3	35.58	68.2	-32.62	PK
	*	23300	32.41	8.39	40.8	68.2	-27.4	PK
	*	29125	33.64	10.48	44.12	68.2	-24.08	PK
	*	34950	36.16	10.72	46.88	68.2	-21.32	PK
		39496	37.41	17.12	54.53	74	-19.47	PK
		39496	27.57	17.12	44.69	54	-9.31	AVG


TX, 802.11be(EHT20)RU26 - Emission (Ch 165)
Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)RU26 - Emission (Ch 165)
Radiated Spurious Emission, Vertical



TX, 802.11be(EHT20)RU26 - Emission (Ch 165)
Radiated Spurious Emission, Horizontal



TX, 802.11be(EHT20)RU26 - Emission (Ch 165)
Radiated Spurious Emission, Vertical

