









|      |                     |         |    |
|------|---------------------|---------|----|
| Mode | 802.11be(EHT20)RU52 | Channel | 36 |
|------|---------------------|---------|----|

| Polarization | Notation | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|--------------|----------|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| Horizontal   |          | 5142.8             | 50.46             | 19.74             | 70.2               | 74                | -3.8           | PK     |
|              |          | 5143.5             | 32.12             | 19.74             | 51.86              | 54                | -2.14          | AVG    |
|              | @        | 5180               | 94.95             | 19.67             | 114.62             | N/A               | N/A            | PK     |
|              | @        | 5180               | 89.31             | 19.67             | 108.98             | N/A               | N/A            | AVG    |
| Vertical     |          | 5137.2             | 47.9              | 19.73             | 67.63              | 74                | -6.37          | PK     |
|              |          | 5143.85            | 31.55             | 19.75             | 51.3               | 54                | -2.7           | AVG    |
|              | @        | 5180               | 95.17             | 19.67             | 114.84             | N/A               | N/A            | PK     |
|              | @        | 5180               | 86.72             | 19.67             | 106.39             | N/A               | N/A            | AVG    |

**TX, 802.11be(EHT20)RU52 (Ch 36)**
**Band Edge (Average), Horizontal**

**TX, 802.11be(EHT20)RU52 (Ch 36)**
**Band Edge (Average), Vertical**

**TX, 802.11be(EHT20)RU52 (Ch 36)**
**Band Edge (Peak), Horizontal**

**TX, 802.11be(EHT20)RU52 (Ch 36)**
**Band Edge (Peak), Vertical**






|      |                     |         |    |
|------|---------------------|---------|----|
| Mode | 802.11be(EHT20)RU52 | Channel | 44 |
|------|---------------------|---------|----|

| Polarization | Notation | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|--------------|----------|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| Horizontal   |          | 5054.25            | 30.83             | 19.52             | 50.35              | 54                | -3.65          | AVG    |
|              |          | 5130.55            | 41.6              | 19.72             | 61.32              | 74                | -12.68         | PK     |
|              | @        | 5220               | 96.13             | 19.48             | 115.61             | N/A               | N/A            | PK     |
|              | @        | 5220               | 88.83             | 19.48             | 108.31             | N/A               | N/A            | AVG    |
| Vertical     |          | 5086.45            | 30.73             | 19.61             | 50.34              | 54                | -3.66          | AVG    |
|              |          | 5092.75            | 41.62             | 19.64             | 61.26              | 74                | -12.74         | PK     |
|              | @        | 5220               | 94.86             | 19.48             | 114.34             | N/A               | N/A            | PK     |
|              | @        | 5220               | 87.77             | 19.48             | 107.25             | N/A               | N/A            | AVG    |

**TX, 802.11be(EHT20)RU52 (Ch 44)**
**Band Edge (Average), Horizontal**

**TX, 802.11be(EHT20)RU52 (Ch 44)**
**Band Edge (Average), Vertical**

**TX, 802.11be(EHT20)RU52 (Ch 44)**
**Band Edge (Peak), Horizontal**

**TX, 802.11be(EHT20)RU52 (Ch 44)**
**Band Edge (Peak), Vertical**






|      |                     |         |    |
|------|---------------------|---------|----|
| Mode | 802.11be(EHT20)RU52 | Channel | 48 |
|------|---------------------|---------|----|

| Polarization | Notation | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|--------------|----------|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| Horizontal   |          | 5071.05            | 42.63             | 19.56             | 62.19              | 74                | -11.81         | PK     |
|              |          | 5093.8             | 30.67             | 19.64             | 50.31              | 54                | -3.69          | AVG    |
|              | @        | 5240               | 96.47             | 19.35             | 115.82             | N/A               | N/A            | PK     |
|              | @        | 5240               | 87.99             | 19.35             | 107.34             | N/A               | N/A            | AVG    |
| Vertical     |          | 5084.35            | 30.72             | 19.61             | 50.33              | 54                | -3.67          | AVG    |
|              |          | 5094.5             | 42.76             | 19.64             | 62.4               | 74                | -11.6          | PK     |
|              | @        | 5240               | 94.53             | 19.35             | 113.88             | N/A               | N/A            | PK     |
|              | @        | 5240               | 86.5              | 19.35             | 105.85             | N/A               | N/A            | AVG    |

**TX, 802.11be(EHT20)RU52 (Ch 48)**
**Band Edge (Average), Horizontal**

**TX, 802.11be(EHT20)RU52 (Ch 48)**
**Band Edge (Average), Vertical**

**TX, 802.11be(EHT20)RU52 (Ch 48)**
**Band Edge (Peak), Horizontal**

**TX, 802.11be(EHT20)RU52 (Ch 48)**
**Band Edge (Peak), Vertical**


|      |                     |         |    |
|------|---------------------|---------|----|
| Mode | 802.11be(EHT20)RU52 | Channel | 52 |
|------|---------------------|---------|----|

| Polarization | Notation | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|--------------|----------|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| Horizontal   | @        | 5260               | 96.31             | 19.24             | 115.55             | N/A               | N/A            | PK     |
|              | @        | 5260               | 88.67             | 19.24             | 107.91             | N/A               | N/A            | AVG    |
|              |          | 5445.9             | 41.03             | 19.87             | 60.9               | 74                | -13.1          | PK     |
|              |          | 5457.3             | 28.29             | 19.93             | 48.22              | 54                | -5.78          | AVG    |
| Vertical     | @        | 5260               | 96.09             | 19.24             | 115.33             | N/A               | N/A            | PK     |
|              | @        | 5260               | 86.11             | 19.24             | 105.35             | N/A               | N/A            | AVG    |
|              |          | 5391.9             | 40.73             | 19.57             | 60.3               | 74                | -13.7          | PK     |
|              |          | 5458.2             | 28.22             | 19.94             | 48.16              | 54                | -5.84          | AVG    |


**TX, 802.11be(EHT20)RU52 (Ch 52)**
**Band Edge (Average), Horizontal**

**TX, 802.11be(EHT20)RU52 (Ch 52)**
**Band Edge (Average), Vertical**

**TX, 802.11be(EHT20)RU52 (Ch 52)**
**Band Edge (Peak), Horizontal**

**TX, 802.11be(EHT20)RU52 (Ch 52)**
**Band Edge (Peak), Vertical**


|      |                     |         |    |
|------|---------------------|---------|----|
| Mode | 802.11be(EHT20)RU52 | Channel | 60 |
|------|---------------------|---------|----|

| Polarization | Notation | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|--------------|----------|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| Horizontal   | @        | 5300               | 97.12             | 19.08             | 116.2              | N/A               | N/A            | PK     |
|              | @        | 5300               | 88.75             | 19.08             | 107.83             | N/A               | N/A            | AVG    |
|              |          | 5380.2             | 40.41             | 19.49             | 59.9               | 74                | -14.1          | PK     |
|              |          | 5460               | 28.24             | 19.95             | 48.19              | 54                | -5.81          | AVG    |
| Vertical     | @        | 5300               | 94.54             | 19.08             | 113.62             | N/A               | N/A            | PK     |
|              | @        | 5300               | 85.72             | 19.08             | 104.8              | N/A               | N/A            | AVG    |
|              |          | 5398.5             | 40.28             | 19.62             | 59.9               | 74                | -14.1          | PK     |
|              |          | 5458.8             | 28.27             | 19.94             | 48.21              | 54                | -5.79          | AVG    |


### TX, 802.11be(EHT20)RU52 (Ch 60)

#### Band Edge (Average), Horizontal




### TX, 802.11be(EHT20)RU52 (Ch 60)

#### Band Edge (Average), Vertical




### TX, 802.11be(EHT20)RU52 (Ch 60)

#### Band Edge (Peak), Horizontal







### TX, 802.11be(EHT20)RU52 (Ch 60)

#### Band Edge (Peak), Vertical




|      |                     |         |    |
|------|---------------------|---------|----|
| Mode | 802.11be(EHT20)RU52 | Channel | 64 |
|------|---------------------|---------|----|

| Polarization | Notation | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|--------------|----------|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| Horizontal   | @        | 5320               | 96.99             | 19.17             | 116.16             | N/A               | N/A            | PK     |
|              | @        | 5320               | 88.02             | 19.17             | 107.19             | N/A               | N/A            | AVG    |
|              |          | 5350.5             | 29.94             | 19.29             | 49.23              | 54                | -4.77          | AVG    |
|              |          | 5355.9             | 47.55             | 19.34             | 66.89              | 74                | -7.11          | PK     |
| Vertical     | @        | 5320               | 95.34             | 19.17             | 114.51             | N/A               | N/A            | PK     |
|              | @        | 5320               | 85.76             | 19.17             | 104.93             | N/A               | N/A            | AVG    |
|              |          | 5356.8             | 29.21             | 19.34             | 48.55              | 54                | -5.45          | AVG    |
|              |          | 5358.9             | 43.52             | 19.35             | 62.87              | 74                | -11.13         | PK     |

**TX, 802.11be(EHT20)RU52 (Ch 64)**
**Band Edge (Average), Horizontal**

**TX, 802.11be(EHT20)RU52 (Ch 64)**
**Band Edge (Average), Vertical**

**TX, 802.11be(EHT20)RU52 (Ch 64)**
**Band Edge (Peak), Horizontal**

**TX, 802.11be(EHT20)RU52 (Ch 64)**
**Band Edge (Peak), Vertical**



|      |                     |         |     |
|------|---------------------|---------|-----|
| Mode | 802.11be(EHT20)RU52 | Channel | 100 |
|------|---------------------|---------|-----|

| Polarization | Notation | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|--------------|----------|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| Horizontal   |          | 5407.7             | 40.11             | 19.66             | 59.77              | 74                | -14.23         | PK     |
|              |          | 5459.5             | 28.91             | 19.95             | 48.86              | 54                | -5.14          | AVG    |
|              |          | 5468.25            | 40.47             | 19.99             | 60.46              | 68.2              | -7.74          | PK     |
|              | @        | 5500               | 96.74             | 20.13             | 116.87             | N/A               | N/A            | PK     |
|              | @        | 5500               | 87.79             | 20.13             | 107.92             | N/A               | N/A            | AVG    |
| Vertical     |          | 5446.2             | 39.6              | 19.87             | 59.47              | 74                | -14.53         | PK     |
|              |          | 5456.35            | 28.53             | 19.93             | 48.46              | 54                | -5.54          | AVG    |
|              |          | 5466.15            | 40.01             | 19.98             | 59.99              | 68.2              | -8.21          | PK     |
|              | @        | 5500               | 95.03             | 20.13             | 115.16             | N/A               | N/A            | PK     |
|              | @        | 5500               | 86.18             | 20.13             | 106.31             | N/A               | N/A            | AVG    |




|      |                     |         |     |
|------|---------------------|---------|-----|
| Mode | 802.11be(EHT20)RU52 | Channel | 116 |
|------|---------------------|---------|-----|

| Polarization | Notation | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|--------------|----------|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| Horizontal   |          | 5439.9             | 28.35             | 19.85             | 48.2               | 54                | -5.8           | AVG    |
|              |          | 5449               | 39.66             | 19.9              | 59.56              | 74                | -14.44         | PK     |
|              |          | 5460.9             | 39.11             | 19.95             | 59.06              | 68.2              | -9.14          | PK     |
|              | @        | 5580               | 95.38             | 20.08             | 115.46             | N/A               | N/A            | PK     |
|              | @        | 5580               | 86.87             | 20.08             | 106.95             | N/A               | N/A            | AVG    |
|              |          | 5738.1             | 40.19             | 20.32             | 60.51              | 68.2              | -7.69          | PK     |
| Vertical     |          | 5456.35            | 28.24             | 19.93             | 48.17              | 54                | -5.83          | AVG    |
|              |          | 5459.85            | 39.27             | 19.95             | 59.22              | 74                | -14.78         | PK     |
|              |          | 5468.95            | 38.68             | 19.99             | 58.67              | 68.2              | -9.53          | PK     |
|              | @        | 5580               | 95.33             | 20.08             | 115.41             | N/A               | N/A            | PK     |
|              | @        | 5580               | 86.12             | 20.08             | 106.2              | N/A               | N/A            | AVG    |
|              |          | 5739.5             | 40.59             | 20.34             | 60.93              | 68.2              | -7.27          | PK     |



|      |                     |         |     |
|------|---------------------|---------|-----|
| Mode | 802.11be(EHT20)RU52 | Channel | 140 |
|------|---------------------|---------|-----|


| Polarization | Notation | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|--------------|----------|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| Horizontal   |          | 5440.6             | 39.67             | 19.85             | 59.52              | 74                | -14.48         | PK     |
|              |          | 5459.15            | 28.64             | 19.95             | 48.59              | 54                | -5.41          | AVG    |
|              |          | 5468.6             | 38.85             | 19.99             | 58.84              | 68.2              | -9.36          | PK     |
|              | @        | 5700               | 95.82             | 19.96             | 115.78             | N/A               | N/A            | PK     |
|              | @        | 5700               | 89.39             | 19.96             | 109.35             | N/A               | N/A            | AVG    |
|              |          | 5730.75            | 45.03             | 20.26             | 65.29              | 68.2              | -2.91          | PK     |
| Vertical     |          | 5451.45            | 40.36             | 19.9              | 60.26              | 74                | -13.74         | PK     |
|              |          | 5459.15            | 28.48             | 19.95             | 48.43              | 54                | -5.57          | AVG    |
|              |          | 5462.65            | 38.62             | 19.97             | 58.59              | 68.2              | -9.61          | PK     |
|              | @        | 5700               | 93.72             | 19.96             | 113.68             | N/A               | N/A            | PK     |
|              | @        | 5700               | 85.17             | 19.96             | 105.13             | N/A               | N/A            | AVG    |
|              |          | 5733.55            | 42.5              | 20.28             | 62.78              | 68.2              | -5.42          | PK     |




|      |                     |         |     |
|------|---------------------|---------|-----|
| Mode | 802.11be(EHT20)RU52 | Channel | 149 |
|------|---------------------|---------|-----|

| Polarization | Notation | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|--------------|----------|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| Horizontal   |          | 5637               | 40.73             | 20.06             | 60.79              | 68.2              | -7.41          | PK     |
|              |          | 5690.5             | 40.52             | 19.98             | 60.5               | 98.2              | -37.7          | PK     |
|              | @        | 5745               | 95.44             | 20.39             | 115.83             | N/A               | N/A            | PK     |
| Vertical     |          | 5605.5             | 40.59             | 20.1              | 60.69              | 68.2              | -7.51          | PK     |
|              |          | 5658               | 41.25             | 20.03             | 61.28              | 74.14             | -12.86         | PK     |
|              | @        | 5745               | 94.7              | 20.39             | 115.09             | N/A               | N/A            | PK     |

**TX, 802.11be(EHT20)RU52 (Ch 149)**  
**Band Edge (Peak), Horizontal**




**TX, 802.11be(EHT20)RU52 (Ch 149)**  
**Band Edge (Peak), Vertical**



|      |                     |         |     |
|------|---------------------|---------|-----|
| Mode | 802.11be(EHT20)RU52 | Channel | 157 |
|------|---------------------|---------|-----|


| Polarization | Notation | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|--------------|----------|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| Horizontal   | @        | 5536.5             | 40.69             | 20.07             | 60.76              | 68.2              | -7.44          | PK     |
|              |          | 5687.5             | 39.66             | 19.98             | 59.64              | 95.98             | -36.34         | PK     |
|              |          | 5785               | 93.62             | 20.83             | 114.45             | N/A               | N/A            | PK     |
|              |          | 5915.5             | 40.08             | 21.26             | 61.34              | 75.21             | -13.87         | PK     |
|              |          | 5998               | 39.41             | 21.37             | 60.78              | 68.2              | -7.42          | PK     |
| Vertical     | @        | 5564               | 40.33             | 20.07             | 60.4               | 68.2              | -7.8           | PK     |
|              |          | 5676.5             | 39.92             | 20                | 59.92              | 87.85             | -27.93         | PK     |
|              |          | 5785               | 93.24             | 20.83             | 114.07             | N/A               | N/A            | PK     |
|              |          | 5891.5             | 40.71             | 21.27             | 61.98              | 92.96             | -30.98         | PK     |
|              |          | 5985.5             | 39.92             | 21.32             | 61.24              | 68.2              | -6.96          | PK     |




|      |                     |         |     |
|------|---------------------|---------|-----|
| Mode | 802.11be(EHT20)RU52 | Channel | 165 |
|------|---------------------|---------|-----|

| Polarization | Notation | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|--------------|----------|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| Horizontal   | @        | 5825               | 95.04             | 21.12             | 116.16             | N/A               | N/A            | PK     |
|              |          | 5908.5             | 40.64             | 21.27             | 61.91              | 80.38             | -18.47         | PK     |
|              |          | 5933.5             | 40.52             | 21.23             | 61.75              | 68.2              | -6.45          | PK     |
| Vertical     | @        | 5825               | 92.9              | 21.12             | 114.02             | N/A               | N/A            | PK     |
|              |          | 5893               | 40.64             | 21.27             | 61.91              | 91.84             | -29.93         | PK     |
|              |          | 5989               | 40.19             | 21.33             | 61.52              | 68.2              | -6.68          | PK     |

**TX, 802.11be(EHT20)RU52 (Ch 165)**  
**Band Edge (Peak), Horizontal**




**TX, 802.11be(EHT20)RU52 (Ch 165)**  
**Band Edge (Peak), Vertical**




|      |                                |         |    |
|------|--------------------------------|---------|----|
| Mode | 802.11be(EHT20)RU52 - Emission | Channel | 36 |
|------|--------------------------------|---------|----|

| Polarization | Notation | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|--------------|----------|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| Horizontal   | *        | 10360           | 34.42          | 17.77          | 52.19           | 68.2           | -16.01      | PK     |
|              |          | 14470           | 28.59          | 26.07          | 54.66           | 68.2           | -13.54      | PK     |
|              |          | 14470           | 20.32          | 26.07          | 46.39           | 54             | -7.61       | AVG    |
|              |          | 15400           | 28.69          | 24.21          | 52.9            | 74             | -21.1       | PK     |
|              |          | 15400           | 19.86          | 24.21          | 44.07           | 54             | -9.93       | AVG    |
|              | *        | 20720           | 32.49          | 3.98           | 36.47           | 74             | -37.53      | PK     |
|              | *        | 25900           | 33.75          | 9.47           | 43.22           | 68.2           | -24.98      | PK     |
|              | *        | 31080           | 31.99          | 11.68          | 43.67           | 68.2           | -24.53      | PK     |
|              | *        | 36260           | 36.27          | 11.19          | 47.46           | 68.2           | -20.74      | PK     |
|              |          | 39520           | 38.03          | 17.13          | 55.16           | 74             | -18.84      | PK     |
| Vertical     |          | 39520           | 28.19          | 17.13          | 45.32           | 54             | -8.68       | AVG    |
|              | *        | 10360           | 41.14          | 17.77          | 58.91           | 68.2           | -9.29       | PK     |
|              |          | 14500           | 28.99          | 26.09          | 55.08           | 68.2           | -13.12      | PK     |
|              |          | 14500           | 20.72          | 26.09          | 46.81           | 54             | -7.19       | AVG    |
|              |          | 15355           | 28.38          | 24.5           | 52.88           | 74             | -21.12      | PK     |
|              |          | 15355           | 19.55          | 24.5           | 44.05           | 54             | -9.95       | AVG    |
|              | *        | 20720           | 33.03          | 3.98           | 37.01           | 74             | -36.99      | PK     |
|              | *        | 25900           | 34.07          | 9.47           | 43.54           | 68.2           | -24.66      | PK     |
|              | *        | 31080           | 32.82          | 11.68          | 44.5            | 68.2           | -23.7       | PK     |
|              | *        | 36260           | 36.44          | 11.19          | 47.63           | 68.2           | -20.57      | PK     |
|              |          | 39832           | 38.18          | 17.13          | 55.31           | 74             | -18.69      | PK     |
|              |          | 39832           | 28.34          | 17.13          | 45.47           | 54             | -8.53       | AVG    |


**TX, 802.11be(EHT20)RU52 - Emission (Ch 36)**  
**Radiated Spurious Emission, Horizontal**




**TX, 802.11be(EHT20)RU52 - Emission (Ch 36)**  
**Radiated Spurious Emission, Vertical**



**TX, 802.11be(EHT20)RU52 - Emission (Ch 36)**  
**Radiated Spurious Emission, Horizontal**




**TX, 802.11be(EHT20)RU52 - Emission (Ch 36)**  
**Radiated Spurious Emission, Vertical**




|      |                                |         |    |
|------|--------------------------------|---------|----|
| Mode | 802.11be(EHT20)RU52 - Emission | Channel | 44 |
|------|--------------------------------|---------|----|

| Polarization | Notation | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|--------------|----------|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| Horizontal   | *        | 10440           | 31.16          | 18.13          | 49.29           | 68.2           | -18.91      | PK     |
|              |          | 14500           | 28.48          | 26.09          | 54.57           | 68.2           | -13.63      | PK     |
|              |          | 14500           | 20.21          | 26.09          | 46.3            | 54             | -7.7        | AVG    |
|              |          | 15775           | 29.05          | 23.95          | 53              | 74             | -21         | PK     |
|              |          | 15775           | 20.22          | 23.95          | 44.17           | 54             | -9.83       | AVG    |
|              | *        | 20880           | 32.98          | 4.06           | 37.04           | 74             | -36.96      | PK     |
|              | *        | 26100           | 34             | 9.58           | 43.58           | 68.2           | -24.62      | PK     |
|              | *        | 31320           | 32.51          | 11.96          | 44.47           | 74             | -29.53      | PK     |
|              | *        | 36540           | 37.53          | 10.51          | 48.04           | 68.2           | -20.16      | PK     |
|              |          | 39352           | 38.72          | 16.84          | 55.56           | 74             | -18.44      | PK     |
| Vertical     |          | 39352           | 28.88          | 16.84          | 45.72           | 54             | -8.28       | AVG    |
|              | *        | 10440           | 32.95          | 18.13          | 51.08           | 68.2           | -17.12      | PK     |
|              |          | 14470           | 28.1           | 26.07          | 54.17           | 68.2           | -14.03      | PK     |
|              |          | 14470           | 19.83          | 26.07          | 45.9            | 54             | -8.1        | AVG    |
|              |          | 15790           | 29.35          | 23.94          | 53.29           | 74             | -20.71      | PK     |
|              |          | 15790           | 20.52          | 23.94          | 44.46           | 54             | -9.54       | AVG    |
|              | *        | 20880           | 33.44          | 4.06           | 37.5            | 74             | -36.5       | PK     |
|              | *        | 26100           | 32.98          | 9.58           | 42.56           | 68.2           | -25.64      | PK     |
|              | *        | 31320           | 32.96          | 11.96          | 44.92           | 74             | -29.08      | PK     |
|              | *        | 36540           | 35.53          | 10.51          | 46.04           | 68.2           | -22.16      | PK     |
|              |          | 39952           | 37.53          | 17.2           | 54.73           | 74             | -19.27      | PK     |
|              |          | 39952           | 27.69          | 17.2           | 44.89           | 54             | -9.11       | AVG    |


**TX, 802.11be(EHT20)RU52 - Emission (Ch 44)**  
**Radiated Spurious Emission, Horizontal**




**TX, 802.11be(EHT20)RU52 - Emission (Ch 44)**  
**Radiated Spurious Emission, Vertical**



**TX, 802.11be(EHT20)RU52 - Emission (Ch 44)**  
**Radiated Spurious Emission, Horizontal**




**TX, 802.11be(EHT20)RU52 - Emission (Ch 44)**  
**Radiated Spurious Emission, Vertical**




|      |                                |         |    |
|------|--------------------------------|---------|----|
| Mode | 802.11be(EHT20)RU52 - Emission | Channel | 48 |
|------|--------------------------------|---------|----|

| Polarization | Notation | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|--------------|----------|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| Horizontal   | *        | 10480           | 30.21          | 18.26          | 48.47           | 68.2           | -19.73      | PK     |
|              |          | 14485           | 28.08          | 26.08          | 54.16           | 74             | -19.84      | PK     |
|              |          | 14485           | 19.81          | 26.08          | 45.89           | 54             | -8.11       | AVG    |
|              |          | 15820           | 28.88          | 23.9           | 52.78           | 74             | -21.22      | PK     |
|              |          | 15820           | 20.05          | 23.9           | 43.95           | 54             | -10.05      | AVG    |
|              | *        | 20960           | 33.34          | 4.08           | 37.42           | 74             | -36.58      | PK     |
|              | *        | 26200           | 35.12          | 9.71           | 44.83           | 68.2           | -23.37      | PK     |
|              | *        | 31440           | 31.74          | 11.41          | 43.15           | 74             | -30.85      | PK     |
|              | *        | 36680           | 36.12          | 10.96          | 47.08           | 68.2           | -21.12      | PK     |
|              |          | 39664           | 37.14          | 17.09          | 54.23           | 74             | -19.77      | PK     |
| Vertical     |          | 39664           | 27.3           | 17.09          | 44.39           | 54             | -9.61       | AVG    |
|              | *        | 10480           | 30.87          | 18.26          | 49.13           | 68.2           | -19.07      | PK     |
|              |          | 14470           | 28.7           | 26.07          | 54.77           | 68.2           | -13.43      | PK     |
|              |          | 14470           | 20.43          | 26.07          | 46.5            | 54             | -7.5        | AVG    |
|              |          | 15715           | 29.34          | 23.95          | 53.29           | 74             | -20.71      | PK     |
|              |          | 15715           | 20.51          | 23.95          | 44.46           | 54             | -9.54       | AVG    |
|              | *        | 20960           | 33.83          | 4.08           | 37.91           | 74             | -36.09      | PK     |
|              | *        | 26200           | 35.21          | 9.71           | 44.92           | 68.2           | -23.28      | PK     |
|              | *        | 31440           | 33.3           | 11.41          | 44.71           | 74             | -29.29      | PK     |
|              | *        | 36680           | 37             | 10.96          | 47.96           | 68.2           | -20.24      | PK     |
|              |          | 39496           | 38.02          | 17.12          | 55.14           | 74             | -18.86      | PK     |
|              |          | 39496           | 28.18          | 17.12          | 45.3            | 54             | -8.7        | AVG    |


**TX, 802.11be(EHT20)RU52 - Emission (Ch 48)**  
**Radiated Spurious Emission, Horizontal**




**TX, 802.11be(EHT20)RU52 - Emission (Ch 48)**  
**Radiated Spurious Emission, Vertical**



**TX, 802.11be(EHT20)RU52 - Emission (Ch 48)**  
**Radiated Spurious Emission, Horizontal**




**TX, 802.11be(EHT20)RU52 - Emission (Ch 48)**  
**Radiated Spurious Emission, Vertical**




|      |                                |         |    |
|------|--------------------------------|---------|----|
| Mode | 802.11be(EHT20)RU52 - Emission | Channel | 52 |
|------|--------------------------------|---------|----|

| Polarization | Notation | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|--------------|----------|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| Horizontal   | *        | 10520           | 34.21          | 18.3           | 52.51           | 68.2           | -15.69      | PK     |
|              |          | 14470           | 28.51          | 26.07          | 54.58           | 68.2           | -13.62      | PK     |
|              |          | 14470           | 20.24          | 26.07          | 46.31           | 54             | -7.69       | AVG    |
|              |          | 15490           | 28.72          | 24.11          | 52.83           | 74             | -21.17      | PK     |
|              |          | 15490           | 19.89          | 24.11          | 44              | 54             | -10         | AVG    |
|              | *        | 21040           | 33.72          | 4.17           | 37.89           | 74             | -36.11      | PK     |
|              | *        | 26300           | 34.34          | 9.87           | 44.21           | 68.2           | -23.99      | PK     |
|              | *        | 31560           | 33.33          | 11.17          | 44.5            | 74             | -29.5       | PK     |
|              | *        | 36820           | 37.91          | 11.45          | 49.36           | 68.2           | -18.84      | PK     |
|              |          | 39616           | 37.27          | 17.11          | 54.38           | 74             | -19.62      | PK     |
| Vertical     |          | 39616           | 27.43          | 17.11          | 44.54           | 54             | -9.46       | AVG    |
|              | *        | 10520           | 33.09          | 18.3           | 51.39           | 68.2           | -16.81      | PK     |
|              |          | 14470           | 28.17          | 26.07          | 54.24           | 68.2           | -13.96      | PK     |
|              |          | 14470           | 19.9           | 26.07          | 45.97           | 54             | -8.03       | AVG    |
|              |          | 15745           | 28.94          | 23.95          | 52.89           | 74             | -21.11      | PK     |
|              |          | 15745           | 20.11          | 23.95          | 44.06           | 54             | -9.94       | AVG    |
|              | *        | 21040           | 33.26          | 4.17           | 37.43           | 74             | -36.57      | PK     |
|              | *        | 26300           | 33.19          | 9.87           | 43.06           | 68.2           | -25.14      | PK     |
|              | *        | 31560           | 33.58          | 11.17          | 44.75           | 74             | -29.25      | PK     |
|              | *        | 36820           | 36.3           | 11.45          | 47.75           | 68.2           | -20.45      | PK     |
|              |          | 39616           | 37.91          | 17.11          | 55.02           | 74             | -18.98      | PK     |
|              |          | 39616           | 28.07          | 17.11          | 45.18           | 54             | -8.82       | AVG    |


**TX, 802.11be(EHT20)RU52 - Emission (Ch 52)**  
**Radiated Spurious Emission, Horizontal**




**TX, 802.11be(EHT20)RU52 - Emission (Ch 52)**  
**Radiated Spurious Emission, Vertical**



**TX, 802.11be(EHT20)RU52 - Emission (Ch 52)**  
**Radiated Spurious Emission, Horizontal**




**TX, 802.11be(EHT20)RU52 - Emission (Ch 52)**  
**Radiated Spurious Emission, Vertical**




|      |                                |         |    |
|------|--------------------------------|---------|----|
| Mode | 802.11be(EHT20)RU52 - Emission | Channel | 60 |
|------|--------------------------------|---------|----|

| Polarization | Notation | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|--------------|----------|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| Horizontal   | *        | 10600           | 30.06          | 18.22          | 48.28           | 74             | -25.72      | PK     |
|              |          | 14470           | 28.39          | 26.07          | 54.46           | 68.2           | -13.74      | PK     |
|              |          | 14470           | 20.12          | 26.07          | 46.19           | 54             | -7.81       | AVG    |
|              |          | 15340           | 28.54          | 24.6           | 53.14           | 68.2           | -15.06      | PK     |
|              |          | 15340           | 19.71          | 24.6           | 44.31           | 54             | -9.69       | AVG    |
|              | *        | 21200           | 32.99          | 4.44           | 37.43           | 74             | -36.57      | PK     |
|              | *        | 26500           | 32.55          | 10.22          | 42.77           | 68.2           | -25.43      | PK     |
|              | *        | 31800           | 32.27          | 11.33          | 43.6            | 68.2           | -24.6       | PK     |
|              | *        | 37100           | 36.57          | 12.09          | 48.66           | 68.2           | -19.54      | PK     |
|              |          | 39664           | 37.85          | 17.09          | 54.94           | 74             | -19.06      | PK     |
| Vertical     |          | 39664           | 28.01          | 17.09          | 45.1            | 54             | -8.9        | AVG    |
|              | *        | 10600           | 31.92          | 18.22          | 50.14           | 74             | -23.86      | PK     |
|              |          | 14470           | 28.6           | 26.07          | 54.67           | 68.2           | -13.53      | PK     |
|              |          | 14470           | 20.33          | 26.07          | 46.4            | 54             | -7.6        | AVG    |
|              |          | 15445           | 29.34          | 24.16          | 53.5            | 74             | -20.5       | PK     |
|              |          | 15445           | 20.51          | 24.16          | 44.67           | 54             | -9.33       | AVG    |
|              | *        | 21200           | 32.37          | 4.44           | 36.81           | 74             | -37.19      | PK     |
|              | *        | 26500           | 33.32          | 10.22          | 43.54           | 68.2           | -24.66      | PK     |
|              | *        | 31800           | 33.83          | 11.33          | 45.16           | 68.2           | -23.04      | PK     |
|              | *        | 37100           | 37.91          | 12.09          | 50              | 68.2           | -18.2       | PK     |
|              |          | 39520           | 37.31          | 17.13          | 54.44           | 74             | -19.56      | PK     |
|              |          | 39520           | 27.47          | 17.13          | 44.6            | 54             | -9.4        | AVG    |


**TX, 802.11be(EHT20)RU52 - Emission (Ch 60)**  
**Radiated Spurious Emission, Horizontal**




**TX, 802.11be(EHT20)RU52 - Emission (Ch 60)**  
**Radiated Spurious Emission, Vertical**



**TX, 802.11be(EHT20)RU52 - Emission (Ch 60)**  
**Radiated Spurious Emission, Horizontal**




**TX, 802.11be(EHT20)RU52 - Emission (Ch 60)**  
**Radiated Spurious Emission, Vertical**




|      |                                |         |    |
|------|--------------------------------|---------|----|
| Mode | 802.11be(EHT20)RU52 - Emission | Channel | 64 |
|------|--------------------------------|---------|----|

| Polarization | Notation | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|--------------|----------|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| Horizontal   | *        | 10640           | 34.37          | 18.35          | 52.72           | 74             | -21.28      | PK     |
|              |          | 14485           | 28.09          | 26.08          | 54.17           | 74             | -19.83      | PK     |
|              |          | 14485           | 19.82          | 26.08          | 45.9            | 54             | -8.1        | AVG    |
|              |          | 15760           | 30.01          | 23.95          | 53.96           | 74             | -20.04      | PK     |
|              |          | 15760           | 21.18          | 23.95          | 45.13           | 54             | -8.87       | AVG    |
|              | *        | 21280           | 33.26          | 4.57           | 37.83           | 74             | -36.17      | PK     |
|              | *        | 26600           | 33.16          | 10.1           | 43.26           | 68.2           | -24.94      | PK     |
|              | *        | 31920           | 33.49          | 11.46          | 44.95           | 68.2           | -23.25      | PK     |
|              | *        | 37240           | 36.79          | 12.01          | 48.8            | 68.2           | -19.4       | PK     |
|              |          | 39784           | 38.09          | 17.1           | 55.19           | 74             | -18.81      | PK     |
| Vertical     |          | 39784           | 28.25          | 17.1           | 45.35           | 54             | -8.65       | AVG    |
|              | *        | 10640           | 30.47          | 18.35          | 48.82           | 74             | -25.18      | PK     |
|              |          | 14470           | 28.3           | 26.07          | 54.37           | 68.2           | -13.83      | PK     |
|              |          | 14470           | 20.03          | 26.07          | 46.1            | 54             | -7.9        | AVG    |
|              |          | 15520           | 29.34          | 24.01          | 53.35           | 74             | -20.65      | PK     |
|              |          | 15520           | 20.51          | 24.01          | 44.52           | 54             | -9.48       | AVG    |
|              | *        | 21280           | 33.17          | 4.57           | 37.74           | 74             | -36.26      | PK     |
|              | *        | 26600           | 32.28          | 10.1           | 42.38           | 68.2           | -25.82      | PK     |
|              | *        | 31920           | 32.99          | 11.46          | 44.45           | 68.2           | -23.75      | PK     |
|              | *        | 37240           | 35.45          | 12.01          | 47.46           | 68.2           | -20.74      | PK     |
|              |          | 39232           | 38.52          | 16.5           | 55.02           | 74             | -18.98      | PK     |
|              |          | 39232           | 28.68          | 16.5           | 45.18           | 54             | -8.82       | AVG    |


**TX, 802.11be(EHT20)RU52 - Emission (Ch 64)**  
**Radiated Spurious Emission, Horizontal**




**TX, 802.11be(EHT20)RU52 - Emission (Ch 64)**  
**Radiated Spurious Emission, Vertical**



**TX, 802.11be(EHT20)RU52 - Emission (Ch 64)**  
**Radiated Spurious Emission, Horizontal**




**TX, 802.11be(EHT20)RU52 - Emission (Ch 64)**  
**Radiated Spurious Emission, Vertical**




|      |                                |         |     |
|------|--------------------------------|---------|-----|
| Mode | 802.11be(EHT20)RU52 - Emission | Channel | 100 |
|------|--------------------------------|---------|-----|

| Polarization | Notation | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|--------------|----------|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| Horizontal   | *        | 11000           | 31.83          | 18.57          | 50.4            | 74             | -23.6       | PK     |
|              |          | 14470           | 28.05          | 26.07          | 54.12           | 68.2           | -14.08      | PK     |
|              |          | 14470           | 19.78          | 26.07          | 45.85           | 54             | -8.15       | AVG    |
|              |          | 15715           | 29.34          | 23.95          | 53.29           | 74             | -20.71      | PK     |
|              |          | 15715           | 20.51          | 23.95          | 44.46           | 54             | -9.54       | AVG    |
|              | *        | 16500           | 33.63          | 4.02           | 37.65           | 68.2           | -30.55      | PK     |
|              | *        | 22000           | 32.62          | 5.31           | 37.93           | 68.2           | -30.27      | PK     |
|              | *        | 27500           | 31.27          | 9.1            | 40.37           | 68.2           | -27.83      | PK     |
|              | *        | 33000           | 34.81          | 11.46          | 46.27           | 68.2           | -21.93      | PK     |
|              |          | 39640           | 39.25          | 17.09          | 56.34           | 74             | -17.66      | PK     |
| Vertical     |          | 39640           | 29.41          | 17.09          | 46.5            | 54             | -7.5        | AVG    |
|              | *        | 11000           | 32.33          | 18.57          | 50.9            | 74             | -23.1       | PK     |
|              |          | 14470           | 28.12          | 26.07          | 54.19           | 68.2           | -14.01      | PK     |
|              |          | 14470           | 19.85          | 26.07          | 45.92           | 54             | -8.08       | AVG    |
|              |          | 15355           | 28.57          | 24.5           | 53.07           | 74             | -20.93      | PK     |
|              |          | 15355           | 19.74          | 24.5           | 44.24           | 54             | -9.76       | AVG    |
|              | *        | 16500           | 33.79          | 4.02           | 37.81           | 68.2           | -30.39      | PK     |
|              | *        | 22000           | 32.81          | 5.31           | 38.12           | 68.2           | -30.08      | PK     |
|              | *        | 27500           | 32.85          | 9.1            | 41.95           | 68.2           | -26.25      | PK     |
|              | *        | 33000           | 34.87          | 11.46          | 46.33           | 68.2           | -21.87      | PK     |
|              |          | 39136           | 39.74          | 15.82          | 55.56           | 74             | -18.44      | PK     |
|              |          | 39136           | 29.9           | 15.82          | 45.72           | 54             | -8.28       | AVG    |


**TX, 802.11be(EHT20)RU52 - Emission (Ch 100)**  
**Radiated Spurious Emission, Horizontal**




**TX, 802.11be(EHT20)RU52 - Emission (Ch 100)**  
**Radiated Spurious Emission, Vertical**



**TX, 802.11be(EHT20)RU52 - Emission (Ch 100)**  
**Radiated Spurious Emission, Horizontal**




**TX, 802.11be(EHT20)RU52 - Emission (Ch 100)**  
**Radiated Spurious Emission, Vertical**




|      |                                |         |     |
|------|--------------------------------|---------|-----|
| Mode | 802.11be(EHT20)RU52 - Emission | Channel | 116 |
|------|--------------------------------|---------|-----|

| Polarization | Notation | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|--------------|----------|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| Horizontal   | *        | 11160           | 30.32          | 18.93          | 49.25           | 74             | -24.75      | PK     |
|              |          | 14470           | 29.54          | 26.07          | 55.61           | 68.2           | -12.59      | PK     |
|              |          | 14470           | 21.27          | 26.07          | 47.34           | 54             | -6.66       | AVG    |
|              |          | 15355           | 28.83          | 24.5           | 53.33           | 74             | -20.67      | PK     |
|              |          | 15355           | 20             | 24.5           | 44.5            | 54             | -9.5        | AVG    |
|              | *        | 16740           | 34.03          | 3.86           | 37.89           | 68.2           | -30.31      | PK     |
|              | *        | 22320           | 33.14          | 5.86           | 39              | 74             | -35         | PK     |
|              | *        | 27900           | 32.44          | 9.23           | 41.67           | 68.2           | -26.53      | PK     |
|              | *        | 33480           | 34.87          | 11.13          | 46              | 68.2           | -22.2       | PK     |
|              |          | 39280           | 37.96          | 16.7           | 54.66           | 74             | -19.34      | PK     |
| Vertical     |          | 39280           | 28.12          | 16.7           | 44.82           | 54             | -9.18       | AVG    |
|              | *        | 11160           | 31.5           | 18.93          | 50.43           | 74             | -23.57      | PK     |
|              |          | 14470           | 28.24          | 26.07          | 54.31           | 68.2           | -13.89      | PK     |
|              |          | 14470           | 19.97          | 26.07          | 46.04           | 54             | -7.96       | AVG    |
|              |          | 15985           | 30.35          | 23.48          | 53.83           | 74             | -20.17      | PK     |
|              |          | 15985           | 21.52          | 23.48          | 45              | 54             | -9          | AVG    |
|              | *        | 16740           | 34.26          | 3.86           | 38.12           | 68.2           | -30.08      | PK     |
|              | *        | 22320           | 32.77          | 5.86           | 38.63           | 74             | -35.37      | PK     |
|              | *        | 27900           | 32.04          | 9.23           | 41.27           | 68.2           | -26.93      | PK     |
|              | *        | 33480           | 35.58          | 11.13          | 46.71           | 68.2           | -21.49      | PK     |
|              |          | 39568           | 37.78          | 17.11          | 54.89           | 74             | -19.11      | PK     |
|              |          | 39568           | 27.94          | 17.11          | 45.05           | 54             | -8.95       | AVG    |


**TX, 802.11be(EHT20)RU52 - Emission (Ch 116)**  
**Radiated Spurious Emission, Horizontal**



**TX, 802.11be(EHT20)RU52 - Emission (Ch 116)**  
**Radiated Spurious Emission, Vertical**



**TX, 802.11be(EHT20)RU52 - Emission (Ch 116)**  
**Radiated Spurious Emission, Horizontal**



**TX, 802.11be(EHT20)RU52 - Emission (Ch 116)**  
**Radiated Spurious Emission, Vertical**

