














IEEE 802.11ac_Channel 58_80MHz_Antenna 0



IEEE 802.11ac_Channel 106_80MHz_Antenna 0

APPENDIX VI. Conducted Out Of Band Emission**Test Result**

Mode	Channel	Ant.	OOB Emission Frequency (MHz)	OOB Emission Level (dBm)	Limit (dBm)	Over Limit (dB)	Result
IEEE 802.11a	36	0	2450.48	-32.609	-27	-5.610	PASS
			5148.96	-37.361	-27	-10.000	PASS
			5150.00	-38.577	-27	-12.000	PASS
			5350.00	-37.500	-27	-10.000	PASS
			5460.00	-37.045	-27	-10.000	PASS
			24965.6	-39.924	-27	-12.920	PASS
	40		2468.27	-44.548	-27	-17.550	PASS
			5149.92	-37.741	-27	-11.000	PASS
			5150.00	-37.741	-27	-11.000	PASS
			5350.00	-35.941	-27	-9.000	PASS
			5457.12	-35.287	-27	-8.000	PASS
			24990.2	-39.218	-27	-12.220	PASS
	48		2472.24	-34.210	-27	-7.210	PASS
			5149.92	-37.377	-27	-10.000	PASS
			5150.00	-37.377	-27	-10.000	PASS
			5350.00	-37.007	-27	-10.000	PASS
			5460.00	-36.675	-27	-10.000	PASS
			24902.2	-38.679	-27	-11.680	PASS
	52		2413.49	-42.836	-27	-15.840	PASS
			5148.00	-36.909	-27	-10.000	PASS
			5150.00	-36.927	-27	-10.000	PASS
			5350.00	-36.691	-27	-10.000	PASS
			5458.08	-36.061	-27	-9.000	PASS
			24913.0	-38.925	-27	-11.920	PASS
	56		2476.46	-43.052	-27	-16.050	PASS
			5119.20	-35.376	-27	-8.000	PASS
			5150.00	-35.795	-27	-9.000	PASS
			5350.00	-35.767	-27	-9.000	PASS
			5447.52	-35.089	-27	-8.000	PASS
			24916.5	-39.162	-27	-12.160	PASS
	64		37.04	-51.014	-27	-24.010	PASS
			5148.00	-36.599	-27	-10.000	PASS
			5150.00	-37.369	-27	-10.000	PASS
			5350.00	-35.533	-27	-9.000	PASS
			5454.24	-34.423	-27	-7.000	PASS
			24970.5	-38.696	-27	-11.700	PASS
	100		5468.23	-30.430	-27	-3.000	PASS
			5468.91	-35.285	-27	-8.280	PASS
			5470.00	-32.599	-27	-6.000	PASS
			5725.00	-36.901	-27	-10.000	PASS
			6222.49	-36.787	-27	-10.000	PASS
			24973.0	-39.445	-27	-12.450	PASS
	120		40.06	-36.920	-27	-9.920	PASS
			5468.23	-37.338	-27	-10.000	PASS
			5470.00	-37.695	-27	-11.000	PASS
			5725.00	-36.248	-27	-9.000	PASS
			6211.19	-36.222	-27	-9.000	PASS
			24952.8	-38.977	-27	-11.980	PASS
	140		40.06	-34.983	-27	-7.980	PASS
			5468.23	-37.120	-27	-10.000	PASS
			5470.00	-37.124	-27	-10.000	PASS
			5725.00	-32.069	-27	-5.000	PASS
			5725.51	-32.069	-27	-5.000	PASS
			5731.75	-32.592	-27	-5.590	PASS
IEEE 802.11n_20	36		5146.42	-35.201	-27	-8.200	PASS
			5149.92	-37.171	-27	-10.000	PASS
			5150.00	-37.171	-27	-10.000	PASS
			5350.00	-34.531	-27	-8.000	PASS
			5449.44	-34.531	-27	-8.000	PASS
			24947.4	-39.289	-27	-12.290	PASS

	40		2478.64	-42.910	-27	-15.910	PASS
			5135.52	-35.673	-27	-9.000	PASS
			5150.00	-36.030	-27	-9.000	PASS
			5350.00	-36.421	-27	-9.000	PASS
			5455.20	-36.319	-27	-9.000	PASS
			24952.8	-40.068	-27	-13.070	PASS
	48		2451.25	-40.427	-27	-13.430	PASS
			5148.96	-37.855	-27	-11.000	PASS
			5150.00	-38.919	-27	-12.000	PASS
			5350.00	-36.418	-27	-9.000	PASS
			5460.00	-35.411	-27	-8.000	PASS
			24929.3	-39.527	-27	-12.530	PASS
	52		892.98	-44.066	-27	-17.070	PASS
			5143.20	-36.698	-27	-10.000	PASS
			5150.00	-37.071	-27	-10.000	PASS
			5350.00	-35.750	-27	-9.000	PASS
			5457.12	-35.644	-27	-9.000	PASS
			24988.7	-40.111	-27	-13.110	PASS
	56		2477.23	-45.481	-27	-18.480	PASS
			5148.96	-37.226	-27	-10.000	PASS
			5150.00	-37.948	-27	-11.000	PASS
			5350.00	-36.340	-27	-9.000	PASS
			5455.20	-35.734	-27	-9.000	PASS
			24944.5	-38.480	-27	-11.480	PASS
	64		5149.92	-37.859	-27	-11.000	PASS
			5150.00	-37.859	-27	-11.000	PASS
			5150.00	-49.339	-27	-22.340	PASS
			5350.00	-36.954	-27	-10.000	PASS
			5460.00	-34.798	-27	-8.000	PASS
			24969.5	-39.794	-27	-12.790	PASS
	100		5468.10	-31.584	-27	-4.580	PASS
			5469.49	-32.355	-27	-5.000	PASS
			5470.00	-32.355	-27	-5.000	PASS
			5725.00	-37.205	-27	-10.000	PASS
			6217.47	-37.074	-27	-10.000	PASS
			24896.4	-39.861	-27	-12.860	PASS
	120		39.66	-37.122	-27	-10.120	PASS
			5468.23	-37.535	-27	-11.000	PASS
			5470.00	-37.638	-27	-11.000	PASS
			5725.00	-37.420	-27	-10.000	PASS
			6225.00	-37.256	-27	-10.000	PASS
24917.1			-40.302	-27	-13.300	PASS	
140	37.48		-39.960	-27	-12.960	PASS	
	5469.49		-36.557	-27	-10.000	PASS	
	5470.00		-36.557	-27	-10.000	PASS	
	5725.00		-32.293	-27	-5.000	PASS	
	5726.77		-30.932	-27	-4.000	PASS	
	5727.89		-34.210	-27	-7.210	PASS	
IEEE 802.11n_40	38		5146.54	-27.712	-27	-0.710	PASS
			5148.96	-37.480	-27	-10.000	PASS
			5150.00	-38.580	-27	-12.000	PASS
			5350.00	-37.396	-27	-10.000	PASS
			5459.04	-36.889	-27	-10.000	PASS
			24972.5	-38.974	-27	-11.970	PASS
	46		2442.42	-42.020	-27	-15.020	PASS
			5149.92	-36.831	-27	-10.000	PASS
			5150.00	-36.831	-27	-10.000	PASS
			5350.00	-37.110	-27	-10.000	PASS
			5460.00	-36.053	-27	-9.000	PASS
			24960.7	-39.933	-27	-12.930	PASS
	54		2430.38	-37.289	-27	-10.290	PASS
			5149.92	-37.866	-27	-11.000	PASS
			5150.00	-37.866	-27	-11.000	PASS
			5350.00	-36.364	-27	-9.000	PASS
			5460.00	-36.261	-27	-9.000	PASS
			24933.7	-39.749	-27	-12.750	PASS
	62		896.82	-33.911	-27	-6.910	PASS
			5148.96	-36.746	-27	-10.000	PASS

	102	5150.00	-38.177	-27	-11.000	PASS
		5350.00	-36.562	-27	-10.000	PASS
		5354.91	-33.650	-27	-6.650	PASS
		5460.00	-36.283	-27	-9.000	PASS
		5467.28	-35.189	-27	-8.190	PASS
		5469.49	-36.702	-27	-10.000	PASS
		5470.00	-36.702	-27	-10.000	PASS
		5725.00	-36.036	-27	-9.000	PASS
		6179.82	-35.958	-27	-9.000	PASS
		24876.2	-40.585	-27	-13.590	PASS
		35.98	-42.898	-27	-15.900	PASS
		5469.49	-38.010	-27	-11.000	PASS
	118	5470.00	-38.010	-27	-11.000	PASS
		5725.00	-37.464	-27	-10.000	PASS
		6223.74	-36.860	-27	-10.000	PASS
		24969.6	-40.147	-27	-13.150	PASS
		39.79	-43.539	-27	-16.540	PASS
		5469.49	-36.163	-27	-9.000	PASS
	134	5470.00	-36.163	-27	-9.000	PASS
		5725.00	-33.081	-27	-6.000	PASS
		5727.41	-32.712	-27	-5.710	PASS
		5729.27	-32.891	-27	-6.000	PASS
		5144.62	-42.370	-27	-15.370	PASS
		5148.96	-36.640	-27	-10.000	PASS
IEEE 802.11ac_20	36	5150.00	-37.933	-27	-11.000	PASS
		5350.00	-37.130	-27	-10.000	PASS
		5460.00	-36.532	-27	-10.000	PASS
		24903.7	-39.487	-27	-12.490	PASS
		2427.06	-43.186	-27	-16.190	PASS
		5148.96	-36.849	-27	-10.000	PASS
	40	5150.00	-37.118	-27	-10.000	PASS
		5350.00	-36.277	-27	-9.000	PASS
		5459.04	-36.017	-27	-9.000	PASS
		24941.5	-39.100	-27	-12.100	PASS
		2479.41	-38.635	-27	-11.630	PASS
		5148.96	-37.170	-27	-10.000	PASS
	48	5150.00	-38.134	-27	-11.000	PASS
		5350.00	-37.047	-27	-10.000	PASS
		5459.04	-37.010	-27	-10.000	PASS
		24967.1	-39.645	-27	-12.650	PASS
		2464.56	-45.226	-27	-18.230	PASS
		5126.88	-35.785	-27	-9.000	PASS
	52	5150.00	-35.968	-27	-9.000	PASS
		5350.00	-36.355	-27	-9.000	PASS
		5456.16	-34.747	-27	-8.000	PASS
		24958.2	-39.506	-27	-12.510	PASS
		2470.45	-43.978	-27	-16.980	PASS
		5148.96	-37.021	-27	-10.000	PASS
	56	5150.00	-37.430	-27	-10.000	PASS
		5350.00	-36.834	-27	-10.000	PASS
		5459.04	-36.080	-27	-9.000	PASS
		24931.7	-39.055	-27	-12.050	PASS
		2433.33	-42.484	-27	-15.480	PASS
		5148.96	-36.858	-27	-10.000	PASS
	64	5150.00	-37.035	-27	-10.000	PASS
		5350.00	-36.498	-27	-9.000	PASS
		5457.12	-35.708	-27	-9.000	PASS
		24973.0	-39.539	-27	-12.540	PASS
		5466.98	-36.600	-27	-10.000	PASS
		5469.05	-41.103	-27	-14.100	PASS
	100	5470.00	-38.035	-27	-11.000	PASS
		5725.00	-36.226	-27	-9.000	PASS
		6221.23	-34.399	-27	-7.000	PASS
		24608.7	-40.633	-27	-13.630	PASS
		39.52	-43.815	-27	-16.810	PASS
		5469.49	-36.902	-27	-10.000	PASS
	120	5470.00	-36.902	-27	-10.000	PASS
		5725.00	-38.322	-27	-11.000	PASS

	140	6225.00	-38.141	-27	-11.000	PASS
		24996.6	-40.163	-27	-13.160	PASS
		38.98	-44.066	-27	-17.070	PASS
		5468.23	-38.003	-27	-11.000	PASS
		5470.00	-38.469	-27	-11.000	PASS
		5725.00	-36.422	-27	-9.000	PASS
		6221.23	-36.264	-27	-9.000	PASS
		24929.6	-39.702	-27	-12.700	PASS
IEEE 802.11ac_40	38	5148.21	-27.206	-27	-0.210	PASS
		5148.96	-36.324	-27	-9.000	PASS
		5150.00	-38.015	-27	-11.000	PASS
		5350.00	-36.612	-27	-10.000	PASS
		5454.24	-35.008	-27	-8.000	PASS
		24984.8	-39.530	-27	-12.530	PASS
		2446.51	-40.079	-27	-13.080	PASS
		5149.92	-37.816	-27	-11.000	PASS
	46	5150.00	-37.816	-27	-11.000	PASS
		5350.00	-36.882	-27	-10.000	PASS
		5460.00	-36.727	-27	-10.000	PASS
		24933.7	-39.161	-27	-12.160	PASS
		2444.98	-33.809	-27	-6.810	PASS
		5149.92	-38.276	-27	-11.000	PASS
		5150.00	-38.277	-27	-11.000	PASS
		5350.00	-34.964	-27	-8.000	PASS
	54	5456.16	-34.804	-27	-8.000	PASS
		24938.6	-39.840	-27	-12.840	PASS
		2402.61	-32.843	-27	-5.840	PASS
		5149.92	-37.684	-27	-11.000	PASS
		5150.00	-37.684	-27	-11.000	PASS
		5350.00	-36.617	-27	-10.000	PASS
		5460.00	-35.887	-27	-9.000	PASS
		24950.4	-39.696	-27	-12.700	PASS
	62	5457.62	-36.114	-27	-9.110	PASS
		5469.49	-37.744	-27	-11.000	PASS
		5470.00	-37.744	-27	-11.000	PASS
		5725.00	-39.040	-27	-12.000	PASS
		6223.74	-38.508	-27	-12.000	PASS
		24941.2	-40.455	-27	-13.450	PASS
		38.98	-43.996	-27	-17.000	PASS
		5468.23	-37.674	-27	-11.000	PASS
	102	5470.00	-37.703	-27	-11.000	PASS
		5725.00	-38.041	-27	-11.000	PASS
		6225.00	-37.321	-27	-10.000	PASS
		24964.8	-39.429	-27	-12.430	PASS
		38.30	-43.274	-27	-16.270	PASS
		5468.23	-36.733	-27	-10.000	PASS
		5470.00	-37.842	-27	-11.000	PASS
		5725.00	-36.884	-27	-10.000	PASS
	118	6221.23	-36.644	-27	-10.000	PASS
		24924.8	-39.620	-27	-12.620	PASS
		5112.75	-30.182	-27	-3.180	PASS
		5136.48	-36.493	-27	-9.000	PASS
		5150.00	-36.799	-27	-10.000	PASS
		5350.00	-34.776	-27	-8.000	PASS
		5399.52	-33.735	-27	-7.000	PASS
		24880.1	-40.120	-27	-13.120	PASS
	134	2464.69	-42.361	-27	-15.360	PASS
		5148.96	-36.764	-27	-10.000	PASS
		5150.00	-37.604	-27	-11.000	PASS
		5350.00	-35.982	-27	-9.000	PASS
		5382.42	-31.451	-27	-4.450	PASS
		5459.04	-35.304	-27	-8.000	PASS
		5464.29	-27.100	-27	-0.100	PASS
		5468.23	-28.235	-27	-1.000	PASS
IEEE 802.11ac_80	42	5470.00	-31.066	-27	-4.000	PASS
		5725.00	-37.105	-27	-10.000	PASS
		6223.74	-36.871	-27	-10.000	PASS
		24941.7	-40.443	-27	-13.440	PASS
	58	5112.75	-30.182	-27	-3.180	PASS
		5136.48	-36.493	-27	-9.000	PASS
		5150.00	-36.799	-27	-10.000	PASS
		5350.00	-34.776	-27	-8.000	PASS
		5399.52	-33.735	-27	-7.000	PASS
		24880.1	-40.120	-27	-13.120	PASS
		2464.69	-42.361	-27	-15.360	PASS
		5148.96	-36.764	-27	-10.000	PASS
	106	5150.00	-37.604	-27	-11.000	PASS
		5350.00	-35.982	-27	-9.000	PASS
		5382.42	-31.451	-27	-4.450	PASS
		5459.04	-35.304	-27	-8.000	PASS
		5464.29	-27.100	-27	-0.100	PASS
		5468.23	-28.235	-27	-1.000	PASS
		5470.00	-31.066	-27	-4.000	PASS
		5725.00	-37.105	-27	-10.000	PASS

Test Graphs

