







Mode	5	
	Harmonic	
	2400-2483.5_Bluetooth-LE_ASK_CH38_2440MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-02-13  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-02-13  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-02-13  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-02-13  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



Mode	6																																																																																																															
	Band Edge																																																																																																															
	2400-2483.5_Bluetooth-LE_ASK_CH76_2478MHz																																																																																																															
ANT	0																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	Level (dBuV/m) Date: 2026-02-11 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>40.95</td><td>32.74</td><td>8.52</td><td>34.68</td><td>0.00</td><td>364</td><td>294 Peak</td></tr><tr><td>2</td><td>2483.74</td><td>1.85</td><td>54.00</td><td>-52.15</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	47.53	74.00	-26.47	40.95	32.74	8.52	34.68	0.00	364	294 Peak	2	2483.74	1.85	54.00	-52.15	--	--	--	--	--	--	AVERAGE	Level (dBuV/m) Date: 2026-02-11 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>105.28</td><td>-----</td><td>-----</td><td>98.75</td><td>32.70</td><td>8.51</td><td>34.68</td><td>0.00</td><td>364</td><td>294 Peak</td></tr><tr><td>2</td><td>2478.00</td><td>59.60</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	105.28	-----	-----	98.75	32.70	8.51	34.68	0.00	364	294 Peak	2	2478.00	59.60	-----	-----	--	--	--	--	--	--	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2483.74	47.53	74.00	-26.47	40.95	32.74	8.52	34.68	0.00	364	294 Peak																																																																																																					
2	2483.74	1.85	54.00	-52.15	--	--	--	--	--	--	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2478.00	105.28	-----	-----	98.75	32.70	8.51	34.68	0.00	364	294 Peak																																																																																																					
2	2478.00	59.60	-----	-----	--	--	--	--	--	--	Average																																																																																																					







Mode	6																																																																																																															
	Band Edge																																																																																																															
	2400-2483.5_Bluetooth-LE_ASK_CH76_2478MHz																																																																																																															
ANT	0																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	Level (dBuV/m) Date: 2026-02-11 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.65</td><td>50.14</td><td>74.00</td><td>-23.86</td><td>43.56</td><td>32.74</td><td>8.52</td><td>34.68</td><td>0.00</td><td>100</td><td>174 Peak</td></tr><tr><td>2</td><td>2483.65</td><td>4.46</td><td>54.00</td><td>-49.54</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.65	50.14	74.00	-23.86	43.56	32.74	8.52	34.68	0.00	100	174 Peak	2	2483.65	4.46	54.00	-49.54	--	--	--	--	--	--	AVERAGE	Level (dBuV/m) Date: 2026-02-11 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>106.72</td><td>-----</td><td>-----</td><td>100.19</td><td>32.70</td><td>8.51</td><td>34.68</td><td>0.00</td><td>100</td><td>174 Peak</td></tr><tr><td>2</td><td>2478.00</td><td>61.04</td><td>-----</td><td>-----</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	106.72	-----	-----	100.19	32.70	8.51	34.68	0.00	100	174 Peak	2	2478.00	61.04	-----	-----	--	--	--	--	--	--	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2483.65	50.14	74.00	-23.86	43.56	32.74	8.52	34.68	0.00	100	174 Peak																																																																																																					
2	2483.65	4.46	54.00	-49.54	--	--	--	--	--	--	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2478.00	106.72	-----	-----	100.19	32.70	8.51	34.68	0.00	100	174 Peak																																																																																																					
2	2478.00	61.04	-----	-----	--	--	--	--	--	--	Average																																																																																																					



Mode	6																																																																																																																																																																								
	Harmonic																																																																																																																																																																								
	2400-2483.5_Bluetooth-LE_ASK_CH76_2478MHz																																																																																																																																																																								
ANT	0																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-02-13 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>41.37</td><td>74.00</td><td>-32.63</td><td>51.88</td><td>34.52</td><td>12.13</td><td>58.09</td><td>0.93</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>-4.31</td><td>54.00</td><td>-58.31</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7434.00</td><td>40.91</td><td>74.00</td><td>-33.09</td><td>46.82</td><td>36.00</td><td>14.87</td><td>57.90</td><td>1.12</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7434.00</td><td>-4.77</td><td>54.00</td><td>-58.77</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	41.37	74.00	-32.63	51.88	34.52	12.13	58.09	0.93	--	Peak	2	4956.00	-4.31	54.00	-58.31	--	--	--	--	--	--	Average	3	7434.00	40.91	74.00	-33.09	46.82	36.00	14.87	57.90	1.12	--	Peak	4	7434.00	-4.77	54.00	-58.77	--	--	--	--	--	--	Average	Level (dBuV/m) Date: 2026-02-13 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>41.66</td><td>74.00</td><td>-32.34</td><td>52.17</td><td>34.52</td><td>12.13</td><td>58.09</td><td>0.93</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>-4.02</td><td>54.00</td><td>-58.02</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7434.00</td><td>41.05</td><td>74.00</td><td>-32.95</td><td>46.96</td><td>36.00</td><td>14.87</td><td>57.90</td><td>1.12</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7434.00</td><td>-4.63</td><td>54.00</td><td>-58.63</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	41.66	74.00	-32.34	52.17	34.52	12.13	58.09	0.93	--	Peak	2	4956.00	-4.02	54.00	-58.02	--	--	--	--	--	--	Average	3	7434.00	41.05	74.00	-32.95	46.96	36.00	14.87	57.90	1.12	--	Peak	4	7434.00	-4.63	54.00	-58.63	--	--	--	--	--	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	4956.00	41.37	74.00	-32.63	51.88	34.52	12.13	58.09	0.93	--	Peak																																																																																																																																																														
2	4956.00	-4.31	54.00	-58.31	--	--	--	--	--	--	Average																																																																																																																																																														
3	7434.00	40.91	74.00	-33.09	46.82	36.00	14.87	57.90	1.12	--	Peak																																																																																																																																																														
4	7434.00	-4.77	54.00	-58.77	--	--	--	--	--	--	Average																																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	4956.00	41.66	74.00	-32.34	52.17	34.52	12.13	58.09	0.93	--	Peak																																																																																																																																																														
2	4956.00	-4.02	54.00	-58.02	--	--	--	--	--	--	Average																																																																																																																																																														
3	7434.00	41.05	74.00	-32.95	46.96	36.00	14.87	57.90	1.12	--	Peak																																																																																																																																																														
4	7434.00	-4.63	54.00	-58.63	--	--	--	--	--	--	Average																																																																																																																																																														



Mode	6	
	Harmonic	
	2400-2483.5_Bluetooth-LE_ASK_CH76_2478MHz	
ANT	0	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-02-13  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-02-13  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-02-13  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-02-13  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL




Mode	7																																																																																																			
	SHF																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak	Level (dBuV/m) Date: 2026-03-03 PEAK_74 AVG_54 1 Frequency (MHz) Site : 03CH07-HY Condition: PEAK_74 1m SHF-EHF_9170251 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>21125.44</td><td>36.02</td><td>74.00</td><td>-37.98</td><td>50.23</td><td>37.90</td><td>17.38</td><td>59.95</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2026-03-03 PEAK_74 AVG_54 1 Frequency (MHz) Site : 03CH07-HY Condition: PEAK_74 1m SHF-EHF_9170251 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>24998.47</td><td>36.25</td><td>74.00</td><td>-37.75</td><td>44.98</td><td>39.20</td><td>18.91</td><td>57.30</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	21125.44	36.02	74.00	-37.98	50.23	37.90	17.38	59.95	-9.54	--	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	24998.47	36.25	74.00	-37.75	44.98	39.20	18.91	57.30	-9.54	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	21125.44	36.02	74.00	-37.98	50.23	37.90	17.38	59.95	-9.54	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	24998.47	36.25	74.00	-37.75	44.98	39.20	18.91	57.30	-9.54	--	--	PEAK																																																																																								



Mode	8																																																																																																																																																																																																																																											
	LF																																																																																																																																																																																																																																											
ANT	0																																																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																					
QP/ Peak	Level (dBuV/m) Date: 2026-03-03 Site : 03CH07-HY Condition: QP 3m Bilog_35419 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>20.74</td><td>40.00</td><td>-19.26</td><td>26.09</td><td>23.68</td><td>0.96</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>102.75</td><td>22.26</td><td>43.50</td><td>-21.24</td><td>33.97</td><td>16.43</td><td>1.79</td><td>29.93</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>179.38</td><td>19.06</td><td>43.50</td><td>-24.44</td><td>31.52</td><td>15.08</td><td>2.37</td><td>29.91</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>773.99</td><td>27.22</td><td>46.00</td><td>-18.78</td><td>23.54</td><td>28.27</td><td>4.94</td><td>29.53</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>903.97</td><td>27.98</td><td>46.00</td><td>-18.02</td><td>22.61</td><td>28.94</td><td>5.30</td><td>29.07</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>952.47</td><td>28.53</td><td>46.00</td><td>-17.47</td><td>21.09</td><td>30.74</td><td>5.44</td><td>28.74</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	30.00	20.74	40.00	-19.26	26.09	23.68	0.96	29.99	0.00	--	--	--	PEAK	2	102.75	22.26	43.50	-21.24	33.97	16.43	1.79	29.93	0.00	--	--	--	PEAK	3	179.38	19.06	43.50	-24.44	31.52	15.08	2.37	29.91	0.00	--	--	--	PEAK	4	773.99	27.22	46.00	-18.78	23.54	28.27	4.94	29.53	0.00	--	--	--	PEAK	5	903.97	27.98	46.00	-18.02	22.61	28.94	5.30	29.07	0.00	--	--	--	PEAK	6	952.47	28.53	46.00	-17.47	21.09	30.74	5.44	28.74	0.00	--	--	--	PEAK	Level (dBuV/m) Date: 2026-03-03 Site : 03CH07-HY Condition: QP 3m Bilog_35419 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>28.85</td><td>40.00</td><td>-11.15</td><td>34.28</td><td>23.68</td><td>0.96</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>93.05</td><td>24.88</td><td>43.50</td><td>-18.62</td><td>38.02</td><td>15.11</td><td>1.70</td><td>29.95</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>105.66</td><td>28.47</td><td>43.50</td><td>-15.03</td><td>39.94</td><td>16.66</td><td>1.81</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>862.26</td><td>27.52</td><td>46.00</td><td>-18.48</td><td>22.29</td><td>29.26</td><td>5.16</td><td>29.19</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>931.13</td><td>28.13</td><td>46.00</td><td>-17.87</td><td>21.96</td><td>29.68</td><td>5.38</td><td>28.89</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>959.26</td><td>28.49</td><td>46.00</td><td>-17.51</td><td>20.82</td><td>30.90</td><td>5.47</td><td>28.70</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	30.00	28.85	40.00	-11.15	34.28	23.68	0.96	29.99	0.00	--	--	--	PEAK	2	93.05	24.88	43.50	-18.62	38.02	15.11	1.70	29.95	0.00	--	--	--	PEAK	3	105.66	28.47	43.50	-15.03	39.94	16.66	1.81	29.94	0.00	--	--	--	PEAK	4	862.26	27.52	46.00	-18.48	22.29	29.26	5.16	29.19	0.00	--	--	--	PEAK	5	931.13	28.13	46.00	-17.87	21.96	29.68	5.38	28.89	0.00	--	--	--	PEAK	6	959.26	28.49	46.00	-17.51	20.82	30.90	5.47	28.70	0.00	--	--	--	PEAK
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																
1	30.00	20.74	40.00	-19.26	26.09	23.68	0.96	29.99	0.00	--	--	--	PEAK																																																																																																																																																																																																																															
2	102.75	22.26	43.50	-21.24	33.97	16.43	1.79	29.93	0.00	--	--	--	PEAK																																																																																																																																																																																																																															
3	179.38	19.06	43.50	-24.44	31.52	15.08	2.37	29.91	0.00	--	--	--	PEAK																																																																																																																																																																																																																															
4	773.99	27.22	46.00	-18.78	23.54	28.27	4.94	29.53	0.00	--	--	--	PEAK																																																																																																																																																																																																																															
5	903.97	27.98	46.00	-18.02	22.61	28.94	5.30	29.07	0.00	--	--	--	PEAK																																																																																																																																																																																																																															
6	952.47	28.53	46.00	-17.47	21.09	30.74	5.44	28.74	0.00	--	--	--	PEAK																																																																																																																																																																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																
1	30.00	28.85	40.00	-11.15	34.28	23.68	0.96	29.99	0.00	--	--	--	PEAK																																																																																																																																																																																																																															
2	93.05	24.88	43.50	-18.62	38.02	15.11	1.70	29.95	0.00	--	--	--	PEAK																																																																																																																																																																																																																															
3	105.66	28.47	43.50	-15.03	39.94	16.66	1.81	29.94	0.00	--	--	--	PEAK																																																																																																																																																																																																																															
4	862.26	27.52	46.00	-18.48	22.29	29.26	5.16	29.19	0.00	--	--	--	PEAK																																																																																																																																																																																																																															
5	931.13	28.13	46.00	-17.87	21.96	29.68	5.38	28.89	0.00	--	--	--	PEAK																																																																																																																																																																																																																															
6	959.26	28.49	46.00	-17.51	20.82	30.90	5.47	28.70	0.00	--	--	--	PEAK																																																																																																																																																																																																																															

Appendix D. Duty Cycle Plots



Note:

- Worst case Duty cycle = on time/100 milliseconds = $6 * 0.08667 / 100 = 0.52\%$
- Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -45.68 \text{ dB}$


Duty Cycle Correction Factor Consideration for AFH mode:

The maximum possible ON time:

$$0.08667 \text{ ms} \times 6 = 0.522 \text{ ms}$$

Worst case Duty Cycle Correction factor, which is derived from the maximum possible ON time,

$$20 \times \log(0.522 \text{ ms}/100 \text{ ms}) = -45.68 \text{ dB}$$


Note:

- Worst case Duty cycle = on time/100 milliseconds = $6 * 0.08667 / 100 = 0.52\%$
- Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -45.68 \text{ dB}$

Duty Cycle Correction Factor Consideration for AFH mode:

The maximum possible ON time:

$$0.08667 \text{ ms} \times 6 = 0.52002 \text{ ms}$$

Worst case Duty Cycle Correction factor, which is derived from the maximum possible ON time,

$$20 \times \log(0.52002 \text{ ms}/100 \text{ ms}) = -45.6868 \text{ dB}$$

————THE END————