




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Brian Chen	Temperature :	23~26℃
		Relative Humidity :	45~55%

EUT Information

Report NO : 550731
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Line

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.154500	---	32.46	55.75	23.29	L1	OFF	19.8
0.154500	49.20	---	65.75	16.55	L1	OFF	19.8
0.159000	---	35.43	55.52	20.09	L1	OFF	19.8
0.159000	51.38	---	65.52	14.14	L1	OFF	19.8
0.181500	---	31.23	54.42	23.19	L1	OFF	19.8
0.181500	46.74	---	64.42	17.68	L1	OFF	19.8
0.235500	---	25.85	52.25	26.40	L1	OFF	19.8
0.235500	33.60	---	62.25	28.65	L1	OFF	19.8
0.249000	---	27.01	51.79	24.78	L1	OFF	19.8
0.249000	33.96	---	61.79	27.83	L1	OFF	19.8
2.085000	---	23.80	46.00	22.20	L1	OFF	19.9
2.085000	25.04	---	56.00	30.96	L1	OFF	19.9
23.239500	---	27.59	50.00	22.41	L1	OFF	21.0
23.239500	30.06	---	60.00	29.94	L1	OFF	21.0

EUT Information

Report NO : 550731
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.159000	---	34.42	55.52	21.10	N	OFF	19.8
0.159000	50.79	---	65.52	14.73	N	OFF	19.8
0.168000	---	35.85	55.06	19.21	N	OFF	19.8
0.168000	49.74	---	65.06	15.32	N	OFF	19.8
0.181500	---	31.45	54.42	22.97	N	OFF	19.8
0.181500	46.82	---	64.42	17.60	N	OFF	19.8
0.235500	---	25.13	52.25	27.12	N	OFF	19.8
0.235500	31.97	---	62.25	30.28	N	OFF	19.8
0.244500	---	25.90	51.94	26.04	N	OFF	19.8
0.244500	32.32	---	61.94	29.62	N	OFF	19.8
2.411250	---	24.51	46.00	21.49	N	OFF	19.9
2.411250	25.93	---	56.00	30.07	N	OFF	19.9
23.016750	---	30.99	50.00	19.01	N	OFF	20.9
23.016750	34.36	---	60.00	25.64	N	OFF	20.9



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Leo Li, Karl Hou, and Lucifer Jiang.	Temperature :	21.7~22.5°C
		Relative Humidity :	51.0~57.0%

Note symbol

-L	Low channel location
-R	High channel location

C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-6	6.425-6.525	4+3	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 2	U-NII-6	6.425-6.525	4+3	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 3	U-NII-8	6.875-7.125	4+3	802.11a	229	7095	MCS0	-	-
Mode 4	U-NII-8	6.875-7.125	4+3	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 5	U-NII-8	6.875-7.125	4+3	802.11ax HE20	229	7095	MCS0	Partial_26/8RU	-
Mode 6	U-NII-8	6.875-7.125	4+3	802.11ax HE20	229	7095	MCS0	Partial_52/40RU	-
Mode 7	U-NII-8	6.875-7.125	4+3	802.11ax HE20	229	7095	MCS0	Partial_106/54RU	-
Mode 8	U-NII-8	6.875-7.125	4+3	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 9	U-NII-8	6.875-7.125	4+3	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 10	U-NII-8	6.875-7.125	4+3	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 11	U-NII-8	6.875-7.125	4+3	802.11ax HE80	215	7025	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	U-NII-8	6.875-7.125	4+3	802.11ax HE80	215	7025	MCS0	Full RU	LF
Mode 13	U-NII-8	6.875-7.125	4+3	802.11ax HE80	215	7025	MCS0	Full RU	SHF

C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11ax HE80	103	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	103	12930.00	54.81	88.20	-33.39	V	Peak	Pass	Full RU	Harmonic
2	802.11ax HE80	119	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	119	13090.00	54.35	88.20	-33.85	V	Peak	Pass	Full RU	Harmonic
3	802.11a	229	7125.45	45.16	68.20	-23.04	H	Avg.	Pass	-	Band Edge
	802.11a	229	-	-	-	-	-	-	-	-	Harmonic
4	802.11ax HE20	229	7125.15	45.64	68.20	-22.56	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	229	-	-	-	-	-	-	-	Full RU	Harmonic
5	802.11ax HE20	229	7150.20	45.03	68.20	-23.17	H	Avg.	Pass	Partial_26/8RU	Band Edge
	802.11ax HE20	229	-	-	-	-	-	-	-	Partial_26/8RU	Harmonic
6	802.11ax HE20	229	7125.30	45.00	68.20	-23.20	H	Avg.	Pass	Partial_52/40RU	Band Edge
	802.11ax HE20	229	-	-	-	-	-	-	-	Partial_52/40RU	Harmonic
7	802.11ax HE20	229	7222.95	45.94	68.20	-22.26	H	Avg.	Pass	Partial_106/54RU	Band Edge
	802.11ax HE20	229	-	-	-	-	-	-	-	Partial_106/54RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
8	802.11ax HE40	227	7125.16	51.64	68.20	-16.56	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	227	-	-	-	-	-	-	-	Full RU	Harmonic
9	802.11ax HE80	183	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	183	13730.00	55.97	88.20	-32.23	H	Peak	Pass	Full RU	Harmonic
10	802.11ax HE80	199	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	199	13890.00	55.92	88.20	-32.28	H	Peak	Pass	Full RU	Harmonic
11	802.11ax HE80	215	7125.54	57.90	68.20	-10.30	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	215	14050.00	56.39	88.20	-31.81	V	Peak	Pass	Full RU	Harmonic
12	LF	215	42.61	36.90	40.00	-3.10	H	QP	Pass	-	LF
13	SHF	215	39362.00	38.98	54.00	-15.02	H	Avg.	Pass	-	SHF



Mode	1																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full RU_6465MHz																																																																																																																									
ANT	4+3																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-07-15 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_241025 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>54.29</td><td>88.20</td><td>-33.91</td><td>35.37</td><td>40.00</td><td>16.76</td><td>41.02</td><td>2.77</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>40.07</td><td>74.00</td><td>-33.93</td><td>55.35</td><td>38.10</td><td>20.54</td><td>64.38</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12930.00	54.29	88.20	-33.91	35.37	40.00	16.76	41.02	2.77	--	Peak	2	19395.00	40.07	74.00	-33.93	55.35	38.10	20.54	64.38	-9.54	--	Peak	Level (dBuV/m) Date: 2025-07-15 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_241025 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>54.81</td><td>88.20</td><td>-33.39</td><td>35.89</td><td>40.00</td><td>16.76</td><td>41.02</td><td>2.77</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>39.98</td><td>74.00</td><td>-34.02</td><td>55.26</td><td>38.10</td><td>20.54</td><td>64.38</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12930.00	54.81	88.20	-33.39	35.89	40.00	16.76	41.02	2.77	--	Peak	2	19395.00	39.98	74.00	-34.02	55.26	38.10	20.54	64.38	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	12930.00	54.29	88.20	-33.91	35.37	40.00	16.76	41.02	2.77	--	Peak																																																																																																															
2	19395.00	40.07	74.00	-33.93	55.35	38.10	20.54	64.38	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	12930.00	54.81	88.20	-33.39	35.89	40.00	16.76	41.02	2.77	--	Peak																																																																																																															
2	19395.00	39.98	74.00	-34.02	55.26	38.10	20.54	64.38	-9.54	--	Peak																																																																																																															



Mode	1	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full RU_6465MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-07-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL	Level (dBuV/m) Date: 2025-07-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_241025 VERTICAL



Mode	2																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-6_6.425-6.525_802.11ax HE80_CH119_Full RU_6545MHz																																																																																																																			
ANT	4+3																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-07-15 Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_241025 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>54.19</td><td>88.20</td><td>-34.01</td><td>35.36</td><td>39.98</td><td>16.87</td><td>41.21</td><td>2.79</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19635.00</td><td>39.76</td><td>74.00</td><td>-34.24</td><td>54.76</td><td>38.10</td><td>20.70</td><td>64.26</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	54.19	88.20	-34.01	35.36	39.98	16.87	41.21	2.79	--	--	Peak	2	19635.00	39.76	74.00	-34.24	54.76	38.10	20.70	64.26	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-07-15 Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_241025 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>54.35</td><td>88.20</td><td>-33.85</td><td>35.52</td><td>39.98</td><td>16.87</td><td>41.21</td><td>2.79</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19635.00</td><td>39.57</td><td>74.00</td><td>-34.43</td><td>54.57</td><td>38.10</td><td>20.70</td><td>64.26</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	54.35	88.20	-33.85	35.52	39.98	16.87	41.21	2.79	--	--	Peak	2	19635.00	39.57	74.00	-34.43	54.57	38.10	20.70	64.26	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	13090.00	54.19	88.20	-34.01	35.36	39.98	16.87	41.21	2.79	--	--	Peak																																																																																																								
2	19635.00	39.76	74.00	-34.24	54.76	38.10	20.70	64.26	-9.54	--	--	Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	13090.00	54.35	88.20	-33.85	35.52	39.98	16.87	41.21	2.79	--	--	Peak																																																																																																								
2	19635.00	39.57	74.00	-34.43	54.57	38.10	20.70	64.26	-9.54	--	--	Peak																																																																																																								



Mode	2	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE80_CH119_Full RU_6545MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_241025 VERTICAL



Mode	3																																																																																																
	Band Edge																																																																																																
	U-NII-8 6.875-7.125 802.11a CH229 7095MHz																																																																																																
ANT	4+3																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7130.25</td><td>55.08</td><td>88.20</td><td>-33.12</td><td>37.99</td><td>36.40</td><td>12.39</td><td>35.85</td><td>4.15</td><td>100</td><td>50 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7130.25	55.08	88.20	-33.12	37.99	36.40	12.39	35.85	4.15	100	50 Peak	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>102.09</td><td>-----</td><td>-----</td><td>85.05</td><td>36.39</td><td>12.36</td><td>35.83</td><td>4.12</td><td>100</td><td>50 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	102.09	-----	-----	85.05	36.39	12.36	35.83	4.12	100	50 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7130.25	55.08	88.20	-33.12	37.99	36.40	12.39	35.85	4.15	100	50 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	102.09	-----	-----	85.05	36.39	12.36	35.83	4.12	100	50 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.45</td><td>45.16</td><td>68.20</td><td>-23.04</td><td>28.09</td><td>36.40</td><td>12.38</td><td>35.85</td><td>4.14</td><td>100</td><td>50 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.45	45.16	68.20	-23.04	28.09	36.40	12.38	35.85	4.14	100	50 Average	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>95.42</td><td>-----</td><td>-----</td><td>78.38</td><td>36.39</td><td>12.36</td><td>35.83</td><td>4.12</td><td>100</td><td>50 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	95.42	-----	-----	78.38	36.39	12.36	35.83	4.12	100	50 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.45	45.16	68.20	-23.04	28.09	36.40	12.38	35.85	4.14	100	50 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	95.42	-----	-----	78.38	36.39	12.36	35.83	4.12	100	50 Average																																																																																						



Mode	3																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																	
ANT	4+3																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7148.68</td><td>55.60</td><td>88.20</td><td>-32.60</td><td>38.50</td><td>36.40</td><td>12.40</td><td>35.86</td><td>4.16</td><td>234</td><td>13 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7148.68	55.60	88.20	-32.60	38.50	36.40	12.40	35.86	4.16	234	13 Peak	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>99.54</td><td>-----</td><td>-----</td><td>82.50</td><td>36.39</td><td>12.36</td><td>35.83</td><td>4.12</td><td>234</td><td>13 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	99.54	-----	-----	82.50	36.39	12.36	35.83	4.12	234	13 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7148.68	55.60	88.20	-32.60	38.50	36.40	12.40	35.86	4.16	234	13 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7095.00	99.54	-----	-----	82.50	36.39	12.36	35.83	4.12	234	13 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7244.55</td><td>44.92</td><td>68.20</td><td>-23.28</td><td>27.50</td><td>36.68</td><td>12.46</td><td>35.93</td><td>4.21</td><td>234</td><td>13 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7244.55	44.92	68.20	-23.28	27.50	36.68	12.46	35.93	4.21	234	13 Average	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>93.28</td><td>-----</td><td>-----</td><td>76.24</td><td>36.39</td><td>12.36</td><td>35.83</td><td>4.12</td><td>234</td><td>13 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	93.28	-----	-----	76.24	36.39	12.36	35.83	4.12	234	13 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7244.55	44.92	68.20	-23.28	27.50	36.68	12.46	35.93	4.21	234	13 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7095.00	93.28	-----	-----	76.24	36.39	12.36	35.83	4.12	234	13 Average																																																																																							







Mode	4																																																																																							
	Band Edge																																																																																							
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																							
ANT	4+3																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2086A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7127.25</td><td>55.60</td><td>88.20</td><td>-32.60</td><td>38.52</td><td>36.40</td><td>12.39</td><td>35.85</td><td>4.14</td><td>159</td><td>45 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.25	55.60	88.20	-32.60	38.52	36.40	12.39	35.85	4.14	159	45 Peak	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2086A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>105.17</td><td>-----</td><td>-----</td><td>88.13</td><td>36.39</td><td>12.36</td><td>35.83</td><td>4.12</td><td>159</td><td>45 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	105.17	-----	-----	88.13	36.39	12.36	35.83	4.12	159	45 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7127.25	55.60	88.20	-32.60	38.52	36.40	12.39	35.85	4.14	159	45 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7095.00	105.17	-----	-----	88.13	36.39	12.36	35.83	4.12	159	45 Peak																																																																													
Avg	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2086A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.15</td><td>45.64</td><td>68.20</td><td>-22.56</td><td>28.57</td><td>36.40</td><td>12.38</td><td>35.85</td><td>4.14</td><td>159</td><td>45 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.15	45.64	68.20	-22.56	28.57	36.40	12.38	35.85	4.14	159	45 Average	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2086A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>97.91</td><td>-----</td><td>-----</td><td>80.88</td><td>36.38</td><td>12.36</td><td>35.82</td><td>4.11</td><td>159</td><td>45 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	97.91	-----	-----	80.88	36.38	12.36	35.82	4.11	159	45 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7125.15	45.64	68.20	-22.56	28.57	36.40	12.38	35.85	4.14	159	45 Average																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7095.00	97.91	-----	-----	80.88	36.38	12.36	35.82	4.11	159	45 Average																																																																													



Mode	4																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																																
ANT	4+3																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-07-10 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7237.65</td><td>54.78</td><td>88.20</td><td>-33.42</td><td>37.42</td><td>36.62</td><td>12.45</td><td>35.92</td><td>4.21</td><td>234</td><td>0 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7237.65	54.78	88.20	-33.42	37.42	36.62	12.45	35.92	4.21	234	0 Peak	Level (dBuV/m) Date: 2025-07-10 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>100.32</td><td>-----</td><td>-----</td><td>83.28</td><td>36.39</td><td>12.36</td><td>35.83</td><td>4.12</td><td>234</td><td>0 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	100.32	-----	-----	83.28	36.39	12.36	35.83	4.12	234	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7237.65	54.78	88.20	-33.42	37.42	36.62	12.45	35.92	4.21	234	0 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	100.32	-----	-----	83.28	36.39	12.36	35.83	4.12	234	0 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-07-10 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7237.65</td><td>44.94</td><td>68.20</td><td>-23.26</td><td>27.55</td><td>36.65</td><td>12.46</td><td>35.93</td><td>4.21</td><td>234</td><td>0 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7237.65	44.94	68.20	-23.26	27.55	36.65	12.46	35.93	4.21	234	0 Average	Level (dBuV/m) Date: 2025-07-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>92.99</td><td>-----</td><td>-----</td><td>75.95</td><td>36.39</td><td>12.36</td><td>35.83</td><td>4.12</td><td>234</td><td>0 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	92.99	-----	-----	75.95	36.39	12.36	35.83	4.12	234	0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7237.65	44.94	68.20	-23.26	27.55	36.65	12.46	35.93	4.21	234	0 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	92.99	-----	-----	75.95	36.39	12.36	35.83	4.12	234	0 Average																																																																																						



Mode	5																																																																										
	Band Edge																																																																										
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_26/8RU_7095MHz																																																																										
ANT	4+3																																																																										
Pol.	Horizontal						Fundamental																																																																				
Peak																																																																											
	Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2086A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2086A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																				
<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Cable Preamp Loss Factor Factor</th><th>Aux APos TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7203.90</td><td>55.69</td><td>88.20</td><td>-32.51</td><td>38.42</td><td>36.52</td><td>12.44</td><td>35.90</td><td>4.21</td><td>183</td><td>55 Peak</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level Factor	Ant Cable Preamp Loss Factor Factor	Aux APos TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7203.90	55.69	88.20	-32.51	38.42	36.52	12.44	35.90	4.21	183	55 Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Cable Preamp Loss Factor Factor</th><th>Aux APos TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>112.06</td><td>-----</td><td>-----</td><td>95.00</td><td>36.40</td><td>12.37</td><td>35.83</td><td>4.12</td><td>183</td><td>55 Peak</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level Factor	Ant Cable Preamp Loss Factor Factor	Aux APos TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	112.06	-----	-----	95.00	36.40	12.37	35.83	4.12	183	55 Peak
	Freq	Level	Limit	Line Margin	Read Level Factor	Ant Cable Preamp Loss Factor Factor	Aux APos TPos	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	7203.90	55.69	88.20	-32.51	38.42	36.52	12.44	35.90	4.21	183	55 Peak																																																																
	Freq	Level	Limit	Line Margin	Read Level Factor	Ant Cable Preamp Loss Factor Factor	Aux APos TPos	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	7095.00	112.06	-----	-----	95.00	36.40	12.37	35.83	4.12	183	55 Peak																																																																
Avg																																																																											
	Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2086A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto						Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2086A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto																																																																				
<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Cable Preamp Loss Factor Factor</th><th>Aux APos TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7150.20</td><td>45.03</td><td>68.20</td><td>-23.17</td><td>27.93</td><td>36.40</td><td>12.40</td><td>35.87</td><td>4.17</td><td>183</td><td>55 Average</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level Factor	Ant Cable Preamp Loss Factor Factor	Aux APos TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7150.20	45.03	68.20	-23.17	27.93	36.40	12.40	35.87	4.17	183	55 Average	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Cable Preamp Loss Factor Factor</th><th>Aux APos TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>105.10</td><td>-----</td><td>-----</td><td>88.04</td><td>36.40</td><td>12.37</td><td>35.83</td><td>4.12</td><td>183</td><td>55 Average</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level Factor	Ant Cable Preamp Loss Factor Factor	Aux APos TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	105.10	-----	-----	88.04	36.40	12.37	35.83	4.12	183	55 Average
	Freq	Level	Limit	Line Margin	Read Level Factor	Ant Cable Preamp Loss Factor Factor	Aux APos TPos	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	7150.20	45.03	68.20	-23.17	27.93	36.40	12.40	35.87	4.17	183	55 Average																																																																
	Freq	Level	Limit	Line Margin	Read Level Factor	Ant Cable Preamp Loss Factor Factor	Aux APos TPos	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	7095.00	105.10	-----	-----	88.04	36.40	12.37	35.83	4.12	183	55 Average																																																																



Mode	5																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_26/8RU_7095MHz																																																																																																			
ANT	4+3																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-07-14 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7196.55</td><td>54.75</td><td>88.20</td><td>-33.45</td><td>37.51</td><td>36.49</td><td>12.44</td><td>35.90</td><td>4.21</td><td>287</td><td>327</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7196.55	54.75	88.20	-33.45	37.51	36.49	12.44	35.90	4.21	287	327	Peak	Level (dBuV/m) Date: 2025-07-14 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>107.11</td><td>-----</td><td>-----</td><td>90.05</td><td>36.40</td><td>12.37</td><td>35.83</td><td>4.12</td><td>287</td><td>327</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	107.11	-----	-----	90.05	36.40	12.37	35.83	4.12	287	327	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7196.55	54.75	88.20	-33.45	37.51	36.49	12.44	35.90	4.21	287	327	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	107.11	-----	-----	90.05	36.40	12.37	35.83	4.12	287	327	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-07-14 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7242.00</td><td>44.95</td><td>68.20</td><td>-23.25</td><td>27.54</td><td>36.67</td><td>12.46</td><td>35.93</td><td>4.21</td><td>287</td><td>327</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7242.00	44.95	68.20	-23.25	27.54	36.67	12.46	35.93	4.21	287	327	Average	Level (dBuV/m) Date: 2025-07-14 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>100.31</td><td>-----</td><td>-----</td><td>83.25</td><td>36.40</td><td>12.37</td><td>35.83</td><td>4.12</td><td>287</td><td>327</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	100.31	-----	-----	83.25	36.40	12.37	35.83	4.12	287	327	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7242.00	44.95	68.20	-23.25	27.54	36.67	12.46	35.93	4.21	287	327	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	100.31	-----	-----	83.25	36.40	12.37	35.83	4.12	287	327	Average																																																																																								



Mode	6																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_52/40RU_7095MHz																																																																																																
ANT	4+3																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-07-14 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7153.65</td><td>55.37</td><td>88.20</td><td>-32.83</td><td>38.25</td><td>36.41</td><td>12.41</td><td>35.87</td><td>4.17</td><td>184</td><td>57 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7153.65	55.37	88.20	-32.83	38.25	36.41	12.41	35.87	4.17	184	57 Peak	Level (dBuV/m) Date: 2025-07-14 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>108.09</td><td>-----</td><td>-----</td><td>91.03</td><td>36.40</td><td>12.37</td><td>35.83</td><td>4.12</td><td>184</td><td>57 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	108.09	-----	-----	91.03	36.40	12.37	35.83	4.12	184	57 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7153.65	55.37	88.20	-32.83	38.25	36.41	12.41	35.87	4.17	184	57 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	108.09	-----	-----	91.03	36.40	12.37	35.83	4.12	184	57 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-07-14 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.30</td><td>45.00</td><td>68.20</td><td>-23.20</td><td>27.93</td><td>36.40</td><td>12.38</td><td>35.85</td><td>4.14</td><td>184</td><td>57 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.30	45.00	68.20	-23.20	27.93	36.40	12.38	35.85	4.14	184	57 Average	Level (dBuV/m) Date: 2025-07-14 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>101.45</td><td>-----</td><td>-----</td><td>84.39</td><td>36.40</td><td>12.37</td><td>35.83</td><td>4.12</td><td>184</td><td>57 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	101.45	-----	-----	84.39	36.40	12.37	35.83	4.12	184	57 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.30	45.00	68.20	-23.20	27.93	36.40	12.38	35.85	4.14	184	57 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	101.45	-----	-----	84.39	36.40	12.37	35.83	4.12	184	57 Average																																																																																						



Mode	6																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_52/40RU_7095MHz																																																																																																			
ANT	4+3																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-07-14 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7233.75</td><td>55.01</td><td>88.20</td><td>-33.19</td><td>37.62</td><td>36.64</td><td>12.46</td><td>35.92</td><td>4.21</td><td>200</td><td>354</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7233.75	55.01	88.20	-33.19	37.62	36.64	12.46	35.92	4.21	200	354	Peak	Level (dBuV/m) Date: 2025-07-14 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>103.38</td><td>-----</td><td>-----</td><td>86.32</td><td>36.40</td><td>12.37</td><td>35.83</td><td>4.12</td><td>200</td><td>354</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	103.38	-----	-----	86.32	36.40	12.37	35.83	4.12	200	354	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7233.75	55.01	88.20	-33.19	37.62	36.64	12.46	35.92	4.21	200	354	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	103.38	-----	-----	86.32	36.40	12.37	35.83	4.12	200	354	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-07-14 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7225.05</td><td>44.93</td><td>68.20</td><td>-23.27</td><td>27.59</td><td>36.60</td><td>12.45</td><td>35.92</td><td>4.21</td><td>200</td><td>354</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7225.05	44.93	68.20	-23.27	27.59	36.60	12.45	35.92	4.21	200	354	Average	Level (dBuV/m) Date: 2025-07-14 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>94.95</td><td>-----</td><td>-----</td><td>77.89</td><td>36.40</td><td>12.37</td><td>35.83</td><td>4.12</td><td>200</td><td>354</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	94.95	-----	-----	77.89	36.40	12.37	35.83	4.12	200	354	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7225.05	44.93	68.20	-23.27	27.59	36.60	12.45	35.92	4.21	200	354	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	94.95	-----	-----	77.89	36.40	12.37	35.83	4.12	200	354	Average																																																																																								



Mode	7																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_106/54RU_7095MHz																																																																																														
ANT	4+3																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2025-07-14 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7227.30</td><td>55.74</td><td>88.20</td><td>-32.46</td><td>38.39</td><td>36.61</td><td>12.45</td><td>35.92</td><td>4.21</td><td>179</td><td>46 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7227.30	55.74	88.20	-32.46	38.39	36.61	12.45	35.92	4.21	179	46 Peak	Level (dBuV/m) Date: 2025-07-14 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7095.00</td><td>106.83</td><td>-----</td><td>-----</td><td>89.77</td><td>36.40</td><td>12.37</td><td>35.83</td><td>4.12</td><td>179</td><td>46 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7095.00	106.83	-----	-----	89.77	36.40	12.37	35.83	4.12	179	46 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 7227.30	55.74	88.20	-32.46	38.39	36.61	12.45	35.92	4.21	179	46 Peak																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 7095.00	106.83	-----	-----	89.77	36.40	12.37	35.83	4.12	179	46 Peak																																																																																					
Avg	Level (dBuV/m) Date: 2025-07-14 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7222.95</td><td>45.94</td><td>68.20</td><td>-22.26</td><td>28.61</td><td>36.59</td><td>12.45</td><td>35.92</td><td>4.21</td><td>179</td><td>46 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7222.95	45.94	68.20	-22.26	28.61	36.59	12.45	35.92	4.21	179	46 Average	Level (dBuV/m) Date: 2025-07-14 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7095.00</td><td>98.42</td><td>-----</td><td>-----</td><td>81.38</td><td>36.39</td><td>12.36</td><td>35.83</td><td>4.12</td><td>179</td><td>46 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7095.00	98.42	-----	-----	81.38	36.39	12.36	35.83	4.12	179	46 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 7222.95	45.94	68.20	-22.26	28.61	36.59	12.45	35.92	4.21	179	46 Average																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 7095.00	98.42	-----	-----	81.38	36.39	12.36	35.83	4.12	179	46 Average																																																																																					



Mode	7																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_106/54RU_7095MHz																																																																																																	
ANT	4+3																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-07-14 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7172.55</td><td>55.11</td><td>88.20</td><td>-33.09</td><td>37.93</td><td>36.45</td><td>12.42</td><td>35.88</td><td>4.19</td><td>300</td><td>329 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7172.55	55.11	88.20	-33.09	37.93	36.45	12.42	35.88	4.19	300	329 Peak	Level (dBuV/m) Date: 2025-07-14 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>99.96</td><td>-----</td><td>-----</td><td>82.90</td><td>36.40</td><td>12.37</td><td>35.83</td><td>4.12</td><td>300</td><td>329 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	99.96	-----	-----	82.90	36.40	12.37	35.83	4.12	300	329 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7172.55	55.11	88.20	-33.09	37.93	36.45	12.42	35.88	4.19	300	329 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7095.00	99.96	-----	-----	82.90	36.40	12.37	35.83	4.12	300	329 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-07-14 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7213.00</td><td>45.81</td><td>68.20</td><td>-22.39</td><td>28.50</td><td>36.56</td><td>12.45</td><td>35.91</td><td>4.21</td><td>300</td><td>329 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7213.00	45.81	68.20	-22.39	28.50	36.56	12.45	35.91	4.21	300	329 Average	Level (dBuV/m) Date: 2025-07-14 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>92.75</td><td>-----</td><td>-----</td><td>75.71</td><td>36.39</td><td>12.36</td><td>35.83</td><td>4.12</td><td>300</td><td>329 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	92.75	-----	-----	75.71	36.39	12.36	35.83	4.12	300	329 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7213.00	45.81	68.20	-22.39	28.50	36.56	12.45	35.91	4.21	300	329 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7095.00	92.75	-----	-----	75.71	36.39	12.36	35.83	4.12	300	329 Average																																																																																							



Mode	8																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																	
ANT	4+3																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.12</td><td>64.50</td><td>88.20</td><td>-23.70</td><td>47.43</td><td>36.40</td><td>12.38</td><td>35.85</td><td>4.14</td><td>151</td><td>50 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.12	64.50	88.20	-23.70	47.43	36.40	12.38	35.85	4.14	151	50 Peak	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>104.76</td><td>-----</td><td>-----</td><td>87.73</td><td>36.38</td><td>12.36</td><td>35.82</td><td>4.11</td><td>151</td><td>50 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	104.76	-----	-----	87.73	36.38	12.36	35.82	4.11	151	50 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7126.12	64.50	88.20	-23.70	47.43	36.40	12.38	35.85	4.14	151	50 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7085.00	104.76	-----	-----	87.73	36.38	12.36	35.82	4.11	151	50 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.16</td><td>51.64</td><td>68.20</td><td>-16.56</td><td>34.57</td><td>36.40</td><td>12.38</td><td>35.85</td><td>4.14</td><td>151</td><td>50 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.16	51.64	68.20	-16.56	34.57	36.40	12.38	35.85	4.14	151	50 Average	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>96.59</td><td>-----</td><td>-----</td><td>79.59</td><td>36.37</td><td>12.35</td><td>35.82</td><td>4.10</td><td>151</td><td>50 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	96.59	-----	-----	79.59	36.37	12.35	35.82	4.10	151	50 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7125.16	51.64	68.20	-16.56	34.57	36.40	12.38	35.85	4.14	151	50 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7085.00	96.59	-----	-----	79.59	36.37	12.35	35.82	4.10	151	50 Average																																																																																							



Mode	8																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																	
ANT	4+3																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-07-10 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.28</td><td>61.64</td><td>88.20</td><td>-26.56</td><td>44.57</td><td>36.40</td><td>12.38</td><td>35.85</td><td>4.14</td><td>233</td><td>0 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.28	61.64	88.20	-26.56	44.57	36.40	12.38	35.85	4.14	233	0 Peak	Level (dBuV/m) Date: 2025-07-10 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>99.50</td><td>-----</td><td>-----</td><td>82.47</td><td>36.38</td><td>12.36</td><td>35.82</td><td>4.11</td><td>233</td><td>0 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	99.50	-----	-----	82.47	36.38	12.36	35.82	4.11	233	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7126.28	61.64	88.20	-26.56	44.57	36.40	12.38	35.85	4.14	233	0 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7085.00	99.50	-----	-----	82.47	36.38	12.36	35.82	4.11	233	0 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-07-10 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.16</td><td>48.36</td><td>68.20</td><td>-19.84</td><td>31.29</td><td>36.40</td><td>12.38</td><td>35.85</td><td>4.14</td><td>233</td><td>0 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.16	48.36	68.20	-19.84	31.29	36.40	12.38	35.85	4.14	233	0 Average	Level (dBuV/m) Date: 2025-07-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>92.73</td><td>-----</td><td>-----</td><td>75.73</td><td>36.37</td><td>12.35</td><td>35.82</td><td>4.10</td><td>233</td><td>0 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	92.73	-----	-----	75.73	36.37	12.35	35.82	4.10	233	0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7125.16	48.36	68.20	-19.84	31.29	36.40	12.38	35.85	4.14	233	0 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7085.00	92.73	-----	-----	75.73	36.37	12.35	35.82	4.10	233	0 Average																																																																																							





Mode	9																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE80_CH183_Full RU_6865MHz																																																																																																																			
ANT	4+3																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-07-15 Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_241025 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>55.97</td><td>88.20</td><td>-32.23</td><td>37.39</td><td>40.30</td><td>17.31</td><td>42.28</td><td>2.86</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20595.00</td><td>40.22</td><td>74.00</td><td>-33.78</td><td>54.11</td><td>38.10</td><td>21.24</td><td>63.69</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	55.97	88.20	-32.23	37.39	40.30	17.31	42.28	2.86	--	--	Peak	2	20595.00	40.22	74.00	-33.78	54.11	38.10	21.24	63.69	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-07-15 Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_241025 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>55.44</td><td>88.20</td><td>-32.76</td><td>36.86</td><td>40.30</td><td>17.31</td><td>42.28</td><td>2.86</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20595.00</td><td>39.94</td><td>74.00</td><td>-34.06</td><td>53.83</td><td>38.10</td><td>21.24</td><td>63.69</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	55.44	88.20	-32.76	36.86	40.30	17.31	42.28	2.86	--	--	Peak	2	20595.00	39.94	74.00	-34.06	53.83	38.10	21.24	63.69	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	13730.00	55.97	88.20	-32.23	37.39	40.30	17.31	42.28	2.86	--	--	Peak																																																																																																								
2	20595.00	40.22	74.00	-33.78	54.11	38.10	21.24	63.69	-9.54	--	--	Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	13730.00	55.44	88.20	-32.76	36.86	40.30	17.31	42.28	2.86	--	--	Peak																																																																																																								
2	20595.00	39.94	74.00	-34.06	53.83	38.10	21.24	63.69	-9.54	--	--	Peak																																																																																																								



Mode	9	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH183_Full RU_6865MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-07-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL	Level (dBuV/m) Date: 2025-07-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_241025 VERTICAL



Mode	10																																																																			
	Harmonic																																																																			
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																																			
ANT	4+3																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_241025 HORIZONTAL																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13890.00</td><td>55.92</td><td>88.20</td><td>-32.28</td><td>37.22</td><td>40.56</td><td>17.42</td><td>42.55</td><td>2.88</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20835.00</td><td>39.68</td><td>74.00</td><td>-34.32</td><td>53.18</td><td>38.07</td><td>21.37</td><td>63.40</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	55.92	88.20	-32.28	37.22	40.56	17.42	42.55	2.88	--	--	Peak	2	20835.00	39.68	74.00	-34.32	53.18	38.07	21.37	63.40	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	13890.00	55.92	88.20	-32.28	37.22	40.56	17.42	42.55	2.88	--	--	Peak																																																								
2	20835.00	39.68	74.00	-34.32	53.18	38.07	21.37	63.40	-9.54	--	--	Peak																																																								
Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_241025 VERTICAL																																																																				
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13890.00</td><td>55.89</td><td>88.20</td><td>-32.31</td><td>37.19</td><td>40.56</td><td>17.42</td><td>42.55</td><td>2.88</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20835.00</td><td>39.85</td><td>74.00</td><td>-34.15</td><td>53.35</td><td>38.07</td><td>21.37</td><td>63.40</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	55.89	88.20	-32.31	37.19	40.56	17.42	42.55	2.88	--	--	Peak	2	20835.00	39.85	74.00	-34.15	53.35	38.07	21.37	63.40	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	13890.00	55.89	88.20	-32.31	37.19	40.56	17.42	42.55	2.88	--	--	Peak																																																								
2	20835.00	39.85	74.00	-34.15	53.35	38.07	21.37	63.40	-9.54	--	--	Peak																																																								



Mode	10	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-07-10 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL	Level (dBuV/m) Date: 2025-07-10 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_241025 VERTICAL



Mode	11																																																																												
	Band Edge																																																																												
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																												
ANT	4+3																																																																												
Pol.	Horizontal						Fundamental																																																																						
Peak	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7132.58</td><td>66.66</td><td>88.20</td><td>-21.54</td><td>49.57</td><td>36.40</td><td>12.39</td><td>35.85</td><td>4.15</td><td>176</td><td>61 Peak</td></tr></table>						Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7132.58	66.66	88.20	-21.54	49.57	36.40	12.39	35.85	4.15	176	61 Peak	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7025.00</td><td>106.41</td><td>-----</td><td>-----</td><td>89.47</td><td>36.37</td><td>12.30</td><td>35.77</td><td>4.04</td><td>176</td><td>61 Peak</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	106.41	-----	-----	89.47	36.37	12.30	35.77	4.04	176	61 Peak
	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 7132.58	66.66	88.20	-21.54	49.57	36.40	12.39	35.85	4.15	176	61 Peak																																																																			
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 7025.00	106.41	-----	-----	89.47	36.37	12.30	35.77	4.04	176	61 Peak																																																																			
Avg	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.54</td><td>57.90</td><td>68.20</td><td>-10.30</td><td>40.83</td><td>36.40</td><td>12.38</td><td>35.85</td><td>4.14</td><td>176</td><td>61 Average</td></tr></table>						Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7125.54	57.90	68.20	-10.30	40.83	36.40	12.38	35.85	4.14	176	61 Average	Level (dBuV/m) Date: 2025-07-10 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7025.00</td><td>96.71</td><td>-----</td><td>-----</td><td>79.77</td><td>36.37</td><td>12.30</td><td>35.77</td><td>4.04</td><td>176</td><td>61 Average</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	96.71	-----	-----	79.77	36.37	12.30	35.77	4.04	176	61 Average
	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 7125.54	57.90	68.20	-10.30	40.83	36.40	12.38	35.85	4.14	176	61 Average																																																																			
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 7025.00	96.71	-----	-----	79.77	36.37	12.30	35.77	4.04	176	61 Average																																																																			



		11																																																																												
Mode	Band Edge																																																																													
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																													
ANT	4+3																																																																													
Pol.	Vertical						Fundamental																																																																							
Peak	Level (dBuV/m) Date: 2025-07-10 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7130.60</td><td>60.42</td><td>88.20</td><td>-27.78</td><td>43.33</td><td>36.40</td><td>12.39</td><td>35.85</td><td>4.15</td><td>220</td><td>1 Peak</td></tr></table>						Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7130.60	60.42	88.20	-27.78	43.33	36.40	12.39	35.85	4.15	220	1 Peak	Level (dBuV/m) Date: 2025-07-10 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7025.00</td><td>98.76</td><td>-----</td><td>-----</td><td>81.82</td><td>36.37</td><td>12.30</td><td>35.77</td><td>4.04</td><td>220</td><td>1 Peak</td></tr></table>						Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	98.76	-----	-----	81.82	36.37	12.30	35.77	4.04	220	1 Peak
	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 7130.60	60.42	88.20	-27.78	43.33	36.40	12.39	35.85	4.15	220	1 Peak																																																																				
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 7025.00	98.76	-----	-----	81.82	36.37	12.30	35.77	4.04	220	1 Peak																																																																				
Avg	Level (dBuV/m) Date: 2025-07-10 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7126.42</td><td>52.58</td><td>68.20</td><td>-15.62</td><td>35.51</td><td>36.40</td><td>12.38</td><td>35.85</td><td>4.14</td><td>220</td><td>1 Average</td></tr></table>						Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7126.42	52.58	68.20	-15.62	35.51	36.40	12.38	35.85	4.14	220	1 Average	Level (dBuV/m) Date: 2025-07-10 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2006A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7025.00</td><td>91.58</td><td>-----</td><td>-----</td><td>74.64</td><td>36.37</td><td>12.30</td><td>35.77</td><td>4.04</td><td>220</td><td>1 Average</td></tr></table>						Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	91.58	-----	-----	74.64	36.37	12.30	35.77	4.04	220	1 Average
	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 7126.42	52.58	68.20	-15.62	35.51	36.40	12.38	35.85	4.14	220	1 Average																																																																				
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 7025.00	91.58	-----	-----	74.64	36.37	12.30	35.77	4.04	220	1 Average																																																																				





Mode	11																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																																													
ANT	4+3																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-07-15 PEAK(UNII)_6E AVG(UNII)_6E Frequency (MHz)						Level (dBuV/m) Date: 2025-07-15 PEAK(UNII)_6E AVG(UNII)_6E Frequency (MHz)																																																																																																																							
	Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m 88HA9170_1230_241025 HORIZONTAL						Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m 88HA9170_1230_241025 VERTICAL																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>56.18</td><td>88.20</td><td>-32.02</td><td>37.18</td><td>41.00</td><td>17.53</td><td>42.82</td><td>2.89</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21075.00</td><td>40.58</td><td>74.00</td><td>-33.42</td><td>53.06</td><td>38.00</td><td>21.49</td><td>63.23</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	56.18	88.20	-32.02	37.18	41.00	17.53	42.82	2.89	--	--	Peak	2	21075.00	40.58	74.00	-33.42	53.06	38.00	21.49	63.23	-9.54	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>56.39</td><td>88.20</td><td>-31.81</td><td>37.39</td><td>41.00</td><td>17.53</td><td>42.82</td><td>2.89</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21075.00</td><td>40.72</td><td>74.00</td><td>-33.28</td><td>54.00</td><td>38.00</td><td>21.49</td><td>63.23</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14050.00	56.39	88.20	-31.81	37.39	41.00	17.53	42.82	2.89	--	--	Peak	2	21075.00	40.72	74.00	-33.28	54.00	38.00	21.49	63.23	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	14050.00	56.18	88.20	-32.02	37.18	41.00	17.53	42.82	2.89	--	--	Peak																																																																																																																		
2	21075.00	40.58	74.00	-33.42	53.06	38.00	21.49	63.23	-9.54	--	--	Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	14050.00	56.39	88.20	-31.81	37.39	41.00	17.53	42.82	2.89	--	--	Peak																																																																																																																		
2	21075.00	40.72	74.00	-33.28	54.00	38.00	21.49	63.23	-9.54	--	--	Peak																																																																																																																		



Mode	11	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-07-10 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL	Level (dBuV/m) Date: 2025-07-10 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_KV2D06A18ES_241025 VERTICAL



Mode	12																																																																																																																																																																																												
	LF																																																																																																																																																																																												
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																																																																																																												
ANT	4+3																																																																																																																																																																																												
Pol.	Horizontal					Vertical																																																																																																																																																																																							
QPI Peak																																																																																																																																																																																													
	Site : 03CH23-HY Condition: QP 3m CBL6111D_62028 & 003_241127 HORIZONTAL					Site : 03CH23-HY Condition: QP 3m CBL6111D_62028 & 003_241127 VERTICAL																																																																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>32.91</td><td>36.59</td><td>40.00</td><td>-3.41</td><td>45.42</td><td>23.04</td><td>0.67</td><td>32.56</td><td>0.02 100 224 QP</td></tr><tr><td>2</td><td>42.61</td><td>36.90</td><td>40.00</td><td>-3.10</td><td>50.24</td><td>18.36</td><td>0.82</td><td>32.54</td><td>0.02 100 12 QP</td></tr><tr><td>3</td><td>184.23</td><td>32.41</td><td>43.50</td><td>-11.09</td><td>48.19</td><td>14.91</td><td>1.74</td><td>32.49</td><td>0.06 -- -- Peak</td></tr><tr><td>4</td><td>472.32</td><td>29.63</td><td>46.00</td><td>-16.37</td><td>35.75</td><td>23.54</td><td>2.90</td><td>32.66</td><td>0.10 -- -- Peak</td></tr><tr><td>5</td><td>740.04</td><td>29.65</td><td>46.00</td><td>-16.35</td><td>30.36</td><td>28.04</td><td>3.68</td><td>32.57</td><td>0.14 -- -- Peak</td></tr><tr><td>6</td><td>953.44</td><td>31.82</td><td>46.00</td><td>-14.18</td><td>27.48</td><td>30.98</td><td>4.27</td><td>31.11</td><td>0.20 -- -- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	32.91	36.59	40.00	-3.41	45.42	23.04	0.67	32.56	0.02 100 224 QP	2	42.61	36.90	40.00	-3.10	50.24	18.36	0.82	32.54	0.02 100 12 QP	3	184.23	32.41	43.50	-11.09	48.19	14.91	1.74	32.49	0.06 -- -- Peak	4	472.32	29.63	46.00	-16.37	35.75	23.54	2.90	32.66	0.10 -- -- Peak	5	740.04	29.65	46.00	-16.35	30.36	28.04	3.68	32.57	0.14 -- -- Peak	6	953.44	31.82	46.00	-14.18	27.48	30.98	4.27	31.11	0.20 -- -- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>32.91</td><td>26.55</td><td>40.00</td><td>-13.45</td><td>35.38</td><td>23.04</td><td>0.67</td><td>32.56</td><td>0.02 -- -- Peak</td></tr><tr><td>2</td><td>213.33</td><td>35.83</td><td>43.50</td><td>-7.67</td><td>51.43</td><td>14.98</td><td>1.87</td><td>32.51</td><td>0.06 -- -- Peak</td></tr><tr><td>3</td><td>216.24</td><td>34.58</td><td>46.00</td><td>-11.42</td><td>50.25</td><td>14.90</td><td>1.88</td><td>32.51</td><td>0.06 -- -- Peak</td></tr><tr><td>4</td><td>437.40</td><td>27.67</td><td>46.00</td><td>-18.33</td><td>34.60</td><td>22.87</td><td>2.77</td><td>32.65</td><td>0.08 -- -- Peak</td></tr><tr><td>5</td><td>745.86</td><td>29.07</td><td>46.00</td><td>-16.93</td><td>29.65</td><td>28.13</td><td>3.70</td><td>32.55</td><td>0.14 -- -- Peak</td></tr><tr><td>6</td><td>900.09</td><td>33.00</td><td>46.00</td><td>-13.00</td><td>31.27</td><td>29.23</td><td>4.03</td><td>31.69</td><td>0.16 -- -- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	32.91	26.55	40.00	-13.45	35.38	23.04	0.67	32.56	0.02 -- -- Peak	2	213.33	35.83	43.50	-7.67	51.43	14.98	1.87	32.51	0.06 -- -- Peak	3	216.24	34.58	46.00	-11.42	50.25	14.90	1.88	32.51	0.06 -- -- Peak	4	437.40	27.67	46.00	-18.33	34.60	22.87	2.77	32.65	0.08 -- -- Peak	5	745.86	29.07	46.00	-16.93	29.65	28.13	3.70	32.55	0.14 -- -- Peak	6	900.09	33.00	46.00	-13.00	31.27	29.23	4.03	31.69
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																				
1	32.91	36.59	40.00	-3.41	45.42	23.04	0.67	32.56	0.02 100 224 QP																																																																																																																																																																																				
2	42.61	36.90	40.00	-3.10	50.24	18.36	0.82	32.54	0.02 100 12 QP																																																																																																																																																																																				
3	184.23	32.41	43.50	-11.09	48.19	14.91	1.74	32.49	0.06 -- -- Peak																																																																																																																																																																																				
4	472.32	29.63	46.00	-16.37	35.75	23.54	2.90	32.66	0.10 -- -- Peak																																																																																																																																																																																				
5	740.04	29.65	46.00	-16.35	30.36	28.04	3.68	32.57	0.14 -- -- Peak																																																																																																																																																																																				
6	953.44	31.82	46.00	-14.18	27.48	30.98	4.27	31.11	0.20 -- -- Peak																																																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																				
1	32.91	26.55	40.00	-13.45	35.38	23.04	0.67	32.56	0.02 -- -- Peak																																																																																																																																																																																				
2	213.33	35.83	43.50	-7.67	51.43	14.98	1.87	32.51	0.06 -- -- Peak																																																																																																																																																																																				
3	216.24	34.58	46.00	-11.42	50.25	14.90	1.88	32.51	0.06 -- -- Peak																																																																																																																																																																																				
4	437.40	27.67	46.00	-18.33	34.60	22.87	2.77	32.65	0.08 -- -- Peak																																																																																																																																																																																				
5	745.86	29.07	46.00	-16.93	29.65	28.13	3.70	32.55	0.14 -- -- Peak																																																																																																																																																																																				
6	900.09	33.00	46.00	-13.00	31.27	29.23	4.03	31.69	0.16 -- -- Peak																																																																																																																																																																																				



Mode	13																																																																																																																																	
	SHF																																																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																																																	
ANT	4+3																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak	Level (dBuV/m) Date: 2025-07-15 PEAK(U(II))_6E AVG(U(II))_6E Site : 03CH23-HY Condition: PEAK(U(II))_6E 1m BBHA9170_1230_241025 HORIZONTAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39362.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>41.58</td><td>46.60</td><td>31.04</td><td>62.73</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>39362.00</td><td>38.98</td><td>54.00</td><td>-15.02</td><td>33.61</td><td>46.60</td><td>31.04</td><td>62.73</td><td>-9.54</td><td>--</td><td>-- Average</td></tr></table> Level (dBuV/m) Date: 2025-07-15 PEAK(U(II))_6E AVG(U(II))_6E Site : 03CH23-HY Condition: PEAK(U(II))_6E 1m BBHA9170_1230_241025 VERTICAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39450.00</td><td>48.34</td><td>74.00</td><td>-25.66</td><td>42.98</td><td>46.70</td><td>31.04</td><td>62.84</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>39450.00</td><td>38.86</td><td>54.00</td><td>-15.14</td><td>33.50</td><td>46.70</td><td>31.04</td><td>62.84</td><td>-9.54</td><td>--</td><td>-- Average</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	39362.00	46.95	74.00	-27.05	41.58	46.60	31.04	62.73	-9.54	--	-- Peak	2	39362.00	38.98	54.00	-15.02	33.61	46.60	31.04	62.73	-9.54	--	-- Average			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	39450.00	48.34	74.00	-25.66	42.98	46.70	31.04	62.84	-9.54	--	-- Peak	2	39450.00	38.86	54.00	-15.14	33.50	46.70	31.04	62.84	-9.54	--	-- Average
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	39362.00	46.95	74.00	-27.05	41.58	46.60	31.04	62.73	-9.54	--	-- Peak																																																																																																																							
2	39362.00	38.98	54.00	-15.02	33.61	46.60	31.04	62.73	-9.54	--	-- Average																																																																																																																							
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	39450.00	48.34	74.00	-25.66	42.98	46.70	31.04	62.84	-9.54	--	-- Peak																																																																																																																							
2	39450.00	38.86	54.00	-15.14	33.50	46.70	31.04	62.84	-9.54	--	-- Average																																																																																																																							






Appendix D. Duty Cycle Plots

<For Radiated Test>

Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
4+3	6E 802.11a	99.51	4060	0.25	10Hz
4+3	6E 802.11ax HE20 Full RU	99.31	2880	0.35	10Hz
4+3	6E 802.11ax HE20 26RU	98.18	1620	0.62	10Hz
4+3	6E 802.11ax HE20 52RU	98.05	1461	0.68	10Hz
4+3	6E 802.11ax HE20 106RU	97.75	1305	0.77	820Hz
4+3	6E 802.11ax HE40 Full RU	98.66	1470	0.68	10Hz
4+3	6E 802.11ax HE80 Full RU	97.22	735	1.36	1.5kHz

MIMO < Ant. 4 + Ant. 3 >








<For Conducted Test CDD Mode>

Antenna	Band	Duty Cycle (%)	Duty Factor (dB)
4+3	6E 802.11a	99.51	0.02
4+3	6E 802.11a	99.51	0.02
4+3	6E 802.11ax HE20 Full RU	99.31	0.03
4+3	6E 802.11ax HE20 Full RU	99.31	0.03
4+3	6E 802.11ax HE20 26RU	98.06	0.09
4+3	6E 802.11ax HE20 26RU	98.06	0.09
4+3	6E 802.11ax HE20 52RU	97.98	0.09
4+3	6E 802.11ax HE20 52RU	97.98	0.09
4+3	6E 802.11ax HE20 106RU	97.74	0.10
4+3	6E 802.11ax HE20 106RU	97.74	0.10
4+3	6E 802.11ax HE40 Full RU	98.72	0.06
4+3	6E 802.11ax HE40 Full RU	98.65	0.06
4+3	6E 802.11ax HE80 Full RU	97.35	0.12
4+3	6E 802.11ax HE80 Full RU	97.34	0.12

Note: The duty factor applied for each channel is verified before PSD measurement, there might be negligible factor delta between low, middle and high channels so table above is just for reference only.

MIMO <Ant. 4>



<For Conducted Test SDM Mode>

Antenna	Band	Duty Cycle (%)	Duty Factor (dB)
4+3	6E 802.11a	99.51	0.02
4+3	6E 802.11a	99.51	0.02
4+3	6E 802.11ax HE20 Full RU	99.30	0.03
4+3	6E 802.11ax HE20 Full RU	99.31	0.03
4+3	6E 802.11ax HE20 26RU	98.06	0.09
4+3	6E 802.11ax HE20 26RU	98.06	0.09
4+3	6E 802.11ax HE20 52RU	97.98	0.09
4+3	6E 802.11ax HE20 52RU	97.98	0.09
4+3	6E 802.11ax HE20 106RU	97.74	0.10
4+3	6E 802.11ax HE20 106RU	97.74	0.10
4+3	6E 802.11ax HE40 Full RU	98.79	0.05
4+3	6E 802.11ax HE40 Full RU	98.79	0.05
4+3	6E 802.11ax HE80 Full RU	97.34	0.12
4+3	6E 802.11ax HE80 Full RU	97.34	0.12

Note: The duty factor applied for each channel is verified before PSD measurement, there might be negligible factor delta between low, middle and high channels so table above is just for reference only.

MIMO <Ant. 4>
