




Ant. 0

Part 22H Mode 3


WCDMA B5 Ch4233

H



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : WCDMA 850 Ch4233

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	1693.00	-67.68	RMS	29.43	-52.34	0.31	-95.23	50.15	-13.00	-54.68	Horizontal		
2	2544.00	-57.61	RMS	32.90	-50.41	0.17	-95.23	54.96	-13.00	-44.61	Horizontal		
3	3386.00	-64.16	RMS	33.26	-49.17	0.18	-95.23	46.80	-13.00	-51.16	Horizontal		



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : WCDMA 850 Ch4233

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	1693.00	-67.73	RMS	29.43	-52.34	0.31	-95.23	50.10	-13.00	-54.73	Vertical		
2	2544.00	-59.78	RMS	32.90	-50.41	0.17	-95.23	52.79	-13.00	-46.78	Vertical		
3	3386.00	-64.06	RMS	33.26	-49.17	0.18	-95.23	46.90	-13.00	-51.06	Vertical		




Ant. 1

Part 22H Mode 2


GSM 850 Ch189

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : GSM 850 Ch189

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1			g	g		
				dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1680.00	-57.23	RMS	29.30	-52.37	0.31	-95.23	60.76	-13.00	-44.23	Horizontal
2	2512.00	-42.87	RMS	32.90	-50.45	0.24	-95.23	69.67	-13.00	-29.87	Horizontal
3	3346.00	-64.43	RMS	33.39	-49.24	0.16	-95.23	46.49	-13.00	-51.43	Horizontal
4	4184.00	-59.16	RMS	33.70	-48.08	0.35	-95.23	50.10	-13.00	-46.16	Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : GSM 850 Ch189

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	l						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1680.00	-52.22	RMS	29.30	-52.37	0.31	-95.23	65.77	-13.00	-39.22	Vertical
2	2512.00	-45.67	RMS	32.90	-50.45	0.24	-95.23	66.87	-13.00	-32.67	Vertical
3	3346.00	-64.46	RMS	33.39	-49.24	0.16	-95.23	46.46	-13.00	-51.46	Vertical
4	4184.00	-61.79	RMS	33.70	-48.08	0.35	-95.23	47.47	-13.00	-48.79	Vertical




Ant. 1

Part 22H Mode 4


WCDMA B5 Ch4182

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : WCDMA 850 Ch4182

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	1672.00	-68.44	RMS	29.30	-52.39	0.31	-95.23	49.57	-13.00	-55.44	Horizontal		
2	2510.00	-64.81	RMS	32.90	-50.45	0.24	-95.23	47.73	-13.00	-51.81	Horizontal		
3	3346.00	-64.46	RMS	33.39	-49.24	0.16	-95.23	46.46	-13.00	-51.46	Horizontal		



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : WCDMA 850 Ch4182

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	1672.00	-68.56	RMS	29.30	-52.39	0.31	-95.23	49.45	-13.00	-55.56	Vertical		
2	2510.00	-64.70	RMS	32.90	-50.45	0.24	-95.23	47.84	-13.00	-51.70	Vertical		
3	3346.00	-64.31	RMS	33.39	-49.24	0.16	-95.23	46.61	-13.00	-51.31	Vertical		




Ant. 2

Part 24E Mode 1


GSM 1900 Ch512

L




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : GSM1900 Ch512

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3705.00	-57.82	RMS	33.41	-48.76	0.85	-95.23	51.92	-13.00	-44.82 Horizontal
2	5565.00	-46.95	RMS	35.04	-44.14	0.49	-95.23	56.89	-13.00	-33.95 Horizontal
3	7401.00	-60.98	RMS	36.00	-43.00	0.67	-95.23	40.58	-13.00	-47.98 Horizontal




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : GSM1900 Ch512

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3705.00	-53.67	RMS	33.41	-48.76	0.85	-95.23	56.07	-13.00	-40.67 Vertical
2	5565.00	-46.68	RMS	35.04	-44.14	0.49	-95.23	57.16	-13.00	-33.68 Vertical
3	7401.00	-60.69	RMS	36.00	-43.00	0.67	-95.23	40.87	-13.00	-47.69 Vertical

**Ant. 2****Part 24E Mode 1****GSM 1900 Ch661****M**

Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : GSM1900 CH661

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB		dB	dBuV	dBm	dB	
1	3765.00	-60.84	RMS	33.50	-48.67	0.79	-95.23	48.78	-13.00	-47.84	Horizontal	
2	5640.00	-37.81	RMS	34.98	-43.80	0.44	-95.23	65.80	-13.00	-24.81	Horizontal	
3	7515.00	-61.43	RMS	36.00	-43.07	0.60	-95.23	40.27	-13.00	-48.43	Horizontal	
4	9405.00	-56.94	RMS	36.71	-42.67	0.76	-95.23	43.49	-13.00	-43.94	Horizontal	



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : GSM1900 CH661

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB		dB	dBuV	dBm	dB	
1	3765.00	-56.27	RMS	33.50	-48.67	0.79	-95.23	53.35	-13.00	-43.27	Vertical	
2	5640.00	-35.35	RMS	34.98	-43.80	0.44	-95.23	68.26	-13.00	-22.35	Vertical	
3	7515.00	-61.57	RMS	36.00	-43.07	0.60	-95.23	40.13	-13.00	-48.57	Vertical	
4	9405.00	-56.70	RMS	36.71	-42.67	0.76	-95.23	43.73	-13.00	-43.70	Vertical	




Ant. 2

Part 24E Mode 1


GSM 1900 Ch810

H



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : GSM1900 Ch810

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	3825.00	-59.34	RMS	33.65	-48.59	0.74	-95.23	50.09	-13.00	-46.34	Horizontal
2	5730.00	-40.87	RMS	35.10	-43.43	0.34	-95.23	62.35	-13.00	-27.87	Horizontal
3	7639.00	-61.84	RMS	36.10	-42.91	0.57	-95.23	39.63	-13.00	-48.84	Horizontal
4	9555.00	-55.30	RMS	36.81	-42.52	0.78	-95.23	44.86	-13.00	-42.30	Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : GSM1900 Ch810

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	3825.00	-57.07	RMS	33.65	-48.59	0.74	-95.23	52.36	-13.00	-44.07	Vertical
2	5730.00	-40.06	RMS	35.10	-43.43	0.34	-95.23	63.16	-13.00	-27.06	Vertical
3	7639.00	-61.72	RMS	36.10	-42.91	0.57	-95.23	39.75	-13.00	-48.72	Vertical
4	9555.00	-56.98	RMS	36.81	-42.52	0.78	-95.23	43.18	-13.00	-43.98	Vertical




Ant. 2

Part 24E Mode 3


WCDMA B2 Ch9262

L



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : WCDMA 1900 CH9262

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3705.00	-62.67	RMS	33.41	-48.76	0.85	-95.23	47.07	-13.00	-49.67 Horizontal
2	5557.00	-61.40	RMS	35.07	-44.18	0.50	-95.23	42.44	-13.00	-48.40 Horizontal
3	7410.00	-61.25	RMS	36.00	-43.01	0.66	-95.23	40.33	-13.00	-48.25 Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : WCDMA 1900 CH9262

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3705.00	-62.57	RMS	33.41	-48.76	0.85	-95.23	47.17	-13.00	-49.57 Vertical
2	5557.00	-61.55	RMS	35.07	-44.18	0.50	-95.23	42.29	-13.00	-48.55 Vertical
3	7410.00	-61.09	RMS	36.00	-43.01	0.66	-95.23	40.49	-13.00	-48.09 Vertical




Ant. 2

Part 24E Mode 3


WCDMA B2 Ch9400

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : WCDMA 1900 CH9400

	Freq		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
	MHz	dBm		Factor	1		dB	dB	g	dBm		
1	3760.00	-62.79	RMS	33.50	-48.68	0.79	-95.23	46.83	-13.00	-49.79	Horizontal	
2	5640.00	-59.06	RMS	34.98	-43.80	0.44	-95.23	44.55	-13.00	-46.06	Horizontal	
3	7520.00	-60.80	RMS	36.00	-43.07	0.60	-95.23	40.90	-13.00	-47.80	Horizontal	



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : WCDMA 1900 CH9400

	Freq		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
	MHz	dBm		Factor	1		dB	dB	g	dBm		
1	3760.00	-62.62	RMS	33.50	-48.68	0.79	-95.23	47.00	-13.00	-49.62	Vertical	
2	5640.00	-60.29	RMS	34.98	-43.80	0.44	-95.23	43.32	-13.00	-47.29	Vertical	
3	7520.00	-61.07	RMS	36.00	-43.07	0.60	-95.23	40.63	-13.00	-48.07	Vertical	




Ant. 2

Part 24E Mode 3


WCDMA B2 Ch9538

H




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : WCDMA 1900 CH9538

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB		dBuV	dBm		dB
1	3815.00	-62.37	RMS	33.59	-48.60	0.74	-95.23	47.13	-13.00	-49.37	Horizontal
2	5723.00	-61.18	RMS	35.10	-43.46	0.34	-95.23	42.07	-13.00	-48.18	Horizontal
3	7630.00	-61.68	RMS	36.10	-42.92	0.57	-95.23	39.80	-13.00	-48.68	Horizontal




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : WCDMA 1900 CH9538

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3815.00	-62.34	RMS	33.59	-48.60	0.74	-95.23	47.16	-13.00	-49.34	Vertical
2	5723.00	-60.55	RMS	35.10	-43.46	0.34	-95.23	42.70	-13.00	-47.55	Vertical
3	7630.00	-61.34	RMS	36.10	-42.92	0.57	-95.23	40.14	-13.00	-48.34	Vertical

**Ant. 0****Part 24E Mode 2****GSM 1900 Ch661****M**

Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : GSM1900 CH661

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3760.00	-62.44	RMS	33.50	-48.68	0.79	-95.23	47.18	-13.00	-49.44	Horizontal
2	5640.00	-43.49	Average	34.98	-43.80	0.44	-95.23	60.12	-13.00	-30.49	Horizontal
3	7520.00	-61.03	Average	36.00	-43.07	0.60	-95.23	40.67	-13.00	-48.03	Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : GSM1900 CH661

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3765.00	-62.74	RMS	33.50	-48.67	0.79	-95.23	46.88	-13.00	-49.74	Vertical
2	5640.00	-40.48	RMS	34.98	-43.80	0.44	-95.23	63.13	-13.00	-27.48	Vertical
3	7520.00	-60.93	RMS	36.00	-43.07	0.60	-95.23	40.77	-13.00	-47.93	Vertical




Ant. 0

Part 24E Mode 4


WCDMA B2 Ch9400

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : WCDMA 1900 CH9400

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3760.00	-62.64	RMS	33.50	-48.68	0.79	-95.23	46.98	-13.00	-49.64 Horizontal
2	5640.00	-61.53	RMS	34.98	-43.80	0.44	-95.23	42.08	-13.00	-48.53 Horizontal
3	7520.00	-60.78	RMS	36.00	-43.07	0.60	-95.23	40.92	-13.00	-47.78 Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : WCDMA 1900 CH9400

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3760.00	-62.68	RMS	33.50	-48.68	0.79	-95.23	46.94	-13.00	-49.68 Vertical
2	5640.00	-61.35	RMS	34.98	-43.80	0.44	-95.23	42.26	-13.00	-48.35 Vertical
3	7520.00	-61.00	RMS	36.00	-43.07	0.60	-95.23	40.70	-13.00	-48.00 Vertical




Ant. 2

Part 27L Mode 1


WCDMA B4 Ch1312

L




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : WCDMA 1700 CH1312

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	3425.00	-62.18	RMS	33.15	-49.12	0.99	-95.23	48.03	-13.00	-49.18	Horizontal		
2	5137.00	-61.81	RMS	34.60	-45.45	0.44	-95.23	43.83	-13.00	-48.81	Horizontal		
3	6850.00	-60.75	RMS	36.00	-42.45	0.62	-95.23	40.31	-13.00	-47.75	Horizontal		




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : WCDMA 1700 CH1312

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	3425.00	-62.24	RMS	33.15	-49.12	0.99	-95.23	47.97	-13.00	-49.24	Vertical		
2	5137.00	-61.84	RMS	34.60	-45.45	0.44	-95.23	43.80	-13.00	-48.84	Vertical		
3	6850.00	-60.77	RMS	36.00	-42.45	0.62	-95.23	40.29	-13.00	-47.77	Vertical		

**Ant. 2****Part 27L Mode 1****WCDMA B4 Ch1413****M**

Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : WCDMA 1700 CH1413

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	3465.00	-62.71	RMS	33.07	-49.07	0.98	-95.23	47.54	-13.00	-49.71	Horizontal
2	5198.00	-61.02	RMS	34.80	-45.29	0.43	-95.23	44.27	-13.00	-48.02	Horizontal
3	6930.00	-60.75	RMS	36.00	-42.62	0.56	-95.23	40.54	-13.00	-47.75	Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : WCDMA 1700 CH1413

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	3465.00	-62.29	RMS	33.07	-49.07	0.98	-95.23	47.96	-13.00	-49.29	Vertical
2	5198.00	-61.37	RMS	34.80	-45.29	0.43	-95.23	43.92	-13.00	-48.37	Vertical
3	6930.00	-61.07	RMS	36.00	-42.62	0.56	-95.23	40.22	-13.00	-48.07	Vertical




Ant. 2

Part 27L Mode 1


WCDMA B4 Ch1513

H



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : WCDMA 1700 CH1513

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	3505.00	-62.60	RMS	33.01	-49.02	0.97	-95.23	47.67	-13.00	-49.60	Horizontal
2	5258.00	-61.57	RMS	34.73	-45.14	0.47	-95.23	43.60	-13.00	-48.57	Horizontal
3	7010.00	-61.24	RMS	36.00	-42.78	0.52	-95.23	40.25	-13.00	-48.24	Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : WCDMA 1700 CH1513

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	3505.00	-62.88	RMS	33.01	-49.02	0.97	-95.23	47.39	-13.00	-49.88	Vertical
2	5258.00	-62.03	RMS	34.73	-45.14	0.47	-95.23	43.14	-13.00	-49.03	Vertical
3	7010.00	-61.02	RMS	36.00	-42.78	0.52	-95.23	40.47	-13.00	-48.02	Vertical




Ant. 0

Part 27L Mode 2


WCDMA B4 Ch1413

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : WCDMA 1700 CH1413

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	3465.00	-63.74	RMS	33.07	-49.07	0.98	-95.23	46.51	-13.00	-50.74	Horizontal
2	5205.00	-61.22	RMS	34.79	-45.27	0.43	-95.23	44.06	-13.00	-48.22	Horizontal
3	6930.00	-61.72	RMS	36.00	-42.62	0.56	-95.23	39.57	-13.00	-48.72	Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : WCDMA 1700 CH1413

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	3465.00	-63.92	RMS	33.07	-49.07	0.98	-95.23	46.33	-13.00	-50.92	Vertical
2	5205.00	-62.74	RMS	34.79	-45.27	0.43	-95.23	42.54	-13.00	-49.74	Vertical
3	6930.00	-61.80	RMS	36.00	-42.62	0.56	-95.23	39.49	-13.00	-48.80	Vertical




Ant. 0

Part 22H Mode 1

GSM 850 Ch189

M




Site : 03CH07-HY

Condition: -13 3m Bilog_35419 Horizontal

Mode : GSM 850 Ch189

#1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	837.04	26.64	RMS	28.52	4.99	0.00	-95.23	88.36	-13.00	39.64	Horizontal



Site : 03CH07-HY

Condition: -13 3m Bilog_35419 Vertical

Mode : GSM 850 Ch189

#1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	837.04	25.81	RMS	28.52	4.99	0.00	-95.23	87.53	-13.00	38.81	Vertical