




LTE Band 5B / 5MHz+10MHz


QPSK

Lowest Channel / 1RB0 and 1RB49

Lowest Channel / 1RB24 and 1RB0




Date: 30.NOV.2025 19:35:13




Date: 30.NOV.2025 19:33:58

Middle Channel / 1RB0 and 1RB49

Middle Channel / 1RB24 and 1RB0



Date: 30.NOV.2025 19:36:28



Date: 30.NOV.2025 19:37:42




LTE Band 5B / 5MHz+10MHz


QPSK

Highest Channel / 1RB0 and 1RB49

Highest Channel / 1RB24 and 1RB0



Date: 30.NOV.2025 19:32:40



Date: 30.NOV.2025 19:31:25




LTE Band 5B / 10MHz+5MHz


QPSK

Lowest Channel / 1RB0 and 1RB24

Lowest Channel / 1RB49 and 1RB0




Date: 30.NOV.2025 19:40:18




Date: 30.NOV.2025 19:39:03

Middle Channel / 1RB0 and 1RB24

Middle Channel / 1RB49 and 1RB0



Date: 30.NOV.2025 19:44:06



Date: 30.NOV.2025 19:45:20




LTE Band 5B / 10MHz+5MHz


QPSK

Highest Channel / 1RB0 and 1RB24

Highest Channel / 1RB49 and 1RB0



Date: 30.NOV.2025 19:42:48



Date: 30.NOV.2025 19:41:34




LTE Band 5B / 10MHz+10MHz


QPSK

Lowest Channel / 1RB0 and 1RB49

Lowest Channel / 1RB49 and 1RB0




Date: 30.NOV.2025 19:50:25




Date: 30.NOV.2025 19:49:10

Middle Channel / 1RB0 and 1RB49

Middle Channel / 1RB49 and 1RB0



Date: 30.NOV.2025 19:51:40



Date: 30.NOV.2025 19:52:55




LTE Band 5B / 10MHz+10MHz


QPSK

Highest Channel / 1RB0 and 1RB49

Highest Channel / 1RB49 and 1RB0



Date: 30.NOV.2025 19:47:52



Date: 30.NOV.2025 19:46:38



Appendix B. Radiated Spurious Emission Test Data

B1. Summary of each worse mode

<TX0 Antenna>

Mode	Band	Part	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	LTE B26	Part 22H	M	2504	-52.15	RMS	32.40	-50.46	0.26	-95.23	60.88	-13.00	-39.15	H	0
2	LTE B26	Part 22H	M	2504	-48.55	RMS	32.40	-50.46	0.26	-95.23	64.48	-13.00	-35.55	V	1
3	LTE CA 5B	Part 22H	L	2504	-45.16	RMS	32.90	-50.46	0.26	-95.23	67.37	-13.00	-32.16	V	0
4	LTE CA 5B	Part 22H	M	2512	-30.12	RMS	32.90	-50.45	0.24	-95.23	82.42	-13.00	-17.12	H	1

<TX1 Antenna>

Mode	Band	Part	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	LTE B25	Part 24E	H	5717	-46.99	RMS	34.80	-43.49	0.35	-95.23	56.58	-13.00	-33.99	V	2
2	LTE B25	Part 24E	M	5627	-54.30	RMS	34.61	-43.85	0.45	-95.23	49.72	-13.00	-41.30	H	0
3	LTE B25	Part 24E	M	5627	-58.38	RMS	34.61	-43.85	0.45	-95.23	45.64	-13.00	-45.38	H	1
4	LTE B25	Part 24E	M	5627	-52.49	RMS	34.61	-43.85	0.45	-95.23	51.53	-13.00	-39.49	V	5




Ant. 0

Part 22H Mode 1

LTE B26 10M Ch26840 1RB0 QPSK

L




Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Horizontal

Mode : LTE Band 26 10M CH26840 1RB0 QPSK

#1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1656.00	-65.37	RMS	28.86	-52.44	0.31	-95.23	53.13	-13.00	-52.37	Horizontal
2	2480.00	-53.10	RMS	32.20	-50.50	0.31	-95.23	60.12	-13.00	-40.10	Horizontal
3	3296.00	-63.73	RMS	33.10	-49.33	0.14	-95.23	47.59	-13.00	-50.73	Horizontal



Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Vertical

Mode : LTE Band 26 10M CH26840 1RB0 QPSK

#1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	dB			dB	dBuV		
1	1656.00	-68.16	RMS	28.86	-52.44	0.31	-95.23	50.34	-13.00	-55.16	Vertical
2	2480.00	-57.83	RMS	32.20	-50.50	0.31	-95.23	55.39	-13.00	-44.83	Vertical
3	3296.00	-63.19	RMS	33.10	-49.33	0.14	-95.23	48.13	-13.00	-50.19	Vertical




Ant. 0

Part 22H Mode 1

LTE B26 10M Ch26915 1RB0 QPSK

M




Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Horizontal

Mode : LTE Band 26 10M CH26915 1RB0 QPSK

#1 is fundamental signal which can be ignored.

	Freq		Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
	dBm					dB	1						
	MHz					dB/m	dB	dB		dBuV	dBm	dB	
1	1664.00	-65.15	RMS			28.90	-52.41	0.31	-95.23	53.28	-13.00	-52.15	Horizontal
2	2504.00	-52.15	RMS			32.40	-50.46	0.26	-95.23	60.88	-13.00	-39.15	Horizontal
3	3328.00	-64.11	RMS			32.99	-49.27	0.15	-95.23	47.25	-13.00	-51.11	Horizontal



Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Vertical

Mode : LTE Band 26 10M CH26915 1RB0 QPSK

#1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1			g	dBm		
1	1664.00	-67.22	RMS	28.90	-52.41	0.31	-95.23	51.21	-13.00	-54.22	Vertical
2	2504.00	-53.06	RMS	32.40	-50.46	0.26	-95.23	59.97	-13.00	-40.06	Vertical
3	3328.00	-64.09	RMS	32.99	-49.27	0.15	-95.23	47.27	-13.00	-51.09	Vertical




Ant. 0

Part 22H Mode 1

LTE B26 10M Ch26990 1RB0 QPSK

H




Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Horizontal

Mode : LTE Band 26 10M CH26990 1RB0 QPSK

#1 is fundamental signal which can be ignored.

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1680.00	-66.37	RMS	29.00	-52.37	0.31	-95.23	51.92	-13.00	-53.37	Horizontal
2	2517.00	-57.39	RMS	32.40	-50.44	0.23	-95.23	55.65	-13.00	-44.39	Horizontal
3	3356.00	-64.00	RMS	32.89	-49.22	0.16	-95.23	47.40	-13.00	-51.00	Horizontal



Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Vertical

Mode : LTE Band 26 10M CH26990 1RB0 QPSK

#1 is fundamental signal which can be ignored.

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1680.00	-68.23	RMS	29.00	-52.37	0.31	-95.23	50.06	-13.00	-55.23	Vertical
2	2517.00	-58.02	RMS	32.40	-50.44	0.23	-95.23	55.02	-13.00	-45.02	Vertical
3	3356.00	-63.38	RMS	32.89	-49.22	0.16	-95.23	48.02	-13.00	-50.38	Vertical




Ant. 0

Part 22H Mode 3

LTE CA 5B 10M + 10M Ch20450 1RB49 QPSK + Ch20549 1RB0 QPSK

L




Site : 03CH07-HY

Condition: -13 3m HF_ANT_00075962 Horizontal

Mode : LTE Band 5 10M CH20450 1RB49 QPSK+LTE Band 5 10M CH20549 1RB40 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	1672.00	-64.35	RMS	29.30	-52.39	0.31	-95.23	53.66	-13.00	-51.35	Horizontal	
2	2504.00	-45.69	RMS	32.90	-50.46	0.26	-95.23	66.84	-13.00	-32.69	Horizontal	
3	3336.00	-63.65	RMS	33.37	-49.26	0.16	-95.23	47.31	-13.00	-50.65	Horizontal	



Site : 03CH07-HY

Condition: -13 3m HF_ANT_00075962 Vertical

Mode : LTE Band 5 10M CH20450 1RB49 QPSK+LTE Band 5 10M CH20549 1RB40 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	1672.00	-64.04	RMS	29.30	-52.39	0.31	-95.23	53.97	-13.00	-51.04	Vertical	
2	2504.00	-45.16	RMS	32.90	-50.46	0.26	-95.23	67.37	-13.00	-32.16	Vertical	
3	3336.00	-63.70	RMS	33.37	-49.26	0.16	-95.23	47.26	-13.00	-50.70	Vertical	




Ant. 0

Part 22H Mode 3

LTE CA 5B 10M + 10M Ch20476 1RB49 QPSK + Ch20575 1RB0 QPSK

M




Site : 03CH07-HY

Condition: -13 3m HF_ANT_00075962 Horizontal

Mode : LTE Band 5 10M CH20476 1RB49 QPSK+LTE Band 5 10M CH20575 1RB40 QPSK
: #1 is fundamental signal which can be ignored.

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit g	Margin		Pol
					dB/m	dB		dB	dB			dB	dB	
1	1672.00	-64.53	RMS	29.30	-52.39	0.31	-95.23	53.48	-13.00	-51.53	Horizontal			
2	2512.00	-48.61	RMS	32.90	-50.45	0.24	-95.23	63.93	-13.00	-35.61	Horizontal			
3	3344.00	-63.40	RMS	33.39	-49.24	0.16	-95.23	47.52	-13.00	-50.40	Horizontal			



Site : 03CH07-HY

Condition: -13 3m HF_ANT_00075962 Vertical

Mode : LTE Band 5 10M CH20476 1RB49 QPSK+LTE Band 5 10M CH20575 1RB40 QPSK
: #1 is fundamental signal which can be ignored.

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit g	Margin		Pol
					dB/m	dB		dB	dB			dB	dB	
1	1672.00	-63.20	RMS	29.30	-52.39	0.31	-95.23	54.81	-13.00	-50.20	Vertical			
2	2512.00	-47.89	RMS	32.90	-50.45	0.24	-95.23	64.65	-13.00	-34.89	Vertical			
3	3344.00	-63.62	RMS	33.39	-49.24	0.16	-95.23	47.30	-13.00	-50.62	Vertical			




Ant. 0

Part 22H Mode 3

LTE CA 5B 10M + 10M Ch20501 1RB49 QPSK + Ch20600 1RB0 QPSK

H




Site : 03CH07-HY

Condition: -13 3m HF_ANT_00075962 Horizontal

Mode : LTE Band 5 10M CH20501 1RB49 QPSK+LTE Band 5 10M CH20600 1RB40 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin		Pol
					dB/m	dB		dB	dB			dB	dB	
1	1680.00	-65.65	RMS	29.30	-52.37	0.31	-95.23	52.34	-13.00	-52.65	Horizontal			
2	2520.00	-48.36	RMS	32.90	-50.44	0.22	-95.23	64.19	-13.00	-35.36	Horizontal			
3	3352.00	-63.35	RMS	33.39	-49.23	0.16	-95.23	47.56	-13.00	-50.35	Horizontal			



Site : 03CH07-HY

Condition: -13 3m HF_ANT_00075962 Vertical

Mode : LTE Band 5 10M CH20501 1RB49 QPSK+LTE Band 5 10M CH20600 1RB40 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin		Pol
					dB/m	dB		dB	dB			dB	dB	
1	1680.00	-65.56	RMS	29.30	-52.37	0.31	-95.23	52.43	-13.00	-52.56	Vertical			
2	2520.00	-45.17	RMS	32.90	-50.44	0.22	-95.23	67.38	-13.00	-32.17	Vertical			
3	3352.00	-63.48	RMS	33.39	-49.23	0.16	-95.23	47.43	-13.00	-50.48	Vertical			




Ant. 1

Part 22H Mode 2

LTE B26 10M Ch26915 1RB0 QPSK

M




Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Horizontal

Mode : LTE Band 26 10M CH26915 1RB0 QPSK

#1 is fundamental signal which can be ignored.

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	1664.00	-65.19	RMS	28.90	-52.41	0.31 -95.23	53.24	-13.00	-52.19	Horizontal
2	2504.00	-55.53	RMS	32.40	-50.46	0.26 -95.23	57.50	-13.00	-42.53	Horizontal
3	3328.00	-64.46	RMS	32.99	-49.27	0.15 -95.23	46.90	-13.00	-51.46	Horizontal



Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Vertical

Mode : LTE Band 26 10M CH26915 1RB0 QPSK

#1 is fundamental signal which can be ignored.

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	1664.00	-68.37	RMS	28.90	-52.41	0.31 -95.23	50.06	-13.00	-55.37	Vertical
2	2504.00	-48.55	RMS	32.40	-50.46	0.26 -95.23	64.48	-13.00	-35.55	Vertical
3	3328.00	-64.35	RMS	32.99	-49.27	0.15 -95.23	47.01	-13.00	-51.35	Vertical




Ant. 1

Part 22H Mode 4

LTE CA 5B 10M + 10M Ch20476 1RB49 QPSK + Ch20575 1RB0 QPSK

M




Site : 03CH07-HY

Condition: -13 3m HF_ANT_00075962 Horizontal

Mode : LTE Band 5 10M CH20476 1RB49 QPSK+LTE Band 5 10M CH20575 1RB40 QPSK
: #1 is fundamental signal which can be ignored.

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol
				Factor	1					
				dB/m	dB	dB	dB	dBuV	dBm	dB
1	1672.00	-56.89	RMS	29.30	-52.39	0.31	-95.23	61.12	-13.00	-43.89 Horizontal
2	2512.00	-30.12	RMS	32.90	-50.45	0.24	-95.23	82.42	-13.00	-17.12 Horizontal
3	3344.00	-62.80	RMS	33.39	-49.24	0.16	-95.23	48.12	-13.00	-49.80 Horizontal
4	4184.00	-57.18	RMS	33.70	-48.08	0.35	-95.23	52.08	-13.00	-44.18 Horizontal



Site : 03CH07-HY

Condition: -13 3m HF_ANT_00075962 Vertical

Mode : LTE Band 5 10M CH20476 1RB49 QPSK+LTE Band 5 10M CH20575 1RB40 QPSK
: #1 is fundamental signal which can be ignored.

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol
				Factor	1					
				dB/m	dB	dB	dB	dBuV	dBm	dB
1	1672.00	-57.33	RMS	29.30	-52.39	0.31	-95.23	60.68	-13.00	-44.33 Vertical
2	2512.00	-38.43	RMS	32.90	-50.45	0.24	-95.23	74.11	-13.00	-25.43 Vertical
3	3344.00	-63.34	RMS	33.39	-49.24	0.16	-95.23	47.58	-13.00	-50.34 Vertical
4	4184.00	-58.65	RMS	33.70	-48.08	0.35	-95.23	50.61	-13.00	-45.65 Vertical




Ant. 2

Part 24E Mode 1

LTE B25 10M Ch26090 1RB0 QPSK

L




Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Horizontal

Mode : LTE Band 25 10M CH26090 1RB0 QPSK

: #1 is fundamental signal which can be ignored.

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	3700.00	-63.22	RMS	33.20	-48.77	0.85	-95.23	46.73	-13.00	-50.22	Horizontal
2	5552.00	-51.58	RMS	34.60	-44.20	0.50	-95.23	52.75	-13.00	-38.58	Horizontal
3	7400.00	-62.12	RMS	35.70	-43.00	0.67	-95.23	39.74	-13.00	-49.12	Horizontal



Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Vertical

Mode : LTE Band 25 10M CH26090 1RB0 QPSK

: #1 is fundamental signal which can be ignored.

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	3700.00	-63.60	RMS	33.20	-48.77	0.85	-95.23	46.35	-13.00	-50.60	Vertical
2	5552.00	-51.44	RMS	34.60	-44.20	0.50	-95.23	52.89	-13.00	-38.44	Vertical
3	7400.00	-61.93	RMS	35.70	-43.00	0.67	-95.23	39.93	-13.00	-48.93	Vertical




Ant. 2

Part 24E Mode 1

LTE B25 10M Ch26340 1RB0 QPSK

M




Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Horizontal

Mode : LTE Band 25 10M CH26340 1RB0 QPSK

: #1 is fundamental signal which can be ignored.

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3750.00	-63.33	RMS	33.50	-48.69	0.80	-95.23	46.29	-13.00	-50.33
2	5627.00	-48.78	RMS	34.61	-43.85	0.45	-95.23	55.24	-13.00	-35.78
3	7500.00	-62.38	RMS	35.60	-43.10	0.61	-95.23	39.74	-13.00	-49.38



Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Vertical

Mode : LTE Band 25 10M CH26340 1RB0 QPSK

: #1 is fundamental signal which can be ignored.

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3750.00	-63.17	RMS	33.50	-48.69	0.80	-95.23	46.45	-13.00	-50.17
2	5627.00	-48.87	RMS	34.61	-43.85	0.45	-95.23	55.15	-13.00	-35.87
3	7500.00	-62.09	RMS	35.60	-43.10	0.61	-95.23	40.03	-13.00	-49.09




Ant. 2

Part 24E Mode 1

LTE B25 10M Ch26640 1RB0 QPSK

H




Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Horizontal

Mode : LTE Band 25 10M CH26640 1RB0 QPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB	g	dBm	dB	
	MHz	dBm			dB/m		dB	dB	dBuV	dBm	dB	
1	3810.00	-63.14	RMS		33.48	-48.61	0.75	-95.23	46.47	-13.00	-50.14	Horizontal
2	5717.00	-49.13	RMS		34.80	-43.49	0.35	-95.23	54.44	-13.00	-36.13	Horizontal
3	7620.00	-62.48	RMS		36.04	-42.93	0.56	-95.23	39.08	-13.00	-49.48	Horizontal



Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Vertical

Mode : LTE Band 25 10M CH26640 1RB0 QPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB	g	dBm	dB	
	MHz	dBm			dB/m		dB	dB	dBuV	dBm	dB	
1	3810.00	-63.11	RMS		33.48	-48.61	0.75	-95.23	46.50	-13.00	-50.11	Vertical
2	5717.00	-46.99	RMS		34.80	-43.49	0.35	-95.23	56.58	-13.00	-33.99	Vertical
3	7620.00	-62.65	RMS		36.04	-42.93	0.56	-95.23	38.91	-13.00	-49.65	Vertical




Ant. 0

Part 24E Mode 2

LTE B25 10M Ch26340 1RB0 QPSK

M




Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Horizontal

Mode : LTE Band 66 10M CH132322 1RB0 QPSK

: #1 is fundamental signal which can be ignored.

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter 1	EIRPCF	Readin g	Limit		Margin	Pol
				Factor	dB/m				dBm	dB		
1	3750.00	-63.50	RMS		33.50	-48.69	0.80	-95.23	46.12	-13.00	-50.50	Horizontal
2	5627.00	-54.30	RMS		34.61	-43.85	0.45	-95.23	49.72	-13.00	-41.30	Horizontal
3	7500.00	-61.92	RMS		35.60	-43.10	0.61	-95.23	40.20	-13.00	-48.92	Horizontal



Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Vertical

Mode : LTE Band 66 10M CH132322 1RB0 QPSK

: #1 is fundamental signal which can be ignored.

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter 1	EIRPCF	Readin g	Limit		Margin	Pol
				Factor	dB/m				dBm	dB		
1	3750.00	-63.35	RMS		33.50	-48.69	0.80	-95.23	46.27	-13.00	-50.35	Vertical
2	5627.00	-56.02	RMS		34.61	-43.85	0.45	-95.23	48.00	-13.00	-43.02	Vertical
3	7500.00	-62.21	RMS		35.60	-43.10	0.61	-95.23	39.91	-13.00	-49.21	Vertical




Ant. 1

Part 24E Mode 3

LTE B25 10M Ch26340 1RB0 QPSK

M




Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Horizontal

Mode : LTE Band 25 10M CH26340 1RB0 QPSK

#1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	3750.00	-62.29	RMS		33.50	-48.69	0.80	-95.23	47.33	-13.00	Horizontal
2	5627.00	-58.38	RMS		34.61	-43.85	0.45	-95.23	45.64	-13.00	Horizontal
3	7500.00	-61.83	RMS		35.60	-43.10	0.61	-95.23	40.29	-13.00	Horizontal



Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Vertical

Mode : LTE Band 25 10M CH26340 1RB0 QPSK

#1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	3750.00	-62.98	RMS		33.50	-48.69	0.80	-95.23	46.64	-13.00	Vertical
2	5627.00	-61.79	RMS		34.61	-43.85	0.45	-95.23	42.23	-13.00	Vertical
3	7500.00	-61.76	RMS		35.60	-43.10	0.61	-95.23	40.36	-13.00	Vertical




Ant. 5

Part 24E Mode 4

LTE B25 10M Ch26340 1RB0 QPSK

M




Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Horizontal

Mode : LTE Band 25 10M CH26340 1RB0 QPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3750.00	-62.83	RMS	33.50	-48.69	0.80	-95.23	46.79	-13.00	-49.83	Horizontal
2	5627.00	-53.55	RMS	34.61	-43.85	0.45	-95.23	50.47	-13.00	-40.55	Horizontal
3	7500.00	-61.01	RMS	35.60	-43.10	0.61	-95.23	41.11	-13.00	-48.01	Horizontal



Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Vertical

Mode : LTE Band 25 10M CH26340 1RB0 QPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3750.00	-62.89	RMS	33.50	-48.69	0.80	-95.23	46.73	-13.00	-49.89	Vertical
2	5627.00	-52.49	RMS	34.61	-43.85	0.45	-95.23	51.53	-13.00	-39.49	Vertical
3	7500.00	-61.84	RMS	35.60	-43.10	0.61	-95.23	40.28	-13.00	-48.84	Vertical

—THE END—