





FR1 n77 / 30MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 30MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 35MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 35MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 40MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 40MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







Conducted Spurious Emission

FR1 n25 / 5MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n25 (BPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0065	-12.3	Yes	PASS
40	Normal Voltage	0.0017	-3.2	Yes	
30	Normal Voltage	0.0001	0.1	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0040	-7.6	Yes	
0	Normal Voltage	0.0012	2.2	Yes	
-10	Normal Voltage	0.0019	3.5	Yes	
-20	Normal Voltage	0.0011	-2	Yes	
-30	Normal Voltage	0.0050	-9.4	Yes	
20	Maximum Voltage	0.0052	-9.8	Yes	
20	Normal Voltage	0.0023	-4.3	Yes	
20	Minimum Voltage	0.0018	3.3	Yes	

Note:

1. Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.



Appendix B. Radiated Spurious Emission Test Data

B1.Summary of each worse mode

Mode	Band	Part	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	NR SA n26	Part 22H	M	3311	-62.88	RMS	28.12	-22.77	1.06	-95.23	25.94	-13.00	-49.88	H	0
2	NR SA n26	Part 22H	M	2483	-61.60	RMS	26.66	-23.26	0.91	-95.23	29.32	-13.00	-48.60	V	1
3	EN-DC B7+n26	Part 22H	M	2483	-48.41	RMS	26.66	-24.21	0.91	-95.23	43.46	-13.00	-35.41	H	2+0
1	NR SA n25	Part 24E	M	7495	-53.52	RMS	36.71	-19.50	1.53	-95.23	22.97	-13.00	-40.52	V	2
2	NR SA n25	Part 24E	M	7495	-53.93	RMS	36.71	-19.50	1.53	-95.23	22.56	-13.00	-40.93	H	0
3	NR SA n25	Part 24E	M	7495	-53.37	RMS	36.71	-19.50	1.53	-95.23	23.12	-13.00	-40.37	H	1
4	NR SA n25	Part 24E	M	7495	-53.74	RMS	36.71	-19.50	1.53	-95.23	22.75	-13.00	-40.74	V	5
5	NR MIMO n2 TxD PC2	Part 24E	H	7565	-54.82	RMS	36.60	-21.20	1.60	-95.23	23.41	-13.00	-41.82	V	2+1
6	NR MIMO n2 TxD PC2	Part 24E	H	7565	-55.07	RMS	36.60	-21.20	1.60	-95.23	23.16	-13.00	-42.07	H	0+5
7	NR MIMO n25 TxD PC2	Part 24E	M	7495	-54.98	RMS	36.71	-21.16	1.53	-95.23	23.17	-13.00	-41.98	H	2+1
8	NR MIMO n25 TxD PC2	Part 24E	L	7405	-55.08	RMS	36.89	-21.25	1.44	-95.23	23.07	-13.00	-42.08	H	0+5
9	EN-DC B5+n25	Part 24E	M	5621	-46.13	RMS	32.98	-20.36	1.53	-95.23	34.95	-13.00	-33.13	H	0+2




Ant. 0

Part 22H Mode 1

NR SA n26 20M Ch166800 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: NR SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1651.00	-67.33	RMS	24.69	-24.34	1.08	-95.23	26.47	-13.00	-54.33
2	2476.00	-64.91	RMS	26.60	-23.27	0.91	-95.23	26.08	-13.00	-51.91
3	3301.00	-63.39	RMS	28.10	-22.76	1.06	-95.23	25.44	-13.00	-50.39



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: NR SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1651.00	-66.66	RMS	24.69	-24.34	1.08	-95.23	27.14	-13.00	-53.66
2	2476.00	-64.79	RMS	26.60	-23.27	0.91	-95.23	26.20	-13.00	-51.79
3	3301.00	-63.27	RMS	28.10	-22.76	1.06	-95.23	25.56	-13.00	-50.27




Ant. 0

Part 22H Mode 1

NR SA n26 20M Ch167300 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

NR SA n26 20M Ch167300 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
	MHz	dBm		Factor	dB		dB	dB	g	dBm	dB	
1	1656.00	-67.19	RMS	24.64	-24.34	1.08	-95.23	26.66	-13.00	-54.19	Horizontal	
2	2483.00	-64.68	RMS	26.66	-23.26	0.91	-95.23	26.24	-13.00	-51.68	Horizontal	
3	3311.00	-62.88	RMS	28.12	-22.77	1.06	-95.23	25.94	-13.00	-49.88	Horizontal	



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

NR SA n26 20M Ch167300 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
	MHz	dBm		Factor	dB		dB	dB	g	dBm	dB	
1	1656.00	-65.96	RMS	24.64	-24.34	1.08	-95.23	27.89	-13.00	-52.96	Vertical	
2	2483.00	-64.39	RMS	26.66	-23.26	0.91	-95.23	26.53	-13.00	-51.39	Vertical	
3	3311.00	-63.76	RMS	28.12	-22.77	1.06	-95.23	25.06	-13.00	-50.76	Vertical	




Ant. 0

Part 22H Mode 1

NR SA n26 20M Ch167800 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: NR SA n26 20M Ch167800 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	1661.00	-67.36	RMS	24.60	-24.33	1.08	-95.23	26.52	-13.00	-54.36	Horizontal			
2	2491.00	-65.15	RMS	26.80	-23.25	0.91	-95.23	25.62	-13.00	-52.15	Horizontal			
3	3321.00	-63.75	RMS	28.14	-22.78	1.06	-95.23	25.06	-13.00	-50.75	Horizontal			



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: NR SA n26 20M Ch167800 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	1661.00	-66.29	RMS	24.60	-24.33	1.08	-95.23	27.59	-13.00	-53.29	Vertical			
2	2491.00	-64.79	RMS	26.80	-23.25	0.91	-95.23	25.98	-13.00	-51.79	Vertical			
3	3321.00	-63.69	RMS	28.14	-22.78	1.06	-95.23	25.12	-13.00	-50.69	Vertical			




Ant. 1

Part 22H Mode 2

NR SA n26 20M Ch167300 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

NR SA n26 20M Ch167300 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	1656.00	-67.34	RMS	24.64	-24.34	1.08	-95.23	26.51	-13.00	-54.34	Horizontal			
2	2483.00	-64.92	RMS	26.66	-23.26	0.91	-95.23	26.00	-13.00	-51.92	Horizontal			
3	3311.00	-63.06	RMS	28.12	-22.77	1.06	-95.23	25.76	-13.00	-50.06	Horizontal			



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

NR SA n26 20M Ch167300 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	1656.00	-65.44	RMS	24.64	-24.34	1.08	-95.23	28.41	-13.00	-52.44	Vertical			
2	2483.00	-61.60	RMS	26.66	-23.26	0.91	-95.23	29.32	-13.00	-48.60	Vertical			
3	3311.00	-63.40	RMS	28.12	-22.77	1.06	-95.23	25.42	-13.00	-50.40	Vertical			




Ant. 2+0

Part 22H Mode 3


EN-DC B7+n26 10M + 20M Ch21100 1RB0 QPSK + Ch167300 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal
: LTE B7 10M Ch21100 1RB0 QPSK
: SA n26 20M Ch167300 1RB1 BPSK
: #3 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	1656.00	-68.08	RMS	24.64	-25.13	1.08	-95.23	26.56	-13.00	-55.08	Horizontal
2	2483.00	-48.41	RMS	26.66	-24.21	0.91	-95.23	43.46	-13.00	-35.41	Horizontal
3	2536.00	-16.03	RMS	26.96	-24.14	0.90	-95.23	75.48	-----	-----	Horizontal
4	3311.00	-64.63	RMS	28.12	-23.84	1.06	-95.23	25.26	-13.00	-51.63	Horizontal



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical
: LTE B7 10M Ch21100 1RB0 QPSK
: SA n26 20M Ch167300 1RB1 BPSK
: #3 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	1656.00	-67.83	RMS	24.64	-25.13	1.08	-95.23	26.81	-13.00	-54.83	Vertical
2	2483.00	-52.52	RMS	26.66	-24.21	0.91	-95.23	39.35	-13.00	-39.52	Vertical
3	2536.00	-18.19	RMS	26.96	-24.14	0.90	-95.23	73.32	-----	-----	Vertical
4	3311.00	-64.78	RMS	28.12	-23.84	1.06	-95.23	25.11	-13.00	-51.78	Vertical




Ant. 2

Part 24E Mode 1

NR SA n25 20M Ch372000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n25 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	3703.00	-60.82	RMS	29.62	-22.64	1.68	-95.23	25.75	-13.00	-47.82	Horizontal		
2	5554.00	-57.96	RMS	32.72	-20.37	1.54	-95.23	23.38	-13.00	-44.96	Horizontal		
3	7405.00	-54.06	RMS	36.89	-19.56	1.44	-95.23	22.40	-13.00	-41.06	Horizontal		



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n25 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	3703.00	-61.36	RMS	29.62	-22.64	1.68	-95.23	25.21	-13.00	-48.36	Vertical		
2	5554.00	-58.42	RMS	32.72	-20.37	1.54	-95.23	22.92	-13.00	-45.42	Vertical		
3	7405.00	-54.07	RMS	36.89	-19.56	1.44	-95.23	22.39	-13.00	-41.07	Vertical		




Ant. 2

Part 24E Mode 1

NR SA n25 20M Ch376500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	3748.00	-60.29	RMS	29.98	-22.50	1.68	-95.23	25.78	-13.00	-47.29	Horizontal		
2	5621.00	-56.89	RMS	32.98	-20.36	1.53	-95.23	24.19	-13.00	-43.89	Horizontal		
3	7495.00	-54.39	RMS	36.71	-19.50	1.53	-95.23	22.10	-13.00	-41.39	Horizontal		



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	3748.00	-60.37	RMS	29.98	-22.50	1.68	-95.23	25.70	-13.00	-47.37	Vertical		
2	5621.00	-56.18	RMS	32.98	-20.36	1.53	-95.23	24.90	-13.00	-43.18	Vertical		
3	7495.00	-53.52	RMS	36.71	-19.50	1.53	-95.23	22.97	-13.00	-40.52	Vertical		




Ant. 2

Part 24E Mode 1

NR SA n25 20M Ch381000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
1	3793.00	-59.94	RMS	30.17	-22.36	1.67	-95.23	25.81	-13.00	-46.94	Horizontal		Horizontal
2	5689.00	-57.71	RMS	33.33	-20.35	1.57	-95.23	22.97	-13.00	-44.71	Horizontal		Horizontal
3	7585.00	-54.26	RMS	36.60	-19.57	1.62	-95.23	22.32	-13.00	-41.26	Horizontal		Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
1	3793.00	-59.79	RMS	30.17	-22.36	1.67	-95.23	25.96	-13.00	-46.79	Vertical		Vertical
2	5689.00	-57.26	RMS	33.33	-20.35	1.57	-95.23	23.42	-13.00	-44.26	Vertical		Vertical
3	7585.00	-54.30	RMS	36.60	-19.57	1.62	-95.23	22.28	-13.00	-41.30	Vertical		Vertical




Ant. 0

Part 24E Mode 2

NR SA n25 20M Ch376500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	3748.00	-59.79	RMS	29.98	-22.50	1.68	-95.23	26.28	-13.00	-46.79	Horizontal		
2	5621.00	-57.59	RMS	32.98	-20.36	1.53	-95.23	23.49	-13.00	-44.59	Horizontal		
3	7495.00	-53.93	RMS	36.71	-19.50	1.53	-95.23	22.56	-13.00	-40.93	Horizontal		



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	3748.00	-60.39	RMS	29.98	-22.50	1.68	-95.23	25.68	-13.00	-47.39	Vertical		
2	5621.00	-57.68	RMS	32.98	-20.36	1.53	-95.23	23.40	-13.00	-44.68	Vertical		
3	7495.00	-54.07	RMS	36.71	-19.50	1.53	-95.23	22.42	-13.00	-41.07	Vertical		




Ant. 1

Part 24E Mode 3


NR SA n25 20M Ch376500 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	3748.00	-60.19	RMS	29.98	-22.50	1.68	-95.23	25.88	-13.00	-47.19	Horizontal		
2	5621.00	-57.70	RMS	32.98	-20.36	1.53	-95.23	23.38	-13.00	-44.70	Horizontal		
3	7495.00	-53.37	RMS	36.71	-19.50	1.53	-95.23	23.12	-13.00	-40.37	Horizontal		



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	3748.00	-60.10	RMS	29.98	-22.50	1.68	-95.23	25.97	-13.00	-47.10	Vertical		
2	5621.00	-57.66	RMS	32.98	-20.36	1.53	-95.23	23.42	-13.00	-44.66	Vertical		
3	7495.00	-54.01	RMS	36.71	-19.50	1.53	-95.23	22.48	-13.00	-41.01	Vertical		




Ant. 5

Part 24E Mode 4


NR SA n25 20M Ch376500 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	3748.00	-60.15	RMS	29.98	-22.50	1.68	-95.23	25.92	-13.00	-47.15	Horizontal		
2	5621.00	-57.48	RMS	32.98	-20.36	1.53	-95.23	23.60	-13.00	-44.48	Horizontal		
3	7495.00	-53.82	RMS	36.71	-19.50	1.53	-95.23	22.67	-13.00	-40.82	Horizontal		



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	3748.00	-59.88	RMS	29.98	-22.50	1.68	-95.23	26.19	-13.00	-46.88	Vertical		
2	5621.00	-57.73	RMS	32.98	-20.36	1.53	-95.23	23.35	-13.00	-44.73	Vertical		
3	7495.00	-53.74	RMS	36.71	-19.50	1.53	-95.23	22.75	-13.00	-40.74	Vertical		




Ant. 2+1

Part 24E Mode 5

NR SA n2 20M Ch372000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n2 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3703.00	-61.92	RMS	29.62	-23.74	1.68	-95.23	25.75	-13.00	-48.92 Horizontal
2	5554.00	-58.30	RMS	32.72	-21.83	1.54	-95.23	24.50	-13.00	-45.30 Horizontal
3	7405.00	-55.08	RMS	36.89	-21.25	1.44	-95.23	23.07	-13.00	-42.08 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n2 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3703.00	-61.68	RMS	29.62	-23.74	1.68	-95.23	25.99	-13.00	-48.68 Vertical
2	5554.00	-58.95	RMS	32.72	-21.83	1.54	-95.23	23.85	-13.00	-45.95 Vertical
3	7405.00	-55.28	RMS	36.89	-21.25	1.44	-95.23	22.87	-13.00	-42.28 Vertical