



FR1 n66 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



QPSK



16QAM






FR1 n66 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM





FR1 n66 / 25MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



QPSK




16QAM





FR1 n66 / 30MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



QPSK



16QAM






FR1 n66 / 35MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



QPSK




16QAM






FR1 n66 / 40MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



QPSK



16QAM





FR1 n66 / 45MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



QPSK



16QAM






Conducted Band Edge

FR1 n66 / 5MHz / DFT-S OFDM / PI/2 BPSK


Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n66 / 5MHz / DFT-S OFDM / QPSK

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax




05:08:52 PM 01/16/2026



05:12:23 PM 01/16/2026

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



05:09:44 PM 01/16/2026



05:13:15 PM 01/16/2026




FR1 n66 / 10MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n66 / 10MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB





FR1 n66 / 15MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n66 / 15MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n66 / 20MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n66 / 20MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB





FR1 n66 / 25MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n66 / 25MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n66 / 30MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n66 / 30MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n66 / 35MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n66 / 35MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB





FR1 n66 / 40MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n66 / 40MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB





FR1 n66 / 45MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n66 / 45MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







Conducted Spurious Emission

FR1 n66 / 5MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n66 (BPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0066	11.5	Yes	PASS
40	Normal Voltage	0.0003	0.5	Yes	
30	Normal Voltage	0.0011	-2	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0019	3.4	Yes	
0	Normal Voltage	0.0055	9.6	Yes	
-10	Normal Voltage	0.0021	3.6	Yes	
-20	Normal Voltage	0.0053	9.2	Yes	
-30	Normal Voltage	0.0046	8	Yes	
20	Maximum Voltage	0.0074	13	Yes	
20	Normal Voltage	0.0083	14.4	Yes	
20	Minimum Voltage	0.0097	17	Yes	

Note:

1. Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.


**FR1 n66****<TxD Mode>****MIMO <Ant. 2+1> (Ant. 1)****Peak-to-Average Ratio**

Mode	FR1 n66 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.06	5.22	5.80	6.28	PASS
Mode	FR1 n66 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.68				PASS




FR1 n66 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM




256QAM




Mode	FR1 n66 / 5MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.14	5.86	PASS
Mode	FR1 n66 / 10MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.26	5.86	PASS
Mode	FR1 n66 / 15MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.32	5.92	PASS
Mode	FR1 n66 / 25MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	4.98	5.76	PASS
Mode	FR1 n66 / 30MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.14	5.98	PASS
Mode	FR1 n66 / 35MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	4.98	5.90	PASS
Mode	FR1 n66 / 40MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.12	5.88	PASS
Mode	FR1 n66 / 45MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.02	5.68	PASS

FR1 n66 / 5MHz / DFTs OFDM / Middle Channel / Full RB

QPSK




16QAM




FR1 n66 / 10MHz / DFTs OFDM / Middle Channel / Full RB

QPSK




16QAM



FR1 n66 / 15MHz / DFTs OFDM / Middle Channel / Full RB

QPSK




16QAM






FR1 n66 / 25MHz / DFTs OFDM / Middle Channel / Full RB

QPSK




16QAM



FR1 n66 / 30MHz / DFTs OFDM / Middle Channel / Full RB

QPSK




16QAM




FR1 n66 / 35MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM





FR1 n66 / 40MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM



FR1 n66 / 45MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM





**26dB Bandwidth**

Mode	FR1 n66 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	4.96	4.94	9.86	9.58	14.20	14.29	19.17	19.18
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	5.14		9.58		14.31		19.22	
BW	25MHz		30MHz		35MHz		40MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	24.36	24.20	30.92	34.63	34.59	37.23	40.96	41.16
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	24.19		31.18		34.95		41.29	
BW	45MHz							
Mod.	PI/2 BPSK	QPSK						
Middle CH	45.33	45.80						
Mod.	16QAM							
Middle CH	45.86							

**FR1 n66 / 5MHz / DFT-S OFDM / Middle Channel / Full RB**


QPSK






FR1 n66 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n66 / 15MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n66 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n66 / 25MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM







Report No. : FG5N0803-01C

FR1 n66 / 30MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK





16QAM





FR1 n66 / 35MHz / DFT-S OFDM / Middle Channel / Full RB


QPSK






FR1 n66 / 40MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n66 / 45MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM



**Occupied Bandwidth**

Mode	FR1 n66 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	4.50	4.47	8.97	8.97	13.45	13.47	18.03	17.97
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	4.48		8.98		13.44		17.97	
BW	25MHz		30MHz		35MHz		40MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	22.87	22.95	28.94	28.91	32.34	32.39	38.78	38.75
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	22.95		28.93		32.47		38.77	
BW	45MHz							
Mod.	PI/2 BPSK	QPSK						
Middle CH	42.95	43.02						
Mod.	16QAM							
Middle CH	42.99							




FR1 n66 / 5MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM






FR1 n66 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM





FR1 n66 / 15MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n66 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM





FR1 n66 / 25MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM






FR1 n66 / 30MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM





FR1 n66 / 35MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM





FR1 n66 / 40MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n66 / 45MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




12:27:33 PM 01/26/2026

QPSK



12:28:28 PM 01/26/2026

16QAM



12:29:23 PM 01/26/2026





Conducted Band Edge

FR1 n66 / 5MHz / DFT-S OFDM / PI/2 BPSK


Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n66 / 5MHz / DFT-S OFDM / QPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB






FR1 n66 / 10MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n66 / 10MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB





FR1 n66 / 15MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n66 / 15MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






FR1 n66 / 20MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n66 / 20MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB





FR1 n66 / 25MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n66 / 25MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






FR1 n66 / 30MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



07:48:26 PM 01/16/2026


Highest Band Edge / Full RB



07:50:11 PM 01/16/2026


FR1 n66 / 30MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



07:49:18 PM 01/16/2026

Highest Band Edge / Full RB




07:51:03 PM 01/16/2026




FR1 n66 / 35MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



07:52:06 PM 01/16/2026

Highest Band Edge / Full RB



07:53:51 PM 01/16/2026

FR1 n66 / 35MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



07:52:57 PM 01/16/2026

Highest Band Edge / Full RB




07:54:43 PM 01/16/2026




FR1 n66 / 40MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n66 / 40MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







FR1 n66 / 45MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n66 / 45MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







Conducted Spurious Emission

FR1 n66 / 5MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n66 (BPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0031	-0.2	Yes	PASS
40	Normal Voltage	0.0001	5	Yes	
30	Normal Voltage	0.0067	-6.5	Yes	
20(Ref.)	Normal Voltage	0.0000	5.2	Yes	
10	Normal Voltage	0.0030	10.4	Yes	
0	Normal Voltage	0.0080	-8.7	Yes	
-10	Normal Voltage	0.0068	-6.7	Yes	
-20	Normal Voltage	0.0075	-7.9	Yes	
-30	Normal Voltage	0.0007	6.4	Yes	
20	Maximum Voltage	0.0037	-1.3	Yes	
20	Normal Voltage	0.0038	-1.5	Yes	
20	Minimum Voltage	0.0028	0.4	Yes	

Note:

1. Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.


**FR1 n77_Part27O****<TxD Mode>****MIMO <Ant. 6+1> (Ant. 6)****Peak-to-Average Ratio**

Mode	FR1 n77 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	3.94	5.12	5.84	5.98	PASS
Mode	FR1 n77 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.52				PASS




FR1 n77 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK



16QAM



64QAM



256QAM



Mode	FR1 n77 / 10MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.02	5.78	PASS
Mode	FR1 n77 / 15MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	4.68	5.42	PASS
Mode	FR1 n77 / 25MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	4.30	5.26	PASS
Mode	FR1 n77 / 30MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	4.60	5.44	PASS
Mode	FR1 n77 / 40MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	4.64	5.56	PASS
Mode	FR1 n77 / 50MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	4.70	5.54	PASS



Mode	FR1 n77 / 60MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	4.52	5.26	PASS
Mode	FR1 n77 / 70MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	4.88	5.68	PASS
Mode	FR1 n77 / 80MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	4.90	5.66	PASS
Mode	FR1 n77 / 90MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	4.82	5.66	PASS
Mode	FR1 n77 / 100MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	4.94	5.72	PASS




FR1 n77 / 10MHz / DFTs OFDM / Middle Channel / Full RB

QPSK




16QAM



FR1 n77 / 15MHz / DFTs OFDM / Middle Channel / Full RB

QPSK




16QAM



FR1 n77 / 25MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM






FR1 n77 / 30MHz / DFTs OFDM / Middle Channel / Full RB

QPSK




16QAM




FR1 n77 / 40MHz / DFTs OFDM / Middle Channel / Full RB

QPSK




16QAM



FR1 n77 / 50MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM





FR1 n77 / 60MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM




FR1 n77 / 70MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM




FR1 n77 / 80MHz / DFTs OFDM / Middle Channel / Full RB

QPSK




16QAM





FR1 n77 / 90MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM



FR1 n77 / 100MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM




**26dB Bandwidth**

Mode	FR1 n77 : 26dB BW(MHz) / DFT-S OFDM							
BW	10MHz		15MHz		20MHz		25MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	9.54	9.51	13.85	13.93	19.14	19.25	24.24	24.28
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	9.44		13.89		22.47		24.33	
BW	30MHz		40MHz		50MHz		60MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	29.16	29.33	38.19	41.87	48.24	48.32	62.62	62.80
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	29.30		38.43		54.45		62.74	
BW	70MHz		80MHz		90MHz		100MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	68.98	69.39	82.04	82.21	91.74	91.95	101.49	101.63
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	69.37		82.21		92.06		101.56	




FR1 n77 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n77 / 15MHz / DFT-S OFDM / Middle Channel / Full RB


QPSK



QPSK




16QAM






FR1 n77 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



QPSK



16QAM

