



FR1 n77 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK



16QAM



64QAM



256QAM



Mode	FR1 n77 / 10MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.06	5.88	PASS
Mode	FR1 n77 / 15MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	4.98	5.92	PASS
Mode	FR1 n77 / 25MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	4.92	5.72	PASS
Mode	FR1 n77 / 30MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.00	5.96	PASS
Mode	FR1 n77 / 40MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.06	5.82	PASS
Mode	FR1 n77 / 50MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.12	5.70	PASS

Mode	FR1 n77 / 60MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.14	5.94	PASS
Mode	FR1 n77 / 70MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.30	6.04	PASS
Mode	FR1 n77 / 80MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.22	6.00	PASS
Mode	FR1 n77 / 90MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.18	6.00	PASS
Mode	FR1 n77 / 100MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.18	6.02	PASS



FR1 n77 / 10MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM



FR1 n77 / 15MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM



FR1 n77 / 25MHz / DFTs OFDM / Middle Channel / Full RB

QPSK




16QAM






FR1 n77 / 30MHz / DFTs OFDM / Middle Channel / Full RB

QPSK




16QAM




FR1 n77 / 40MHz / DFTs OFDM / Middle Channel / Full RB

QPSK




16QAM



FR1 n77 / 50MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM





FR1 n77 / 60MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM



FR1 n77 / 70MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM



FR1 n77 / 80MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM





FR1 n77 / 90MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM



FR1 n77 / 100MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM




**26dB Bandwidth**

Mode	FR1 n77 : 26dB BW(MHz) / DFT-S OFDM							
BW	10MHz		15MHz		20MHz		25MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	9.34	9.45	13.83	13.95	19.27	19.29	24.30	24.32
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	9.42		13.85		19.25		24.43	
BW	30MHz		40MHz		50MHz		60MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	29.14	44.59	38.23	38.30	48.19	48.43	62.38	62.80
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	29.35		38.43		48.42		62.76	
BW	70MHz		80MHz		90MHz		100MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	68.93	69.34	81.94	82.30	91.77	91.93	101.40	101.66
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	69.32		82.21		92.04		101.63	




FR1 n77 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n77 / 15MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n77 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK



16QAM









FR1 n77 / 30MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n77 / 40MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n77 / 50MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM







FR1 n77 / 60MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK

QPSK




16QAM






FR1 n77 / 70MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n77 / 80MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n77 / 90MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n77 / 100MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM



**Occupied Bandwidth**

Mode	FR1 n77 : 99%OBW(MHz) / DFT-S OFDM							
BW	10MHz		15MHz		20MHz		25MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	8.63	8.61	12.93	12.90	18.00	18.00	22.93	22.96
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	8.64		12.92		18.05		22.97	
BW	30MHz		40MHz		50MHz		60MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	27.08	27.22	35.99	35.92	45.78	45.85	58.32	58.51
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	27.15		35.99		45.83		58.53	
BW	70MHz		80MHz		90MHz		100MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	64.89	64.80	77.41	77.43	87.09	87.02	101.40	101.66
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	64.91		77.45		87.00		101.63	



FR1 n77 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



06:50:17 PM 12/06/2025

QPSK



06:51:11 PM 12/06/2025

16QAM



06:52:04 PM 12/06/2025



FR1 n77 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



06:53:02 PM 12/06/2025

QPSK



06:53:57 PM 12/06/2025

16QAM



06:54:51 PM 12/06/2025



FR1 n77 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



06:55:55 PM 12/06/2025

QPSK



06:56:50 PM 12/06/2025

16QAM



06:57:44 PM 12/06/2025



FR1 n77 / 25MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



06:59:49 PM 12/06/2025

QPSK



06:59:44 PM 12/06/2025

16QAM



07:00:38 PM 12/06/2025



FR1 n77 / 30MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



07:01:35 PM 12/06/2025

QPSK



07:02:30 PM 12/06/2025

16QAM



07:03:24 PM 12/06/2025



FR1 n77 / 40MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



07:04:20 PM 12/06/2025

QPSK



07:05:15 PM 12/06/2025

16QAM



07:06:10 PM 12/06/2025



FR1 n77 / 50MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



07:07:04 PM 12/06/2025

QPSK



07:08:00 PM 12/06/2025

16QAM



07:08:54 PM 12/06/2025



FR1 n77 / 60MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



07:09:57 PM 12/06/2025

QPSK



07:10:51 PM 12/06/2025

16QAM




07:11:46 PM 12/06/2025



FR1 n77 / 70MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



07:12:49 PM 12/06/2025

QPSK



07:13:43 PM 12/06/2025

16QAM



07:14:38 PM 12/06/2025




FR1 n77 / 80MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



07:15:41 PM 12/04/2025

QPSK



07:16:35 PM 12/04/2025

16QAM



07:17:30 PM 12/04/2025



FR1 n77 / 90MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




07:18:24 PM 12/06/2025

QPSK



07:19:20 PM 12/06/2025

16QAM



07:20:14 PM 12/06/2025



FR1 n77 / 100MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



07:21:17 PM 12/06/2025

QPSK



07:22:12 PM 12/06/2025

16QAM




07:23:06 PM 12/06/2025




Conducted Band Edge

FR1 n77 / 10MHz / DFT-S OFDM / PI/2 BPSK


Lowest Band Edge / 1RB0




Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB



Highest Band Edge / Full RB







FR1 n77 / 10MHz / DFT-S OFDM / QPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 15MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 15MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB






FR1 n77 / 20MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 20MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 25MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 25MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 30MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 30MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 40MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 40MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 50MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB


Highest Band Edge / Full RB



FR1 n77 / 50MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 60MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 60MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 70MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 70MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 80MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 80MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 90MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 90MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 100MHz / DFT-S OFDM

Middle Band Edge / Full RB / PI/2 BPSK

Middle Band Edge / Full RB / QPSK







Conducted Spurious Emission

FR1 n77 / 10MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n77 (BPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0012	-4.3	Yes	PASS
40	Normal Voltage	0.0010	3.4	Yes	
30	Normal Voltage	0.0045	-15.8	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0039	-13.8	Yes	
0	Normal Voltage	0.0020	-6.9	Yes	
-10	Normal Voltage	0.0043	-14.9	Yes	
-20	Normal Voltage	0.0013	-4.4	Yes	
-30	Normal Voltage	0.0017	-5.9	Yes	
20	Maximum Voltage	0.0009	-3	Yes	
20	Normal Voltage	0.0007	-2.6	Yes	
20	Minimum Voltage	0.0038	-13.3	Yes	

Note:

1. Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.



Appendix B. Radiated Spurious Emission Test Data

B1.Summary of each worse mode

Mode	Band	Part	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp/Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	NR SA n66	Part 27L	H	7045	-54.48	RMS	36.11	-19.90	1.41	-95.23	23.13	-13.00	-41.48	V	2
2	NR SA n66	Part 27L	M	6945	-54.89	RMS	36.09	-19.92	1.44	-95.23	22.73	-13.00	-41.89	H	0
3	NR SA n66	Part 27L	M	6945	-54.92	RMS	36.09	-19.92	1.44	-95.23	22.70	-13.00	-41.92	H	1
4	NR SA n66	Part 27L	M	6945	-55.12	RMS	36.09	-19.92	1.44	-95.23	22.50	-13.00	-42.12	H	5
5	NR SA n70	Part 27L	M	6784	-54.81	RMS	35.87	-19.86	1.49	-95.23	22.92	-13.00	-41.81	H	2
6	NR SA n70	Part 27L	H	6803	-54.86	RMS	35.91	-19.86	1.47	-95.23	22.85	-13.00	-41.86	V	2
7	NR SA n70	Part 27L	M	6784	-54.77	RMS	35.87	-19.86	1.49	-95.23	22.96	-13.00	-41.77	V	0
8	NR SA n70	Part 27L	M	6784	-54.89	RMS	35.87	-19.86	1.49	-95.23	22.84	-13.00	-41.89	H	1
9	NR SA n70	Part 27L	M	6784	-54.97	RMS	35.87	-19.86	1.49	-95.23	22.76	-13.00	-41.97	V	5
10	NR MIMO n66 TxD PC2	Part 27L	H	7045	-55.71	RMS	36.11	-21.56	1.41	-95.23	23.56	-13.00	-42.71	H	2+1
12	EN-DC B5+n66	Part 27L	M	5209	-50.20	RMS	32.48	-20.44	1.98	-95.23	31.01	-13.00	-37.20	V	0+2
13	NR SA n30	Part 27D	H	9242	-52.81	RMS	36.90	-19.95	1.56	-95.23	23.91	-40.00	-12.81	V	2
14	NR SA n30	Part 27D	M	9223	-53.30	RMS	36.90	-19.94	1.57	-95.23	23.40	-40.00	-13.30	V	2
15	NR SA n30	Part 27D	H	9242	-52.68	RMS	36.90	-19.95	1.56	-95.23	24.04	-40.00	-12.68	H	0
16	NR SA n30	Part 27D	M	9223	-52.88	RMS	36.90	-19.94	1.57	-95.23	23.82	-40.00	-12.88	H	0
20	EN-DC B5+n30	Part 27D	M	9223	-52.66	RMS	36.90	-19.94	1.57	-95.23	24.04	-40.00	-12.66	V	0+2
25	NR SA n12	Part 27H	M	2110	-57.62	RMS	26.30	-23.80	0.85	-95.23	34.26	-13.00	-44.62	H	0
26	NR SA n12	Part 27H	M	2813	-63.88	RMS	27.70	-22.78	1.02	-95.23	25.41	-13.00	-50.88	V	1
27	EN-DC B7+n12	Part 27H	M	2813	-64.57	RMS	27.7	-23.8	1.02	-95.23	25.74	-13.00	-51.57	H	2+0
28	NR SA n71	Part 27N	H	2038	-58.12	RMS	26.12	-23.86	0.81	-95.23	34.04	-13.00	-45.12	H	0
29	NR SA n71	Part 27N	M	2687	-64.08	RMS	27.40	-22.97	0.96	-95.23	25.76	-13.00	-51.08	V	1
30	EN-DC B7+n71	Part 27N	M	2015	-61.47	RMS	26.2	-24.82	0.8	-95.23	31.58	-13.00	-48.47	H	2+0
31	NR SA n7	Part 27M	H	10205	-52.36	RMS	37.29	-19.71	1.69	-95.23	23.60	-25.00	-27.36	H	2
32	NR SA n7	Part 27M	M	10105	-52.39	RMS	37.11	-19.66	1.67	-95.23	23.72	-25.00	-27.39	V	0
33	NR SA n7	Part 27M	M	10105	-52.40	RMS	37.11	-19.66	1.67	-95.23	23.71	-25.00	-27.40	V	1
34	NR SA n7	Part 27M	M	10105	-52.35	RMS	37.11	-19.66	1.67	-95.23	23.76	-25.00	-27.35	H	5



Mode	Band	Part	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp/Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
35	NR SA n41 HPUE	Part 27M	H	8014	-43.33	RMS	36.53	-20.15	1.48	-95.23	34.04	-25.00	-18.33	V	2
36	NR SA n41 HPUE	Part 27M	M	7753	-47.70	RMS	36.60	-19.64	1.56	-95.23	29.01	-25.00	-22.70	H	0
37	NR SA n41 HPUE	Part 27M	M	7753	-44.33	RMS	36.60	-19.64	1.56	-95.23	32.38	-25.00	-19.33	V	1
38	NR SA n41 HPUE	Part 27M	M	7753	-45.15	RMS	36.60	-19.64	1.56	-95.23	31.56	-25.00	-20.15	V	5
39	EN-DC B5+n41	Part 27M	M	10337	-52.17	RMS	37.37	-19.78	1.71	-95.23	23.76	-25.00	-27.17	V	0+2
40	NR CA n41C	Part 27M	M	10372	-52.02	RMS	37.31	-19.79	1.72	-95.23	23.97	-25.00	-27.02	H	0
44	NR MIMO n41 TxD PC1.5	Part 27M	H	8014	-50.91	RMS	36.53	-21.58	1.48	-95.23	27.89	-25.00	-25.91	V	2+1
45	NR MIMO n41 TxD PC1.5	Part 27M	M	7753	-48.49	RMS	36.60	-21.38	1.56	-95.23	29.96	-25.00	-23.49	H	0+5
46	NR MIMO n41C	Part 27M	M	10372	-54.11	RMS	37.31	-21.76	1.72	-95.23	23.85	-25.00	-29.11	H	2+1
47	NR MIMO n41C	Part 27M	H	10380	-54.31	RMS	37.28	-21.76	1.72	-95.23	23.68	-25.00	-29.31	V	0+5
48	NR SA n77 HPUE	Part 27O	M	11494	-45.73	RMS	38.49	-19.72	1.98	-95.23	28.75	-13.00	-32.73	H	6
49	NR SA n77 HPUE	Part 27O	M	11494	-38.27	RMS	38.49	-19.72	1.98	-95.23	36.21	-13.00	-25.27	H	7
50	NR SA n77 HPUE	Part 27O	M	11494	-37.69	RMS	38.49	-19.72	1.98	-95.23	36.79	-13.00	-24.69	H	1
51	NR SA n77 HPUE	Part 27O	M	11494	-43.67	RMS	38.49	-19.72	1.98	-95.23	30.81	-13.00	-30.67	V	5
52	EN-DC B5+n77	Part 27O	M	15325	-46.89	RMS	40.95	-21.16	2.16	-95.23	26.39	-13.00	-33.89	V	0+6
53	NR CA n77C	Part 27O	L	15000	-46.89	RMS	41.20	-21.21	2.18	-95.23	26.17	-13.00	-33.89	H	6
54	NR CA n77C	Part 27O	M	11539	-47.32	RMS	38.50	-19.74	1.99	-95.23	27.16	-13.00	-34.32	V	7
55	NR CA n77C	Part 27O	M	11539	-45.73	RMS	38.50	-19.74	1.99	-95.23	28.75	-13.00	-32.73	V	1
57	NR MIMO n77 TxD PC1.5	Part 27O	L	11104	-46.43	RMS	38.00	-19.70	1.91	-95.23	28.59	-13.00	-33.43	V	6+1
58	NR MIMO n77 TxD PC1.5	Part 27O	L	11104	-44.45	RMS	38.00	-19.70	1.91	-95.23	30.57	-13.00	-31.45	V	7+5
59	NR MIMO n77C	Part 27O	M	15385	-49.37	RMS	40.90	-23.46	2.16	-95.23	26.26	-13.00	-36.37	H	6+1
60	NR MIMO n77C	Part 27O	L	15000	-49.03	RMS	41.20	-23.53	2.18	-95.23	26.35	-13.00	-36.03	V	7+5
61	NR SA n77 HPUE	Part 27Q	H	10594	-40.92	RMS	37.49	-19.82	1.82	-95.23	34.82	-13.00	-27.92	V	6
62	NR SA n77 HPUE	Part 27Q	M	10474	-41.27	RMS	37.25	-19.84	1.80	-95.23	34.75	-13.00	-28.27	V	7
63	NR SA n77 HPUE	Part 27Q	M	10474	-40.58	RMS	37.25	-19.84	1.80	-95.23	35.44	-13.00	-27.58	H	1
64	NR SA n77 HPUE	Part 27Q	M	10474	-42.97	RMS	37.25	-19.84	1.80	-95.23	33.05	-13.00	-29.97	H	5
65	EN-DC B5+n77	Part 27Q	M	10474	-44.28	RMS	37.25	-19.84	1.80	-95.23	31.74	-13.00	-31.28	V	0+6
66	NR MIMO n77 TxD PC1.5	Part 27Q	M	10474	-40.80	RMS	37.25	-19.84	1.80	-95.23	35.22	-13.00	-27.80	H	6+1
67	NR MIMO n77 TxD PC1.5	Part 27Q	M	13965	-47.51	RMS	40.73	-20.15	2.23	-95.23	24.91	-13.00	-34.51	V	7+5




Ant. 2

Part 27L Mode 1

NR SA n66 20M Ch344000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n66 20M Ch344000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3423.00	-62.74	RMS		28.35	-22.88	1.88	-95.23	25.14	-13.00	-49.74	Horizontal	
2	5134.00	-56.37	RMS		32.50	-20.44	2.09	-95.23	24.71	-13.00	-43.37	Horizontal	
3	6845.00	-55.03	RMS		35.99	-19.88	1.46	-95.23	22.63	-13.00	-42.03	Horizontal	



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n66 20M Ch344000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3423.00	-62.79	RMS		28.35	-22.88	1.88	-95.23	25.09	-13.00	-49.79	Vertical	
2	5134.00	-55.84	RMS		32.50	-20.44	2.09	-95.23	25.24	-13.00	-42.84	Vertical	
3	6845.00	-55.17	RMS		35.99	-19.88	1.46	-95.23	22.49	-13.00	-42.17	Vertical	




Ant. 2

Part 27L Mode 1

NR SA n66 20M Ch349000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n66 20M Ch349000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	3473.00	-63.11	RMS	28.54	-22.96	1.83	-95.23	24.71	-13.00	-50.11	Horizontal		
2	5209.00	-56.00	RMS	32.48	-20.44	1.98	-95.23	25.21	-13.00	-43.00	Horizontal		
3	6945.00	-54.82	RMS	36.09	-19.92	1.44	-95.23	22.80	-13.00	-41.82	Horizontal		



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n66 20M Ch349000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	3473.00	-62.88	RMS	28.54	-22.96	1.83	-95.23	24.94	-13.00	-49.88	Vertical		
2	5209.00	-54.83	RMS	32.48	-20.44	1.98	-95.23	26.38	-13.00	-41.83	Vertical		
3	6945.00	-54.89	RMS	36.09	-19.92	1.44	-95.23	22.73	-13.00	-41.89	Vertical		




Ant. 2

Part 27L Mode 1

NR SA n66 20M Ch354000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3523.00	-62.71	RMS	28.88	-22.99	1.77	-95.23	24.86	-13.00	-49.71	Horizontal
2	5284.00	-56.85	RMS	32.33	-20.41	1.84	-95.23	24.62	-13.00	-43.85	Horizontal
3	7045.00	-54.74	RMS	36.11	-19.90	1.41	-95.23	22.87	-13.00	-41.74	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3523.00	-62.89	RMS	28.88	-22.99	1.77	-95.23	24.68	-13.00	-49.89	Vertical
2	5284.00	-55.82	RMS	32.33	-20.41	1.84	-95.23	25.65	-13.00	-42.82	Vertical
3	7045.00	-54.48	RMS	36.11	-19.90	1.41	-95.23	23.13	-13.00	-41.48	Vertical




Ant. 2

Part 27L Mode 5

NR SA n70 15M Ch340500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g			
1	3392.00	-62.65	RMS	28.28	-22.83	1.91	-95.23	25.22	-13.00	-49.65	Horizontal
2	5088.00	-56.43	RMS	32.55	-20.44	2.15	-95.23	24.54	-13.00	-43.43	Horizontal
3	6784.00	-54.81	RMS	35.87	-19.86	1.49	-95.23	22.92	-13.00	-41.81	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g			
1	3392.00	-62.14	RMS	28.28	-22.83	1.91	-95.23	25.73	-13.00	-49.14	Vertical
2	5088.00	-55.83	RMS	32.55	-20.44	2.15	-95.23	25.14	-13.00	-42.83	Vertical
3	6784.00	-55.03	RMS	35.87	-19.86	1.49	-95.23	22.70	-13.00	-42.03	Vertical




Ant. 2

Part 27L Mode 6

NR SA n70 10M Ch340000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n70 10M Ch340000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	3392.00	-62.43	RMS	28.28	-22.83	1.91	-95.23	25.44	-13.00	-49.43	Horizontal
2	5087.00	-56.57	RMS	32.55	-20.44	2.15	-95.23	24.40	-13.00	-43.57	Horizontal
3	6783.00	-55.07	RMS	35.87	-19.86	1.50	-95.23	22.65	-13.00	-42.07	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n70 10M Ch340000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	3392.00	-62.55	RMS	28.28	-22.83	1.91	-95.23	25.32	-13.00	-49.55	Vertical
2	5087.00	-56.20	RMS	32.55	-20.44	2.15	-95.23	24.77	-13.00	-43.20	Vertical
3	6783.00	-54.96	RMS	35.87	-19.86	1.50	-95.23	22.76	-13.00	-41.96	Vertical




Ant. 2

Part 27L Mode 6

NR SA n70 10M Ch340500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3397.00	-62.74	RMS	28.29	-22.84	1.91	-95.23	25.13	-13.00	-49.74	Horizontal
2	5095.00	-56.35	RMS	32.52	-20.44	2.14	-95.23	24.67	-13.00	-43.35	Horizontal
3	6793.00	-55.02	RMS	35.89	-19.86	1.48	-95.23	22.70	-13.00	-42.02	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3397.00	-62.72	RMS	28.29	-22.84	1.91	-95.23	25.15	-13.00	-49.72	Vertical
2	5095.00	-55.77	RMS	32.52	-20.44	2.14	-95.23	25.24	-13.00	-42.77	Vertical
3	6793.00	-55.13	RMS	35.89	-19.86	1.48	-95.23	22.59	-13.00	-42.13	Vertical




Ant. 2

Part 27L Mode 6

NR SA n70 10M Ch341000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n70 10M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3402.00	-62.94	RMS	28.30	-22.84	1.91	-95.23	24.92	-13.00	-49.94	Horizontal
2	5102.00	-56.46	RMS	32.50	-20.44	2.13	-95.23	24.58	-13.00	-43.46	Horizontal
3	6803.00	-55.19	RMS	35.91	-19.86	1.47	-95.23	22.52	-13.00	-42.19	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n70 10M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3402.00	-62.57	RMS	28.30	-22.84	1.91	-95.23	25.29	-13.00	-49.57	Vertical
2	5102.00	-55.93	RMS	32.50	-20.44	2.13	-95.23	25.11	-13.00	-42.93	Vertical
3	6803.00	-54.86	RMS	35.91	-19.86	1.47	-95.23	22.85	-13.00	-41.86	Vertical




Ant. 0

Part 27L Mode 2

NR SA n66 20M Ch349000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3473.00	-63.11	RMS		28.54	-22.96	1.83	-95.23	24.71	-13.00	-50.11 Horizontal
2	5209.00	-57.31	RMS		32.48	-20.44	1.98	-95.23	23.90	-13.00	-44.31 Horizontal
3	6945.00	-54.89	RMS		36.09	-19.92	1.44	-95.23	22.73	-13.00	-41.89 Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3473.00	-63.23	RMS		28.54	-22.96	1.83	-95.23	24.59	-13.00	-50.23 Vertical
2	5209.00	-57.48	RMS		32.48	-20.44	1.98	-95.23	23.73	-13.00	-44.48 Vertical
3	6945.00	-55.09	RMS		36.09	-19.92	1.44	-95.23	22.53	-13.00	-42.09 Vertical




Ant. 0

Part 27L Mode 7

NR SA n70 15M Ch340500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3392.00	-62.54	RMS	28.28	-22.83	1.91	-95.23	25.33	-13.00	-49.54	Horizontal
2	5088.00	-56.60	RMS	32.55	-20.44	2.15	-95.23	24.37	-13.00	-43.60	Horizontal
3	6784.00	-54.84	RMS	35.87	-19.86	1.49	-95.23	22.89	-13.00	-41.84	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3392.00	-62.63	RMS	28.28	-22.83	1.91	-95.23	25.24	-13.00	-49.63	Vertical
2	5088.00	-56.63	RMS	32.55	-20.44	2.15	-95.23	24.34	-13.00	-43.63	Vertical
3	6784.00	-54.77	RMS	35.87	-19.86	1.49	-95.23	22.96	-13.00	-41.77	Vertical




Ant. 1

Part 27L Mode 3

NR SA n66 20M Ch349000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3473.00	-63.07	RMS		28.54	-22.96	1.83	-95.23	24.75	-13.00	-50.07 Horizontal
2	5209.00	-57.33	RMS		32.48	-20.44	1.98	-95.23	23.88	-13.00	-44.33 Horizontal
3	6945.00	-54.92	RMS		36.09	-19.92	1.44	-95.23	22.70	-13.00	-41.92 Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3473.00	-63.26	RMS		28.54	-22.96	1.83	-95.23	24.56	-13.00	-50.26 Vertical
2	5209.00	-57.27	RMS		32.48	-20.44	1.98	-95.23	23.94	-13.00	-44.27 Vertical
3	6945.00	-55.11	RMS		36.09	-19.92	1.44	-95.23	22.51	-13.00	-42.11 Vertical




Ant. 1

Part 27L Mode 8

NR SA n70 15M Ch340500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3392.00	-62.35	RMS	28.28	-22.83	1.91	-95.23	25.52	-13.00	-49.35	Horizontal
2	5088.00	-56.64	RMS	32.55	-20.44	2.15	-95.23	24.33	-13.00	-43.64	Horizontal
3	6784.00	-54.89	RMS	35.87	-19.86	1.49	-95.23	22.84	-13.00	-41.89	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3392.00	-62.43	RMS	28.28	-22.83	1.91	-95.23	25.44	-13.00	-49.43	Vertical
2	5088.00	-56.86	RMS	32.55	-20.44	2.15	-95.23	24.11	-13.00	-43.86	Vertical
3	6784.00	-55.31	RMS	35.87	-19.86	1.49	-95.23	22.42	-13.00	-42.31	Vertical




Ant. 5

Part 27L Mode 4

NR SA n66 20M Ch349000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3473.00	-63.33	RMS	28.54	-22.96	1.83	-95.23	24.49	-13.00	-50.33	Horizontal
2	5209.00	-57.70	RMS	32.48	-20.44	1.98	-95.23	23.51	-13.00	-44.70	Horizontal
3	6945.00	-55.12	RMS	36.09	-19.92	1.44	-95.23	22.50	-13.00	-42.12	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3473.00	-63.13	RMS	28.54	-22.96	1.83	-95.23	24.69	-13.00	-50.13	Vertical
2	5209.00	-57.18	RMS	32.48	-20.44	1.98	-95.23	24.03	-13.00	-44.18	Vertical
3	6945.00	-55.13	RMS	36.09	-19.92	1.44	-95.23	22.49	-13.00	-42.13	Vertical




Ant. 5

Part 27L Mode 9

NR SA n70 15M Ch340500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n70 15M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBm	dB		
1	3392.00	-62.13	RMS	28.28	-22.83	1.91	-95.23	25.74	-13.00	-49.13	Horizontal
2	5088.00	-56.60	RMS	32.55	-20.44	2.15	-95.23	24.37	-13.00	-43.60	Horizontal
3	6784.00	-55.05	RMS	35.87	-19.86	1.49	-95.23	22.68	-13.00	-42.05	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n70 15M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBm	dB		
1	3392.00	-62.67	RMS	28.28	-22.83	1.91	-95.23	25.20	-13.00	-49.67	Vertical
2	5088.00	-56.56	RMS	32.55	-20.44	2.15	-95.23	24.41	-13.00	-43.56	Vertical
3	6784.00	-54.97	RMS	35.87	-19.86	1.49	-95.23	22.76	-13.00	-41.97	Vertical




Ant. 0+5

Part 27L Mode 10

NR SA n66 20M Ch344000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3423.00	-64.03	RMS		28.35	-23.94	1.88	-95.23	24.91	-13.00	-51.03 Horizontal
2	5134.00	-57.89	RMS		32.50	-21.67	2.09	-95.23	24.42	-13.00	-44.89 Horizontal
3	6845.00	-56.49	RMS		35.99	-21.56	1.46	-95.23	22.85	-13.00	-43.49 Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3423.00	-64.09	RMS		28.35	-23.94	1.88	-95.23	24.85	-13.00	-51.09 Vertical
2	5134.00	-57.54	RMS		32.50	-21.67	2.09	-95.23	24.77	-13.00	-44.54 Vertical
3	6845.00	-56.46	RMS		35.99	-21.56	1.46	-95.23	22.88	-13.00	-43.46 Vertical




Ant. 0+5

Part 27L Mode 10

NR SA n66 20M Ch349000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n66 20M Ch349000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3473.00	-63.71	RMS	28.54	-24.01	1.83	-95.23	25.16	-13.00	-50.71	Horizontal			
2	5209.00	-58.58	RMS	32.48	-21.72	1.98	-95.23	23.91	-13.00	-45.58	Horizontal			
3	6945.00	-56.33	RMS	36.09	-21.58	1.44	-95.23	22.95	-13.00	-43.33	Horizontal			



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n66 20M Ch349000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3473.00	-63.65	RMS	28.54	-24.01	1.83	-95.23	25.22	-13.00	-50.65	Vertical			
2	5209.00	-58.62	RMS	32.48	-21.72	1.98	-95.23	23.87	-13.00	-45.62	Vertical			
3	6945.00	-56.00	RMS	36.09	-21.58	1.44	-95.23	23.28	-13.00	-43.00	Vertical			




Ant. 0+5

Part 27L Mode 10

NR SA n66 20M Ch354000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n66 20M Ch354000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3523.00	-63.39	RMS	28.88	-24.03	1.77	-95.23	25.22	-13.00	-50.39	Horizontal			
2	5284.00	-59.06	RMS	32.33	-21.74	1.84	-95.23	23.74	-13.00	-46.06	Horizontal			
3	7045.00	-56.11	RMS	36.11	-21.56	1.41	-95.23	23.16	-13.00	-43.11	Horizontal			



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n66 20M Ch354000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3523.00	-63.64	RMS	28.88	-24.03	1.77	-95.23	24.97	-13.00	-50.64	Vertical			
2	5284.00	-59.52	RMS	32.33	-21.74	1.84	-95.23	23.28	-13.00	-46.52	Vertical			
3	7045.00	-56.01	RMS	36.11	-21.56	1.41	-95.23	23.26	-13.00	-43.01	Vertical			




Ant. 2+1

Part 27L Mode 10

NR SA n66 20M Ch344000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3423.00	-63.98	RMS	28.35	-23.94	1.88	-95.23	24.96	-13.00	-50.98 Horizontal
2	5134.00	-57.36	RMS	32.50	-21.67	2.09	-95.23	24.95	-13.00	-44.36 Horizontal
3	6845.00	-56.67	RMS	35.99	-21.56	1.46	-95.23	22.67	-13.00	-43.67 Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3423.00	-63.64	RMS	28.35	-23.94	1.88	-95.23	25.30	-13.00	-50.64 Vertical
2	5134.00	-57.20	RMS	32.50	-21.67	2.09	-95.23	25.11	-13.00	-44.20 Vertical
3	6845.00	-56.33	RMS	35.99	-21.56	1.46	-95.23	23.01	-13.00	-43.33 Vertical




Ant. 2+1

Part 27L Mode 10

NR SA n66 20M Ch349000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3473.00	-63.97	RMS	28.54	-24.01	1.83	-95.23	24.90	-13.00	-50.97 Horizontal
2	5209.00	-58.57	RMS	32.48	-21.72	1.98	-95.23	23.92	-13.00	-45.57 Horizontal
3	6945.00	-56.49	RMS	36.09	-21.58	1.44	-95.23	22.79	-13.00	-43.49 Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3473.00	-63.49	RMS	28.54	-24.01	1.83	-95.23	25.38	-13.00	-50.49 Vertical
2	5209.00	-58.49	RMS	32.48	-21.72	1.98	-95.23	24.00	-13.00	-45.49 Vertical
3	6945.00	-56.16	RMS	36.09	-21.58	1.44	-95.23	23.12	-13.00	-43.16 Vertical




Ant. 2+1

Part 27L Mode 10

NR SA n66 20M Ch354000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3523.00	-63.48	RMS	28.88	-24.03	1.77	-95.23	25.13	-13.00	-50.48	Horizontal
2	5284.00	-59.12	RMS	32.33	-21.74	1.84	-95.23	23.68	-13.00	-46.12	Horizontal
3	7045.00	-55.71	RMS	36.11	-21.56	1.41	-95.23	23.56	-13.00	-42.71	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3523.00	-63.38	RMS	28.88	-24.03	1.77	-95.23	25.23	-13.00	-50.38	Vertical
2	5284.00	-59.01	RMS	32.33	-21.74	1.84	-95.23	23.79	-13.00	-46.01	Vertical
3	7045.00	-56.01	RMS	36.11	-21.56	1.41	-95.23	23.26	-13.00	-43.01	Vertical




Ant. 0+2

Part 27L Mode 12

EN-DC B5+n66 10M + 20M Ch20525 1RB0 QPSK + Ch349000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3473.00	-60.73	RMS	28.54	-22.96	1.83	-95.23	27.09	-13.00	-47.73	Horizontal
2	5209.00	-54.51	RMS	32.48	-20.44	1.98	-95.23	26.70	-13.00	-41.51	Horizontal
3	6945.00	-54.50	RMS	36.09	-19.92	1.44	-95.23	23.12	-13.00	-41.50	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3473.00	-62.44	RMS	28.54	-22.96	1.83	-95.23	25.38	-13.00	-49.44	Vertical
2	5209.00	-50.20	RMS	32.48	-20.44	1.98	-95.23	31.01	-13.00	-37.20	Vertical
3	6945.00	-54.34	RMS	36.09	-19.92	1.44	-95.23	23.28	-13.00	-41.34	Vertical




Ant. 2

Part 27D Mode 13

NR SA n30 5M Ch461500 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

: SA n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	4611.00	-57.29	RMS	31.74	-21.14	2.71	-95.23	24.63	-40.00	-17.29	Horizontal		
2	6917.00	-55.12	RMS	36.03	-19.91	1.45	-95.23	22.54	-40.00	-15.12	Horizontal		
3	9222.00	-53.62	RMS	36.90	-19.94	1.57	-95.23	23.08	-40.00	-13.62	Horizontal		



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

: SA n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	4611.00	-57.46	RMS	31.74	-21.14	2.71	-95.23	24.46	-40.00	-17.46	Vertical		
2	6917.00	-54.93	RMS	36.03	-19.91	1.45	-95.23	22.73	-40.00	-14.93	Vertical		
3	9222.00	-53.17	RMS	36.90	-19.94	1.57	-95.23	23.53	-40.00	-13.17	Vertical		




Ant. 2

Part 27D Mode 13

NR SA n30 5M Ch462000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

: SA n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1	dB		dB	g		
1	4616.00	-57.58	RMS	31.76	-21.13	2.71	-95.23	24.31	-40.00	-17.58	Horizontal
2	6924.00	-55.29	RMS	36.05	-19.91	1.45	-95.23	22.35	-40.00	-15.29	Horizontal
3	9232.00	-53.29	RMS	36.90	-19.95	1.57	-95.23	23.42	-40.00	-13.29	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

: SA n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4616.00	-57.34	RMS	31.76	-21.13	2.71	-95.23	24.55	-40.00	-17.34	Vertical
2	6924.00	-55.31	RMS	36.05	-19.91	1.45	-95.23	22.33	-40.00	-15.31	Vertical
3	9232.00	-53.57	RMS	36.90	-19.95	1.57	-95.23	23.14	-40.00	-13.57	Vertical




Ant. 2

Part 27D Mode 13

NR SA n30 5M Ch462500 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

: SA n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	4621.00	-57.09	RMS	31.78	-21.12	2.70	-95.23	-95.23	24.78	-40.00	-17.09		Horizontal
2	6932.00	-54.97	RMS	36.06	-19.91	1.44	-95.23	-95.23	22.67	-40.00	-14.97		Horizontal
3	9242.00	-53.28	RMS	36.90	-19.95	1.56	-95.23	-95.23	23.44	-40.00	-13.28		Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

: SA n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	4621.00	-57.08	RMS	31.78	-21.12	2.70	-95.23	-95.23	24.79	-40.00	-17.08		Vertical
2	6932.00	-54.50	RMS	36.06	-19.91	1.44	-95.23	-95.23	23.14	-40.00	-14.50		Vertical
3	9242.00	-52.81	RMS	36.90	-19.95	1.56	-95.23	-95.23	23.91	-40.00	-12.81		Vertical




Ant. 2

Part 27D Mode 14

NR SA n30 10M Ch462000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

: SA n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB		dBuV	dBm		
1	4612.00	-57.09	RMS	31.75	-21.14	2.71	-95.23	24.82	-40.00	-17.09	Horizontal
2	6917.00	-54.80	RMS	36.03	-19.91	1.45	-95.23	22.86	-40.00	-14.80	Horizontal
3	9223.00	-53.62	RMS	36.90	-19.94	1.57	-95.23	23.08	-40.00	-13.62	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

: SA n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4612.00	-57.25	RMS	31.75	-21.14	2.71	-95.23	24.66	-40.00	-17.25	Vertical
2	6917.00	-55.11	RMS	36.03	-19.91	1.45	-95.23	22.55	-40.00	-15.11	Vertical
3	9223.00	-53.30	RMS	36.90	-19.94	1.57	-95.23	23.40	-40.00	-13.30	Vertical




Ant. 0

Part 27D Mode 15

NR SA n30 5M Ch461500 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

: SA n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	4611.00	-57.12	RMS	31.74	-21.14	2.71	-95.23	24.80	-40.00	-17.12	Horizontal		
2	6917.00	-54.65	RMS	36.03	-19.91	1.45	-95.23	23.01	-40.00	-14.65	Horizontal		
3	9222.00	-53.19	RMS	36.90	-19.94	1.57	-95.23	23.51	-40.00	-13.19	Horizontal		



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

: SA n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	4611.00	-56.95	RMS	31.74	-21.14	2.71	-95.23	24.97	-40.00	-16.95	Vertical		
2	6917.00	-54.92	RMS	36.03	-19.91	1.45	-95.23	22.74	-40.00	-14.92	Vertical		
3	9222.00	-53.33	RMS	36.90	-19.94	1.57	-95.23	23.37	-40.00	-13.33	Vertical		




Ant. 0

Part 27D Mode 15

NR SA n30 5M Ch462000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

: SA n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	4616.00	-57.15	RMS	31.76	-21.13	2.71	-95.23	-95.23	24.74	-40.00	-17.15	Horizontal
2	6924.00	-55.09	RMS	36.05	-19.91	1.45	-95.23	-95.23	22.55	-40.00	-15.09	Horizontal
3	9232.00	-52.95	RMS	36.90	-19.95	1.57	-95.23	-95.23	23.76	-40.00	-12.95	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

: SA n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	4616.00	-57.40	RMS	31.76	-21.13	2.71	-95.23	-95.23	24.49	-40.00	-17.40	Vertical
2	6924.00	-55.05	RMS	36.05	-19.91	1.45	-95.23	-95.23	22.59	-40.00	-15.05	Vertical
3	9232.00	-53.15	RMS	36.90	-19.95	1.57	-95.23	-95.23	23.56	-40.00	-13.15	Vertical




Ant. 0

Part 27D Mode 15

NR SA n30 5M Ch462500 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

: SA n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB						
1	4621.00	-57.01	RMS		31.78	-21.12	2.70	-95.23	24.86	-40.00	-17.01	Horizontal
2	6932.00	-54.63	RMS		36.06	-19.91	1.44	-95.23	23.01	-40.00	-14.63	Horizontal
3	9242.00	-52.68	RMS		36.90	-19.95	1.56	-95.23	24.04	-40.00	-12.68	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

: SA n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB						
1	4621.00	-56.57	RMS		31.78	-21.12	2.70	-95.23	25.30	-40.00	-16.57	Vertical
2	6932.00	-54.73	RMS		36.06	-19.91	1.44	-95.23	22.91	-40.00	-14.73	Vertical
3	9242.00	-52.97	RMS		36.90	-19.95	1.56	-95.23	23.75	-40.00	-12.97	Vertical




Ant. 0

Part 27D Mode 16

NR SA n30 10M Ch462000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

: SA n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	4612.00	-56.59	RMS	31.75	-21.14	2.71	-95.23	-95.23	25.32	-40.00	-16.59	Horizontal
2	6917.00	-54.87	RMS	36.03	-19.91	1.45	-95.23	-95.23	22.79	-40.00	-14.87	Horizontal
3	9223.00	-52.88	RMS	36.90	-19.94	1.57	-95.23	-95.23	23.82	-40.00	-12.88	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

: SA n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	4612.00	-56.83	RMS	31.75	-21.14	2.71	-95.23	-95.23	25.08	-40.00	-16.83	Vertical
2	6917.00	-54.73	RMS	36.03	-19.91	1.45	-95.23	-95.23	22.93	-40.00	-14.73	Vertical
3	9223.00	-53.01	RMS	36.90	-19.94	1.57	-95.23	-95.23	23.69	-40.00	-13.01	Vertical