




Ant. 0+2

Part 27D Mode 20

EN-DC B5+n30 10M + 10M Ch20525 1RB0 QPSK + Ch462000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: NR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4612.00	-56.34	RMS	31.75	-21.14	2.71	-95.23	25.57	-40.00	-16.34	Horizontal
2	6917.00	-54.39	RMS	36.03	-19.91	1.45	-95.23	23.27	-40.00	-14.39	Horizontal
3	9223.00	-52.84	RMS	36.90	-19.94	1.57	-95.23	23.86	-40.00	-12.84	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: NR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4612.00	-56.89	RMS	31.75	-21.14	2.71	-95.23	25.02	-40.00	-16.89	Vertical
2	6917.00	-54.20	RMS	36.03	-19.91	1.45	-95.23	23.46	-40.00	-14.20	Vertical
3	9223.00	-52.66	RMS	36.90	-19.94	1.57	-95.23	24.04	-40.00	-12.66	Vertical




Ant. 0

Part 27H Mode 25

NR SA n12 10M Ch140800 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

NR SA n12 10M Ch140800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1400.00	-67.08	RMS		24.40	-24.81	0.97	-95.23	27.59	-13.00	-54.08		Horizontal
2	2099.00	-65.28	RMS		26.30	-23.80	0.84	-95.23	26.61	-13.00	-52.28		Horizontal
3	2799.00	-64.18	RMS		27.70	-22.80	1.03	-95.23	25.12	-13.00	-51.18		Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

NR SA n12 10M Ch140800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1400.00	-67.29	RMS		24.40	-24.81	0.97	-95.23	27.38	-13.00	-54.29		Vertical
2	2099.00	-63.75	RMS		26.30	-23.80	0.84	-95.23	28.14	-13.00	-50.75		Vertical
3	2799.00	-64.13	RMS		27.70	-22.80	1.03	-95.23	25.17	-13.00	-51.13		Vertical




Ant. 0

Part 27H Mode 25

NR SA n12 10M Ch141500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1407.00	-64.96	RMS	24.47	-24.79	0.97	-95.23	29.62	-13.00	-51.96
2	2110.00	-57.62	RMS	26.30	-23.80	0.85	-95.23	34.26	-13.00	-44.62
3	2813.00	-64.21	RMS	27.70	-22.78	1.02	-95.23	25.08	-13.00	-51.21



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1407.00	-67.22	RMS	24.47	-24.79	0.97	-95.23	27.36	-13.00	-54.22
2	2110.00	-61.95	RMS	26.30	-23.80	0.85	-95.23	29.93	-13.00	-48.95
3	2813.00	-64.32	RMS	27.70	-22.78	1.02	-95.23	24.97	-13.00	-51.32




Ant. 0

Part 27H Mode 25

NR SA n12 10M Ch142200 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

NR SA n12 10M Ch142200 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1414.00	-67.48	RMS		24.46	-24.78	0.98	-95.23	27.09	-13.00	-54.48		Horizontal
2	2120.00	-64.26	RMS		26.30	-23.79	0.86	-95.23	27.60	-13.00	-51.26		Horizontal
3	2827.00	-64.02	RMS		27.77	-22.76	1.01	-95.23	25.19	-13.00	-51.02		Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

NR SA n12 10M Ch142200 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1414.00	-67.64	RMS		24.46	-24.78	0.98	-95.23	26.93	-13.00	-54.64		Vertical
2	2120.00	-65.46	RMS		26.30	-23.79	0.86	-95.23	26.40	-13.00	-52.46		Vertical
3	2827.00	-63.94	RMS		27.77	-22.76	1.01	-95.23	25.27	-13.00	-50.94		Vertical




Ant. 1

Part 27H Mode 26

NR SA n12 10M Ch141500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1407.00	-67.41	RMS		24.47	-24.79	0.97	-95.23	27.17	-13.00	-54.41		Horizontal
2	2110.00	-65.32	RMS		26.30	-23.80	0.85	-95.23	26.56	-13.00	-52.32		Horizontal
3	2110.00	-65.32	RMS		26.30	-23.80	0.85	-95.23	26.56	-13.00	-52.32		Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1407.00	-66.67	RMS		24.47	-24.79	0.97	-95.23	27.91	-13.00	-53.67		Vertical
2	2110.00	-65.55	RMS		26.30	-23.80	0.85	-95.23	26.33	-13.00	-52.55		Vertical
3	2813.00	-63.88	RMS		27.70	-22.78	1.02	-95.23	25.41	-13.00	-50.88		Vertical




Ant. 2+0

Part 27H Mode 27


EN-DC B7+n12 10M + 10M Ch21100 1RB0 QPSK + Ch141500 1RB1 BPSK

M



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_250807 Horizontal
: LTE B7 10M Ch21100 1RB0 QPSK
: SA n12 15M Ch141500 1RB1 BPSK
: #3 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	1407.00	-68.73	RMS	24.47	-25.43	0.97	-95.23	26.49	-13.00	-55.73	Horizontal
2	2110.00	-66.57	RMS	26.30	-24.70	0.85	-95.23	26.21	-13.00	-53.57	Horizontal
3	2536.00	-24.82	RMS	26.96	-24.14	0.90	-95.23	66.69	-----	-----	Horizontal
4	2813.00	-64.57	RMS	27.70	-23.80	1.02	-95.23	25.74	-13.00	-51.57	Horizontal



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_250807 Vertical
: LTE B7 10M Ch21100 1RB0 QPSK
: SA n12 15M Ch141500 1RB1 BPSK
: #3 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	1407.00	-68.76	RMS	24.47	-25.43	0.97	-95.23	26.46	-13.00	-55.76	Vertical
2	2110.00	-66.99	RMS	26.30	-24.70	0.85	-95.23	25.79	-13.00	-53.99	Vertical
3	2536.00	-18.35	RMS	26.96	-24.14	0.90	-95.23	73.16	-----	-----	Vertical
4	2813.00	-64.88	RMS	27.70	-23.80	1.02	-95.23	25.43	-13.00	-51.88	Vertical




Ant. 0

Part 27N Mode 28

NR SA n71 20M Ch134600 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

NR SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1329.00	-67.60	RMS		24.39	-25.00	1.07	-95.23	27.17	-13.00	-54.60		Horizontal
2	1993.00	-64.52	RMS		25.96	-23.90	0.80	-95.23	27.85	-13.00	-51.52		Horizontal
3	2657.00	-64.32	RMS		27.23	-23.01	0.94	-95.23	25.75	-13.00	-51.32		Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

NR SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1329.00	-67.43	RMS		24.39	-25.00	1.07	-95.23	27.34	-13.00	-54.43		Vertical
2	1993.00	-63.15	RMS		25.96	-23.90	0.80	-95.23	29.22	-13.00	-50.15		Vertical
3	2657.00	-64.28	RMS		27.23	-23.01	0.94	-95.23	25.79	-13.00	-51.28		Vertical




Ant. 0

Part 27N Mode 28

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1344.00	-67.85	RMS		24.34	-24.96	1.05	-95.23	26.95	-13.00	-54.85		Horizontal
2	2015.00	-64.32	RMS		26.20	-23.88	0.80	-95.23	27.79	-13.00	-51.32		Horizontal
3	2687.00	-64.44	RMS		27.40	-22.97	0.96	-95.23	25.40	-13.00	-51.44		Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1344.00	-66.60	RMS		24.34	-24.96	1.05	-95.23	28.20	-13.00	-53.60		Vertical
2	2015.00	-64.95	RMS		26.20	-23.88	0.80	-95.23	27.16	-13.00	-51.95		Vertical
3	2687.00	-64.35	RMS		27.40	-22.97	0.96	-95.23	25.49	-13.00	-51.35		Vertical




Ant. 0

Part 27N Mode 28

NR SA n71 20M Ch137600 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1359.00	-67.87	RMS		24.49	-24.92	1.03	-95.23	26.76	-13.00	-54.87		Horizontal
2	2038.00	-58.12	RMS		26.12	-23.86	0.81	-95.23	34.04	-13.00	-45.12		Horizontal
3	2717.00	-64.10	RMS		27.50	-22.92	0.98	-95.23	25.57	-13.00	-51.10		Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1359.00	-67.75	RMS		24.49	-24.92	1.03	-95.23	26.88	-13.00	-54.75		Vertical
2	2038.00	-59.18	RMS		26.12	-23.86	0.81	-95.23	32.98	-13.00	-46.18		Vertical
3	2717.00	-64.46	RMS		27.50	-22.92	0.98	-95.23	25.21	-13.00	-51.46		Vertical




Ant. 1

Part 27N Mode 29

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1344.00	-67.51	RMS		24.34	-24.96	1.05	-95.23	27.29	-13.00	-54.51		Horizontal
2	2015.00	-65.99	RMS		26.20	-23.88	0.80	-95.23	26.12	-13.00	-52.99		Horizontal
3	2687.00	-64.35	RMS		27.40	-22.97	0.96	-95.23	25.49	-13.00	-51.35		Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical

: NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1344.00	-66.94	RMS		24.34	-24.96	1.05	-95.23	27.86	-13.00	-53.94		Vertical
2	2015.00	-65.87	RMS		26.20	-23.88	0.80	-95.23	26.24	-13.00	-52.87		Vertical
3	2687.00	-64.08	RMS		27.40	-22.97	0.96	-95.23	25.76	-13.00	-51.08		Vertical




Ant. 2+0

Part 27N Mode 30


EN-DC B7+n71 10M + 20M Ch21100 1RB0 QPSK + Ch136100 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Horizontal
: LTE B7 10M Ch21100 1RB0 QPSK
: NR SA n71 20M Ch136100 1RB1 BPSK
: #3 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	1344.00	-68.17	RMS	24.34	-25.61	1.05	-95.23	27.28	-13.00	-55.17	Horizontal
2	2015.00	-61.47	RMS	26.20	-24.82	0.80	-95.23	31.58	-13.00	-48.47	Horizontal
3	2536.00	-17.47	RMS	26.96	-24.14	0.90	-95.23	74.04	-----	-----	Horizontal
4	2687.00	-65.32	RMS	27.40	-23.95	0.96	-95.23	25.50	-13.00	-52.32	Horizontal



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_250807 Vertical
: LTE B7 10M Ch21100 1RB0 QPSK
: NR SA n71 20M Ch136100 1RB1 BPSK
: #3 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	1344.00	-68.41	RMS	24.34	-25.61	1.05	-95.23	27.04	-13.00	-55.41	Vertical
2	2015.00	-65.26	RMS	26.20	-24.82	0.80	-95.23	27.79	-13.00	-52.26	Vertical
3	2536.00	-20.98	RMS	26.96	-24.14	0.90	-95.23	70.53	-----	-----	Vertical
4	2687.00	-64.88	RMS	27.40	-23.95	0.96	-95.23	25.94	-13.00	-51.88	Vertical




Ant. 2

Part 27M Mode 31

NR SA n7 20M Ch502000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n7 20M Ch502000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin Pol	
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5003.00	-56.50	RMS	32.79	-20.45	2.27	-95.23	24.12	-25.00	-31.50	Horizontal	
2	7504.00	-53.52	RMS	36.69	-19.50	1.54	-95.23	22.98	-25.00	-28.52	Horizontal	
3	10005.00	-53.10	RMS	37.10	-19.61	1.65	-95.23	22.99	-25.00	-28.10	Horizontal	



Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n7 20M Ch502000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin Pol	
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5003.00	-56.32	RMS	32.79	-20.45	2.27	-95.23	24.30	-25.00	-31.32	Vertical	
2	7504.00	-53.87	RMS	36.69	-19.50	1.54	-95.23	22.63	-25.00	-28.87	Vertical	
3	10005.00	-52.72	RMS	37.10	-19.61	1.65	-95.23	23.37	-25.00	-27.72	Vertical	




Ant. 2

Part 27M Mode 31

NR SA n7 20M Ch507000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5053.00	-56.59	RMS	32.69	-20.45	2.20	-95.23	24.20	-25.00	-31.59	Horizontal
2	7579.00	-53.85	RMS	36.60	-19.57	1.61	-95.23	22.74	-25.00	-28.85	Horizontal
3	10105.00	-52.90	RMS	37.11	-19.66	1.67	-95.23	23.21	-25.00	-27.90	Horizontal



Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5053.00	-56.21	RMS	32.69	-20.45	2.20	-95.23	24.58	-25.00	-31.21	Vertical
2	7579.00	-53.83	RMS	36.60	-19.57	1.61	-95.23	22.76	-25.00	-28.83	Vertical
3	10105.00	-52.90	RMS	37.11	-19.66	1.67	-95.23	23.21	-25.00	-27.90	Vertical




Ant. 2

Part 27M Mode 31

NR SA n7 20M Ch512000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n7 20M Ch512000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5103.00	-56.61	RMS	32.50	-20.44	2.13	-95.23	24.43	-25.00	-31.61	Horizontal
2	7654.00	-53.44	RMS	36.59	-19.61	1.61	-95.23	23.20	-25.00	-28.44	Horizontal
3	10205.00	-52.36	RMS	37.29	-19.71	1.69	-95.23	23.60	-25.00	-27.36	Horizontal



Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n7 20M Ch512000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5103.00	-56.24	RMS	32.50	-20.44	2.13	-95.23	24.80	-25.00	-31.24	Vertical
2	7654.00	-53.36	RMS	36.59	-19.61	1.61	-95.23	23.28	-25.00	-28.36	Vertical
3	10205.00	-52.47	RMS	37.29	-19.71	1.69	-95.23	23.49	-25.00	-27.47	Vertical




Ant. 2

Part 27M Mode 35

NR SA n41 HPUE 20M Ch501204 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm										
1	4995.00	-56.09	RMS	32.78	-20.45	2.27	-95.23	24.54	-25.00	-31.09		Horizontal
2	7492.00	-44.17	RMS	36.72	-19.51	1.53	-95.23	32.32	-25.00	-19.17		Horizontal
3	9989.00	-53.05	RMS	37.08	-19.62	1.65	-95.23	23.07	-25.00	-28.05		Horizontal



Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm										
1	4995.00	-56.50	RMS	32.78	-20.45	2.27	-95.23	24.13	-25.00	-31.50		Vertical
2	7492.00	-45.44	RMS	36.72	-19.51	1.53	-95.23	31.05	-25.00	-20.44		Vertical
3	9989.00	-52.87	RMS	37.08	-19.62	1.65	-95.23	23.25	-25.00	-27.87		Vertical




Ant. 2

Part 27M Mode 35

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M



Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Horizontal


: SA n41 20M Ch518598 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

: #2 is fundamental signal which can be ignored.

: #3 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5169.00	-56.66	RMS	32.50	-20.44	2.04	-95.23	24.47	-25.00	-31.66	Horizontal
2	7753.00	-47.71	RMS	36.60	-19.64	1.56	-95.23	29.00	-25.00	-22.71	Horizontal
3	10337.00	-52.55	RMS	37.37	-19.78	1.71	-95.23	23.38	-25.00	-27.55	Horizontal



Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n41 20M Ch518598 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

: #2 is fundamental signal which can be ignored.

: #3 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5169.00	-57.13	RMS	32.50	-20.44	2.04	-95.23	24.00	-25.00	-32.13	Vertical
2	7753.00	-52.53	RMS	36.60	-19.64	1.56	-95.23	24.18	-25.00	-27.53	Vertical
3	10337.00	-52.58	RMS	37.37	-19.78	1.71	-95.23	23.35	-25.00	-27.58	Vertical




Ant. 2

Part 27M Mode 35

NR SA n41 HPUE 20M Ch535998 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			1			g			
1	5343.00	-56.63	RMS	32.30	-20.39	1.73	-95.23	24.96	-25.00	-31.63	Horizontal
2	8014.00	-46.36	RMS	36.53	-20.15	1.48	-95.23	31.01	-25.00	-21.36	Horizontal
3	10685.00	-52.20	RMS	37.50	-19.79	1.77	-95.23	23.55	-25.00	-27.20	Horizontal



Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			1			g			
1	5343.00	-55.29	RMS	32.30	-20.39	1.73	-95.23	26.30	-25.00	-30.29	Vertical
2	8014.00	-43.33	RMS	36.53	-20.15	1.48	-95.23	34.04	-25.00	-18.33	Vertical
3	10685.00	-51.70	RMS	37.50	-19.79	1.77	-95.23	24.05	-25.00	-26.70	Vertical




Ant. 2

Part 27M Mode 40


NR CA n41C 100M + 90M Ch509202 1RB272 BPSK + Ch528186 1RB0 BPSK

L



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: NR n41 100M Ch509202 1RB272 BPSK
: NR n41 90M Ch528186 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-56.71	RMS	32.50	-20.44	2.02	-95.23	24.44	-25.00	-31.71	Horizontal	
2	7773.00	-53.32	RMS	36.60	-19.65	1.55	-95.23	23.41	-25.00	-28.32	Horizontal	
3	10364.00	-52.08	RMS	37.34	-19.79	1.72	-95.23	23.88	-25.00	-27.08	Horizontal	



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: NR n41 100M Ch509202 1RB272 BPSK
: NR n41 90M Ch528186 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-56.61	RMS	32.50	-20.44	2.02	-95.23	24.54	-25.00	-31.61	Vertical	
2	7773.00	-52.79	RMS	36.60	-19.65	1.55	-95.23	23.94	-25.00	-27.79	Vertical	
3	10364.00	-52.15	RMS	37.34	-19.79	1.72	-95.23	23.81	-25.00	-27.15	Vertical	




Ant. 2

Part 27M Mode 40


NR CA n41C 100M + 90M Ch509604 1RB272 BPSK + Ch528588 1RB0 BPSK

M



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: NR n41 100M Ch509604 1RB272 BPSK
: NR n41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5186.00	-57.16	RMS	32.50	-20.44	2.02	-95.23		23.99	-25.00	-32.16	Horizontal
2	7779.00	-53.61	RMS	36.60	-19.65	1.55	-95.23		23.12	-25.00	-28.61	Horizontal
3	10372.00	-52.14	RMS	37.31	-19.79	1.72	-95.23		23.85	-25.00	-27.14	Horizontal



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: NR n41 100M Ch509604 1RB272 BPSK
: NR n41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5186.00	-57.00	RMS	32.50	-20.44	2.02	-95.23		24.15	-25.00	-32.00	Vertical
2	7779.00	-53.73	RMS	36.60	-19.65	1.55	-95.23		23.00	-25.00	-28.73	Vertical
3	10372.00	-52.33	RMS	37.31	-19.79	1.72	-95.23		23.66	-25.00	-27.33	Vertical




Ant. 2

Part 27M Mode 40

NR CA n41C 100M + 90M Ch510012 1RB272 BPSK + Ch528996 1RB0 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR n41 100M Ch510012 1RB272 BPSK

: NR n41 90M Ch528996 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	5190.00	-56.84	RMS	32.50	-20.44	2.01	-95.23	24.32	-25.00	-31.84	Horizontal		
2	7785.00	-53.63	RMS	36.60	-19.65	1.55	-95.23	23.10	-25.00	-28.63	Horizontal		
3	10380.00	-52.22	RMS	37.28	-19.80	1.72	-95.23	23.81	-25.00	-27.22	Horizontal		



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR n41 100M Ch510012 1RB272 BPSK

: NR n41 90M Ch528996 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	5190.00	-57.03	RMS	32.50	-20.44	2.01	-95.23	24.13	-25.00	-32.03	Vertical		
2	7785.00	-53.22	RMS	36.60	-19.65	1.55	-95.23	23.51	-25.00	-28.22	Vertical		
3	10380.00	-52.50	RMS	37.28	-19.80	1.72	-95.23	23.53	-25.00	-27.50	Vertical		




Ant. 0

Part 27M Mode 32

NR SA n7 20M Ch507000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n7 20M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5053.00	-56.48	RMS	32.69	-20.45	2.20	-95.23	24.31	-25.00	-31.48	Horizontal	
2	7579.00	-53.41	RMS	36.60	-19.57	1.61	-95.23	23.18	-25.00	-28.41	Horizontal	
3	10105.00	-52.56	RMS	37.11	-19.66	1.67	-95.23	23.55	-25.00	-27.56	Horizontal	



Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n7 20M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5053.00	-56.38	RMS	32.69	-20.45	2.20	-95.23	24.41	-25.00	-31.38	Vertical	
2	7579.00	-53.74	RMS	36.60	-19.57	1.61	-95.23	22.85	-25.00	-28.74	Vertical	
3	10105.00	-52.39	RMS	37.11	-19.66	1.67	-95.23	23.72	-25.00	-27.39	Vertical	




Ant. 0

Part 27M Mode 36

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	5169.00	-53.88	RMS	32.50	-20.44	2.04	-95.23	27.25	-25.00	-28.88	Horizontal
2	7753.00	-47.70	RMS	36.60	-19.64	1.56	-95.23	29.01	-25.00	-22.70	Horizontal
3	10337.00	-52.29	RMS	37.37	-19.78	1.71	-95.23	23.64	-25.00	-27.29	Horizontal



Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	5169.00	-57.39	RMS	32.50	-20.44	2.04	-95.23	23.74	-25.00	-32.39	Vertical
2	7753.00	-53.49	RMS	36.60	-19.64	1.56	-95.23	23.22	-25.00	-28.49	Vertical
3	10337.00	-51.91	RMS	37.37	-19.78	1.71	-95.23	24.02	-25.00	-26.91	Vertical




Ant. 0

Part 27M Mode 40

NR CA n41C 100M + 90M Ch509604 1RB272 BPSK + Ch528588 1RB0 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR n41 100M Ch509604 1RB272 BPSK

: NR n41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5186.00	-57.10	RMS	32.50	-20.44	2.02	-95.23		24.05	-25.00	-32.10	Horizontal
2	7779.00	-53.37	RMS	36.60	-19.65	1.55	-95.23		23.36	-25.00	-28.37	Horizontal
3	10372.00	-52.02	RMS	37.31	-19.79	1.72	-95.23		23.97	-25.00	-27.02	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR n41 100M Ch509604 1RB272 BPSK

: NR n41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5186.00	-56.68	RMS	32.50	-20.44	2.02	-95.23		24.47	-25.00	-31.68	Vertical
2	7779.00	-53.41	RMS	36.60	-19.65	1.55	-95.23		23.32	-25.00	-28.41	Vertical
3	10372.00	-52.06	RMS	37.31	-19.79	1.72	-95.23		23.93	-25.00	-27.06	Vertical




Ant. 1

Part 27M Mode 33

NR SA n7 20M Ch507000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	5053.00	-56.18	RMS	32.69	-20.45	2.20	-95.23	-95.23	24.61	-25.00	-31.18	Horizontal
2	7579.00	-53.65	RMS	36.60	-19.57	1.61	-95.23	-95.23	22.94	-25.00	-28.65	Horizontal
3	10105.00	-52.59	RMS	37.11	-19.66	1.67	-95.23	-95.23	23.52	-25.00	-27.59	Horizontal



Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	5053.00	-56.20	RMS	32.69	-20.45	2.20	-95.23	-95.23	24.59	-25.00	-31.20	Vertical
2	7579.00	-53.22	RMS	36.60	-19.57	1.61	-95.23	-95.23	23.37	-25.00	-28.22	Vertical
3	10105.00	-52.40	RMS	37.11	-19.66	1.67	-95.23	-95.23	23.71	-25.00	-27.40	Vertical




Ant. 1

Part 27M Mode 37

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	5169.00	-56.72	RMS	32.50	-20.44	2.04	-95.23	24.41	-25.00	-31.72	Horizontal		
2	7753.00	-46.46	RMS	36.60	-19.64	1.56	-95.23	30.25	-25.00	-21.46	Horizontal		
3	10337.00	-52.29	RMS	37.37	-19.78	1.71	-95.23	23.64	-25.00	-27.29	Horizontal		



Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	5169.00	-57.00	RMS	32.50	-20.44	2.04	-95.23	24.13	-25.00	-32.00	Vertical		
2	7753.00	-44.33	RMS	36.60	-19.64	1.56	-95.23	32.38	-25.00	-19.33	Vertical		
3	10337.00	-52.27	RMS	37.37	-19.78	1.71	-95.23	23.66	-25.00	-27.27	Vertical		




Ant. 1

Part 27M Mode 40


NR CA n41C 100M + 90M Ch509604 1RB272 BPSK + Ch528588 1RB0 BPSK

M



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: NR n41 100M Ch509604 1RB272 BPSK
: NR n41 90M Ch528588 1RB0 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	5186.00	-56.82	RMS	32.50	-20.44	2.02	-95.23	24.33	-25.00	-31.82	Horizontal
2	7779.00	-53.34	RMS	36.60	-19.65	1.55	-95.23	23.39	-25.00	-28.34	Horizontal
3	10372.00	-52.25	RMS	37.31	-19.79	1.72	-95.23	23.74	-25.00	-27.25	Horizontal



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: NR n41 100M Ch509604 1RB272 BPSK
: NR n41 90M Ch528588 1RB0 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	5186.00	-56.92	RMS	32.50	-20.44	2.02	-95.23	24.23	-25.00	-31.92	Vertical
2	7779.00	-53.31	RMS	36.60	-19.65	1.55	-95.23	23.42	-25.00	-28.31	Vertical
3	10372.00	-52.10	RMS	37.31	-19.79	1.72	-95.23	23.89	-25.00	-27.10	Vertical




Ant. 5

Part 27M Mode 34

NR SA n7 20M Ch507000 1RB1 BPSK

M



Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Horizontal


: SA n7 20M Ch507000 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

: #2 is fundamental signal which can be ignored.

: #3 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5053.00	-56.04	RMS	32.69	-20.45	2.20	-95.23	24.75	-25.00	-31.04	Horizontal
2	7579.00	-53.47	RMS	36.60	-19.57	1.61	-95.23	23.12	-25.00	-28.47	Horizontal
3	10105.00	-52.35	RMS	37.11	-19.66	1.67	-95.23	23.76	-25.00	-27.35	Horizontal



Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n7 20M Ch507000 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

: #2 is fundamental signal which can be ignored.

: #3 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5053.00	-56.28	RMS	32.69	-20.45	2.20	-95.23	24.51	-25.00	-31.28	Vertical
2	7579.00	-53.43	RMS	36.60	-19.57	1.61	-95.23	23.16	-25.00	-28.43	Vertical
3	10105.00	-52.47	RMS	37.11	-19.66	1.67	-95.23	23.64	-25.00	-27.47	Vertical




Ant. 5

Part 27M Mode 38

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	5169.00	-56.91	RMS	32.50	-20.44	2.04	-95.23	24.22	-25.00	-31.91	Horizontal
2	7753.00	-50.94	RMS	36.60	-19.64	1.56	-95.23	25.77	-25.00	-25.94	Horizontal
3	10337.00	-52.30	RMS	37.37	-19.78	1.71	-95.23	23.63	-25.00	-27.30	Horizontal



Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Vertical

: SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	5169.00	-56.00	RMS	32.50	-20.44	2.04	-95.23	25.13	-25.00	-31.00	Vertical
2	7753.00	-45.15	RMS	36.60	-19.64	1.56	-95.23	31.56	-25.00	-20.15	Vertical
3	10337.00	-52.50	RMS	37.37	-19.78	1.71	-95.23	23.43	-25.00	-27.50	Vertical




Ant. 5

Part 27M Mode 40


NR CA n41C 100M + 90M Ch509604 1RB272 BPSK + Ch528588 1RB0 BPSK

M



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: NR n41 100M Ch509604 1RB272 BPSK
: NR n41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm										
1	5186.00	-56.77	RMS	32.50	-20.44	2.02	-95.23		24.38	-25.00	-31.77	Horizontal
2	7779.00	-53.07	RMS	36.60	-19.65	1.55	-95.23		23.66	-25.00	-28.07	Horizontal
3	10372.00	-52.26	RMS	37.31	-19.79	1.72	-95.23		23.73	-25.00	-27.26	Horizontal



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: NR n41 100M Ch509604 1RB272 BPSK
: NR n41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm										
1	5186.00	-56.79	RMS	32.50	-20.44	2.02	-95.23		24.36	-25.00	-31.79	Vertical
2	7779.00	-53.66	RMS	36.60	-19.65	1.55	-95.23		23.07	-25.00	-28.66	Vertical
3	10372.00	-52.31	RMS	37.31	-19.79	1.72	-95.23		23.68	-25.00	-27.31	Vertical




Ant. 0+2

Part 27M Mode 39

EN-DC B5+n41 10M + 20M Ch20525 1RB0 QPSK + Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Horizontal

: LTE Band 5 10M Ch20525 1RB0 QPSK

: SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	5169.00	-57.18	RMS	32.50	-20.44	2.04	-95.23	23.95	-25.00	-32.18	Horizontal		
2	7753.00	-53.47	RMS	36.60	-19.64	1.56	-95.23	23.24	-25.00	-28.47	Horizontal		
3	10337.00	-52.49	RMS	37.37	-19.78	1.71	-95.23	23.44	-25.00	-27.49	Horizontal		



Site : 03CH21-HY

Condition: -25 3m DRH18-E_LE2C03A18EN_250807 Vertical

: LTE Band 5 10M Ch20525 1RB0 QPSK

: SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	5169.00	-57.05	RMS	32.50	-20.44	2.04	-95.23	24.08	-25.00	-32.05	Vertical		
2	7753.00	-53.05	RMS	36.60	-19.64	1.56	-95.23	23.66	-25.00	-28.05	Vertical		
3	10337.00	-52.17	RMS	37.37	-19.78	1.71	-95.23	23.76	-25.00	-27.17	Vertical		




Ant. 2+1

Part 27M Mode 44

NR SA n41 HPUE 20M Ch501204 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: SA n41 20M Ch501204 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	4995.00	-57.41	RMS	32.78	-21.59	2.27	-95.23	24.36	-25.00	-32.41	Horizontal
2	7492.00	-55.33	RMS	36.72	-21.17	1.53	-95.23	22.82	-25.00	-30.33	Horizontal
3	9989.00	-54.99	RMS	37.08	-21.55	1.65	-95.23	23.06	-25.00	-29.99	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: SA n41 20M Ch501204 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	4995.00	-57.65	RMS	32.78	-21.59	2.27	-95.23	24.12	-25.00	-32.65	Vertical
2	7492.00	-55.22	RMS	36.72	-21.17	1.53	-95.23	22.93	-25.00	-30.22	Vertical
3	9989.00	-54.85	RMS	37.08	-21.55	1.65	-95.23	23.20	-25.00	-29.85	Vertical




Ant. 2+1

Part 27M Mode 44

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5169.00	-58.47	RMS	32.50	-21.70	2.04	-95.23	23.92	-25.00	-33.47	Horizontal
2	7753.00	-54.42	RMS	36.60	-21.38	1.56	-95.23	24.03	-25.00	-29.42	Horizontal
3	10337.00	-54.11	RMS	37.37	-21.74	1.71	-95.23	23.78	-25.00	-29.11	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5169.00	-58.21	RMS	32.50	-21.70	2.04	-95.23	24.18	-25.00	-33.21	Vertical
2	7753.00	-52.64	RMS	36.60	-21.38	1.56	-95.23	25.81	-25.00	-27.64	Vertical
3	10337.00	-54.67	RMS	37.37	-21.74	1.71	-95.23	23.22	-25.00	-29.67	Vertical




Ant. 2+1

Part 27M Mode 44

NR SA n41 HPUE 20M Ch535998 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: SA n41 20M Ch535998 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5343.00	-59.56	RMS	32.30	-21.76	1.73	-95.23	23.40	-25.00	-34.56	Horizontal
2	8014.00	-55.21	RMS	36.53	-21.58	1.48	-95.23	23.59	-25.00	-30.21	Horizontal
3	10685.00	-53.73	RMS	37.50	-21.79	1.77	-95.23	24.02	-25.00	-28.73	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: SA n41 20M Ch535998 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5343.00	-59.48	RMS	32.30	-21.76	1.73	-95.23	23.48	-25.00	-34.48	Vertical
2	8014.00	-50.91	RMS	36.53	-21.58	1.48	-95.23	27.89	-25.00	-25.91	Vertical
3	10685.00	-53.94	RMS	37.50	-21.79	1.77	-95.23	23.81	-25.00	-28.94	Vertical




Ant. 2+1

Part 27M Mode 46


LTE CA n41C 100M + 90M Ch509202 1RB272 QPSK + Ch528186 1RB0 QPSK

L



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: NR n41 100M Ch509202 1RB272 QPSK
: NR n41 90M Ch528186 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5182.00	-57.93	RMS	32.50	-21.71	2.02	-95.23	24.49	-25.00	-32.93 Horizontal
2	7773.00	-55.41	RMS	36.60	-21.40	1.55	-95.23	23.07	-25.00	-30.41 Horizontal
3	10364.00	-54.43	RMS	37.34	-21.75	1.72	-95.23	23.49	-25.00	-29.43 Horizontal



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: NR n41 100M Ch509202 1RB272 QPSK
: NR n41 90M Ch528186 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5182.00	-58.00	RMS	32.50	-21.71	2.02	-95.23	24.42	-25.00	-33.00 Vertical
2	7773.00	-55.32	RMS	36.60	-21.40	1.55	-95.23	23.16	-25.00	-30.32 Vertical
3	10364.00	-54.20	RMS	37.34	-21.75	1.72	-95.23	23.72	-25.00	-29.20 Vertical




Ant. 2+1

Part 27M Mode 46


LTE CA n41C 100M + 90M Ch509604 1RB272 QPSK + Ch528588 1RB0 QPSK

M



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: NR n41 100M Ch509604 1RB272 QPSK
: NR n41 90M Ch528588 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5186.00	-58.33	RMS	32.50	-21.71	2.02	-95.23	24.09	-25.00	-33.33 Horizontal
2	7779.00	-55.37	RMS	36.60	-21.41	1.55	-95.23	23.12	-25.00	-30.37 Horizontal
3	10372.00	-54.11	RMS	37.31	-21.76	1.72	-95.23	23.85	-25.00	-29.11 Horizontal



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: NR n41 100M Ch509604 1RB272 QPSK
: NR n41 90M Ch528588 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5186.00	-58.49	RMS	32.50	-21.71	2.02	-95.23	23.93	-25.00	-33.49 Vertical
2	7779.00	-55.41	RMS	36.60	-21.41	1.55	-95.23	23.08	-25.00	-30.41 Vertical
3	10372.00	-54.13	RMS	37.31	-21.76	1.72	-95.23	23.83	-25.00	-29.13 Vertical




Ant. 2+1

Part 27M Mode 46


LTE CA n41C 100M + 90M Ch510012 1RB272 QPSK + Ch528996 1RB0 QPSK

H



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: NR n41 100M Ch510012 1RB272 QPSK
: NR n41 90M Ch528996 1RB0 QPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1	dB		dB	g		
1	5190.00	-58.48	RMS	32.50	-21.71	2.01	-95.23	23.95	-25.00	-33.48	Horizontal
2	7785.00	-55.09	RMS	36.60	-21.41	1.55	-95.23	23.40	-25.00	-30.09	Horizontal
3	10380.00	-54.34	RMS	37.28	-21.76	1.72	-95.23	23.65	-25.00	-29.34	Horizontal



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: NR n41 100M Ch510012 1RB272 QPSK
: NR n41 90M Ch528996 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5190.00	-58.40	RMS	32.50	-21.71	2.01	-95.23	24.03	-25.00	-33.40	Vertical
2	7785.00	-55.24	RMS	36.60	-21.41	1.55	-95.23	23.25	-25.00	-30.24	Vertical
3	10380.00	-54.61	RMS	37.28	-21.76	1.72	-95.23	23.38	-25.00	-29.61	Vertical




Ant. 0+5

Part 27M Mode 45

NR SA n41 HPUE 20M Ch501204 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: SA n41 20M Ch501204 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	4995.00	-56.93	RMS	32.78	-21.59	2.27	-95.23	24.84	-25.00	-31.93	Horizontal
2	7492.00	-53.99	RMS	36.72	-21.17	1.53	-95.23	24.16	-25.00	-28.99	Horizontal
3	9989.00	-55.13	RMS	37.08	-21.55	1.65	-95.23	22.92	-25.00	-30.13	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: SA n41 20M Ch501204 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	4995.00	-57.54	RMS	32.78	-21.59	2.27	-95.23	24.23	-25.00	-32.54	Vertical
2	7492.00	-55.20	RMS	36.72	-21.17	1.53	-95.23	22.95	-25.00	-30.20	Vertical
3	9989.00	-55.06	RMS	37.08	-21.55	1.65	-95.23	22.99	-25.00	-30.06	Vertical




Ant. 0+5

Part 27M Mode 45

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5169.00	-56.45	RMS	32.50	-21.70	2.04	-95.23	25.94	-25.00	-31.45 Horizontal
2	7753.00	-48.49	RMS	36.60	-21.38	1.56	-95.23	29.96	-25.00	-23.49 Horizontal
3	10337.00	-54.50	RMS	37.37	-21.74	1.71	-95.23	23.39	-25.00	-29.50 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5169.00	-58.30	RMS	32.50	-21.70	2.04	-95.23	24.09	-25.00	-33.30 Vertical
2	7753.00	-55.34	RMS	36.60	-21.38	1.56	-95.23	23.11	-25.00	-30.34 Vertical
3	10337.00	-54.48	RMS	37.37	-21.74	1.71	-95.23	23.41	-25.00	-29.48 Vertical




Ant. 0+5

Part 27M Mode 45

NR SA n41 HPUE 20M Ch535998 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5343.00	-59.74	RMS	32.30	-21.76	1.73	-95.23	23.22	-25.00	-34.74 Horizontal
2	8014.00	-55.61	RMS	36.53	-21.58	1.48	-95.23	23.19	-25.00	-30.61 Horizontal
3	10685.00	-54.28	RMS	37.50	-21.79	1.77	-95.23	23.47	-25.00	-29.28 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5343.00	-60.00	RMS	32.30	-21.76	1.73	-95.23	22.96	-25.00	-35.00 Vertical
2	8014.00	-55.49	RMS	36.53	-21.58	1.48	-95.23	23.31	-25.00	-30.49 Vertical
3	10685.00	-54.23	RMS	37.50	-21.79	1.77	-95.23	23.52	-25.00	-29.23 Vertical




Ant. 0+5

Part 27M Mode 47

LTE CA n41C 100M + 90M Ch509202 1RB272 QPSK + Ch528186 1RB0 QPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR n41 100M Ch509202 1RB272 BPSK

: NR n41 90M Ch528186 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5182.00	-58.45	RMS	32.50	-21.71	2.02	-95.23	0.00	-25.00	-33.45 Horizontal
2	7773.00	-54.79	RMS	36.60	-21.40	1.55	-95.23	23.69	-25.00	-29.79 Horizontal
3	10364.00	-54.39	RMS	37.34	-21.75	1.72	-95.23	23.53	-25.00	-29.39 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR n41 100M Ch509202 1RB272 BPSK

: NR n41 90M Ch528186 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5182.00	-58.14	RMS	32.50	-21.71	2.02	-95.23	24.28	-25.00	-33.14 Vertical
2	7773.00	-55.48	RMS	36.60	-21.40	1.55	-95.23	23.00	-25.00	-30.48 Vertical
3	10364.00	-54.45	RMS	37.34	-21.75	1.72	-95.23	23.47	-25.00	-29.45 Vertical




Ant. 0+5

Part 27M Mode 47


LTE CA n41C 100M + 90M Ch509604 1RB272 QPSK + Ch528588 1RB0 QPSK

M



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: NR n41 100M Ch509604 1RB272 BPSK
: NR n41 90M Ch528588 1RB0 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	1		g			
1	5186.00	-58.56	RMS	32.50	-21.71	2.02	-95.23	23.86	-25.00	-33.56 Horizontal
2	7779.00	-55.48	RMS	36.60	-21.41	1.55	-95.23	23.01	-25.00	-30.48 Horizontal
3	10372.00	-54.62	RMS	37.31	-21.76	1.72	-95.23	23.34	-25.00	-29.62 Horizontal



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: NR n41 100M Ch509604 1RB272 BPSK
: NR n41 90M Ch528588 1RB0 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	1		g			
1	5186.00	-58.78	RMS	32.50	-21.71	2.02	-95.23	23.64	-25.00	-33.78 Vertical
2	7779.00	-55.53	RMS	36.60	-21.41	1.55	-95.23	22.96	-25.00	-30.53 Vertical
3	10372.00	-54.63	RMS	37.31	-21.76	1.72	-95.23	23.33	-25.00	-29.63 Vertical




Ant. 0+5

Part 27M Mode 47

LTE CA n41C 100M + 90M Ch510012 1RB272 QPSK + Ch528996 1RB0 QPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR n41 100M Ch510012 1RB272 BPSK

: NR n41 90M Ch528996 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			1			g			
1	5190.00	-58.35	RMS	32.50	-21.71	2.01	-95.23	24.08	-25.00	-33.35	Horizontal
2	7785.00	-55.43	RMS	36.60	-21.41	1.55	-95.23	23.06	-25.00	-30.43	Horizontal
3	10380.00	-54.54	RMS	37.28	-21.76	1.72	-95.23	23.45	-25.00	-29.54	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR n41 100M Ch510012 1RB272 BPSK

: NR n41 90M Ch528996 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			1			g			
1	5190.00	-58.17	RMS	32.50	-21.71	2.01	-95.23	24.26	-25.00	-33.17	Vertical
2	7785.00	-55.00	RMS	36.60	-21.41	1.55	-95.23	23.49	-25.00	-30.00	Vertical
3	10380.00	-54.31	RMS	37.28	-21.76	1.72	-95.23	23.68	-25.00	-29.31	Vertical




Ant. 6

Part 270 Mode 48

NR SA n77 HPUE 20M Ch647334 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB		dBuV	dBm		
1	7403.00	-53.24	RMS	36.89	-19.57	1.69	-95.23	22.98	-13.00	-40.24	Horizontal
2	11104.00	-46.25	RMS	38.00	-19.70	1.91	-95.23	28.77	-13.00	-33.25	Horizontal
3	14805.00	-47.86	RMS	41.30	-21.06	2.19	-95.23	24.94	-13.00	-34.86	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7403.00	-52.78	RMS	36.89	-19.57	1.69	-95.23	23.44	-13.00	-39.78	Vertical
2	11104.00	-47.95	RMS	38.00	-19.70	1.91	-95.23	27.07	-13.00	-34.95	Vertical
3	14805.00	-47.76	RMS	41.30	-21.06	2.19	-95.23	25.04	-13.00	-34.76	Vertical




Ant. 6

Part 270 Mode 48

NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit	Margin Pol	
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7663.00	-53.12	RMS	36.57	-19.61	1.88	-95.23	23.27	-13.00	-40.12	Horizontal
2	11494.00	-45.73	RMS	38.49	-19.72	1.98	-95.23	28.75	-13.00	-32.73	Horizontal
3	15325.00	-47.77	RMS	40.95	-21.16	2.16	-95.23	25.51	-13.00	-34.77	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit	Margin Pol	
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7663.00	-53.38	RMS	36.57	-19.61	1.88	-95.23	23.01	-13.00	-40.38	Vertical
2	11494.00	-48.08	RMS	38.49	-19.72	1.98	-95.23	26.40	-13.00	-35.08	Vertical
3	15325.00	-47.97	RMS	40.95	-21.16	2.16	-95.23	25.31	-13.00	-34.97	Vertical




Ant. 6

Part 270 Mode 48

NR SA n77 HPUE 20M Ch664666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch664666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	7923.00	-54.31	RMS	36.50	-19.97	1.82	-95.23	22.57	-13.00	-41.31	Horizontal	
2	11884.00	-50.89	RMS	38.47	-19.84	2.05	-95.23	23.66	-13.00	-37.89	Horizontal	
3	15845.00	-48.45	RMS	40.79	-21.26	2.14	-95.23	25.11	-13.00	-35.45	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch664666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	7923.00	-50.44	RMS	36.50	-19.97	1.82	-95.23	26.44	-13.00	-37.44	Vertical	
2	11884.00	-49.60	RMS	38.47	-19.84	2.05	-95.23	24.95	-13.00	-36.60	Vertical	
3	15845.00	-48.73	RMS	40.79	-21.26	2.14	-95.23	24.83	-13.00	-35.73	Vertical	




Ant. 6

Part 270 Mode 53


NR CA n77C 100M + 90M Ch650000 1RB272 BPSK + Ch656328 1RB0 BPSK

L



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: SA n77C 100M Ch650000 1RB272 BPSK
: SA n77C 90M Ch656328 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7500.00	-53.57	RMS	36.70	-19.50	1.83	-95.23	22.63	-13.00	-40.57
2	11250.00	-51.54	RMS	38.20	-19.71	1.93	-95.23	23.26	-13.00	-38.54
3	15000.00	-46.89	RMS	41.20	-21.21	2.18	-95.23	26.17	-13.00	-33.89



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: SA n77C 100M Ch650000 1RB272 BPSK
: SA n77C 90M Ch656328 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7500.00	-53.46	RMS	36.70	-19.50	1.83	-95.23	22.74	-13.00	-40.46
2	11250.00	-51.16	RMS	38.20	-19.71	1.93	-95.23	23.64	-13.00	-38.16
3	15000.00	-47.98	RMS	41.20	-21.21	2.18	-95.23	25.08	-13.00	-34.98




Ant. 6

Part 270 Mode 53

NR CA n77C 100M + 90M Ch653002 1RB272 BPSK + Ch659330 1RB0 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77C 100M Ch653002 1RB272 BPSK

: SA n77C 90M Ch659330 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7693.00	-53.43	RMS	36.51	-19.62	1.84	-95.23	23.07	-13.00	-40.43	Horizontal		
2	11539.00	-50.85	RMS	38.50	-19.74	1.99	-95.23	23.63	-13.00	-37.85	Horizontal		
3	15385.00	-47.77	RMS	40.90	-21.15	2.16	-95.23	25.55	-13.00	-34.77	Horizontal		



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77C 100M Ch653002 1RB272 BPSK

: SA n77C 90M Ch659330 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7693.00	-53.00	RMS	36.51	-19.62	1.84	-95.23	23.50	-13.00	-40.00	Vertical		
2	11539.00	-51.14	RMS	38.50	-19.74	1.99	-95.23	23.34	-13.00	-38.14	Vertical		
3	15385.00	-47.83	RMS	40.90	-21.15	2.16	-95.23	25.49	-13.00	-34.83	Vertical		




Ant. 6

Part 270 Mode 53

NR CA n77C 100M + 90M Ch656004 1RB272 BPSK + Ch662332 1RB0 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77C 100M Ch656004 1RB272 BPSK

: SA n77C 90M Ch662332 1RB0 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	7870.00	-53.87	RMS	36.56	-19.84	1.76	-95.23	-95.23	22.88	-13.00	-40.87	Horizontal
2	11805.00	-50.91	RMS	38.40	-19.82	2.03	-95.23	-95.23	23.71	-13.00	-37.91	Horizontal
3	15740.00	-48.12	RMS	40.80	-21.22	2.14	-95.23	-95.23	25.39	-13.00	-35.12	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77C 100M Ch656004 1RB272 BPSK

: SA n77C 90M Ch662332 1RB0 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	7870.00	-53.36	RMS	36.56	-19.84	1.76	-95.23	-95.23	23.39	-13.00	-40.36	Vertical
2	11805.00	-50.84	RMS	38.40	-19.82	2.03	-95.23	-95.23	23.78	-13.00	-37.84	Vertical
3	15740.00	-47.95	RMS	40.80	-21.22	2.14	-95.23	-95.23	25.56	-13.00	-34.95	Vertical




Ant. 7

Part 270 Mode 49

NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7663.00	-51.76	RMS	36.57	-19.61	1.88	-95.23	24.63	-13.00	-38.76	Horizontal	
2	11494.00	-38.27	RMS	38.49	-19.72	1.98	-95.23	36.21	-13.00	-25.27	Horizontal	
3	15325.00	-47.61	RMS	40.95	-21.16	2.16	-95.23	25.67	-13.00	-34.61	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7663.00	-52.52	RMS	36.57	-19.61	1.88	-95.23	23.87	-13.00	-39.52	Vertical	
2	11494.00	-47.60	RMS	38.49	-19.72	1.98	-95.23	26.88	-13.00	-34.60	Vertical	
3	15325.00	-47.24	RMS	40.95	-21.16	2.16	-95.23	26.04	-13.00	-34.24	Vertical	




Ant. 7

Part 270 Mode 54

NR CA n77C 100M + 90M Ch653002 1RB272 BPSK + Ch659330 1RB0 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77C 100M Ch653002 1RB272 BPSK

: SA n77C 90M Ch659330 1RB0 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1			g	dBm		
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7693.00	-53.49	RMS	36.51	-19.62	1.84	-95.23	23.01	-13.00	-40.49	Horizontal
2	11539.00	-47.70	RMS	38.50	-19.74	1.99	-95.23	26.78	-13.00	-34.70	Horizontal
3	15385.00	-47.54	RMS	40.90	-21.15	2.16	-95.23	25.78	-13.00	-34.54	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77C 100M Ch653002 1RB272 BPSK

: SA n77C 90M Ch659330 1RB0 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7693.00	-53.50	RMS	36.51	-19.62	1.84	-95.23	23.00	-13.00	-40.50	Vertical
2	11539.00	-47.32	RMS	38.50	-19.74	1.99	-95.23	27.16	-13.00	-34.32	Vertical
3	15385.00	-47.80	RMS	40.90	-21.15	2.16	-95.23	25.52	-13.00	-34.80	Vertical




Ant. 1

Part 270 Mode 50

NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7663.00	-52.43	RMS	36.57	-19.61	1.88	-95.23	23.96	-13.00	-39.43	Horizontal		
2	11494.00	-37.69	RMS	38.49	-19.72	1.98	-95.23	36.79	-13.00	-24.69	Horizontal		
3	15325.00	-47.55	RMS	40.95	-21.16	2.16	-95.23	25.73	-13.00	-34.55	Horizontal		



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7663.00	-52.21	RMS	36.57	-19.61	1.88	-95.23	24.18	-13.00	-39.21	Vertical		
2	11494.00	-42.54	RMS	38.49	-19.72	1.98	-95.23	31.94	-13.00	-29.54	Vertical		
3	15325.00	-47.67	RMS	40.95	-21.16	2.16	-95.23	25.61	-13.00	-34.67	Vertical		




Ant. 1

Part 270 Mode 55


NR CA n77C 100M + 90M Ch653002 1RB272 BPSK + Ch659330 1RB0 BPSK

M



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: SA n77C 100M Ch653002 1RB272 BPSK
: SA n77C 90M Ch659330 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm										
1	7693.00	-53.20	RMS	36.51	-19.62	1.84	-95.23		23.30	-13.00	-40.20	Horizontal
2	11539.00	-46.64	RMS	38.50	-19.74	1.99	-95.23		27.84	-13.00	-33.64	Horizontal
3	15385.00	-47.81	RMS	40.90	-21.15	2.16	-95.23		25.51	-13.00	-34.81	Horizontal



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: SA n77C 100M Ch653002 1RB272 BPSK
: SA n77C 90M Ch659330 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm										
1	7693.00	-53.52	RMS	36.51	-19.62	1.84	-95.23		22.98	-13.00	-40.52	Vertical
2	11539.00	-45.73	RMS	38.50	-19.74	1.99	-95.23		28.75	-13.00	-32.73	Vertical
3	15385.00	-47.83	RMS	40.90	-21.15	2.16	-95.23		25.49	-13.00	-34.83	Vertical




Ant. 5

Part 270 Mode 51

NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dBuV	dBm	dB	
1	7663.00	-51.46	RMS	36.57	-19.61	1.88	-95.23	24.93	-13.00	-38.46	Horizontal	
2	11494.00	-46.82	RMS	38.49	-19.72	1.98	-95.23	27.66	-13.00	-33.82	Horizontal	
3	15325.00	-47.43	RMS	40.95	-21.16	2.16	-95.23	25.85	-13.00	-34.43	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dBuV	dBm	dB	
1	7663.00	-53.00	RMS	36.57	-19.61	1.88	-95.23	23.39	-13.00	-40.00	Vertical	
2	11494.00	-43.67	RMS	38.49	-19.72	1.98	-95.23	30.81	-13.00	-30.67	Vertical	
3	15325.00	-47.52	RMS	40.95	-21.16	2.16	-95.23	25.76	-13.00	-34.52	Vertical	




Ant. 5

Part 270 Mode 55

NR CA n77C 100M + 90M Ch653002 1RB272 BPSK + Ch659330 1RB0 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77C 100M Ch653002 1RB272 BPSK

: SA n77C 90M Ch659330 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7693.00	-53.32	RMS	36.51	-19.62	1.84	-95.23	23.18	-13.00	-40.32	Horizontal		
2	11539.00	-50.04	RMS	38.50	-19.74	1.99	-95.23	24.44	-13.00	-37.04	Horizontal		
3	15385.00	-47.78	RMS	40.90	-21.15	2.16	-95.23	25.54	-13.00	-34.78	Horizontal		



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77C 100M Ch653002 1RB272 BPSK

: SA n77C 90M Ch659330 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7693.00	-53.22	RMS	36.51	-19.62	1.84	-95.23	23.28	-13.00	-40.22	Vertical		
2	11539.00	-50.86	RMS	38.50	-19.74	1.99	-95.23	23.62	-13.00	-37.86	Vertical		
3	15385.00	-47.68	RMS	40.90	-21.15	2.16	-95.23	25.64	-13.00	-34.68	Vertical		




Ant. 0+6

Part 270 Mode 52

EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7663.00	-52.98	RMS	36.57	-19.61	1.88	-95.23	23.41	-13.00	-39.98	Horizontal
2	11494.00	-48.42	RMS	38.49	-19.72	1.98	-95.23	26.06	-13.00	-35.42	Horizontal
3	15325.00	-47.11	RMS	40.95	-21.16	2.16	-95.23	26.17	-13.00	-34.11	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7663.00	-52.65	RMS	36.57	-19.61	1.88	-95.23	23.74	-13.00	-39.65	Vertical
2	11494.00	-46.90	RMS	38.49	-19.72	1.98	-95.23	27.58	-13.00	-33.90	Vertical
3	15325.00	-46.89	RMS	40.95	-21.16	2.16	-95.23	26.39	-13.00	-33.89	Vertical




Ant. 6+1

Part 270 Mode 57

NR SA n77 HPUE 20M Ch647334 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch647334 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7403.00	-53.59	RMS	36.89	-19.57	1.69	-95.23	22.63	-13.00	-40.59	Horizontal			
2	11104.00	-47.95	RMS	38.00	-19.70	1.91	-95.23	27.07	-13.00	-34.95	Horizontal			
3	14805.00	-47.77	RMS	41.30	-21.06	2.19	-95.23	25.03	-13.00	-34.77	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch647334 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7403.00	-51.17	RMS	36.89	-19.57	1.69	-95.23	25.05	-13.00	-38.17	Vertical			
2	11104.00	-46.43	RMS	38.00	-19.70	1.91	-95.23	28.59	-13.00	-33.43	Vertical			
3	14805.00	-47.50	RMS	41.30	-21.06	2.19	-95.23	25.30	-13.00	-34.50	Vertical			




Ant. 6+1

Part 270 Mode 57

NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7663.00	-53.03	RMS	36.57	-19.61	1.88	-95.23	23.36	-13.00	-40.03	Horizontal	
2	11494.00	-49.17	RMS	38.49	-19.72	1.98	-95.23	25.31	-13.00	-36.17	Horizontal	
3	15325.00	-47.50	RMS	40.95	-21.16	2.16	-95.23	25.78	-13.00	-34.50	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7663.00	-53.67	RMS	36.57	-19.61	1.88	-95.23	22.72	-13.00	-40.67	Vertical	
2	11494.00	-48.75	RMS	38.49	-19.72	1.98	-95.23	25.73	-13.00	-35.75	Vertical	
3	15325.00	-47.73	RMS	40.95	-21.16	2.16	-95.23	25.55	-13.00	-34.73	Vertical	




Ant. 6+1

Part 270 Mode 57

NR SA n77 HPUE 20M Ch664666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch664666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7923.00	-53.96	RMS	36.50	-19.97	1.82	-95.23	22.92	-13.00	-40.96	Horizontal	
2	11884.00	-51.08	RMS	38.47	-19.84	2.05	-95.23	23.47	-13.00	-38.08	Horizontal	
3	15845.00	-48.26	RMS	40.79	-21.26	2.14	-95.23	25.30	-13.00	-35.26	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch664666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7923.00	-51.15	RMS	36.50	-19.97	1.82	-95.23	25.73	-13.00	-38.15	Vertical	
2	11884.00	-50.76	RMS	38.47	-19.84	2.05	-95.23	23.79	-13.00	-37.76	Vertical	
3	15845.00	-48.29	RMS	40.79	-21.26	2.14	-95.23	25.27	-13.00	-35.29	Vertical	




Ant. 6+1

Part 270 Mode 59

LTE CA n77C 100M + 90M Ch650000 1RB272 QPSK + Ch656328 1RB0 QPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77C 100M Ch650000 1RB272 QPSK

: SA n77C 90M Ch656328 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7500.00	-54.81	RMS	36.70	-21.16	1.83	-95.23	23.05	-13.00	-41.81 Horizontal
2	11250.00	-53.53	RMS	38.20	-21.73	1.93	-95.23	23.29	-13.00	-40.53 Horizontal
3	15000.00	-49.52	RMS	41.20	-23.53	2.18	-95.23	25.86	-13.00	-36.52 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77C 100M Ch650000 1RB272 QPSK

: SA n77C 90M Ch656328 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7500.00	-55.15	RMS	36.70	-21.16	1.83	-95.23	22.71	-13.00	-42.15 Vertical
2	11250.00	-53.53	RMS	38.20	-21.73	1.93	-95.23	23.29	-13.00	-40.53 Vertical
3	15000.00	-49.91	RMS	41.20	-23.53	2.18	-95.23	25.47	-13.00	-36.91 Vertical




Ant. 6+1

Part 270 Mode 59

LTE CA n77C 100M + 90M Ch653002 1RB272 QPSK + Ch659330 1RB0 QPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77C 100M Ch653002 1RB272 QPSK

: SA n77C 90M Ch659330 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	7693.00	-54.57	RMS	36.51	-21.31	1.84	-95.23	23.62	-13.00	-41.57	Horizontal		
2	11539.00	-52.76	RMS	38.50	-21.77	1.99	-95.23	23.75	-13.00	-39.76	Horizontal		
3	15385.00	-49.37	RMS	40.90	-23.46	2.16	-95.23	26.26	-13.00	-36.37	Horizontal		



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77C 100M Ch653002 1RB272 QPSK

: SA n77C 90M Ch659330 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	7693.00	-54.78	RMS	36.51	-21.31	1.84	-95.23	23.41	-13.00	-41.78	Vertical		
2	11539.00	-52.80	RMS	38.50	-21.77	1.99	-95.23	23.71	-13.00	-39.80	Vertical		
3	15385.00	-49.89	RMS	40.90	-23.46	2.16	-95.23	25.74	-13.00	-36.89	Vertical		




Ant. 6+1

Part 270 Mode 59

LTE CA n77C 100M + 90M Ch656004 1RB272 QPSK + Ch662332 1RB0 QPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77C 100M Ch656004 1RB272 QPSK

: SA n77C 90M Ch662332 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	1							
	MHz	dBm							g			
1	7870.00	-55.43	RMS	36.56	-21.48	1.76	-95.23	22.96	-13.00	-42.43	Horizontal	
2	11805.00	-53.09	RMS	38.40	-21.86	2.03	-95.23	23.57	-13.00	-40.09	Horizontal	
3	15740.00	-50.40	RMS	40.80	-23.51	2.14	-95.23	25.40	-13.00	-37.40	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77C 100M Ch656004 1RB272 QPSK

: SA n77C 90M Ch662332 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	1							
	MHz	dBm							g			
1	7870.00	-55.52	RMS	36.56	-21.48	1.76	-95.23	22.87	-13.00	-42.52	Vertical	
2	11805.00	-53.03	RMS	38.40	-21.86	2.03	-95.23	23.63	-13.00	-40.03	Vertical	
3	15740.00	-50.43	RMS	40.80	-23.51	2.14	-95.23	25.37	-13.00	-37.43	Vertical	




Ant. 7+5

Part 270 Mode 58

NR SA n77 HPUE 20M Ch647334 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch647334 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7403.00	-53.10	RMS	36.89	-19.57	1.69	-95.23	23.12	-13.00	-40.10	Horizontal
2	11104.00	-48.17	RMS	38.00	-19.70	1.91	-95.23	26.85	-13.00	-35.17	Horizontal
3	14805.00	-47.97	RMS	41.30	-21.06	2.19	-95.23	24.83	-13.00	-34.97	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch647334 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7403.00	-53.13	RMS	36.89	-19.57	1.69	-95.23	23.09	-13.00	-40.13	Vertical
2	11104.00	-44.45	RMS	38.00	-19.70	1.91	-95.23	30.57	-13.00	-31.45	Vertical
3	14805.00	-47.91	RMS	41.30	-21.06	2.19	-95.23	24.89	-13.00	-34.91	Vertical




Ant. 7+5

Part 270 Mode 58

NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB		dBuV	dBm		
1	7663.00	-53.28	RMS	36.57	-19.61	1.88	-95.23	23.11	-13.00	-40.28	Horizontal
2	11494.00	-47.54	RMS	38.49	-19.72	1.98	-95.23	26.94	-13.00	-34.54	Horizontal
3	15325.00	-47.17	RMS	40.95	-21.16	2.16	-95.23	26.11	-13.00	-34.17	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7663.00	-52.76	RMS	36.57	-19.61	1.88	-95.23	23.63	-13.00	-39.76	Vertical
2	11494.00	-47.71	RMS	38.49	-19.72	1.98	-95.23	26.77	-13.00	-34.71	Vertical
3	15325.00	-47.44	RMS	40.95	-21.16	2.16	-95.23	25.84	-13.00	-34.44	Vertical




Ant. 7+5

Part 270 Mode 58

NR SA n77 HPUE 20M Ch664666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch664666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7923.00	-54.10	RMS	36.50	-19.97	1.82	-95.23	22.78	-13.00	-41.10	Horizontal		
2	11884.00	-50.21	RMS	38.47	-19.84	2.05	-95.23	24.34	-13.00	-37.21	Horizontal		
3	15845.00	-47.93	RMS	40.79	-21.26	2.14	-95.23	25.63	-13.00	-34.93	Horizontal		



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch664666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7923.00	-52.80	RMS	36.50	-19.97	1.82	-95.23	24.08	-13.00	-39.80	Vertical		
2	11884.00	-48.68	RMS	38.47	-19.84	2.05	-95.23	25.87	-13.00	-35.68	Vertical		
3	15845.00	-47.64	RMS	40.79	-21.26	2.14	-95.23	25.92	-13.00	-34.64	Vertical		




Ant. 7+5

Part 270 Mode 60


LTE CA n77C 100M + 90M Ch650000 1RB272 QPSK + Ch656328 1RB0 QPSK

L



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: SA n77C 100M Ch650000 1RB272 QPSK
: SA n77C 90M Ch656328 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7500.00	-55.23	RMS	36.70	-21.16	1.83	-95.23	22.63	-13.00	-42.23 Horizontal
2	11250.00	-53.83	RMS	38.20	-21.73	1.93	-95.23	22.99	-13.00	-40.83 Horizontal
3	15000.00	-50.49	RMS	41.20	-23.53	2.18	-95.23	24.89	-13.00	-37.49 Horizontal



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: SA n77C 100M Ch650000 1RB272 QPSK
: SA n77C 90M Ch656328 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7500.00	-55.20	RMS	36.70	-21.16	1.83	-95.23	22.66	-13.00	-42.20 Vertical
2	11250.00	-53.60	RMS	38.20	-21.73	1.93	-95.23	23.22	-13.00	-40.60 Vertical
3	15000.00	-49.03	RMS	41.20	-23.53	2.18	-95.23	26.35	-13.00	-36.03 Vertical




Ant. 7+5

Part 270 Mode 60


LTE CA n77C 100M + 90M Ch653002 1RB272 QPSK + Ch659330 1RB0 QPSK

M



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: SA n77C 100M Ch653002 1RB272 QPSK
: SA n77C 90M Ch659330 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	7693.00	-55.34	RMS	36.51	-21.31	1.84	-95.23	22.85	-13.00	-42.34 Horizontal
2	11539.00	-53.44	RMS	38.50	-21.77	1.99	-95.23	23.07	-13.00	-40.44 Horizontal
3	15385.00	-50.31	RMS	40.90	-23.46	2.16	-95.23	25.32	-13.00	-37.31 Horizontal



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: SA n77C 100M Ch653002 1RB272 QPSK
: SA n77C 90M Ch659330 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	7693.00	-55.12	RMS	36.51	-21.31	1.84	-95.23	23.07	-13.00	-42.12 Vertical
2	11539.00	-53.14	RMS	38.50	-21.77	1.99	-95.23	23.37	-13.00	-40.14 Vertical
3	15385.00	-50.16	RMS	40.90	-23.46	2.16	-95.23	25.47	-13.00	-37.16 Vertical




Ant. 7+5

Part 270 Mode 60


LTE CA n77C 100M + 90M Ch656004 1RB272 QPSK + Ch662332 1RB0 QPSK

H



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: SA n77C 100M Ch656004 1RB272 QPSK
: SA n77C 90M Ch662332 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7870.00	-55.71	RMS	36.56	-21.48	1.76	-95.23	22.68	-13.00	-42.71 Horizontal
2	11805.00	-53.13	RMS	38.40	-21.86	2.03	-95.23	23.53	-13.00	-40.13 Horizontal
3	15740.00	-50.17	RMS	40.80	-23.51	2.14	-95.23	25.63	-13.00	-37.17 Horizontal



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: SA n77C 100M Ch656004 1RB272 QPSK
: SA n77C 90M Ch662332 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7870.00	-55.45	RMS	36.56	-21.48	1.76	-95.23	22.94	-13.00	-42.45 Vertical
2	11805.00	-52.85	RMS	38.40	-21.86	2.03	-95.23	23.81	-13.00	-39.85 Vertical
3	15740.00	-50.36	RMS	40.80	-23.51	2.14	-95.23	25.44	-13.00	-37.36 Vertical




Ant. 6

Part 27Q Mode 61

NR SA n77 HPUE 20M Ch630668 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-53.87	RMS	36.01	-19.90	2.17	-95.23	23.08	-13.00	-40.87	Horizontal
2	10354.00	-46.54	RMS	37.38	-19.78	1.77	-95.23	29.32	-13.00	-33.54	Horizontal
3	13805.00	-47.46	RMS	40.40	-20.12	2.21	-95.23	25.28	-13.00	-34.46	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-54.68	RMS	36.01	-19.90	2.17	-95.23	22.27	-13.00	-41.68	Vertical
2	10354.00	-42.68	RMS	37.38	-19.78	1.77	-95.23	33.18	-13.00	-29.68	Vertical
3	13805.00	-48.09	RMS	40.40	-20.12	2.21	-95.23	24.65	-13.00	-35.09	Vertical




Ant. 6

Part 27Q Mode 61

NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-52.68	RMS	36.17	-19.93	1.96	-95.23	24.35	-13.00	-39.68	Horizontal	
2	10474.00	-46.49	RMS	37.25	-19.84	1.80	-95.23	29.53	-13.00	-33.49	Horizontal	
3	13965.00	-47.91	RMS	40.73	-20.15	2.23	-95.23	24.51	-13.00	-34.91	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-53.70	RMS	36.17	-19.93	1.96	-95.23	23.33	-13.00	-40.70	Vertical	
2	10474.00	-42.13	RMS	37.25	-19.84	1.80	-95.23	33.89	-13.00	-29.13	Vertical	
3	13965.00	-47.93	RMS	40.73	-20.15	2.23	-95.23	24.49	-13.00	-34.93	Vertical	




Ant. 6

Part 27Q Mode 61

NR SA n77 HPUE 20M Ch636000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7063.00	-50.42	RMS	36.10	-19.88	1.96	-95.23	26.63	-13.00	-37.42	Horizontal
2	10594.00	-44.96	RMS	37.49	-19.82	1.82	-95.23	30.78	-13.00	-31.96	Horizontal
3	14125.00	-47.95	RMS	40.95	-20.33	2.22	-95.23	24.44	-13.00	-34.95	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7063.00	-53.38	RMS	36.10	-19.88	1.96	-95.23	23.67	-13.00	-40.38	Vertical
2	10594.00	-40.92	RMS	37.49	-19.82	1.82	-95.23	34.82	-13.00	-27.92	Vertical
3	14125.00	-47.52	RMS	40.95	-20.33	2.22	-95.23	24.87	-13.00	-34.52	Vertical




Ant. 7

Part 27Q Mode 62

NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-53.73	RMS	36.17	-19.93	1.96	-95.23	23.30	-13.00	-40.73	Horizontal	
2	10474.00	-46.52	RMS	37.25	-19.84	1.80	-95.23	29.50	-13.00	-33.52	Horizontal	
3	13965.00	-47.49	RMS	40.73	-20.15	2.23	-95.23	24.93	-13.00	-34.49	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-53.41	RMS	36.17	-19.93	1.96	-95.23	23.62	-13.00	-40.41	Vertical	
2	10474.00	-41.27	RMS	37.25	-19.84	1.80	-95.23	34.75	-13.00	-28.27	Vertical	
3	13965.00	-47.64	RMS	40.73	-20.15	2.23	-95.23	24.78	-13.00	-34.64	Vertical	




Ant. 1

Part 27Q Mode 63

NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6983.00	-53.81	RMS	36.17	-19.93	1.96	-95.23	23.22	-13.00	-40.81	Horizontal		
2	10474.00	-40.58	RMS	37.25	-19.84	1.80	-95.23	35.44	-13.00	-27.58	Horizontal		
3	13965.00	-47.52	RMS	40.73	-20.15	2.23	-95.23	24.90	-13.00	-34.52	Horizontal		



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6983.00	-53.88	RMS	36.17	-19.93	1.96	-95.23	23.15	-13.00	-40.88	Vertical		
2	10474.00	-40.75	RMS	37.25	-19.84	1.80	-95.23	35.27	-13.00	-27.75	Vertical		
3	13965.00	-47.73	RMS	40.73	-20.15	2.23	-95.23	24.69	-13.00	-34.73	Vertical		




Ant. 5

Part 27Q Mode 64

NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-53.95	RMS	36.17	-19.93	1.96	-95.23	23.08	-13.00	-40.95	Horizontal	
2	10474.00	-42.97	RMS	37.25	-19.84	1.80	-95.23	33.05	-13.00	-29.97	Horizontal	
3	13965.00	-47.44	RMS	40.73	-20.15	2.23	-95.23	24.98	-13.00	-34.44	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-53.17	RMS	36.17	-19.93	1.96	-95.23	23.86	-13.00	-40.17	Vertical	
2	10474.00	-47.23	RMS	37.25	-19.84	1.80	-95.23	28.79	-13.00	-34.23	Vertical	
3	13965.00	-47.69	RMS	40.73	-20.15	2.23	-95.23	24.73	-13.00	-34.69	Vertical	




Ant. 0+6

Part 27Q Mode 65

EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-53.59	RMS	36.17	-19.93	1.96	-95.23	23.44	-13.00	-40.59	Horizontal
2	10474.00	-48.09	RMS	37.25	-19.84	1.80	-95.23	27.93	-13.00	-35.09	Horizontal
3	13965.00	-47.15	RMS	40.73	-20.15	2.23	-95.23	25.27	-13.00	-34.15	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-53.63	RMS	36.17	-19.93	1.96	-95.23	23.40	-13.00	-40.63	Vertical
2	10474.00	-44.28	RMS	37.25	-19.84	1.80	-95.23	31.74	-13.00	-31.28	Vertical
3	13965.00	-47.14	RMS	40.73	-20.15	2.23	-95.23	25.28	-13.00	-34.14	Vertical




Ant. 6+1

Part 27Q Mode 66

NR SA n77 HPUE 20M Ch630668 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	6903.00	-54.19	RMS	36.01	-19.90	2.17	-95.23	22.76	-13.00	-41.19	Horizontal		
2	10354.00	-43.87	RMS	37.38	-19.78	1.77	-95.23	31.99	-13.00	-30.87	Horizontal		
3	13805.00	-48.08	RMS	40.40	-20.12	2.21	-95.23	24.66	-13.00	-35.08	Horizontal		



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	6903.00	-54.55	RMS	36.01	-19.90	2.17	-95.23	22.40	-13.00	-41.55	Vertical		
2	10354.00	-42.96	RMS	37.38	-19.78	1.77	-95.23	32.90	-13.00	-29.96	Vertical		
3	13805.00	-48.14	RMS	40.40	-20.12	2.21	-95.23	24.60	-13.00	-35.14	Vertical		




Ant. 6+1

Part 27Q Mode 66

NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	6983.00	-49.89	RMS		36.17	-19.93	1.96	-95.23	27.14	-13.00	-36.89
2	10474.00	-40.80	RMS		37.25	-19.84	1.80	-95.23	35.22	-13.00	-27.80
3	13965.00	-47.64	RMS		40.73	-20.15	2.23	-95.23	24.78	-13.00	-34.64



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	6983.00	-53.33	RMS		36.17	-19.93	1.96	-95.23	23.70	-13.00	-40.33
2	10474.00	-43.66	RMS		37.25	-19.84	1.80	-95.23	32.36	-13.00	-30.66
3	13965.00	-47.81	RMS		40.73	-20.15	2.23	-95.23	24.61	-13.00	-34.81




Ant. 6+1

Part 27Q Mode 66

NR SA n77 HPUE 20M Ch636000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch636000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin		Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	7063.00	-52.96	RMS	36.10	-19.88	1.96	-95.23	24.09	-13.00	-39.96	Horizontal		
2	10594.00	-41.19	RMS	37.49	-19.82	1.82	-95.23	34.55	-13.00	-28.19	Horizontal		
3	14125.00	-47.91	RMS	40.95	-20.33	2.22	-95.23	24.48	-13.00	-34.91	Horizontal		



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch636000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin		Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	7063.00	-54.06	RMS	36.10	-19.88	1.96	-95.23	22.99	-13.00	-41.06	Vertical		
2	10594.00	-41.45	RMS	37.49	-19.82	1.82	-95.23	34.29	-13.00	-28.45	Vertical		
3	14125.00	-47.17	RMS	40.95	-20.33	2.22	-95.23	25.22	-13.00	-34.17	Vertical		




Ant. 7+5

Part 27Q Mode 67


NR SA n77 HPUE 20M Ch630668 1RB1 BPSK

L



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: SA n77 20M Ch630668 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dBuV	dBm	dB	
1	6903.00	-54.80	RMS	36.01	-19.90	2.17	-95.23	22.15	-13.00	-41.80	Horizontal	
2	10354.00	-52.79	RMS	37.38	-19.78	1.77	-95.23	23.07	-13.00	-39.79	Horizontal	
3	13805.00	-48.19	RMS	40.40	-20.12	2.21	-95.23	24.55	-13.00	-35.19	Horizontal	



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: SA n77 20M Ch630668 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dBuV	dBm	dB	
1	6903.00	-54.69	RMS	36.01	-19.90	2.17	-95.23	22.26	-13.00	-41.69	Vertical	
2	10354.00	-50.12	RMS	37.38	-19.78	1.77	-95.23	25.74	-13.00	-37.12	Vertical	
3	13805.00	-48.10	RMS	40.40	-20.12	2.21	-95.23	24.64	-13.00	-35.10	Vertical	




Ant. 7+5

Part 27Q Mode 67

NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-54.21	RMS	36.17	-19.93	1.96	-95.23	22.82	-13.00	-41.21	Horizontal
2	10474.00	-52.56	RMS	37.25	-19.84	1.80	-95.23	23.46	-13.00	-39.56	Horizontal
3	13965.00	-47.88	RMS	40.73	-20.15	2.23	-95.23	24.54	-13.00	-34.88	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-54.10	RMS	36.17	-19.93	1.96	-95.23	22.93	-13.00	-41.10	Vertical
2	10474.00	-51.10	RMS	37.25	-19.84	1.80	-95.23	24.92	-13.00	-38.10	Vertical
3	13965.00	-47.51	RMS	40.73	-20.15	2.23	-95.23	24.91	-13.00	-34.51	Vertical




Ant. 7+5

Part 27Q Mode 67

NR SA n77 HPUE 20M Ch636000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: SA n77 20M Ch636000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	7063.00	-53.53	RMS	36.10	-19.88	1.96	-95.23	23.52	-13.00	-40.53	Horizontal	
2	10594.00	-52.73	RMS	37.49	-19.82	1.82	-95.23	23.01	-13.00	-39.73	Horizontal	
3	14125.00	-48.06	RMS	40.95	-20.33	2.22	-95.23	24.33	-13.00	-35.06	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: SA n77 20M Ch636000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	7063.00	-54.16	RMS	36.10	-19.88	1.96	-95.23	22.89	-13.00	-41.16	Vertical	
2	10594.00	-52.81	RMS	37.49	-19.82	1.82	-95.23	22.93	-13.00	-39.81	Vertical	
3	14125.00	-47.94	RMS	40.95	-20.33	2.22	-95.23	24.45	-13.00	-34.94	Vertical	