



LTE Band 26 / 15MHz / QPSK

Middle Channel / Full RB




LTE Band 26 / 15MHz / 16QAM

Middle Channel / Full RB




LTE Band 26 / 15MHz / 64QAM

Middle Channel / Full RB




LTE Band 26 / 15MHz / 256QAM

Middle Channel / Full RB



LTE Band 26_Part 90S / 1.4MHz / QPSK


Middle Channel / Full RB



Date: 25.MAY.2026 20:56:20

LTE Band 26_Part 90S / 1.4MHz / 16QAM

Middle Channel / Full RB




Date: 25.MAY.2026 20:55:45

LTE Band 26_Part 90S

LTE Band 26_Part 90S / 3MHz / QPSK


Middle Channel / Full RB



Date: 25.MAY.2026 20:57:34

LTE Band 26_Part 90S / 3MHz / 16QAM

Middle Channel / Full RB




Date: 25.MAY.2026 20:56:57



LTE Band 26_Part 90S


LTE Band 26_Part 90S / 5MHz / QPSK

Middle Channel / Full RB



LTE Band 26_Part 90S / 5MHz / 16QAM


Middle Channel / Full RB



LTE Band 26_Part 90S


LTE Band 26_Part 90S / 10MHz / QPSK

Middle Channel / Full RB




LTE Band 26_Part 90S / 10MHz / 16QAM

Middle Channel / Full RB



**26dB Bandwidth**


Mode	LTE Band 26 : 26dB BW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	1.29	1.26	3.00	3.00	4.89	4.81	9.80	9.90	14.28	14.52	-	-






LTE Band 26


Middle Channel / 5MHz / QPSK




Middle Channel / 5MHz / 16QAM




Middle Channel / 10MHz / QPSK




Middle Channel / 10MHz / 16QAM



Middle Channel / 15MHz / QPSK




Middle Channel / 15MHz / 16QAM





Occupied Bandwidth


Mode	LTE Band 26 : 99%OBW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	1.08	1.09	2.71	2.72	4.46	4.48	9.02	9.00	13.44	13.46	-	-






LTE Band 26


Middle Channel / 5MHz / QPSK




Middle Channel / 5MHz / 16QAM




Middle Channel / 10MHz / QPSK




Middle Channel / 10MHz / 16QAM



Middle Channel / 15MHz / QPSK



Middle Channel / 15MHz / 16QAM






Conducted Spurious Emission

LTE Band 26 / 1.4MHz


Middle Channel / QPSK



Date: 30.NOV.2025 15:03:10

LTE Band 26 / 3MHz


Middle Channel / QPSK



Date: 30.NOV.2025 15:04:24

LTE Band 26 / 5MHz


Middle Channel / QPSK




Date: 30.NOV.2025 15:05:38

LTE Band 26 / 10MHz

Middle Channel / QPSK



Date: 30.NOV.2025 15:06:52



Frequency Stability

Test Conditions		LTE Band 26 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 15MHz	2.5ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0093	PASS
40	Normal Voltage	0.0120	
30	Normal Voltage	0.0076	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0176	
0	Normal Voltage	0.0013	
-10	Normal Voltage	0.0204	
-20	Normal Voltage	0.0034	
-30	Normal Voltage	0.0103	
20	Maximum Voltage	0.0113	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0201	

Note:

1. Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.4 V.



Appendix B. Radiated Spurious Emission Test Data

B1.Summary of each worse mode

Mode	Band	Part	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp/Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	LTE B14	Part 90R	M	1581	-69.00	RMS	27.91	-52.64	0.32	-95.23	50.64	-42.15	-26.85	V	0
2	LTE B14	Part 90R	M	1576	-69.50	RMS	27.90	-52.66	0.32	-95.23	50.17	-42.15	-27.35	H	0
3	LTE B14	Part 90R	M	1576	-69.56	RMS	27.90	-52.66	0.32	-95.23	50.11	-42.15	-27.41	V	1
4	LTE B14	Part 90R	M	1576	-69.45	RMS	27.90	-52.66	0.32	-95.23	50.22	-42.15	-27.30	H	1
1	LTE B26	Part 90S	H	2464	-52.03	RMS	32.24	-50.53	0.35	-95.23	61.14	-13.00	-39.03	V	0
2	LTE B26	Part 90S	M	2456	-46.60	RMS	32.16	-50.55	0.36	-95.23	66.66	-13.00	-33.60	V	1
3	LTE B26	Part 90S	M	2456	-58.26	RMS	32.16	-50.55	0.36	-95.23	55.00	-13.00	-45.26	V	0
4	LTE B26	Part 90S	M	2456	-44.12	RMS	32.16	-50.55	0.36	-95.23	69.14	-13.00	-31.12	H	1




Ant. 0

Part 90R Mode 1


LTE B14 5M Ch23305 1RB0 QPSK

L



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00066584 Horizontal
Mode : LTE Band 14 5M CH23305 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1576.00	-69.53	RMS	27.90	-52.66	0.32	-95.23	50.14	-42.15	-27.38	Horizontal		
2	2365.00	-48.81	RMS	32.00	-50.73	0.45	-95.23	64.70	-13.00	-35.81	Horizontal		
3	3152.00	-63.91	RMS	33.00	-49.56	0.15	-95.23	47.73	-13.00	-50.91	Horizontal		



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00066584 Vertical
Mode : LTE Band 14 5M CH23305 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1576.00	-69.51	RMS	27.90	-52.66	0.32	-95.23	50.16	-42.15	-27.36	Vertical		
2	2365.00	-50.40	RMS	32.00	-50.73	0.45	-95.23	63.11	-13.00	-37.40	Vertical		
3	3152.00	-63.78	RMS	33.00	-49.56	0.15	-95.23	47.86	-13.00	-50.78	Vertical		




Ant. 0

Part 90R Mode 1


LTE B14 5M Ch23330 1RB0 QPSK

M



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00066584 Horizontal
Mode : LTE Band 14 5M CH23330 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm								
1	1581.00	-69.30	RMS	27.91	-52.64	0.32	-95.23	50.34	-42.15	-27.15 Horizontal
2	2372.00	-46.19	RMS	32.02	-50.72	0.46	-95.23	67.28	-13.00	-33.19 Horizontal
3	3162.00	-63.79	RMS	33.00	-49.55	0.14	-95.23	47.85	-13.00	-50.79 Horizontal



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00066584 Vertical
Mode : LTE Band 14 5M CH23330 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm								
1	1581.00	-69.00	RMS	27.91	-52.64	0.32	-95.23	50.64	-42.15	-26.85 Vertical
2	2372.00	-48.60	RMS	32.02	-50.72	0.46	-95.23	64.87	-13.00	-35.60 Vertical
3	3162.00	-63.08	RMS	33.00	-49.55	0.14	-95.23	48.56	-13.00	-50.08 Vertical




Ant. 0

Part 90R Mode 1


LTE B14 5M Ch23355 1RB0 QPSK

H



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00066584 Horizontal
Mode : LTE Band 14 5M CH23355 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1586.00	-69.52	RMS	27.96	-52.63	0.32	-95.23	50.06	-42.15	-27.37	Horizontal		
2	2384.00	-45.53	RMS	32.10	-50.69	0.47	-95.23	67.82	-13.00	-32.53	Horizontal		
3	3172.00	-64.24	RMS	33.00	-49.54	0.13	-95.23	47.40	-13.00	-51.24	Horizontal		



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00066584 Vertical
Mode : LTE Band 14 5M CH23355 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1586.00	-69.65	RMS	27.96	-52.63	0.32	-95.23	49.93	-42.15	-27.50	Vertical		
2	2384.00	-53.17	RMS	32.10	-50.69	0.47	-95.23	60.18	-13.00	-40.17	Vertical		
3	3172.00	-64.12	RMS	33.00	-49.54	0.13	-95.23	47.52	-13.00	-51.12	Vertical		




Ant. 0

Part 90R Mode 2


LTE B14 10M Ch23330 1RB0 QPSK

M



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00066584 Horizontal
Mode : LTE Band 14 10M CH23330 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1576.00	-69.50	RMS		27.90	-52.66	0.32	-95.23	50.17	-42.15	-27.35		Horizontal
2	2368.00	-50.63	RMS		32.00	-50.73	0.45	-95.23	62.88	-13.00	-37.63		Horizontal
3	3152.00	-63.91	RMS		33.00	-49.56	0.15	-95.23	47.73	-13.00	-50.91		Horizontal



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00066584 Vertical
Mode : LTE Band 14 10M CH23330 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1576.00	-69.72	RMS		27.90	-52.66	0.32	-95.23	49.95	-42.15	-27.57		Vertical
2	2368.00	-54.26	RMS		32.00	-50.73	0.45	-95.23	59.25	-13.00	-41.26		Vertical
3	3152.00	-64.08	RMS		33.00	-49.56	0.15	-95.23	47.56	-13.00	-51.08		Vertical




Ant. 1

Part 90R Mode 3


LTE B14 5M Ch23330 1RB0 QPSK

M



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00066584 Horizontal
Mode : LTE Band 14 5M CH23330 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	1576.00	-69.65	RMS	27.90	-52.66	0.32	-95.23	50.02	-42.15	-27.50	Horizontal
2	2376.00	-64.94	RMS	32.06	-50.71	0.46	-95.23	48.48	-13.00	-51.94	Horizontal
3	3152.00	-64.10	RMS	33.00	-49.56	0.15	-95.23	47.54	-13.00	-51.10	Horizontal



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00066584 Vertical
Mode : LTE Band 14 5M CH23330 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	1576.00	-69.56	RMS	27.90	-52.66	0.32	-95.23	50.11	-42.15	-27.41	Vertical
2	2376.00	-62.91	RMS	32.06	-50.71	0.46	-95.23	50.51	-13.00	-49.91	Vertical
3	3152.00	-64.00	RMS	33.00	-49.56	0.15	-95.23	47.64	-13.00	-51.00	Vertical




Ant. 1

Part 90R Mode 4


LTE B14 10M Ch23330 1RB0 QPSK

M



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00066584 Horizontal
Mode : LTE Band 14 10M CH23330 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBm	dB	
1	1576.00	-69.45	RMS	27.90	-52.66	0.32	-95.23	50.22	-42.15	-27.30	Horizontal		
2	2368.00	-58.14	RMS	32.00	-50.73	0.45	-95.23	55.37	-13.00	-45.14	Horizontal		
3	3152.00	-63.97	RMS	33.00	-49.56	0.15	-95.23	47.67	-13.00	-50.97	Horizontal		



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00066584 Vertical
Mode : LTE Band 14 10M CH23330 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBm	dB	
1	1576.00	-69.56	RMS	27.90	-52.66	0.32	-95.23	50.11	-42.15	-27.41	Vertical		
2	2368.00	-58.82	RMS	32.00	-50.73	0.45	-95.23	54.69	-13.00	-45.82	Vertical		
3	3152.00	-63.94	RMS	33.00	-49.56	0.15	-95.23	47.70	-13.00	-50.94	Vertical		




Ant. 0

Part 90S Mode 1

LTE B26 5M Ch26715 1RB0 QPSK

L




Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Horizontal

Mode : LTE Band 26 5M CH26715 1RB0 QPSK

#1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	1632.00	-66.37	RMS	28.44	-52.50	0.31	-95.23	52.61	-13.00	-53.37	Horizontal		
2	2448.00	-56.50	RMS	32.08	-50.57	0.38	-95.23	56.84	-13.00	-43.50	Horizontal		
3	3256.00	-63.62	RMS	33.10	-49.40	0.13	-95.23	47.78	-13.00	-50.62	Horizontal		



Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Vertical

Mode : LTE Band 26 5M CH26715 1RB0 QPSK

#1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	1632.00	-66.92	RMS	28.44	-52.50	0.31	-95.23	52.06	-13.00	-53.92	Vertical		
2	2448.00	-52.44	RMS	32.08	-50.57	0.38	-95.23	60.90	-13.00	-39.44	Vertical		
3	3256.00	-63.72	RMS	33.10	-49.40	0.13	-95.23	47.68	-13.00	-50.72	Vertical		




Ant. 0

Part 90S Mode 1


LTE B26 5M Ch26740 1RB0 QPSK

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00066584 Horizontal
Mode : LTE Band 26 5M CH26740 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	1640.00	-66.96	RMS	28.60	-52.48	0.31	-95.23	51.84	-13.00	-53.96	Horizontal			
2	2456.00	-59.60	RMS	32.16	-50.55	0.36	-95.23	53.66	-13.00	-46.60	Horizontal			
3	3264.00	-63.90	RMS	33.10	-49.39	0.13	-95.23	47.49	-13.00	-50.90	Horizontal			



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00066584 Vertical
Mode : LTE Band 26 5M CH26740 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	1640.00	-68.44	RMS	28.60	-52.48	0.31	-95.23	50.36	-13.00	-55.44	Vertical			
2	2456.00	-56.77	RMS	32.16	-50.55	0.36	-95.23	56.49	-13.00	-43.77	Vertical			
3	3264.00	-63.57	RMS	33.10	-49.39	0.13	-95.23	47.82	-13.00	-50.57	Vertical			




Ant. 0

Part 90S Mode 1


LTE B26 5M Ch26765 1RB0 QPSK

H



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00066584 Horizontal
Mode : LTE Band 26 5M CH26765 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	1640.00	-63.34	RMS	28.60	-52.48	0.31	-95.23	55.46	-13.00	-50.34	Horizontal		
2	2464.00	-52.24	RMS	32.24	-50.53	0.35	-95.23	60.93	-13.00	-39.24	Horizontal		
3	3272.00	-63.44	RMS	33.10	-49.37	0.14	-95.23	47.92	-13.00	-50.44	Horizontal		



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00066584 Vertical
Mode : LTE Band 26 5M CH26765 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	1640.00	-64.06	RMS	28.60	-52.48	0.31	-95.23	54.74	-13.00	-51.06	Vertical		
2	2464.00	-52.03	RMS	32.24	-50.53	0.35	-95.23	61.14	-13.00	-39.03	Vertical		
3	3272.00	-63.58	RMS	33.10	-49.37	0.14	-95.23	47.78	-13.00	-50.58	Vertical		




Ant. 0

Part 90S Mode 3


LTE B26 15M Ch26790 1RB0 QPSK

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00066584 Horizontal
Mode : LTE Band 26 15M CH26790 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dB	dB		dBuV	dBm	dB	
1	1640.00	-66.24	RMS	28.60	-52.48	0.31	-95.23	52.56	-13.00	-53.24	Horizontal				
2	2456.00	-59.11	RMS	32.16	-50.55	0.36	-95.23	54.15	-13.00	-46.11	Horizontal				
3	3264.00	-63.58	RMS	33.10	-49.39	0.13	-95.23	47.81	-13.00	-50.58	Horizontal				



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00066584 Vertical
Mode : LTE Band 26 15M CH26790 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dB	dB		dBuV	dBm	dB	
1	1640.00	-68.10	RMS	28.60	-52.48	0.31	-95.23	50.70	-13.00	-55.10	Vertical				
2	2456.00	-58.26	RMS	32.16	-50.55	0.36	-95.23	55.00	-13.00	-45.26	Vertical				
3	3264.00	-63.96	RMS	33.10	-49.39	0.13	-95.23	47.43	-13.00	-50.96	Vertical				




Ant. 1

Part 90S Mode 2


LTE B26 5M Ch26740 1RB0 QPSK

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00066584 Horizontal
Mode : LTE Band 26 5M CH26740 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	1632.00	-68.87	RMS	28.44	-52.50	0.31	-95.23	50.11	-13.00	-55.87	Horizontal		
2	2456.00	-46.66	RMS	32.16	-50.55	0.36	-95.23	66.60	-13.00	-33.66	Horizontal		
3	3264.00	-63.69	RMS	33.10	-49.39	0.13	-95.23	47.70	-13.00	-50.69	Horizontal		



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00066584 Vertical
Mode : LTE Band 26 5M CH26740 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	1632.00	-69.10	RMS	28.44	-52.50	0.31	-95.23	49.88	-13.00	-56.10	Vertical		
2	2456.00	-46.60	RMS	32.16	-50.55	0.36	-95.23	66.66	-13.00	-33.60	Vertical		
3	3264.00	-63.67	RMS	33.10	-49.39	0.13	-95.23	47.72	-13.00	-50.67	Vertical		




Ant. 1

Part 90S Mode 4

LTE B26 15M Ch26790 1RB0 QPSK

M




Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Horizontal

Mode : LTE Band 26 15M CH26790 1RB0 QPSK

#1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1632.00	-68.86	RMS	28.44	-52.50	0.31	-95.23	50.12	-13.00	-55.86			Horizontal
2	2456.00	-44.12	RMS	32.16	-50.55	0.36	-95.23	69.14	-13.00	-31.12			Horizontal
3	3264.00	-63.56	RMS	33.10	-49.39	0.13	-95.23	47.83	-13.00	-50.56			Horizontal



Site : 03CH07-HY

Condition: -13 3m HF_ANT_00066584 Vertical

Mode : LTE Band 26 15M CH26790 1RB0 QPSK

#1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1632.00	-68.97	RMS	28.44	-52.50	0.31	-95.23	50.01	-13.00	-55.97			Vertical
2	2456.00	-45.86	RMS	32.16	-50.55	0.36	-95.23	67.40	-13.00	-32.86			Vertical
3	3264.00	-63.44	RMS	33.10	-49.39	0.13	-95.23	47.95	-13.00	-50.44			Vertical