

Measurement Report for Device
Device Under Test Properties

Model, Manufacturer	Dimensions [mm]	Software Version	DUT Type
Google	72.0 x 152.0 x 9.0	3.2.0.1840	Phone

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Frequency [MHz]	Conversion Factor
5G	BACK, 2.00	24750.0	1.0

Hardware Setup


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave – 1044	Air –	EUmmWV4 – SN9461_F1–55GHz, 2025–10–15	DAE4 Sn699, 2025–02–18

Scans Setup

Scan Type	5G Scan
Grid Extents [mm]	60.0 x 60.0
Grid Steps [lambda]	0.25 x 0.25
Sensor Surface [mm]	2.0

Measurement Results

Date	2026–01–24
Avg. Area [cm ²]	4.00
psPDn+ [W/m ²]	1.79
psPDtot+ [W/m ²]	2.52
H _{max} [A/m]	0.122
E _{max} [V/m]	45.4
max _(Stot) [W/m ²]	4.80
Power Drift [dB]	–0.04



Measurement Report for Device
Device Under Test Properties

Model, Manufacturer	Dimensions [mm]	Software Version	DUT Type
Google	72.0 x 152.0 x 9.0	3.2.0.1840	Phone

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Frequency [MHz]	Conversion Factor
5G	BACK, 2.00	39999.9	1.0

Hardware Setup


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave – 1044	Air –	EUmmWV4 – SN9461_F1–55GHz, 2025–10–15	DAE4 Sn699, 2025–02–18

Scans Setup

Scan Type	5G Scan
Grid Extents [mm]	60.0 x 60.0
Grid Steps [lambda]	0.25 x 0.25
Sensor Surface [mm]	2.0

Measurement Results

Date	2026–01–31
Avg. Area [cm ²]	4.00
psPDn+ [W/m ²]	1.93
psPDtot+ [W/m ²]	2.00
H _{max} [A/m]	0.122
E _{max} [V/m]	49.9
max _(Stot) [W/m ²]	5.78
Power Drift [dB]	0.14



Measurement Report for Device
Device Under Test Properties

Model, Manufacturer	Dimensions [mm]	Software Version	DUT Type
Google	72.0 x 152.0 x 9.0	3.2.0.1840	Phone

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Frequency [MHz]	Conversion Factor
5G	BACK, 2.00	27925.0	1.0

Hardware Setup

Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave – 1044	Air –	EUmmWV4 – SN9461_F1–55GHz, 2025–10–15	DAE4 Sn699, 2025–02–18

Scans Setup

Scan Type	5G Scan
Grid Extents [mm]	60.0 x 60.0
Grid Steps [lambda]	0.25 x 0.25
Sensor Surface [mm]	2.0

Measurement Results

Date	2026-01-25
Avg. Area [cm ²]	4.00
psPDn+ [W/m ²]	1.60
psPDtot+ [W/m ²]	2.07
H _{max} [A/m]	0.125
E _{max} [V/m]	47.0
max _(Stot) [W/m ²]	5.07
Power Drift [dB]	-0.07

