





FR1 n25 / 20MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 20MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n25 / 25MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 25MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n25 / 30MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 30MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n25 / 35MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 35MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n25 / 40MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 40MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







Conducted Spurious Emission

FR1 n25 / 5MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



**Frequency Stability**

Test Conditions		FR1 n25 (BPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0005	1	Yes	PASS
40	Normal Voltage	0.0072	-13.5	Yes	
30	Normal Voltage	0.0035	-6.5	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0004	0.8	Yes	
0	Normal Voltage	0.0071	-13.4	Yes	
-10	Normal Voltage	0.0093	-17.5	Yes	
-20	Normal Voltage	0.0028	-5.3	Yes	
-30	Normal Voltage	0.0071	-13.4	Yes	
20	Maximum Voltage	0.0016	-3	Yes	
20	Normal Voltage	0.0048	-9	Yes	
20	Minimum Voltage	0.0039	-7.4	Yes	

Note:

1. Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.



FR1 n26

<SISO Mode>


Peak-to-Average Ratio

Mode	FR1 n26 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	3.88	4.98	5.70	6.12	PASS
Mode	FR1 n26 / 10MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.44				PASS




FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM



256QAM






Mode	FR1 n26 / 5MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.18	5.78	PASS
Mode	FR1 n26 / 10MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.20	5.98	PASS
Mode	FR1 n26 / 15MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.08	5.92	PASS




FR1 n26 / 5MHz / DFTs OFDM / Middle Channel / Full RB

QPSK




16QAM




FR1 n26 / 10MHz / DFTs OFDM / Middle Channel / Full RB

QPSK




16QAM




FR1 n26 / 15MHz / DFTs OFDM / Middle Channel / Full RB

QPSK



16QAM




**26dB Bandwidth**

Mode	FR1 n26 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	4.92	5.50	9.61	9.53	14.27	14.34	19.25	19.13
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	4.88		9.53		15.13		21.53	




FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM




**Occupied Bandwidth**

Mode	FR1 n26 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	4.49	4.50	9.02	8.96	13.47	13.46	18.03	17.97
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	4.49		8.95		13.45		17.94	




FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




10:48:40 PM 12/01/2025

QPSK



10:49:35 PM 12/01/2025

16QAM




10:50:31 PM 12/01/2025




FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



QPSK




16QAM






FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




10:54:14 PM 12/01/2025

QPSK



10:55:09 PM 12/01/2025

16QAM



10:56:05 PM 12/01/2025





Conducted Band Edge

FR1 n26 / 5MHz / DFT-S OFDM / PI/2 BPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB






FR1 n26 / 5MHz / DFT-S OFDM / QPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB






FR1 n26 / 10MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB


Highest Band Edge / Full RB



FR1 n26 / 10MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB






FR1 n26 / 15MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB


Highest Band Edge / Full RB



FR1 n26 / 15MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Lowest Band Edge / Full RB






FR1 n26 / 20MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB


Highest Band Edge / Full RB



FR1 n26 / 20MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Lowest Band Edge / Full RB







Conducted Spurious Emission

FR1 n26 / 5MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n26 (BPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0054	4.5	Yes	PASS
40	Normal Voltage	0.0043	3.6	Yes	
30	Normal Voltage	0.0071	5.9	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0140	-11.7	Yes	
0	Normal Voltage	0.0047	3.9	Yes	
-10	Normal Voltage	0.0043	-3.6	Yes	
-20	Normal Voltage	0.0041	3.4	Yes	
-30	Normal Voltage	0.0120	-10	Yes	
20	Maximum Voltage	0.0136	-11.4	Yes	
20	Normal Voltage	0.0108	-9	Yes	
20	Minimum Voltage	0.0097	-8.1	Yes	

Note:

1. Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.


**FR1 n25****<TxD Mode>****MIMO <Ant. 2+1> (Ant. 2)****Peak-to-Average Ratio**

Mode	FR1 n25 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.06	5.16	5.76	6.16	PASS
Mode	FR1 n25 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.62				PASS




FR1 n25 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM



256QAM





Mode	FR1 n25 / 5MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.04	6.02	PASS
Mode	FR1 n25 / 10MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	4.96	6.02	PASS
Mode	FR1 n25 / 15MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.12	5.90	PASS
Mode	FR1 n25 / 25MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	4.94	5.84	PASS
Mode	FR1 n25 / 30MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.40	5.88	PASS
Mode	FR1 n25 / 35MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.24	5.78	PASS
Mode	FR1 n25 / 40MHz / DFT-S OFDM		
Mod.	QPSK	16QAM	Limit: 13dB
RB Size	Full RB	Full RB	Result
Middle CH	5.42	6.00	PASS