




LTE Band 5B / 10MHz+5MHz


QPSK

Highest Channel / 1RB0 and 1RB24

Highest Channel / 1RB49 and 1RB0



Date: 26.NOV.2025 19:22:18



Date: 26.NOV.2025 19:20:03




LTE Band 5B / 10MHz+10MHz


QPSK

Lowest Channel / 1RB0 and 1RB49

Lowest Channel / 1RB49 and 1RB0




Date: 26.NOV.2025 19:35:56




Date: 26.NOV.2025 19:33:59

Middle Channel / 1RB0 and 1RB49

Middle Channel / 1RB49 and 1RB0



Date: 26.NOV.2025 19:38:07



Date: 26.NOV.2025 19:40:28




LTE Band 5B / 10MHz+10MHz


QPSK

Highest Channel / 1RB0 and 1RB49

Highest Channel / 1RB49 and 1RB0



Date: 26.NOV.2025 19:31:30



Date: 26.NOV.2025 19:29:19



Appendix B. Radiated Spurious Emission Test Data

B1.Summary of each worse mode

Mode	Band	Part	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp/Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	LTE B26	Part 22H	M	2496	-51.01	RMS	27.80	-27.45	0.43	-95.23	43.44	-13.00	-38.01	H	0
2	LTE B26	Part 22H	M	2496	-51.64	RMS	27.80	-27.45	0.43	-95.23	42.81	-13.00	-38.64	H	1
3	LTE CA B5B	Part 22H	L	2500	-55.90	RMS	27.80	-27.44	0.32	-95.23	38.65	-13.00	-42.90	H	0
4	LTE CA B5B	Part 22H	M	2508	-58.09	RMS	27.80	-27.43	0.32	-95.23	36.45	-13.00	-45.09	H	1
1	LTE B25	Part 24E	M	5640	-40.01	RMS	33.06	-24.39	0.48	-95.23	46.07	-13.00	-27.01	H	2
2	LTE B25	Part 24E	M	5640	-41.21	RMS	33.06	-24.39	0.48	-95.23	44.87	-13.00	-28.21	V	0
3	LTE B25	Part 24E	M	5640	-45.89	RMS	33.06	-24.39	0.48	-95.23	40.19	-13.00	-32.89	H	1
4	LTE B25	Part 24E	M	5640	-42.91	RMS	33.06	-24.39	0.48	-95.23	43.17	-13.00	-29.91	V	5




Ant. 0

Part 22H Mode 1

LTE B26 10M Ch26840 1RB0 QPSK

L




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: LTE B26 10M Ch26840 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1649.00	-65.26	RMS	25.21	-28.83	0.48	-95.23	33.11	-13.00	-52.26	Horizontal
2	2473.00	-55.38	RMS	27.63	-27.49	0.43	-95.23	39.28	-13.00	-42.38	Horizontal
3	3298.00	-63.54	RMS	29.50	-26.09	0.32	-95.23	27.96	-13.00	-50.54	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: LTE B26 10M Ch26840 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1649.00	-65.70	RMS	25.21	-28.83	0.48	-95.23	32.67	-13.00	-52.70	Vertical
2	2473.00	-58.10	RMS	27.63	-27.49	0.43	-95.23	36.56	-13.00	-45.10	Vertical
3	3298.00	-63.50	RMS	29.50	-26.09	0.32	-95.23	28.00	-13.00	-50.50	Vertical




Ant. 0

Part 22H Mode 1

LTE B26 10M Ch26915 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: LTE B26 10M Ch26915 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	1664.00	-63.42	RMS	25.24	-28.80	0.48	-95.23	34.89	-13.00	-50.42	Horizontal
2	2496.00	-51.01	RMS	27.80	-27.45	0.43	-95.23	43.44	-13.00	-38.01	Horizontal
3	3328.00	-63.63	RMS	29.56	-26.06	0.32	-95.23	27.78	-13.00	-50.63	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: LTE B26 10M Ch26915 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	1664.00	-64.37	RMS	25.24	-28.80	0.48	-95.23	33.94	-13.00	-51.37	Vertical
2	2496.00	-54.85	RMS	27.80	-27.45	0.43	-95.23	39.60	-13.00	-41.85	Vertical
3	3328.00	-63.54	RMS	29.56	-26.06	0.32	-95.23	27.87	-13.00	-50.54	Vertical




Ant. 0

Part 22H Mode 1

LTE B26 10M Ch26990 1RB0 QPSK

H




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: LTE B26 10M Ch26990 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
	MHz	dBm		Factor	dB		dB	dB	g	dBm	dB	
1	1679.00	-57.45	RMS	25.30	-28.78	0.47	-95.23	40.79	-13.00	-44.45	Horizontal	
2	2518.00	-53.18	RMS	27.88	-27.40	0.44	-95.23	41.13	-13.00	-40.18	Horizontal	
3	3358.00	-63.41	RMS	29.60	-26.03	0.32	-95.23	27.93	-13.00	-50.41	Horizontal	



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: LTE B26 10M Ch26990 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
	MHz	dBm		Factor	dB		dB	dB	g	dBm	dB	
1	1679.00	-57.84	RMS	25.30	-28.78	0.47	-95.23	40.40	-13.00	-44.84	Vertical	
2	2518.00	-55.92	RMS	27.88	-27.40	0.44	-95.23	38.39	-13.00	-42.92	Vertical	
3	3358.00	-63.26	RMS	29.60	-26.03	0.32	-95.23	28.08	-13.00	-50.26	Vertical	




Ant. 0

Part 22H Mode 3


LTE CA B5B 10M + 10M Ch20450 1RB49 QPSK + Ch20549 1RB0 QPSK

L



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Horizontal
: LTE Band 5 10M Ch20450 1RB49 QPSK
: LTE Band 5 10M Ch20549 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1667.00	-63.34	RMS	25.27	-28.80	0.46	-95.23	34.96	-13.00	-50.34	Horizontal	
2	2500.00	-55.90	RMS	27.80	-27.44	0.32	-95.23	38.65	-13.00	-42.90	Horizontal	
3	3334.00	-62.97	RMS	29.57	-26.06	0.22	-95.23	28.53	-13.00	-49.97	Horizontal	



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Vertical
: LTE Band 5 10M Ch20450 1RB49 QPSK
: LTE Band 5 10M Ch20549 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1667.00	-60.95	RMS	25.27	-28.80	0.46	-95.23	37.35	-13.00	-47.95	Vertical	
2	2500.00	-60.50	RMS	27.80	-27.44	0.32	-95.23	34.05	-13.00	-47.50	Vertical	
3	3334.00	-62.60	RMS	29.57	-26.06	0.22	-95.23	28.90	-13.00	-49.60	Vertical	




Ant. 0

Part 22H Mode 3


LTE CA B5B 10M + 10M Ch20476 1RB49 QPSK + Ch20575 1RB0 QPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Horizontal
: LTE Band 5 10M Ch20476 1RB49 QPSK
: LTE Band 5 10M Ch20575 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1672.00	-63.43	RMS		25.30	-28.79	0.45	-95.23	34.84	-13.00	-50.43	Horizontal
2	2508.00	-57.73	RMS		27.80	-27.43	0.32	-95.23	36.81	-13.00	-44.73	Horizontal
3	3344.00	-62.89	RMS		29.59	-26.05	0.22	-95.23	28.58	-13.00	-49.89	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Vertical
: LTE Band 5 10M Ch20476 1RB49 QPSK
: LTE Band 5 10M Ch20575 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1672.00	-64.18	RMS		25.30	-28.79	0.45	-95.23	34.09	-13.00	-51.18	Vertical
2	2508.00	-60.96	RMS		27.80	-27.43	0.32	-95.23	33.58	-13.00	-47.96	Vertical
3	3344.00	-62.90	RMS		29.59	-26.05	0.22	-95.23	28.57	-13.00	-49.90	Vertical




Ant. 0

Part 22H Mode 3


LTE CA B5B 10M + 10M Ch20501 1RB49 QPSK + Ch20600 1RB0 QPSK

H



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Horizontal
: LTE Band 5 10M Ch20501 1RB49 QPSK
: LTE Band 5 10M Ch20600 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1677.00	-58.49	RMS	25.30	-28.78	0.45	-95.23	39.77	-13.00	-45.49	Horizontal	
2	2516.00	-57.62	RMS	27.86	-27.41	0.32	-95.23	36.84	-13.00	-44.62	Horizontal	
3	3354.00	-62.85	RMS	29.60	-26.04	0.22	-95.23	28.60	-13.00	-49.85	Horizontal	



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Vertical
: LTE Band 5 10M Ch20501 1RB49 QPSK
: LTE Band 5 10M Ch20600 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1677.00	-57.37	RMS	25.30	-28.78	0.45	-95.23	40.89	-13.00	-44.37	Vertical	
2	2516.00	-60.39	RMS	27.86	-27.41	0.32	-95.23	34.07	-13.00	-47.39	Vertical	
3	3354.00	-62.76	RMS	29.60	-26.04	0.22	-95.23	28.69	-13.00	-49.76	Vertical	




Ant. 1

Part 22H Mode 2

LTE B26 10M Ch26915 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: LTE B26 10M Ch26915 1RB0 QPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1	dB		dB	g		
1	1679.00	-64.16	RMS	25.30	-28.78	0.47	-95.23	34.08	-13.00	-51.16	Horizontal
2	2496.00	-51.64	RMS	27.80	-27.45	0.43	-95.23	42.81	-13.00	-38.64	Horizontal
3	3358.00	-63.56	RMS	29.60	-26.03	0.32	-95.23	27.78	-13.00	-50.56	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: LTE B26 10M Ch26915 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1679.00	-65.35	RMS	25.30	-28.78	0.47	-95.23	32.89	-13.00	-52.35	Vertical
2	2496.00	-55.83	RMS	27.80	-27.45	0.43	-95.23	38.62	-13.00	-42.83	Vertical
3	3358.00	-63.54	RMS	29.60	-26.03	0.32	-95.23	27.80	-13.00	-50.54	Vertical




Ant. 1

Part 22H Mode 4

LTE CA B5B 10M + 10M Ch20476 1RB49 QPSK + Ch20575 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: LTE Band 5 10M Ch20476 1RB49 QPSK

: LTE Band 5 10M Ch20575 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1672.00	-64.57	RMS	25.30	-28.79	0.45	-95.23	33.70	-13.00	-51.57
2	2508.00	-58.09	RMS	27.80	-27.43	0.32	-95.23	36.45	-13.00	-45.09
3	3344.00	-63.15	RMS	29.59	-26.05	0.22	-95.23	28.32	-13.00	-50.15



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: LTE Band 5 10M Ch20476 1RB49 QPSK

: LTE Band 5 10M Ch20575 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1672.00	-63.91	RMS	25.30	-28.79	0.45	-95.23	34.36	-13.00	-50.91
2	2508.00	-60.84	RMS	27.80	-27.43	0.32	-95.23	33.70	-13.00	-47.84
3	3344.00	-63.14	RMS	29.59	-26.05	0.22	-95.23	28.33	-13.00	-50.14




Ant. 2

Part 24E Mode 1

LTE B25 10M Ch26090 1RB0 QPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B25 10M Ch26090 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3701.00	-59.61	RMS	29.71	-25.53	0.67	-95.23	30.77	-13.00	-46.61	Horizontal			
2	5565.00	-40.58	RMS	32.90	-24.49	0.47	-95.23	45.77	-13.00	-27.58	Horizontal			
3	7402.00	-56.59	RMS	36.40	-22.85	0.42	-95.23	24.67	-13.00	-43.59	Horizontal			



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B25 10M Ch26090 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3701.00	-58.55	RMS	29.71	-25.53	0.67	-95.23	31.83	-13.00	-45.55	Vertical			
2	5565.00	-45.82	RMS	32.90	-24.49	0.47	-95.23	40.53	-13.00	-32.82	Vertical			
3	7402.00	-56.56	RMS	36.40	-22.85	0.42	-95.23	24.70	-13.00	-43.56	Vertical			




Ant. 2

Part 24E Mode 1

LTE B25 10M Ch26340 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B25 10M Ch26340 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3751.00	-59.66	RMS	30.01	-25.51	0.70	-95.23	30.37	-13.00	-46.66	Horizontal			
2	5640.00	-40.01	RMS	33.06	-24.39	0.48	-95.23	46.07	-13.00	-27.01	Horizontal			
3	7502.00	-56.57	RMS	36.39	-22.88	0.40	-95.23	24.75	-13.00	-43.57	Horizontal			



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B25 10M Ch26340 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3751.00	-58.35	RMS	30.01	-25.51	0.70	-95.23	31.68	-13.00	-45.35	Vertical			
2	5640.00	-43.29	RMS	33.06	-24.39	0.48	-95.23	42.79	-13.00	-30.29	Vertical			
3	7502.00	-56.69	RMS	36.39	-22.88	0.40	-95.23	24.63	-13.00	-43.69	Vertical			




Ant. 2

Part 24E Mode 1

LTE B25 10M Ch26640 1RB0 QPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B25 10M Ch26640 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3811.00	-60.27	RMS	30.47	-25.49	0.73	-95.23	29.25	-13.00	-47.27	Horizontal			
2	5730.00	-40.93	RMS	33.72	-24.27	0.49	-95.23	44.36	-13.00	-27.93	Horizontal			
3	7622.00	-56.53	RMS	36.34	-22.88	0.40	-95.23	24.84	-13.00	-43.53	Horizontal			



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B25 10M Ch26640 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3811.00	-59.69	RMS	30.47	-25.49	0.73	-95.23	29.83	-13.00	-46.69	Vertical			
2	5730.00	-41.81	RMS	33.72	-24.27	0.49	-95.23	43.48	-13.00	-28.81	Vertical			
3	7622.00	-56.40	RMS	36.34	-22.88	0.40	-95.23	24.97	-13.00	-43.40	Vertical			




Ant. 0

Part 24E Mode 2

LTE B25 10M Ch26340 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B25 10M Ch26340 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin Pol	
	MHz	dBm		Factor	1			g			
1	3751.00	-59.25	RMS	30.01	-25.51	0.70	-95.23	30.78	-13.00	-46.25	Horizontal
2	5640.00	-44.83	RMS	33.06	-24.39	0.48	-95.23	41.25	-13.00	-31.83	Horizontal
3	7502.00	-56.69	RMS	36.39	-22.88	0.40	-95.23	24.63	-13.00	-43.69	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B25 10M Ch26340 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin Pol	
	MHz	dBm		Factor	1			g			
1	3751.00	-59.06	RMS	30.01	-25.51	0.70	-95.23	30.97	-13.00	-46.06	Vertical
2	5640.00	-41.21	RMS	33.06	-24.39	0.48	-95.23	44.87	-13.00	-28.21	Vertical
3	7502.00	-56.58	RMS	36.39	-22.88	0.40	-95.23	24.74	-13.00	-43.58	Vertical




Ant. 1

Part 24E Mode 3

LTE B25 10M Ch26340 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B25 10M Ch26340 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3751.00	-62.17	RMS	30.01	-25.51	0.70	-95.23	27.86	-13.00	-49.17	Horizontal
2	5640.00	-45.89	RMS	33.06	-24.39	0.48	-95.23	40.19	-13.00	-32.89	Horizontal
3	7502.00	-56.45	RMS	36.39	-22.88	0.40	-95.23	24.87	-13.00	-43.45	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B25 10M Ch26340 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3751.00	-60.54	RMS	30.01	-25.51	0.70	-95.23	29.49	-13.00	-47.54	Vertical
2	5640.00	-46.32	RMS	33.06	-24.39	0.48	-95.23	39.76	-13.00	-33.32	Vertical
3	7502.00	-56.36	RMS	36.39	-22.88	0.40	-95.23	24.96	-13.00	-43.36	Vertical




Ant. 5

Part 24E Mode 4

LTE B25 10M Ch26340 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B25 10M Ch26340 1RB0 QPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	3751.00	-60.54	RMS	30.01	-25.51	0.70	-95.23	29.49	-13.00	-47.54	Horizontal	
2	5640.00	-43.89	RMS	33.06	-24.39	0.48	-95.23	42.19	-13.00	-30.89	Horizontal	
3	7502.00	-56.66	RMS	36.39	-22.88	0.40	-95.23	24.66	-13.00	-43.66	Horizontal	



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B25 10M Ch26340 1RB0 QPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	3751.00	-56.26	RMS	30.01	-25.51	0.70	-95.23	33.77	-13.00	-43.26	Vertical	
2	5640.00	-42.91	RMS	33.06	-24.39	0.48	-95.23	43.17	-13.00	-29.91	Vertical	
3	7502.00	-56.65	RMS	36.39	-22.88	0.40	-95.23	24.67	-13.00	-43.65	Vertical	