




Ant. 2

Part 27M Mode 5

NR SA n41 HPUE 20M Ch501204 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

NR SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm								
1	4995.00	-56.24	RMS	33.27	-24.97	0.62	-95.23	30.07	-25.00	-31.24 Horizontal
2	7492.00	-42.87	RMS	36.42	-22.87	0.40	-95.23	38.41	-25.00	-17.87 Horizontal
3	9989.00	-53.77	RMS	38.36	-22.94	0.40	-95.23	25.64	-25.00	-28.77 Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

NR SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm								
1	4995.00	-58.49	RMS	33.27	-24.97	0.62	-95.23	27.82	-25.00	-33.49 Vertical
2	7492.00	-47.05	RMS	36.42	-22.87	0.40	-95.23	34.23	-25.00	-22.05 Vertical
3	9989.00	-53.37	RMS	38.36	-22.94	0.40	-95.23	26.04	-25.00	-28.37 Vertical




Ant. 2

Part 27M Mode 5

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	5169.00	-58.86	RMS		33.10	-24.81	0.54	-95.23	27.54	-25.00	-33.86		Horizontal
2	7753.00	-48.48	RMS		36.71	-22.88	0.49	-95.23	32.43	-25.00	-23.48		Horizontal
3	10337.00	-53.00	RMS		38.77	-22.88	0.40	-95.23	25.94	-25.00	-28.00		Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	5169.00	-59.32	RMS		33.10	-24.81	0.54	-95.23	27.08	-25.00	-34.32		Vertical
2	7753.00	-49.22	RMS		36.71	-22.88	0.49	-95.23	31.69	-25.00	-24.22		Vertical
3	10337.00	-52.51	RMS		38.77	-22.88	0.40	-95.23	26.43	-25.00	-27.51		Vertical




Ant. 2

Part 27M Mode 5

NR SA n41 HPUE 20M Ch535998 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	5343.00	-58.11	RMS		32.89	-24.67	0.49	-95.23	28.41	-25.00	-33.11		Horizontal
2	8014.00	-51.90	RMS		37.20	-22.71	0.53	-95.23	28.31	-25.00	-26.90		Horizontal
3	10685.00	-52.55	RMS		39.13	-22.82	0.39	-95.23	25.98	-25.00	-27.55		Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	5343.00	-58.61	RMS		32.89	-24.67	0.49	-95.23	27.91	-25.00	-33.61		Vertical
2	8014.00	-43.78	RMS		37.20	-22.71	0.53	-95.23	36.43	-25.00	-18.78		Vertical
3	10685.00	-52.45	RMS		39.13	-22.82	0.39	-95.23	26.08	-25.00	-27.45		Vertical




Ant. 2

Part 27M Mode 10

NR CA n41C 100M + 90M Ch509202 1RB272 BPSK + Ch528186 1RB0 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 100M Ch509202 1RB272 BPSK

: NR SA n41 90M Ch528186 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			dB	dB	dB	dB	dBm	dB	
1	5192.00	-59.89	RMS	33.10	-24.79	0.53	-95.23	26.50	-25.00	-34.89	Horizontal
2	7788.00	-55.81	RMS	36.85	-22.88	0.52	-95.23	24.93	-25.00	-30.81	Horizontal
3	10384.00	-53.56	RMS	38.66	-22.87	0.40	-95.23	25.48	-25.00	-28.56	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 100M Ch509202 1RB272 BPSK

: NR SA n41 90M Ch528186 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			dB	dB	dB	dB	dBm	dB	
1	5192.00	-59.80	RMS	33.10	-24.79	0.53	-95.23	26.59	-25.00	-34.80	Vertical
2	7788.00	-55.04	RMS	36.85	-22.88	0.52	-95.23	25.70	-25.00	-30.04	Vertical
3	10384.00	-53.93	RMS	38.66	-22.87	0.40	-95.23	25.11	-25.00	-28.93	Vertical




Ant. 2

Part 27M Mode 10

NR CA n41C 100M + 90M Ch509604 1RB272 BPSK + Ch528588 1RB0 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 100M Ch509604 1RB272 BPSK

: NR SA n41 90M Ch528588 1RB0 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	5196.00	-60.31	RMS	33.10	-24.79	0.53	-95.23	26.08	-25.00	-35.31	Horizontal
2	7794.00	-55.96	RMS	36.88	-22.88	0.53	-95.23	24.74	-25.00	-30.96	Horizontal
3	10392.00	-53.77	RMS	38.63	-22.87	0.40	-95.23	25.30	-25.00	-28.77	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 100M Ch509604 1RB272 BPSK

: NR SA n41 90M Ch528588 1RB0 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	5196.00	-59.68	RMS	33.10	-24.79	0.53	-95.23	26.71	-25.00	-34.68	Vertical
2	7794.00	-54.97	RMS	36.88	-22.88	0.53	-95.23	25.73	-25.00	-29.97	Vertical
3	10392.00	-53.66	RMS	38.63	-22.87	0.40	-95.23	25.41	-25.00	-28.66	Vertical




Ant. 2

Part 27M Mode 10

NR CA n41C 100M + 90M Ch510012 1RB272 BPSK + Ch528996 1RB0 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 100M Ch510012 1RB272 BPSK

: NR SA n41 90M Ch528996 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5200.00	-59.81	RMS	33.10	-24.79	0.53	-95.23	26.58	-25.00	-34.81 Horizontal
2	7800.00	-55.75	RMS	36.90	-22.88	0.53	-95.23	24.93	-25.00	-30.75 Horizontal
3	10400.00	-53.87	RMS	38.60	-22.86	0.40	-95.23	25.22	-25.00	-28.87 Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 100M Ch510012 1RB272 BPSK

: NR SA n41 90M Ch528996 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5200.00	-59.82	RMS	33.10	-24.79	0.53	-95.23	26.57	-25.00	-34.82 Vertical
2	7800.00	-54.18	RMS	36.90	-22.88	0.53	-95.23	26.50	-25.00	-29.18 Vertical
3	10400.00	-53.95	RMS	38.60	-22.86	0.40	-95.23	25.14	-25.00	-28.95 Vertical




Ant. 0

Part 27M Mode 2

NR SA n7 20M Ch507000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5053.00	-59.01	RMS	33.09	-24.91	0.60	-95.23	27.44	-25.00	-34.01 Horizontal
2	7579.00	-54.23	RMS	36.26	-22.88	0.38	-95.23	27.24	-25.00	-29.23 Horizontal
3	10105.00	-53.57	RMS	38.52	-22.92	0.40	-95.23	25.66	-25.00	-28.57 Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5053.00	-58.91	RMS	33.09	-24.91	0.60	-95.23	27.54	-25.00	-33.91 Vertical
2	7579.00	-53.03	RMS	36.26	-22.88	0.38	-95.23	28.44	-25.00	-28.03 Vertical
3	10105.00	-53.85	RMS	38.52	-22.92	0.40	-95.23	25.38	-25.00	-28.85 Vertical




Ant. 0

Part 27M Mode 6

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5169.00	-59.14	RMS	33.10	-24.81	0.54	-95.23	27.26	-25.00	-34.14	Horizontal			
2	7753.00	-49.17	RMS	36.71	-22.88	0.49	-95.23	31.74	-25.00	-24.17	Horizontal			
3	10337.00	-53.14	RMS	38.77	-22.88	0.40	-95.23	25.80	-25.00	-28.14	Horizontal			



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5169.00	-58.75	RMS	33.10	-24.81	0.54	-95.23	27.65	-25.00	-33.75	Vertical			
2	7753.00	-45.07	RMS	36.71	-22.88	0.49	-95.23	35.84	-25.00	-20.07	Vertical			
3	10337.00	-53.10	RMS	38.77	-22.88	0.40	-95.23	25.84	-25.00	-28.10	Vertical			




Ant. 0

Part 27M Mode 11

NR CA n41C 100M + 90M Ch509604 1RB272 BPSK + Ch528588 1RB0 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 100M Ch509604 1RB272 BPSK

: NR SA n41 90M Ch528588 1RB0 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dBuV	dBm		
1	5192.00	-59.98	RMS	33.10	-24.79	0.53 -95.23	26.41	-25.00	-34.98	Horizontal
2	7788.00	-55.89	RMS	36.85	-22.88	0.52 -95.23	24.85	-25.00	-30.89	Horizontal
3	10384.00	-53.90	RMS	38.66	-22.87	0.40 -95.23	25.14	-25.00	-28.90	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 100M Ch509604 1RB272 BPSK

: NR SA n41 90M Ch528588 1RB0 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dBuV	dBm		
1	5192.00	-59.80	RMS	33.10	-24.79	0.53 -95.23	26.59	-25.00	-34.80	Vertical
2	7788.00	-54.07	RMS	36.85	-22.88	0.52 -95.23	26.67	-25.00	-29.07	Vertical
3	10384.00	-53.97	RMS	38.66	-22.87	0.40 -95.23	25.07	-25.00	-28.97	Vertical




Ant. 1

Part 27M Mode 3

NR SA n7 20M Ch507000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5053.00	-59.04	RMS	33.09	-24.91	0.60	-95.23	27.41	-25.00	-34.04 Horizontal
2	7579.00	-53.35	RMS	36.26	-22.88	0.38	-95.23	28.12	-25.00	-28.35 Horizontal
3	10105.00	-53.97	RMS	38.52	-22.92	0.40	-95.23	25.26	-25.00	-28.97 Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5053.00	-59.26	RMS	33.09	-24.91	0.60	-95.23	27.19	-25.00	-34.26 Vertical
2	7579.00	-54.01	RMS	36.26	-22.88	0.38	-95.23	27.46	-25.00	-29.01 Vertical
3	10105.00	-54.10	RMS	38.52	-22.92	0.40	-95.23	25.13	-25.00	-29.10 Vertical




Ant. 1

Part 27M Mode 7

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

NR SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	5169.00	-59.00	RMS	33.10	-24.81	0.54	-95.23	27.40	-25.00	-34.00	Horizontal	
2	7753.00	-44.64	RMS	36.71	-22.88	0.49	-95.23	36.27	-25.00	-19.64	Horizontal	
3	10337.00	-53.72	RMS	38.77	-22.88	0.40	-95.23	25.22	-25.00	-28.72	Horizontal	



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

NR SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	5169.00	-60.01	RMS	33.10	-24.81	0.54	-95.23	26.39	-25.00	-35.01	Vertical	
2	7753.00	-44.05	RMS	36.71	-22.88	0.49	-95.23	36.86	-25.00	-19.05	Vertical	
3	10337.00	-53.76	RMS	38.77	-22.88	0.40	-95.23	25.18	-25.00	-28.76	Vertical	




Ant. 1

Part 27M Mode 12

NR CA n41C 100M + 90M Ch509604 1RB272 BPSK + Ch528588 1RB0 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 100M Ch509604 1RB272 BPSK

: NR SA n41 90M Ch528588 1RB0 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dBm		
1	5192.00	-59.95	RMS	33.10	-24.79	0.53	-95.23	26.44	-25.00	-34.95 Horizontal
2	7788.00	-55.62	RMS	36.85	-22.88	0.52	-95.23	25.12	-25.00	-30.62 Horizontal
3	10384.00	-53.80	RMS	38.66	-22.87	0.40	-95.23	25.24	-25.00	-28.80 Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 100M Ch509604 1RB272 BPSK

: NR SA n41 90M Ch528588 1RB0 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dBm		
1	5192.00	-58.15	RMS	33.10	-24.79	0.53	-95.23	28.24	-25.00	-33.15 Vertical
2	7788.00	-55.85	RMS	36.85	-22.88	0.52	-95.23	24.89	-25.00	-30.85 Vertical
3	10384.00	-53.79	RMS	38.66	-22.87	0.40	-95.23	25.25	-25.00	-28.79 Vertical




Ant. 5

Part 27M Mode 4

NR SA n7 20M Ch507000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5053.00	-59.33	RMS	33.09	-24.91	0.60	-95.23	27.12	-25.00	-34.33	Horizontal			
2	7579.00	-52.60	RMS	36.26	-22.88	0.38	-95.23	28.87	-25.00	-27.60	Horizontal			
3	10105.00	-53.59	RMS	38.52	-22.92	0.40	-95.23	25.64	-25.00	-28.59	Horizontal			



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5053.00	-59.43	RMS	33.09	-24.91	0.60	-95.23	27.02	-25.00	-34.43	Vertical			
2	7579.00	-52.72	RMS	36.26	-22.88	0.38	-95.23	28.75	-25.00	-27.72	Vertical			
3	10105.00	-54.06	RMS	38.52	-22.92	0.40	-95.23	25.17	-25.00	-29.06	Vertical			




Ant. 5

Part 27M Mode 8

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5169.00	-59.38	RMS	33.10	-24.81	0.54	-95.23	27.02	-25.00	-34.38	Horizontal			
2	7753.00	-47.68	RMS	36.71	-22.88	0.49	-95.23	33.23	-25.00	-22.68	Horizontal			
3	10337.00	-53.85	RMS	38.77	-22.88	0.40	-95.23	25.09	-25.00	-28.85	Horizontal			



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5169.00	-59.79	RMS	33.10	-24.81	0.54	-95.23	26.61	-25.00	-34.79	Vertical			
2	7753.00	-44.59	RMS	36.71	-22.88	0.49	-95.23	36.32	-25.00	-19.59	Vertical			
3	10337.00	-53.66	RMS	38.77	-22.88	0.40	-95.23	25.28	-25.00	-28.66	Vertical			




Ant. 5

Part 27M Mode 13

NR CA n41C 100M + 90M Ch509604 1RB272 BPSK + Ch528588 1RB0 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 100M Ch509604 1RB272 BPSK

: NR SA n41 90M Ch528588 1RB0 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	5192.00	-60.37	RMS	33.10	-24.79	0.53	-95.23	26.02	-25.00	-35.37	Horizontal
2	7788.00	-56.12	RMS	36.85	-22.88	0.52	-95.23	24.62	-25.00	-31.12	Horizontal
3	10384.00	-53.89	RMS	38.66	-22.87	0.40	-95.23	25.15	-25.00	-28.89	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 100M Ch509604 1RB272 BPSK

: NR SA n41 90M Ch528588 1RB0 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	5192.00	-60.34	RMS	33.10	-24.79	0.53	-95.23	26.05	-25.00	-35.34	Vertical
2	7788.00	-55.98	RMS	36.85	-22.88	0.52	-95.23	24.76	-25.00	-30.98	Vertical
3	10384.00	-54.19	RMS	38.66	-22.87	0.40	-95.23	24.85	-25.00	-29.19	Vertical




Ant. 0+2

Part 27M Mode 9


EN-DC B5+n41 10M + 20M Ch20525 1RB0 QPSK + Ch518598 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: NR SA n41 20M Ch518598 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5168.00	-58.86	RMS	33.10	-24.72	0.54	-95.23	27.45	-25.00	-33.86	Horizontal
2	7753.00	-46.06	RMS	36.71	-22.07	0.49	-95.23	34.04	-25.00	-21.06	Horizontal
3	10337.00	-52.74	RMS	38.77	-22.88	0.40	-95.23	26.20	-25.00	-27.74	Horizontal



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: NR SA n41 20M Ch518598 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5168.00	-58.61	RMS	33.10	-24.72	0.54	-95.23	27.70	-25.00	-33.61	Vertical
2	7753.00	-42.99	RMS	36.71	-22.07	0.49	-95.23	37.11	-25.00	-17.99	Vertical
3	10337.00	-52.77	RMS	38.77	-22.88	0.40	-95.23	26.17	-25.00	-27.77	Vertical




Ant. 2+1

Part 27M Mode 14

NR SA n41 HPUE 20M Ch501204 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

NR SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	4994.00	-59.34	RMS	33.26	-24.92	0.62	-95.23	26.93	-25.00	-34.34	Horizontal		
2	7492.00	-47.36	RMS	36.42	-21.95	0.40	-95.23	33.00	-25.00	-22.36	Horizontal		
3	9989.00	-54.13	RMS	38.36	-22.94	0.40	-95.23	25.28	-25.00	-29.13	Horizontal		



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

NR SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	4994.00	-59.44	RMS	33.26	-24.92	0.62	-95.23	26.83	-25.00	-34.44	Vertical		
2	7492.00	-52.37	RMS	36.42	-21.95	0.40	-95.23	27.99	-25.00	-27.37	Vertical		
3	9989.00	-54.43	RMS	38.36	-22.94	0.40	-95.23	24.98	-25.00	-29.43	Vertical		




Ant. 2+1

Part 27M Mode 14

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	5168.00	-59.23	RMS	33.10	-24.72	0.54	-95.23	27.08	-25.00	-34.23	Horizontal		
2	7753.00	-47.88	RMS	36.71	-22.07	0.49	-95.23	32.22	-25.00	-22.88	Horizontal		
3	10337.00	-53.39	RMS	38.77	-22.88	0.40	-95.23	25.55	-25.00	-28.39	Horizontal		



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	5168.00	-59.56	RMS	33.10	-24.72	0.54	-95.23	26.75	-25.00	-34.56	Vertical		
2	7753.00	-52.51	RMS	36.71	-22.07	0.49	-95.23	27.59	-25.00	-27.51	Vertical		
3	10337.00	-53.67	RMS	38.77	-22.88	0.40	-95.23	25.27	-25.00	-28.67	Vertical		




Ant. 2+1

Part 27M Mode 14

NR SA n41 HPUE 20M Ch535998 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

NR SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm				dB	dB	dBuV	dBm	dB		
1	5343.00	-60.41	RMS	32.89	-24.62	0.49	-95.23	26.06	-25.00	-35.41	Horizontal	
2	8014.00	-54.82	RMS	37.20	-22.48	0.53	-95.23	25.16	-25.00	-29.82	Horizontal	
3	10685.00	-53.21	RMS	39.13	-22.82	0.39	-95.23	25.32	-25.00	-28.21	Horizontal	



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

NR SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm				dB	dB	dBuV	dBm	dB		
1	5343.00	-60.33	RMS	32.89	-24.62	0.49	-95.23	26.14	-25.00	-35.33	Vertical	
2	8014.00	-54.70	RMS	37.20	-22.48	0.53	-95.23	25.28	-25.00	-29.70	Vertical	
3	10685.00	-53.33	RMS	39.13	-22.82	0.39	-95.23	25.20	-25.00	-28.33	Vertical	




Ant. 2+1

Part 27M Mode 16

NR CA n41C 100M + 90M Ch509202 1RB272 QPSK + Ch528186 1RB0 QPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 100M Ch509202 1RB272 BPSK

: NR SA n41 90M Ch528188 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5192.00	-59.05	RMS	33.10	-24.69	0.53	-95.23	27.24	-25.00	-34.05 Horizontal
2	7788.00	-54.31	RMS	36.85	-22.16	0.52	-95.23	25.71	-25.00	-29.31 Horizontal
3	10384.00	-52.96	RMS	38.66	-22.87	0.40	-95.23	26.08	-25.00	-27.96 Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 100M Ch509202 1RB272 BPSK

: NR SA n41 90M Ch528188 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5192.00	-59.07	RMS	33.10	-24.69	0.53	-95.23	27.22	-25.00	-34.07 Vertical
2	7788.00	-54.61	RMS	36.85	-22.16	0.52	-95.23	25.41	-25.00	-29.61 Vertical
3	10384.00	-53.01	RMS	38.66	-22.87	0.40	-95.23	26.03	-25.00	-28.01 Vertical




Ant. 2+1

Part 27M Mode 16

NR CA n41C 100M + 90M Ch509604 1RB272 QPSK + Ch528588 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 100M Ch509604 1RB272 BPSK

: NR SA n41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5196.00	-58.96	RMS	33.10	-24.68	0.53	-95.23	27.32	-25.00	-33.96 Horizontal
2	7794.00	-54.79	RMS	36.88	-22.17	0.53	-95.23	25.20	-25.00	-29.79 Horizontal
3	10392.00	-53.31	RMS	38.63	-22.87	0.40	-95.23	25.76	-25.00	-28.31 Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 100M Ch509604 1RB272 BPSK

: NR SA n41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5196.00	-59.02	RMS	33.10	-24.68	0.53	-95.23	27.26	-25.00	-34.02 Vertical
2	7794.00	-54.75	RMS	36.88	-22.17	0.53	-95.23	25.24	-25.00	-29.75 Vertical
3	10392.00	-53.23	RMS	38.63	-22.87	0.40	-95.23	25.84	-25.00	-28.23 Vertical




Ant. 2+1

Part 27M Mode 16

NR CA n41C 100M + 90M Ch510012 1RB272 QPSK + Ch528996 1RB0 QPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 100M Ch510012 1RB272 BPSK

: NR SA n41 90M Ch528996 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			dB	dB	dB	dB	dBm	dB	
1	5200.00	-59.31	RMS	33.10	-24.68	0.53	-95.23	26.97	-25.00	-34.31	Horizontal
2	7800.00	-54.80	RMS	36.90	-22.19	0.53	-95.23	25.19	-25.00	-29.80	Horizontal
3	10400.00	-52.79	RMS	38.60	-22.86	0.40	-95.23	26.30	-25.00	-27.79	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 100M Ch510012 1RB272 BPSK

: NR SA n41 90M Ch528996 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			dB	dB	dB	dB	dBm	dB	
1	5200.00	-59.12	RMS	33.10	-24.68	0.53	-95.23	27.16	-25.00	-34.12	Vertical
2	7800.00	-54.67	RMS	36.90	-22.19	0.53	-95.23	25.32	-25.00	-29.67	Vertical
3	10400.00	-53.11	RMS	38.60	-22.86	0.40	-95.23	25.98	-25.00	-28.11	Vertical




Ant. 0+5

Part 27M Mode 15

NR SA n41 HPUE 20M Ch501204 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

NR SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	4994.00	-59.26	RMS		33.26	-24.92	0.62	-95.23	27.01	-25.00	-34.26		Horizontal
2	7492.00	-47.63	RMS		36.42	-21.95	0.40	-95.23	32.73	-25.00	-22.63		Horizontal
3	9989.00	-54.40	RMS		38.36	-22.94	0.40	-95.23	25.01	-25.00	-29.40		Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

NR SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	4994.00	-59.18	RMS		33.26	-24.92	0.62	-95.23	27.09	-25.00	-34.18		Vertical
2	7492.00	-47.83	RMS		36.42	-21.95	0.40	-95.23	32.53	-25.00	-22.83		Vertical
3	9989.00	-54.39	RMS		38.36	-22.94	0.40	-95.23	25.02	-25.00	-29.39		Vertical




Ant. 0+5

Part 27M Mode 15

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	5168.00	-59.57	RMS		33.10	-24.72	0.54	-95.23	26.74	-25.00	-34.57		Horizontal
2	7753.00	-48.36	RMS		36.71	-22.07	0.49	-95.23	31.74	-25.00	-23.36		Horizontal
3	10337.00	-53.33	RMS		38.77	-22.88	0.40	-95.23	25.61	-25.00	-28.33		Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	5168.00	-59.48	RMS		33.10	-24.72	0.54	-95.23	26.83	-25.00	-34.48		Vertical
2	7753.00	-47.00	RMS		36.71	-22.07	0.49	-95.23	33.10	-25.00	-22.00		Vertical
3	10337.00	-53.56	RMS		38.77	-22.88	0.40	-95.23	25.38	-25.00	-28.56		Vertical




Ant. 0+5

Part 27M Mode 15

NR SA n41 HPUE 20M Ch535998 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

NR SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	5342.00	-60.10	RMS		32.88	-24.62	0.49	-95.23	26.38	-25.00	-35.10		Horizontal
2	8013.00	-54.67	RMS		37.20	-22.48	0.53	-95.23	25.31	-25.00	-29.67		Horizontal
3	10685.00	-53.50	RMS		39.13	-22.82	0.39	-95.23	25.03	-25.00	-28.50		Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

NR SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	5342.00	-60.48	RMS		32.88	-24.62	0.49	-95.23	26.00	-25.00	-35.48		Vertical
2	8013.00	-54.65	RMS		37.20	-22.48	0.53	-95.23	25.33	-25.00	-29.65		Vertical
3	10685.00	-53.15	RMS		39.13	-22.82	0.39	-95.23	25.38	-25.00	-28.15		Vertical




Ant. 0+5

Part 27M Mode 17

NR CA n41C 100M + 90M Ch509202 1RB272 QPSK + Ch528188 1RB0 QPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 100M Ch509202 1RB272 BPSK

: NR SA n41 90M Ch528188 1RB0 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	1		g	dBm		
1	5192.00	-59.29	RMS	33.10	-24.69	0.53	-95.23	27.00	-25.00	-34.29 Horizontal
2	7788.00	-54.88	RMS	36.85	-22.16	0.52	-95.23	25.14	-25.00	-29.88 Horizontal
3	10384.00	-52.91	RMS	38.66	-22.87	0.40	-95.23	26.13	-25.00	-27.91 Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 100M Ch509202 1RB272 BPSK

: NR SA n41 90M Ch528188 1RB0 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	1		g	dBm		
1	5192.00	-59.12	RMS	33.10	-24.69	0.53	-95.23	27.17	-25.00	-34.12 Vertical
2	7788.00	-54.80	RMS	36.85	-22.16	0.52	-95.23	25.22	-25.00	-29.80 Vertical
3	10384.00	-53.16	RMS	38.66	-22.87	0.40	-95.23	25.88	-25.00	-28.16 Vertical




Ant. 0+5

Part 27M Mode 17

NR CA n41C 100M + 90M Ch509604 1RB272 QPSK + Ch528588 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 100M Ch509604 1RB272 BPSK

: NR SA n41 90M Ch528588 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dB		dBuV	dBm	dB	
1	5196.00	-59.32	RMS	33.10	-24.68	0.53	-95.23	26.96	-25.00	-34.32	Horizontal			
2	7794.00	-55.00	RMS	36.88	-22.17	0.53	-95.23	24.99	-25.00	-30.00	Horizontal			
3	10392.00	-53.16	RMS	38.63	-22.87	0.40	-95.23	25.91	-25.00	-28.16	Horizontal			



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 100M Ch509604 1RB272 BPSK

: NR SA n41 90M Ch528588 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dB		dBuV	dBm	dB	
1	5196.00	-59.60	RMS	33.10	-24.68	0.53	-95.23	26.68	-25.00	-34.60	Vertical			
2	7794.00	-54.18	RMS	36.88	-22.17	0.53	-95.23	25.81	-25.00	-29.18	Vertical			
3	10392.00	-53.54	RMS	38.63	-22.87	0.40	-95.23	25.53	-25.00	-28.54	Vertical			




Ant. 0+5

Part 27M Mode 17

NR CA n41C 100M + 90M Ch510012 1RB272 QPSK + Ch528996 1RB0 QPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 100M Ch510012 1RB272 BPSK

: NR SA n41 90M Ch528996 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm									
1	5200.00	-59.50	RMS	33.10	-24.68	0.53	-95.23	26.78	-25.00	-34.50	Horizontal
2	7800.00	-55.21	RMS	36.90	-22.19	0.53	-95.23	24.78	-25.00	-30.21	Horizontal
3	10400.00	-53.16	RMS	38.60	-22.86	0.40	-95.23	25.93	-25.00	-28.16	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 100M Ch510012 1RB272 BPSK

: NR SA n41 90M Ch528996 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm									
1	5200.00	-59.60	RMS	33.10	-24.68	0.53	-95.23	26.68	-25.00	-34.60	Vertical
2	7800.00	-55.02	RMS	36.90	-22.19	0.53	-95.23	24.97	-25.00	-30.02	Vertical
3	10400.00	-53.55	RMS	38.60	-22.86	0.40	-95.23	25.54	-25.00	-28.55	Vertical




Ant. 6

Part 27Q Mode 1

NR SA n77 HPUE 20M Ch630668 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch630668 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-52.78	RMS	35.90	-22.99	1.17	-95.23	28.37	-13.00	-39.78	Horizontal			
2	10354.00	-36.65	RMS	38.78	-22.87	0.46	-95.23	42.21	-13.00	-23.65	Horizontal			
3	13805.00	-51.52	RMS	39.70	-22.11	0.58	-95.23	25.54	-13.00	-38.52	Horizontal			



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch630668 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-50.19	RMS	35.90	-22.99	1.17	-95.23	30.96	-13.00	-37.19	Vertical			
2	10354.00	-37.12	RMS	38.78	-22.87	0.46	-95.23	41.74	-13.00	-24.12	Vertical			
3	13805.00	-51.28	RMS	39.70	-22.11	0.58	-95.23	25.78	-13.00	-38.28	Vertical			




Ant. 6

Part 27Q Mode 1

NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-51.02	RMS	35.90	-22.93	1.17	-95.23	30.07	-13.00	-38.02	Horizontal	
2	10474.00	-31.95	RMS	38.70	-22.85	0.46	-95.23	46.97	-13.00	-18.95	Horizontal	
3	13965.00	-51.03	RMS	40.03	-22.21	0.60	-95.23	25.78	-13.00	-38.03	Horizontal	



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-46.87	RMS	35.90	-22.93	1.17	-95.23	34.22	-13.00	-33.87	Vertical	
2	10474.00	-33.66	RMS	38.70	-22.85	0.46	-95.23	45.26	-13.00	-20.66	Vertical	
3	13965.00	-51.27	RMS	40.03	-22.21	0.60	-95.23	25.54	-13.00	-38.27	Vertical	




Ant. 6

Part 27Q Mode 1

NR SA n77 HPUE 20M Ch636000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch636000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7063.00	-49.88	RMS	36.18	-22.91	1.13	-95.23	30.95	-13.00	-36.88	Horizontal			
2	10594.00	-33.25	RMS	39.06	-22.83	0.45	-95.23	45.30	-13.00	-20.25	Horizontal			
3	14125.00	-50.93	RMS	40.30	-22.25	0.58	-95.23	25.67	-13.00	-37.93	Horizontal			



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch636000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7063.00	-43.44	RMS	36.18	-22.91	1.13	-95.23	37.39	-13.00	-30.44	Vertical			
2	10594.00	-31.35	RMS	39.06	-22.83	0.45	-95.23	47.20	-13.00	-18.35	Vertical			
3	14125.00	-50.13	RMS	40.30	-22.25	0.58	-95.23	26.47	-13.00	-37.13	Vertical			




Ant. 7

Part 27Q Mode 2

NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm										
1	6983.00	-50.81	RMS	35.90	-22.93	1.17	-95.23	30.28	-13.00	-37.81		Horizontal
2	10474.00	-33.94	RMS	38.70	-22.85	0.46	-95.23	44.98	-13.00	-20.94		Horizontal
3	13965.00	-50.94	RMS	40.03	-22.21	0.60	-95.23	25.87	-13.00	-37.94		Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm										
1	6983.00	-46.44	RMS	35.90	-22.93	1.17	-95.23	34.65	-13.00	-33.44		Vertical
2	10474.00	-33.52	RMS	38.70	-22.85	0.46	-95.23	45.40	-13.00	-20.52		Vertical
3	13965.00	-51.22	RMS	40.03	-22.21	0.60	-95.23	25.59	-13.00	-38.22		Vertical




Ant. 1

Part 27Q Mode 3

NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6983.00	-51.07	RMS	35.90	-22.93	1.17	-95.23	30.02	-13.00	-38.07	Horizontal			
2	10474.00	-35.69	RMS	38.70	-22.85	0.46	-95.23	43.23	-13.00	-22.69	Horizontal			
3	13965.00	-51.38	RMS	40.03	-22.21	0.60	-95.23	25.43	-13.00	-38.38	Horizontal			



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6983.00	-44.64	RMS	35.90	-22.93	1.17	-95.23	36.45	-13.00	-31.64	Vertical			
2	10474.00	-33.06	RMS	38.70	-22.85	0.46	-95.23	45.86	-13.00	-20.06	Vertical			
3	13965.00	-50.84	RMS	40.03	-22.21	0.60	-95.23	25.97	-13.00	-37.84	Vertical			




Ant. 5

Part 27Q Mode 4

NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6983.00	-52.13	RMS	35.90	-22.93	1.17	-95.23	28.96	-13.00	-39.13	Horizontal			
2	10474.00	-43.62	RMS	38.70	-22.85	0.46	-95.23	35.30	-13.00	-30.62	Horizontal			
3	13965.00	-51.27	RMS	40.03	-22.21	0.60	-95.23	25.54	-13.00	-38.27	Horizontal			



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6983.00	-50.13	RMS	35.90	-22.93	1.17	-95.23	30.96	-13.00	-37.13	Vertical			
2	10474.00	-34.40	RMS	38.70	-22.85	0.46	-95.23	44.52	-13.00	-21.40	Vertical			
3	13965.00	-51.16	RMS	40.03	-22.21	0.60	-95.23	25.65	-13.00	-38.16	Vertical			




Ant. 0+6

Part 27Q Mode 5


EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch633334 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	6982.00	-47.57	RMS	35.90	-22.79	1.17	-95.23	33.38	-13.00	-34.57	Horizontal		
2	10474.00	-44.13	RMS	38.70	-22.85	0.46	-95.23	34.79	-13.00	-31.13	Horizontal		
3	13965.00	-51.85	RMS	40.03	-22.33	0.60	-95.23	25.08	-13.00	-38.85	Horizontal		



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	6982.00	-52.35	RMS	35.90	-22.79	1.17	-95.23	28.60	-13.00	-39.35	Vertical		
2	10474.00	-43.34	RMS	38.70	-22.85	0.46	-95.23	35.58	-13.00	-30.34	Vertical		
3	13965.00	-51.70	RMS	40.03	-22.33	0.60	-95.23	25.23	-13.00	-38.70	Vertical		




Ant. 6+1

Part 27Q Mode 6

NR SA n77 HPUE 20M Ch630668 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch630668 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-55.55	RMS	35.90	-22.85	1.17	-95.23	25.46	-13.00	-42.55	Horizontal	
2	10354.00	-44.19	RMS	38.78	-22.87	0.46	-95.23	34.67	-13.00	-31.19	Horizontal	
3	13805.00	-50.39	RMS	39.70	-22.20	0.58	-95.23	26.76	-13.00	-37.39	Horizontal	



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch630668 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-54.16	RMS	35.90	-22.85	1.17	-95.23	26.85	-13.00	-41.16	Vertical	
2	10354.00	-45.04	RMS	38.78	-22.87	0.46	-95.23	33.82	-13.00	-32.04	Vertical	
3	13805.00	-50.20	RMS	39.70	-22.20	0.58	-95.23	26.95	-13.00	-37.20	Vertical	




Ant. 6+1

Part 27Q Mode 6

NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

NR SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6983.00	-55.24	RMS		35.90	-22.79	1.17	-95.23	25.71	-13.00	-42.24		Horizontal
2	10474.00	-42.39	RMS		38.70	-22.85	0.46	-95.23	36.53	-13.00	-29.39		Horizontal
3	13965.00	-50.50	RMS		40.03	-22.33	0.60	-95.23	26.43	-13.00	-37.50		Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

NR SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6983.00	-53.20	RMS		35.90	-22.79	1.17	-95.23	27.75	-13.00	-40.20		Vertical
2	10474.00	-46.96	RMS		38.70	-22.85	0.46	-95.23	31.96	-13.00	-33.96		Vertical
3	13965.00	-50.24	RMS		40.03	-22.33	0.60	-95.23	26.69	-13.00	-37.24		Vertical




Ant. 6+1

Part 27Q Mode 6

NR SA n77 HPUE 20M Ch636000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7063.00	-52.45	RMS		36.18	-22.74	1.13	-95.23	28.21	-13.00	-39.45		Horizontal
2	10594.00	-42.55	RMS		39.06	-22.83	0.45	-95.23	36.00	-13.00	-29.55		Horizontal
3	14125.00	-49.87	RMS		40.30	-22.35	0.58	-95.23	26.83	-13.00	-36.87		Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7063.00	-51.41	RMS		36.18	-22.74	1.13	-95.23	29.25	-13.00	-38.41		Vertical
2	10594.00	-45.24	RMS		39.06	-22.83	0.45	-95.23	33.31	-13.00	-32.24		Vertical
3	14125.00	-49.94	RMS		40.30	-22.35	0.58	-95.23	26.76	-13.00	-36.94		Vertical




Ant. 7+5

Part 27Q Mode 7

NR SA n77 HPUE 20M Ch630668 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch630668 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit	Margin Pol	
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	6903.00	-54.11	RMS	35.90	-22.85	1.17	-95.23	26.90	-13.00	-41.11	Horizontal
2	10354.00	-46.62	RMS	38.78	-22.87	0.46	-95.23	32.24	-13.00	-33.62	Horizontal
3	13805.00	-50.58	RMS	39.70	-22.20	0.58	-95.23	26.57	-13.00	-37.58	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch630668 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit	Margin Pol	
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	6903.00	-55.32	RMS	35.90	-22.85	1.17	-95.23	25.69	-13.00	-42.32	Vertical
2	10354.00	-50.12	RMS	38.78	-22.87	0.46	-95.23	28.74	-13.00	-37.12	Vertical
3	13805.00	-50.30	RMS	39.70	-22.20	0.58	-95.23	26.85	-13.00	-37.30	Vertical




Ant. 7+5

Part 27Q Mode 7

NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6983.00	-52.01	RMS	35.90	-22.79	1.17	-95.23	28.94	-13.00	-39.01	Horizontal			
2	10474.00	-47.11	RMS	38.70	-22.85	0.46	-95.23	31.81	-13.00	-34.11	Horizontal			
3	13965.00	-50.57	RMS	40.03	-22.33	0.60	-95.23	26.36	-13.00	-37.57	Horizontal			



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6983.00	-54.65	RMS	35.90	-22.79	1.17	-95.23	26.30	-13.00	-41.65	Vertical			
2	10474.00	-48.29	RMS	38.70	-22.85	0.46	-95.23	30.63	-13.00	-35.29	Vertical			
3	13965.00	-49.99	RMS	40.03	-22.33	0.60	-95.23	26.94	-13.00	-36.99	Vertical			




Ant. 7+5

Part 27Q Mode 7

NR SA n77 HPUE 20M Ch636000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB			dB	dBuV	dBm	dB	
1	7063.00	-53.62	RMS	36.18	-22.74	1.13	-95.23	27.04	-13.00	-40.62	Horizontal		
2	10594.00	-46.57	RMS	39.06	-22.83	0.45	-95.23	31.98	-13.00	-33.57	Horizontal		
3	14125.00	-49.48	RMS	40.30	-22.35	0.58	-95.23	27.22	-13.00	-36.48	Horizontal		



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB			dB	dBuV	dBm	dB	
1	7063.00	-51.60	RMS	36.18	-22.74	1.13	-95.23	29.06	-13.00	-38.60	Vertical		
2	10594.00	-48.25	RMS	39.06	-22.83	0.45	-95.23	30.30	-13.00	-35.25	Vertical		
3	14125.00	-49.88	RMS	40.30	-22.35	0.58	-95.23	26.82	-13.00	-36.88	Vertical		




Ant. 6

Part 270 Mode 1


NR SA n77 HPUE 20M Ch647334 1RB1 BPSK

L



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
NR SA n77 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7403.00	-48.91 RMS	36.41	-22.85	0.77	-95.23	31.99	-13.00	-35.91	Horizontal
2	11104.00	-36.85 RMS	38.90	-22.81	0.42	-95.23	41.87	-13.00	-23.85	Horizontal
3	14805.00	-51.00 RMS	39.88	-22.47	0.45	-95.23	26.37	-13.00	-38.00	Horizontal
4	18506.00	-54.58 RMS	38.10	-38.48	-9.54	-95.23	50.57	-13.00	-41.58	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
NR SA n77 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7403.00	-46.89 RMS	36.41	-22.85	0.77	-95.23	34.01	-13.00	-33.89	Vertical
2	11104.00	-37.29 RMS	38.90	-22.81	0.42	-95.23	41.43	-13.00	-24.29	Vertical
3	14805.00	-51.66 RMS	39.88	-22.47	0.45	-95.23	25.71	-13.00	-38.66	Vertical
4	18506.00	-55.08 RMS	38.10	-38.48	-9.54	-95.23	50.07	-13.00	-42.08	Vertical




Ant. 6

Part 270 Mode 1

NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7663.00	-49.43 RMS	36.45	-22.88	0.83	-95.23	31.40	-13.00	-36.43	Horizontal
2	11494.00	-37.64 RMS	39.19	-22.98	0.41	-95.23	40.97	-13.00	-24.64	Horizontal
3	15325.00	-52.70 RMS	38.55	-22.26	0.35	-95.23	25.89	-13.00	-39.70	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7663.00	-51.11 RMS	36.45	-22.88	0.83	-95.23	29.72	-13.00	-38.11	Vertical
2	11494.00	-38.99 RMS	39.19	-22.98	0.41	-95.23	39.62	-13.00	-25.99	Vertical
3	15325.00	-52.29 RMS	38.55	-22.26	0.35	-95.23	26.30	-13.00	-39.29	Vertical




Ant. 6

Part 270 Mode 1

NR SA n77 HPUE 20M Ch664666 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

NR SA n77 20M Ch664666 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7922.00	-44.67	RMS	37.14	-22.77	0.75	-95.23	35.44	-13.00	-31.67	Horizontal			
2	11883.00	-38.23	RMS	38.87	-23.13	0.39	-95.23	40.87	-13.00	-25.23	Horizontal			
3	15845.00	-53.22	RMS	38.00	-21.39	0.26	-95.23	25.14	-13.00	-40.22	Horizontal			



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

NR SA n77 20M Ch664666 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7922.00	-40.41	RMS	37.14	-22.77	0.75	-95.23	39.70	-13.00	-27.41	Vertical			
2	11883.00	-34.52	RMS	38.87	-23.13	0.39	-95.23	44.58	-13.00	-21.52	Vertical			
3	15845.00	-53.14	RMS	38.00	-21.39	0.26	-95.23	25.22	-13.00	-40.14	Vertical			




Ant. 6

Part 270 Mode 6


NR CA n77C 100M + 90M Ch650000 1RB272 BPSK + Ch656328 1RB0 BPSK

L



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 100M Ch650000 1RB272 BPSK
: NR SA n77 90M Ch656328 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7600.00	-49.14	RMS	36.30	-22.88	0.87	-95.23	31.80	-13.00	-36.14	Horizontal		
2	11400.00	-45.84	RMS	39.20	-22.94	0.41	-95.23	32.72	-13.00	-32.84	Horizontal		
3	15200.00	-51.92	RMS	39.10	-22.38	0.38	-95.23	26.21	-13.00	-38.92	Horizontal		



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 100M Ch650000 1RB272 BPSK
: NR SA n77 90M Ch656328 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7600.00	-50.31	RMS	36.30	-22.88	0.87	-95.23	30.63	-13.00	-37.31	Vertical		
2	11400.00	-44.38	RMS	39.20	-22.94	0.41	-95.23	34.18	-13.00	-31.38	Vertical		
3	15200.00	-52.27	RMS	39.10	-22.38	0.38	-95.23	25.86	-13.00	-39.27	Vertical		




Ant. 6

Part 270 Mode 6

NR CA n77C 100M + 90M Ch653002 1RB272 BPSK + Ch659330 1RB0 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 100M Ch653002 1RB272 BPSK

: NR SA n77 90M Ch659330 1RB0 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7690.00	-48.07 RMS	36.56	-22.88	0.81	-95.23	32.67	-13.00	-35.07	Horizontal
2	11535.00	-43.34 RMS	39.06	-23.00	0.40	-95.23	35.43	-13.00	-30.34	Horizontal
3	15380.00	-52.83 RMS	38.68	-22.21	0.34	-95.23	25.59	-13.00	-39.83	Horizontal
4	19225.00	-62.92 RMS	38.10	-37.84	-9.54	-95.23	41.59	-13.00	-49.92	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 100M Ch653002 1RB272 BPSK

: NR SA n77 90M Ch659330 1RB0 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7690.00	-50.95 RMS	36.56	-22.88	0.81	-95.23	29.79	-13.00	-37.95	Vertical
2	11535.00	-44.80 RMS	39.06	-23.00	0.40	-95.23	33.97	-13.00	-31.80	Vertical
3	15380.00	-52.83 RMS	38.68	-22.21	0.34	-95.23	25.59	-13.00	-39.83	Vertical
4	19224.00	-63.15 RMS	38.10	-37.85	-9.54	-95.23	41.37	-13.00	-50.15	Vertical




Ant. 6

Part 270 Mode 6

NR CA n77C 100M + 90M Ch656004 1RB272 BPSK + Ch662332 1RB0 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 100M Ch656004 1RB272 BPSK

: NR SA n77 90M Ch662332 1RB0 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7780.00	-47.10 RMS	36.82	-22.88	0.75	-95.23	33.44	-13.00	-34.10	Horizontal
2	11670.00	-46.21 RMS	38.78	-23.05	0.40	-95.23	32.89	-13.00	-33.21	Horizontal
3	15560.00	-52.90 RMS	38.38	-21.97	0.31	-95.23	25.61	-13.00	-39.90	Horizontal
4	19450.00	-64.05 RMS	38.00	-37.42	-9.54	-95.23	40.14	-13.00	-51.05	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 100M Ch656004 1RB272 BPSK

: NR SA n77 90M Ch662332 1RB0 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7780.00	-50.68 RMS	36.82	-22.88	0.75	-95.23	29.86	-13.00	-37.68	Vertical
2	11670.00	-46.08 RMS	38.78	-23.05	0.40	-95.23	33.02	-13.00	-33.08	Vertical
3	15560.00	-52.65 RMS	38.38	-21.97	0.31	-95.23	25.86	-13.00	-39.65	Vertical
4	19450.00	-63.14 RMS	38.00	-37.42	-9.54	-95.23	41.05	-13.00	-50.14	Vertical




Ant. 7

Part 270 Mode 2

NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7663.00	-49.43	RMS	36.45	-22.88	0.83	-95.23	31.40	-13.00	-36.43	Horizontal			
2	11494.00	-37.45	RMS	39.19	-22.98	0.41	-95.23	41.16	-13.00	-24.45	Horizontal			
3	15325.00	-52.45	RMS	38.55	-22.26	0.35	-95.23	26.14	-13.00	-39.45	Horizontal			



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7663.00	-51.29	RMS	36.45	-22.88	0.83	-95.23	29.54	-13.00	-38.29	Vertical			
2	11494.00	-36.82	RMS	39.19	-22.98	0.41	-95.23	41.79	-13.00	-23.82	Vertical			
3	15325.00	-52.73	RMS	38.55	-22.26	0.35	-95.23	25.86	-13.00	-39.73	Vertical			




Ant. 7

Part 270 Mode 7


NR CA n77C 100M + 90M Ch653002 1RB272 BPSK + Ch659330 1RB0 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 100M Ch653002 1RB272 BPSK
: NR SA n77 90M Ch659330 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dB		dBuV	dBm	dB	
1	7690.00	-52.45	RMS		36.56	-22.88	0.81	-95.23		28.29	-13.00	-39.45	Horizontal	
2	11535.00	-50.53	RMS		39.06	-23.00	0.40	-95.23		28.24	-13.00	-37.53	Horizontal	
3	15380.00	-52.87	RMS		38.68	-22.21	0.34	-95.23		25.55	-13.00	-39.87	Horizontal	



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 100M Ch653002 1RB272 BPSK
: NR SA n77 90M Ch659330 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dB		dBuV	dBm	dB	
1	7690.00	-49.53	RMS		36.56	-22.88	0.81	-95.23		31.21	-13.00	-36.53	Vertical	
2	11535.00	-46.77	RMS		39.06	-23.00	0.40	-95.23		32.00	-13.00	-33.77	Vertical	
3	15380.00	-52.71	RMS		38.68	-22.21	0.34	-95.23		25.71	-13.00	-39.71	Vertical	




Ant. 1

Part 270 Mode 3

NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

NR SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dB		dBuV	dBm	dB	
1	7663.00	-49.78	RMS		36.45	-22.88	0.83	-95.23		31.05	-13.00	-36.78		Horizontal
2	11494.00	-39.53	RMS		39.19	-22.98	0.41	-95.23		39.08	-13.00	-26.53		Horizontal
3	15325.00	-52.44	RMS		38.55	-22.26	0.35	-95.23		26.15	-13.00	-39.44		Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

NR SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dB		dBuV	dBm	dB	
1	7663.00	-44.71	RMS		36.45	-22.88	0.83	-95.23		36.12	-13.00	-31.71		Vertical
2	11494.00	-38.93	RMS		39.19	-22.98	0.41	-95.23		39.68	-13.00	-25.93		Vertical
3	15325.00	-52.62	RMS		38.55	-22.26	0.35	-95.23		25.97	-13.00	-39.62		Vertical




Ant. 1

Part 270 Mode 8

NR CA n77C 100M + 90M Ch653002 1RB272 BPSK + Ch659330 1RB0 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 100M Ch653002 1RB272 BPSK

: NR SA n77 90M Ch659330 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	7690.00	-52.36	RMS	36.56	-22.88	0.81	-95.23	28.38	-13.00	-39.36	Horizontal		
2	11535.00	-53.21	RMS	39.06	-23.00	0.40	-95.23	25.56	-13.00	-40.21	Horizontal		
3	15380.00	-52.92	RMS	38.68	-22.21	0.34	-95.23	25.50	-13.00	-39.92	Horizontal		



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 100M Ch653002 1RB272 BPSK

: NR SA n77 90M Ch659330 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	7690.00	-55.43	RMS	36.56	-22.88	0.81	-95.23	25.31	-13.00	-42.43	Vertical		
2	11535.00	-53.20	RMS	39.06	-23.00	0.40	-95.23	25.57	-13.00	-40.20	Vertical		
3	15380.00	-52.91	RMS	38.68	-22.21	0.34	-95.23	25.51	-13.00	-39.91	Vertical		




Ant. 5

Part 270 Mode 4

NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

NR SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7663.00	-52.04	RMS	36.45	-22.88	0.83	-95.23	28.79	-13.00	-39.04	Horizontal			
2	11494.00	-47.83	RMS	39.19	-22.98	0.41	-95.23	30.78	-13.00	-34.83	Horizontal			
3	15325.00	-52.52	RMS	38.55	-22.26	0.35	-95.23	26.07	-13.00	-39.52	Horizontal			



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

NR SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7663.00	-48.12	RMS	36.45	-22.88	0.83	-95.23	32.71	-13.00	-35.12	Vertical			
2	11494.00	-39.03	RMS	39.19	-22.98	0.41	-95.23	39.58	-13.00	-26.03	Vertical			
3	15325.00	-52.79	RMS	38.55	-22.26	0.35	-95.23	25.80	-13.00	-39.79	Vertical			




Ant. 5

Part 270 Mode 9

NR CA n77C 100M + 90M Ch653002 1RB272 BPSK + Ch659330 1RB0 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 100M Ch653002 1RB272 BPSK

: NR SA n77 90M Ch659330 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	7690.00	-54.90	RMS		36.56	-22.88	0.81	-95.23		25.84	-13.00	-41.90	Horizontal
2	11535.00	-37.34	RMS		39.06	-23.00	0.40	-95.23		41.43	-13.00	-24.34	Horizontal
3	15380.00	-52.87	RMS		38.68	-22.21	0.34	-95.23		25.55	-13.00	-39.87	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 100M Ch653002 1RB272 BPSK

: NR SA n77 90M Ch659330 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	7690.00	-54.77	RMS		36.56	-22.88	0.81	-95.23		25.97	-13.00	-41.77	Vertical
2	11535.00	-42.96	RMS		39.06	-23.00	0.40	-95.23		35.81	-13.00	-29.96	Vertical
3	15380.00	-52.47	RMS		38.68	-22.21	0.34	-95.23		25.95	-13.00	-39.47	Vertical




Ant. 0+6

Part 270 Mode 5


EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch656000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch656000 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	7662.00	-47.22	RMS	36.45	-21.83	0.83	-95.23		32.56	-13.00	-34.22		Horizontal
2	11493.00	-46.57	RMS	39.19	-22.95	0.41	-95.23		32.01	-13.00	-33.57		Horizontal
3	15325.00	-53.17	RMS	38.55	-22.13	0.35	-95.23		25.29	-13.00	-40.17		Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch656000 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	7662.00	-45.91	RMS	36.45	-21.83	0.83	-95.23		33.87	-13.00	-32.91		Vertical
2	11493.00	-47.22	RMS	39.19	-22.95	0.41	-95.23		31.36	-13.00	-34.22		Vertical
3	15325.00	-53.52	RMS	38.55	-22.13	0.35	-95.23		24.94	-13.00	-40.52		Vertical




Ant. 6+1

Part 270 Mode 10

NR SA n77 HPUE 20M Ch647334 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

NR SA n77 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7403.00	-50.37 RMS	36.41	-22.16	0.77	-95.23	29.84	-13.00	-37.37	Horizontal
2	11104.00	-41.84 RMS	38.90	-22.81	0.42	-95.23	36.88	-13.00	-28.84	Horizontal
3	14805.00	-50.72 RMS	39.88	-22.39	0.45	-95.23	26.57	-13.00	-37.72	Horizontal
4	18506.00	-64.57 RMS	38.10	-38.48	-9.54	-95.23	40.58	-13.00	-51.57	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

NR SA n77 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7403.00	-45.70 RMS	36.41	-22.16	0.77	-95.23	34.51	-13.00	-32.70	Vertical
2	11104.00	-42.36 RMS	38.90	-22.81	0.42	-95.23	36.36	-13.00	-29.36	Vertical
3	14805.00	-50.56 RMS	39.88	-22.39	0.45	-95.23	26.73	-13.00	-37.56	Vertical
4	18506.00	-61.85 RMS	38.10	-38.48	-9.54	-95.23	43.30	-13.00	-48.85	Vertical




Ant. 6+1

Part 270 Mode 10

NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

NR SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7663.00	-48.99	RMS		36.45	-21.84	0.83	-95.23	30.80	-13.00	-35.99		Horizontal
2	11494.00	-47.95	RMS		39.19	-22.95	0.41	-95.23	30.63	-13.00	-34.95		Horizontal
3	15325.00	-51.77	RMS		38.55	-22.13	0.35	-95.23	26.69	-13.00	-38.77		Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

NR SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7663.00	-47.55	RMS		36.45	-21.84	0.83	-95.23	32.24	-13.00	-34.55		Vertical
2	11494.00	-45.36	RMS		39.19	-22.95	0.41	-95.23	33.22	-13.00	-32.36		Vertical
3	15325.00	-51.79	RMS		38.55	-22.13	0.35	-95.23	26.67	-13.00	-38.79		Vertical




Ant. 6+1

Part 270 Mode 10

NR SA n77 HPUE 20M Ch664666 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

NR SA n77 20M Ch664666 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7922.00	-47.80	RMS	37.14	-22.35	0.75	-95.23	31.89	-13.00	-34.80	Horizontal			
2	11883.00	-43.39	RMS	38.87	-23.07	0.39	-95.23	35.65	-13.00	-30.39	Horizontal			
3	15845.00	-51.88	RMS	38.00	-21.26	0.26	-95.23	26.35	-13.00	-38.88	Horizontal			



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

NR SA n77 20M Ch664666 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7922.00	-43.44	RMS	37.14	-22.35	0.75	-95.23	36.25	-13.00	-30.44	Vertical			
2	11883.00	-38.85	RMS	38.87	-23.07	0.39	-95.23	40.19	-13.00	-25.85	Vertical			
3	15845.00	-52.04	RMS	38.00	-21.26	0.26	-95.23	26.19	-13.00	-39.04	Vertical			




Ant. 6+1

Part 270 Mode 12

LTE CA n77C 100M + 90M Ch650000 1RB272 QPSK + Ch656328 1RB0 QPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 100M Ch650000 1RB272 BPSK

: NR SA n77 90M Ch656328 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dB		dBuV	dBm	dB	
1	7600.00	-51.99	RMS	36.30	-21.68	0.87	-95.23	27.75	-13.00	-38.99	Horizontal			
2	11400.00	-52.80	RMS	39.20	-22.91	0.41	-95.23	25.73	-13.00	-39.80	Horizontal			
3	15200.00	-52.03	RMS	39.10	-22.25	0.38	-95.23	25.97	-13.00	-39.03	Horizontal			



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 100M Ch650000 1RB272 BPSK

: NR SA n77 90M Ch656328 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dB		dBuV	dBm	dB	
1	7600.00	-55.01	RMS	36.30	-21.68	0.87	-95.23	24.73	-13.00	-42.01	Vertical			
2	11400.00	-53.12	RMS	39.20	-22.91	0.41	-95.23	25.41	-13.00	-40.12	Vertical			
3	15200.00	-52.04	RMS	39.10	-22.25	0.38	-95.23	25.96	-13.00	-39.04	Vertical			




Ant. 6+1

Part 270 Mode 12


LTE CA n77C 100M + 90M Ch653002 1RB272 QPSK + Ch659330 1RB0 QPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 100M Ch653002 1RB272 BPSK
: NR SA n77 90M Ch659330 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	7690.00	-50.39	RMS	36.56	-21.91	0.81	-95.23		29.38	-13.00	-37.39		Horizontal
2	11535.00	-52.62	RMS	39.06	-22.96	0.40	-95.23		26.11	-13.00	-39.62		Horizontal
3	15380.00	-52.40	RMS	38.68	-22.08	0.34	-95.23		25.89	-13.00	-39.40		Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 100M Ch653002 1RB272 BPSK
: NR SA n77 90M Ch659330 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	7690.00	-54.07	RMS	36.56	-21.91	0.81	-95.23		25.70	-13.00	-41.07		Vertical
2	11535.00	-52.59	RMS	39.06	-22.96	0.40	-95.23		26.14	-13.00	-39.59		Vertical
3	15380.00	-52.35	RMS	38.68	-22.08	0.34	-95.23		25.94	-13.00	-39.35		Vertical




Ant. 6+1

Part 270 Mode 12


LTE CA n77C 100M + 90M Ch656004 1RB272 QPSK + Ch662332 1RB0 QPSK

H



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 100M Ch656004 1RB272 BPSK
: NR SA n77 90M Ch662332 1RB0 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	7780.00	-53.07	RMS	36.82	-22.14	0.75 -95.23	26.73	-13.00	-40.07	Horizontal
2	11670.00	-53.95	RMS	38.78	-23.00	0.40 -95.23	25.10	-13.00	-40.95	Horizontal
3	15560.00	-52.83	RMS	38.38	-21.84	0.31 -95.23	25.55	-13.00	-39.83	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 100M Ch656004 1RB272 BPSK
: NR SA n77 90M Ch662332 1RB0 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	7780.00	-54.57	RMS	36.82	-22.14	0.75 -95.23	25.23	-13.00	-41.57	Vertical
2	11670.00	-53.85	RMS	38.78	-23.00	0.40 -95.23	25.20	-13.00	-40.85	Vertical
3	15560.00	-52.52	RMS	38.38	-21.84	0.31 -95.23	25.86	-13.00	-39.52	Vertical




Ant. 7+5

Part 270 Mode 11

NR SA n77 HPUE 20M Ch647334 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch647334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dBuV	dBm	dB	
1	7403.00	-46.11	RMS	36.41	-22.16	0.77	-95.23	34.10	-13.00	-33.11	Horizontal	
2	11104.00	-41.97	RMS	38.90	-22.81	0.42	-95.23	36.75	-13.00	-28.97	Horizontal	
3	14805.00	-50.64	RMS	39.88	-22.39	0.45	-95.23	26.65	-13.00	-37.64	Horizontal	



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch647334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dBuV	dBm	dB	
1	7403.00	-53.51	RMS	36.41	-22.16	0.77	-95.23	26.70	-13.00	-40.51	Vertical	
2	11104.00	-42.53	RMS	38.90	-22.81	0.42	-95.23	36.19	-13.00	-29.53	Vertical	
3	14805.00	-50.40	RMS	39.88	-22.39	0.45	-95.23	26.89	-13.00	-37.40	Vertical	




Ant. 7+5

Part 270 Mode 11

NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

NR SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7663.00	-46.12	RMS	36.45	-21.84	0.83	-95.23	33.67	-13.00	-33.12	Horizontal			
2	11494.00	-42.42	RMS	39.19	-22.95	0.41	-95.23	36.16	-13.00	-29.42	Horizontal			
3	15325.00	-51.67	RMS	38.55	-22.13	0.35	-95.23	26.79	-13.00	-38.67	Horizontal			



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

NR SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7663.00	-52.17	RMS	36.45	-21.84	0.83	-95.23	27.62	-13.00	-39.17	Vertical			
2	11494.00	-42.67	RMS	39.19	-22.95	0.41	-95.23	35.91	-13.00	-29.67	Vertical			
3	15325.00	-51.76	RMS	38.55	-22.13	0.35	-95.23	26.70	-13.00	-38.76	Vertical			




Ant. 7+5

Part 270 Mode 11

NR SA n77 HPUE 20M Ch664666 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

NR SA n77 20M Ch664666 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7922.00	-44.39	RMS	37.14	-22.35	0.75	-95.23	35.30	-13.00	-31.39	Horizontal			
2	11883.00	-41.05	RMS	38.87	-23.07	0.39	-95.23	37.99	-13.00	-28.05	Horizontal			
3	15845.00	-51.89	RMS	38.00	-21.26	0.26	-95.23	26.34	-13.00	-38.89	Horizontal			



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

NR SA n77 20M Ch664666 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7922.00	-49.04	RMS	37.14	-22.35	0.75	-95.23	30.65	-13.00	-36.04	Vertical			
2	11883.00	-42.74	RMS	38.87	-23.07	0.39	-95.23	36.30	-13.00	-29.74	Vertical			
3	15845.00	-51.94	RMS	38.00	-21.26	0.26	-95.23	26.29	-13.00	-38.94	Vertical			




Ant. 7+5

Part 270 Mode 13

NR CA n77C 100M + 90M Ch650000 1RB272 QPSK + Ch656328 1RB0 QPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 100M Ch650000 1RB272 BPSK

: NR SA n77 90M Ch656328 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	7600.00	-52.92	RMS	36.30	-21.68	0.87	-95.23	26.82	-13.00	-39.92	Horizontal		
2	11400.00	-53.10	RMS	39.20	-22.91	0.41	-95.23	25.43	-13.00	-40.10	Horizontal		
3	15200.00	-51.80	RMS	39.10	-22.25	0.38	-95.23	26.20	-13.00	-38.80	Horizontal		



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 100M Ch650000 1RB272 BPSK

: NR SA n77 90M Ch656328 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	7600.00	-54.60	RMS	36.30	-21.68	0.87	-95.23	25.14	-13.00	-41.60	Vertical		
2	11400.00	-53.09	RMS	39.20	-22.91	0.41	-95.23	25.44	-13.00	-40.09	Vertical		
3	15200.00	-51.73	RMS	39.10	-22.25	0.38	-95.23	26.27	-13.00	-38.73	Vertical		




Ant. 7+5

Part 270 Mode 13


NR CA n77C 100M + 90M Ch653002 1RB272 QPSK + Ch659330 1RB0 QPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 100M Ch653002 1RB272 BPSK
: NR SA n77 90M Ch659330 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7690.00	-51.48	RMS		36.56	-21.91	0.81	-95.23	28.29	-13.00	-38.48	Horizontal	
2	11535.00	-53.03	RMS		39.06	-22.96	0.40	-95.23	25.70	-13.00	-40.03	Horizontal	
3	15380.00	-52.62	RMS		38.68	-22.08	0.34	-95.23	25.67	-13.00	-39.62	Horizontal	



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 100M Ch653002 1RB272 BPSK
: NR SA n77 90M Ch659330 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7690.00	-54.69	RMS		36.56	-21.91	0.81	-95.23	25.08	-13.00	-41.69	Vertical	
2	11535.00	-52.67	RMS		39.06	-22.96	0.40	-95.23	26.06	-13.00	-39.67	Vertical	
3	15380.00	-52.55	RMS		38.68	-22.08	0.34	-95.23	25.74	-13.00	-39.55	Vertical	




Ant. 7+5

Part 270 Mode 13

NR CA n77C 100M + 90M Ch656004 1RB272 QPSK + Ch662332 1RB0 QPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 100M Ch656004 1RB272 BPSK

: NR SA n77 90M Ch662332 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin Pol	
	MHz	dBm			dB/m	dB		dB	dB			dB	
1	7780.00	-52.34	RMS	36.82	-22.14	0.75	-95.23	27.46	-13.00	-39.34	Horizontal		
2	11670.00	-53.12	RMS	38.78	-23.00	0.40	-95.23	25.93	-13.00	-40.12	Horizontal		
3	15560.00	-52.64	RMS	38.38	-21.84	0.31	-95.23	25.74	-13.00	-39.64	Horizontal		



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 100M Ch656004 1RB272 BPSK

: NR SA n77 90M Ch662332 1RB0 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin Pol	
	MHz	dBm			dB/m	dB		dB	dB			dB	
1	7780.00	-54.36	RMS	36.82	-22.14	0.75	-95.23	25.44	-13.00	-41.36	Vertical		
2	11670.00	-53.77	RMS	38.78	-23.00	0.40	-95.23	25.28	-13.00	-40.77	Vertical		
3	15560.00	-52.78	RMS	38.38	-21.84	0.31	-95.23	25.60	-13.00	-39.78	Vertical		