





LTE Band 26 / 15MHz / QPSK

Middle Channel / Full RB




LTE Band 26 / 15MHz / 16QAM

Middle Channel / Full RB




LTE Band 26 / 15MHz / 64QAM

Middle Channel / Full RB



LTE Band 26 / 15MHz / 256QAM


Middle Channel / Full RB





LTE Band 26 / 1.4MHz / QPSK


Middle Channel / Full RB



Date: 26.MAY.2026 16:38:03

LTE Band 26 / 1.4MHz / 16QAM


Middle Channel / Full RB



Date: 26.MAY.2026 16:37:28

LTE Band 26 / 3MHz / QPSK


Middle Channel / Full RB



Date: 26.MAY.2026 16:39:20

LTE Band 26 / 3MHz / 16QAM

Middle Channel / Full RB




Date: 26.MAY.2026 16:38:42



LTE Band 26 / 5MHz / QPSK

Middle Channel / Full RB




LTE Band 26 / 5MHz / 16QAM

Middle Channel / Full RB




LTE Band 26 / 10MHz / QPSK

Middle Channel / Full RB




LTE Band 26 / 10MHz / 16QAM

Middle Channel / Full RB



**26dB Bandwidth**


Mode	LTE Band 26 : 26dB BW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	1.33	1.37	2.99	3.04	4.93	4.92	9.80	9.82	14.40	14.46	-	-






LTE Band 26


Middle Channel / 5MHz / QPSK




Middle Channel / 5MHz / 16QAM




Middle Channel / 10MHz / QPSK




Middle Channel / 10MHz / 16QAM



Middle Channel / 15MHz / QPSK




Middle Channel / 15MHz / 16QAM





Occupied Bandwidth


Mode	LTE Band 26 : 99%OBW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	1.09	1.09	2.70	2.71	4.47	4.48	9.12	9.01	13.42	13.47	-	-






LTE Band 26


Middle Channel / 5MHz / QPSK




Middle Channel / 5MHz / 16QAM




Middle Channel / 10MHz / QPSK




Middle Channel / 10MHz / 16QAM



Middle Channel / 15MHz / QPSK



Middle Channel / 15MHz / 16QAM






Conducted Spurious Emission

LTE Band 26 / 1.4MHz


Middle Channel / QPSK



Date: 21.NOV.2025 02:07:12

LTE Band 26 / 3MHz


Middle Channel / QPSK



Date: 21.NOV.2025 02:09:03

LTE Band 26 / 5MHz


Middle Channel / QPSK



Date: 21.NOV.2025 02:10:51

LTE Band 26 / 10MHz

Middle Channel / QPSK



Date: 21.NOV.2025 02:12:35




LTE Band 26 / 15MHz

N/A

Middle Channel / QPSK

N/A



Frequency Stability

Test Conditions		LTE Band 26 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 15MHz	2.5ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0005	PASS
40	Normal Voltage	0.0013	
30	Normal Voltage	0.0153	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0030	
0	Normal Voltage	0.0172	
-10	Normal Voltage	0.0035	
-20	Normal Voltage	0.0174	
-30	Normal Voltage	0.0165	
20	Maximum Voltage	0.0041	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0138	

Note:

1. Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.4 V.



Appendix B. Radiated Spurious Emission Test Data

B1.Summary of each worse mode

Mode	Band	Part	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp/Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	LTE B14	Part 90R	H	1586	-60.09	RMS	25.36	-28.92	0.53	-95.23	38.17	-42.15	-17.94	H	0
2	LTE B14	Part 90R	M	1577	-62.34	RMS	25.27	-28.93	0.53	-95.23	36.02	-42.15	-20.19	H	0
3	LTE B14	Part 90R	M	1581	-64.03	RMS	25.31	-28.93	0.53	-95.23	34.29	-42.15	-21.88	H	1
4	LTE B14	Part 90R	M	1577	-65.15	RMS	25.27	-28.93	0.53	-95.23	33.21	-42.15	-23.00	H	1
1	LTE B26	Part 90S	M	2450	-49.68	RMS	27.50	-27.53	0.33	-95.23	45.25	-13.00	-36.68	H	0
2	LTE B26	Part 90S	M	1640	-62.52	RMS	25.30	-28.84	0.48	-95.23	35.77	-13.00	-49.52	H	1
3	LTE B26	Part 90S	M	1635	-62.85	RMS	25.35	-28.85	0.49	-95.23	35.39	-13.00	-49.85	H	0
4	LTE B26	Part 90S	M	1635	-62.43	RMS	25.35	-28.85	0.49	-95.23	35.81	-13.00	-49.43	H	1




Ant. 0

Part 90R Mode 1

LTE B14 5M Ch23305 1RB0 QPSK

L




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_251105 Horizontal

Mode : LTE B14 5M Ch23305 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1576.00	-61.86	RMS	25.26	-28.94	0.53	-95.23	36.52	-42.15	-19.71	Horizontal
2	2365.00	-53.53	RMS	27.30	-27.68	0.34	-95.23	41.74	-13.00	-40.53	Horizontal
3	3153.00	-63.43	RMS	29.71	-26.19	0.22	-95.23	28.06	-13.00	-50.43	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_251105 Vertical

Mode : LTE B14 5M Ch23305 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1576.00	-63.34	RMS	25.26	-28.94	0.53	-95.23	35.04	-42.15	-21.19	Vertical
2	2365.00	-53.37	RMS	27.30	-27.68	0.34	-95.23	41.90	-13.00	-40.37	Vertical
3	3153.00	-63.35	RMS	29.71	-26.19	0.22	-95.23	28.14	-13.00	-50.35	Vertical




Ant. 0

Part 90R Mode 1

LTE B14 5M Ch23330 1RB0 QPSK

M




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_251105 Horizontal

Mode : LTE B14 5M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1581.00	-61.26	RMS	25.31	-28.93	0.53	-95.23	37.06	-42.15	-19.11
2	2372.00	-53.22	RMS	27.28	-27.66	0.34	-95.23	42.05	-13.00	-40.22
3	3163.00	-63.24	RMS	29.73	-26.19	0.22	-95.23	28.23	-13.00	-50.24



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_251105 Vertical

Mode : LTE B14 5M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1581.00	-60.98	RMS	25.31	-28.93	0.53	-95.23	37.34	-42.15	-18.83
2	2372.00	-52.78	RMS	27.28	-27.66	0.34	-95.23	42.49	-13.00	-39.78
3	3163.00	-63.26	RMS	29.73	-26.19	0.22	-95.23	28.21	-13.00	-50.26




Ant. 0

Part 90R Mode 1

LTE B14 5M Ch23355 1RB0 QPSK

H




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_251105 Horizontal

Mode : LTE B14 5M Ch23355 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1586.00	-60.09	RMS		25.36	-28.92	0.53	-95.23	38.17	-42.15	-17.94		Horizontal
2	2380.00	-52.02	RMS		27.20	-27.65	0.34	-95.23	43.32	-13.00	-39.02		Horizontal
3	3173.00	-63.14	RMS		29.75	-26.18	0.22	-95.23	28.30	-13.00	-50.14		Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_251105 Vertical

Mode : LTE B14 5M Ch23355 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1586.00	-60.76	RMS		25.36	-28.92	0.53	-95.23	37.50	-42.15	-18.61		Vertical
2	2380.00	-49.98	RMS		27.20	-27.65	0.34	-95.23	45.36	-13.00	-36.98		Vertical
3	3173.00	-63.18	RMS		29.75	-26.18	0.22	-95.23	28.26	-13.00	-50.18		Vertical




Ant. 0

Part 90R Mode 2

LTE B14 10M Ch23330 1RB0 QPSK

M




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_251105 Horizontal

Mode : LTE B14 10M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1577.00	-62.34	RMS	25.27	-28.93	0.53	-95.23	36.02	-42.15	-20.19	Horizontal
2	2365.00	-52.44	RMS	27.30	-27.68	0.34	-95.23	42.83	-13.00	-39.44	Horizontal
3	3154.00	-63.46	RMS	29.71	-26.19	0.22	-95.23	28.03	-13.00	-50.46	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_251105 Vertical

Mode : LTE B14 10M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1577.00	-63.14	RMS	25.27	-28.93	0.53	-95.23	35.22	-42.15	-20.99	Vertical
2	2365.00	-52.55	RMS	27.30	-27.68	0.34	-95.23	42.72	-13.00	-39.55	Vertical
3	3154.00	-63.40	RMS	29.71	-26.19	0.22	-95.23	28.09	-13.00	-50.40	Vertical




Ant. 1

Part 90R Mode 3

LTE B14 5M Ch23330 1RB0 QPSK

M




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_251105 Horizontal

Mode : LTE B14 5M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1581.00	-64.03	RMS	25.31	-28.93	0.53	-95.23	34.29	-42.15	-21.88
2	2372.00	-65.73	RMS	27.28	-27.66	0.34	-95.23	29.54	-13.00	-52.73
3	3163.00	-63.13	RMS	29.73	-26.19	0.22	-95.23	28.34	-13.00	-50.13



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_251105 Vertical

Mode : LTE B14 5M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1581.00	-65.18	RMS	25.31	-28.93	0.53	-95.23	33.14	-42.15	-23.03
2	2372.00	-65.90	RMS	27.28	-27.66	0.34	-95.23	29.37	-13.00	-52.90
3	3163.00	-63.14	RMS	29.73	-26.19	0.22	-95.23	28.33	-13.00	-50.14




Ant. 1

Part 90R Mode 4

LTE B14 10M Ch23330 1RB0 QPSK

M




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_251105 Horizontal

Mode : LTE B14 10M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1577.00	-65.15	RMS	25.27	-28.93	0.53	-95.23	33.21	-42.15	-23.00			Horizontal
2	2365.00	-66.00	RMS	27.30	-27.68	0.34	-95.23	29.27	-13.00	-53.00			Horizontal
3	3154.00	-63.37	RMS	29.71	-26.19	0.22	-95.23	28.12	-13.00	-50.37			Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_251105 Vertical

Mode : LTE B14 10M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1577.00	-65.62	RMS	25.27	-28.93	0.53	-95.23	32.74	-42.15	-23.47			Vertical
2	2365.00	-65.91	RMS	27.30	-27.68	0.34	-95.23	29.36	-13.00	-52.91			Vertical
3	3154.00	-63.43	RMS	29.71	-26.19	0.22	-95.23	28.06	-13.00	-50.43			Vertical




Ant. 0

Part 90S Mode 1

LTE B26 5M Ch26715 1RB0 QPSK

L




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: LTE Band 26 5M Ch26715 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1628.00	-58.54	RMS		25.38	-28.86	0.49	-95.23	39.68	-13.00	-45.54		Horizontal
2	2443.00	-51.38	RMS		27.50	-27.54	0.33	-95.23	43.56	-13.00	-38.38		Horizontal
3	3257.00	-63.57	RMS		29.59	-26.13	0.22	-95.23	27.98	-13.00	-50.57		Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: LTE Band 26 5M Ch26715 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1628.00	-59.80	RMS		25.38	-28.86	0.49	-95.23	38.42	-13.00	-46.80		Vertical
2	2443.00	-51.68	RMS		27.50	-27.54	0.33	-95.23	43.26	-13.00	-38.68		Vertical
3	3257.00	-63.51	RMS		29.59	-26.13	0.22	-95.23	28.04	-13.00	-50.51		Vertical




Ant. 0

Part 90S Mode 1

LTE B26 5M Ch26740 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: LTE Band 26 5M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1633.00	-59.63	RMS	25.37	-28.85	0.49	-95.23	38.59	-13.00	-46.63	Horizontal
2	2450.00	-49.68	RMS	27.50	-27.53	0.33	-95.23	45.25	-13.00	-36.68	Horizontal
3	3267.00	-63.33	RMS	29.57	-26.12	0.22	-95.23	28.23	-13.00	-50.33	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: LTE Band 26 5M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1633.00	-60.66	RMS	25.37	-28.85	0.49	-95.23	37.56	-13.00	-47.66	Vertical
2	2450.00	-50.48	RMS	27.50	-27.53	0.33	-95.23	44.45	-13.00	-37.48	Vertical
3	3267.00	-63.65	RMS	29.57	-26.12	0.22	-95.23	27.91	-13.00	-50.65	Vertical




Ant. 0

Part 90S Mode 1

LTE B26 5M Ch26765 1RB0 QPSK

H




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB	g	dBm	dB	
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1638.00	-60.33	RMS	25.32	-28.84	0.48	-95.23	37.94	-13.00	-47.33	Horizontal	
2	2458.00	-53.43	RMS	27.50	-27.52	0.33	-95.23	41.49	-13.00	-40.43	Horizontal	
3	3277.00	-63.93	RMS	29.55	-26.11	0.22	-95.23	27.64	-13.00	-50.93	Horizontal	



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB	g	dBm	dB	
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1638.00	-61.53	RMS	25.32	-28.84	0.48	-95.23	36.74	-13.00	-48.53	Vertical	
2	2458.00	-53.65	RMS	27.50	-27.52	0.33	-95.23	41.27	-13.00	-40.65	Vertical	
3	3277.00	-63.80	RMS	29.55	-26.11	0.22	-95.23	27.77	-13.00	-50.80	Vertical	




Ant. 0

Part 90S Mode 3


LTE B26 15M Ch26790 1RB0 QPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Horizontal
: LTE Band 26 15M Ch26790 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1635.00	-62.85	RMS		25.35	-28.85	0.49	-95.23	35.39	-13.00	-49.85		Horizontal
2	2452.00	-65.70	RMS		27.50	-27.53	0.33	-95.23	29.23	-13.00	-52.70		Horizontal
3	3270.00	-63.36	RMS		29.56	-26.11	0.22	-95.23	28.20	-13.00	-50.36		Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Vertical
: LTE Band 26 15M Ch26790 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1635.00	-65.16	RMS		25.35	-28.85	0.49	-95.23	33.08	-13.00	-52.16		Vertical
2	2452.00	-65.48	RMS		27.50	-27.53	0.33	-95.23	29.45	-13.00	-52.48		Vertical
3	3270.00	-63.70	RMS		29.56	-26.11	0.22	-95.23	27.86	-13.00	-50.70		Vertical




Ant. 1

Part 90S Mode 2


LTE B26 5M Ch26740 1RB0 QPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Horizontal
: LTE Band 26 5M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1640.00	-62.52	RMS		25.30	-28.84	0.48	-95.23	35.77	-13.00	-49.52		Horizontal
2	2450.00	-65.11	RMS		27.50	-27.53	0.33	-95.23	29.82	-13.00	-52.11		Horizontal
3	3267.00	-63.78	RMS		29.57	-26.12	0.22	-95.23	27.78	-13.00	-50.78		Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Vertical
: LTE Band 26 5M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1640.00	-64.86	RMS		25.30	-28.84	0.48	-95.23	33.43	-13.00	-51.86		Vertical
2	2450.00	-66.12	RMS		27.50	-27.53	0.33	-95.23	28.81	-13.00	-53.12		Vertical
3	3267.00	-63.54	RMS		29.57	-26.12	0.22	-95.23	28.02	-13.00	-50.54		Vertical




Ant. 1

Part 90S Mode 4

LTE B26 15M Ch26790 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: LTE Band 26 15M Ch26790 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	1635.00	-62.43	RMS		25.35	-28.85	0.49	-95.23	35.81	-13.00	-49.43		Horizontal
2	2452.00	-65.69	RMS		27.50	-27.53	0.33	-95.23	29.24	-13.00	-52.69		Horizontal
3	3270.00	-63.81	RMS		29.56	-26.11	0.22	-95.23	27.75	-13.00	-50.81		Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: LTE Band 26 15M Ch26790 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	1635.00	-65.60	RMS		25.35	-28.85	0.49	-95.23	32.64	-13.00	-52.60		Vertical
2	2452.00	-65.67	RMS		27.50	-27.53	0.33	-95.23	29.26	-13.00	-52.67		Vertical
3	3270.00	-63.48	RMS		29.56	-26.11	0.22	-95.23	28.08	-13.00	-50.48		Vertical