





LTE Band 71 / 10MHz / 64QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 10MHz / 256QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 15MHz / QPSK


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 15MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 15MHz / 64QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 15MHz / 256QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 20MHz / QPSK


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 20MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 20MHz / 64QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 20MHz / 256QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB



Highest Band Edge / Full RB






Conducted Spurious Emission


LTE Band 71 / 5MHz

Lowest Channel / QPSK




Date: 22.NOV.2021 15:36:09

Middle Channel / QPSK



Date: 22.NOV.2021 15:38:07

Highest Channel / QPSK




Date: 22.NOV.2021 15:41:43




LTE Band 71 / 10MHz

Lowest Channel / QPSK




Date: 22.NOV.2021 15:49:15

Middle Channel / QPSK



Date: 22.NOV.2021 15:51:14

Highest Channel / QPSK




Date: 22.NOV.2021 15:54:43




LTE Band 71 / 15MHz

Lowest Channel / QPSK




Date: 22.NOV.2021 16:02:04

Middle Channel / QPSK



Date: 22.NOV.2021 16:04:02

Highest Channel / QPSK




Date: 22.NOV.2021 16:07:32




LTE Band 71 / 20MHz


Lowest Channel / QPSK



Middle Channel / QPSK



Highest Channel / QPSK



Frequency Stability

Test Conditions		LTE Band 71 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0157	PASS
40	Normal Voltage	0.0013	
30	Normal Voltage	0.0131	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0012	
0	Normal Voltage	0.0050	
-10	Normal Voltage	0.0004	
-20	Normal Voltage	0.0141	
-30	Normal Voltage	0.0185	
20	Maximum Voltage	0.0009	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0215	

Note:

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.6 V. ; Maximum Voltage =4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

<Primary Antenna>

<Ant. 2>

LTE Band 2

LTE Band 2 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-55.24	-13	-42.24	-75.97	-65.54	1.98	12.28	H
	5553	-46.82	-13	-33.82	-70.55	-56.95	2.14	12.27	H
	7404	-48.01	-13	-35.01	-76.4	-56.01	2.17	10.17	H
									H
									H
									H
	3702	-55.02	-13	-42.02	-76.27	-65.32	1.98	12.28	V
	5553	-52.84	-13	-39.84	-77.19	-62.97	2.14	12.27	V
	7404	-47.99	-13	-34.99	-76.35	-55.99	2.17	10.17	V
									V
									V
									V
Middle	3742	-55.15	-13	-42.15	-76	-65.41	2.00	12.25	H
	5613	-47.57	-13	-34.57	-71.29	-57.80	2.13	12.36	H
	7484	-48.50	-13	-35.50	-76.67	-56.40	2.12	10.03	H
									H
									H
									H
	3742	-54.79	-13	-41.79	-76.15	-65.05	2.00	12.25	V
	5613	-49.04	-13	-36.04	-73.41	-59.27	2.13	12.36	V
	7484	-48.39	-13	-35.39	-76.52	-56.29	2.12	10.03	V
									V
									V
									V



LTE Band 2 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3782	-54.92	-13	-41.92	-75.89	-65.13	2.02	12.23	H
	5673	-52.09	-13	-39.09	-76.13	-62.42	2.12	12.44	H
	7564	-48.68	-13	-35.68	-76.32	-56.80	2.11	10.23	H
									H
									H
									H
	3782	-54.62	-13	-41.62	-76.08	-64.83	2.02	12.23	V
	5673	-51.81	-13	-38.81	-76.45	-62.14	2.12	12.44	V
	7564	-48.51	-13	-35.51	-76.12	-56.63	2.11	10.23	V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 4**

LTE Band 4 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-55.65	-13	-42.65	-74.68	-66.01	1.80	12.16	H
	5133	-52.77	-13	-39.77	-76.33	-62.59	2.31	12.13	H
	6844	-50.38	-13	-37.38	-76.81	-59.07	2.37	11.06	H
									H
									H
									H
									H
	3420	-55.93	-13	-42.93	-75.62	-66.29	1.80	12.16	V
	5133	-52.19	-13	-39.19	-76.32	-62.01	2.31	12.13	V
	6844	-50.06	-13	-37.06	-77.04	-58.75	2.37	11.06	V
									V
									V
									V
									V
Middle	3447	-56.30	-13	-43.30	-75.59	-66.71	1.83	12.24	H
	5170	-53.50	-13	-40.50	-77.07	-63.34	2.29	12.13	H
	6894	-50.42	-13	-37.42	-76.99	-59.04	2.38	11.01	H
									H
									H
									H
									H
	3447	-55.52	-13	-42.52	-75.38	-65.93	1.83	12.24	V
	5170	-52.79	-13	-39.79	-76.92	-62.63	2.29	12.13	V
	6894	-49.90	-13	-36.90	-77.06	-58.52	2.38	11.01	V
									V
									V
									V
									V
									V



LTE Band 4 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3472	-55.68	-13	-42.68	-75.22	-66.15	1.85	12.32	H
	5208	-53.96	-13	-40.96	-77.54	-63.83	2.27	12.14	H
	6944	-50.23	-13	-37.23	-76.93	-58.79	2.40	10.96	H
									H
									H
									H
									H
	3472	-55.93	-13	-42.93	-75.99	-66.40	1.85	12.32	V
	5208	-53.18	-13	-40.18	-77.31	-63.05	2.27	12.14	V
	6944	-49.37	-13	-36.37	-76.69	-57.93	2.40	10.96	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 7**

LTE Band 7 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5002	-64.26	-25	-39.26	-57.54	-74.00	2.36	12.10	H
	7503	-60.38	-25	-35.38	-58.83	-68.28	2.11	10.01	H
	10004	-58.79	-25	-33.79	-61.32	-68.79	1.81	11.80	H
									H
									H
									H
									H
	5002	-63.37	-25	-38.37	-57.27	-73.11	2.36	12.10	V
	7503	-57.15	-25	-32.15	-55.46	-65.05	2.11	10.01	V
	10004	-59.73	-25	-34.73	-61.34	-69.73	1.81	11.80	V
									V
									V
									V
									V
Middle	5052	-64.13	-25	-39.13	-57.54	-73.90	2.34	12.11	H
	7578	-60.06	-25	-35.06	-58.01	-68.23	2.11	10.28	H
	10104	-58.81	-25	-33.81	-61.45	-68.69	1.96	11.84	H
									H
									H
									H
									H
	5052	-63.18	-25	-38.18	-57.19	-72.95	2.34	12.11	V
	7578	-54.76	-25	-29.76	-52.7	-62.93	2.11	10.28	V
	10104	-59.51	-25	-34.51	-61.42	-69.39	1.96	11.84	V
									V
									V
									V
									V
									V



LTE Band 7 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5102	-64.61	-25	-39.61	-58.13	-74.41	2.32	12.12	H
	7653	-58.87	-25	-33.87	-56.79	-67.31	2.11	10.55	H
	10204	-59.37	-25	-34.37	-62.11	-69.13	2.12	11.88	H
									H
									H
									H
									H
	5102	-64.27	-25	-39.27	-58.38	-74.07	2.32	12.12	V
	7653	-53.67	-25	-28.67	-51.64	-62.11	2.11	10.55	V
	10204	-59.65	-25	-34.65	-61.86	-69.41	2.12	11.88	V
									V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 7C**

LTE Band 7C / 20MHz+20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5037	-61.52	-25	-36.52	-54.89	-71.28	2.34	12.11	H
	7557	-52.81	-25	-27.81	-50.89	-60.90	2.11	10.21	H
	10080	-59.60	-25	-34.60	-62.22	-69.51	1.93	11.83	H
									H
									H
									H
									H
	5037	-61.76	-25	-36.76	-55.74	-71.52	2.34	12.11	V
	7557	-58.61	-25	-33.61	-56.65	-66.70	2.11	10.21	V
	10080	-60.52	-25	-35.52	-62.36	-70.43	1.93	11.83	V
									V
									V
									V
									V
Middle	5065	-61.67	-25	-36.67	-55.11	-71.45	2.33	12.11	H
	7599	-51.38	-25	-26.38	-49.18	-59.62	2.11	10.36	H
	10132	-59.00	-25	-34.00	-61.68	-68.84	2.01	11.85	H
									H
									H
									H
									H
	5065	-63.04	-25	-38.04	-57.08	-72.82	2.33	12.11	V
	7599	-57.64	-25	-32.64	-55.47	-65.88	2.11	10.36	V
	10132	-59.91	-25	-34.91	-61.91	-69.75	2.01	11.85	V
									V
									V
									V
									V



LTE Band 7C / 20MHz+20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5100	-62.43	-25	-37.43	-55.96	-72.23	2.32	12.12	H
	7648	-49.85	-25	-24.85	-47.76	-58.27	2.11	10.53	H
	10198	-59.87	-25	-34.87	-62.61	-69.64	2.11	11.88	H
									H
									H
									H
									H
	5100	-62.07	-25	-37.07	-56.19	-71.87	2.32	12.12	V
	7648	-55.82	-25	-30.82	-53.78	-64.24	2.11	10.53	V
	10198	-60.28	-25	-35.28	-62.47	-70.05	2.11	11.88	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 25**

LTE Band 25 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-55.58	-13	-42.58	-76.31	-65.89	1.97	12.28	H
	5553	-53.32	-13	-40.32	-77.05	-63.45	2.14	12.27	H
	7403	-48.45	-13	-35.45	-76.85	-56.45	2.17	10.17	H
									H
									H
									H
									H
	3700	-54.82	-13	-41.82	-76.07	-65.13	1.97	12.28	V
	5553	-52.73	-13	-39.73	-77.08	-62.86	2.14	12.27	V
	7403	-48.53	-13	-35.53	-76.89	-56.53	2.17	10.17	V
									V
									V
									V
									V
Middle	3742	-55.05	-13	-42.05	-75.9	-65.31	2.00	12.25	H
	5613	-53.35	-13	-40.35	-77.07	-63.58	2.13	12.36	H
	7484	-48.27	-13	-35.27	-76.44	-56.17	2.12	10.03	H
									H
									H
									H
									H
	3742	-54.68	-13	-41.68	-76.04	-64.94	2.00	12.25	V
	5613	-52.36	-13	-39.36	-76.73	-62.59	2.13	12.36	V
	7484	-48.89	-13	-35.89	-76.92	-56.79	2.12	10.03	V
									V
									V
									V
									V
									V



LTE Band 25 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3791	-54.84	-13	-41.84	-75.83	-65.04	2.02	12.23	H
	5688	-52.47	-13	-39.47	-76.58	-62.82	2.11	12.46	H
	7585	-48.99	-13	-35.99	-76.46	-57.18	2.11	10.31	H
									H
									H
									H
									H
	3791	-54.16	-13	-41.16	-75.64	-64.36	2.02	12.23	V
	5688	-51.42	-13	-38.42	-76.15	-61.77	2.11	12.46	V
	7585	-48.75	-13	-35.75	-76.23	-56.94	2.11	10.31	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 38 HPUE**

LTE Band 38 (HPUE) / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5142	-60.51	-25	-35.51	-54.14	-70.34	2.30	12.13	H
	7713	-59.27	-25	-34.27	-57.35	-67.92	2.11	10.77	H
	10284	-58.63	-25	-33.63	-61.46	-68.29	2.25	11.91	H
									H
									H
									H
									H
	5142	-58.75	-25	-33.75	-52.95	-68.58	2.30	12.13	V
	7713	-53.67	-25	-28.67	-51.81	-62.32	2.11	10.77	V
	10284	-58.94	-25	-33.94	-61.39	-68.60	2.25	11.91	V
									V
									V
									V
									V
Middle	5172	-60.13	-25	-35.13	-53.83	-69.97	2.29	12.13	H
	7758	-57.80	-25	-32.80	-55.99	-66.62	2.11	10.93	H
	10344	-59.28	-25	-34.28	-62.18	-68.87	2.34	11.94	H
									H
									H
									H
									H
	5172	-60.53	-25	-35.53	-54.79	-70.37	2.29	12.13	V
	7758	-52.38	-25	-27.38	-50.63	-61.20	2.11	10.93	V
	10344	-59.32	-25	-34.32	-61.95	-68.91	2.34	11.94	V
									V
									V
									V
									V
									V



LTE Band 38 (HPUE) / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5202	-58.72	-25	-33.72	-52.49	-68.58	2.28	12.14	H
	7803	-58.09	-25	-33.09	-56.4	-67.07	2.11	11.09	H
	10404	-58.50	-25	-33.50	-61.46	-68.02	2.44	11.96	H
									H
									H
									H
									H
	5202	-61.11	-25	-36.11	-55.43	-70.97	2.28	12.14	V
	7803	-50.91	-25	-25.91	-49.28	-59.89	2.11	11.09	V
	10404	-59.11	-25	-34.11	-61.92	-68.63	2.44	11.96	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 41 HPUE**

LTE Band 41 (HPUE) / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4994	-63.03	-25	-38.03	-56.28	-72.77	2.36	12.10	H
	7491	-60.66	-25	-35.66	-59.17	-68.56	2.12	10.02	H
	9988	-59.75	-25	-34.75	-62.28	-69.74	1.81	11.80	H
									H
									H
									H
									H
	4994	-61.52	-25	-36.52	-55.39	-71.26	2.36	12.10	V
	7491	-58.54	-25	-33.54	-56.92	-66.44	2.12	10.02	V
	9988	-60.51	-25	-35.51	-62.16	-70.50	1.81	11.80	V
									V
									V
									V
									V
Middle	5168	-63.76	-25	-38.76	-57.44	-73.60	2.29	12.13	H
	7752	-59.05	-25	-34.05	-57.23	-67.84	2.11	10.91	H
	10336	-59.10	-25	-34.10	-61.99	-68.70	2.33	11.93	H
									H
									H
									H
									H
	5168	-60.42	-25	-35.42	-54.67	-70.26	2.29	12.13	V
	7752	-52.78	-25	-27.78	-51.02	-61.57	2.11	10.91	V
	10336	-59.23	-25	-34.23	-61.83	-68.83	2.33	11.93	V
									V
									V
									V
									V
									V



LTE Band 41 (HPUE) / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5342	-63.22	-25	-38.22	-57.41	-73.17	2.22	12.17	H
	8013	-57.31	-25	-32.31	-56.67	-67.02	2.11	11.82	H
	10684	-58.47	-25	-33.47	-61.92	-67.60	2.62	11.74	H
									H
									H
									H
									H
	5342	-62.41	-25	-37.41	-57.12	-72.36	2.22	12.17	V
	8013	-54.27	-25	-29.27	-53.37	-63.98	2.11	11.82	V
	10684	-58.40	-25	-33.40	-61.89	-67.53	2.62	11.74	V
									V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 41C**

LTE Band 41C / 20MHz+20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5030	-63.62	-25	-38.62	-56.97	-73.38	2.35	12.11	H
	7543	-59.41	-25	-34.41	-57.59	-67.45	2.11	10.15	H
	10060	-59.92	-25	-34.92	-62.52	-69.85	1.89	11.82	H
									H
									H
									H
									H
	5030	-63.25	-25	-38.25	-57.21	-73.01	2.35	12.11	V
	7543	-57.95	-25	-32.95	-56.06	-65.99	2.11	10.15	V
	10060	-61.29	-25	-36.29	-63.07	-71.22	1.89	11.82	V
									V
									V
									V
									V
Middle	5184	-65.31	-25	-40.31	-59.04	-75.16	2.28	12.14	H
	7774	-58.86	-25	-33.86	-57.09	-67.73	2.11	10.99	H
	10368	-59.44	-25	-34.44	-62.36	-69.01	2.38	11.95	H
									H
									H
									H
									H
	5184	-64.86	-25	-39.86	-59.14	-74.71	2.28	12.14	V
	7774	-54.48	-25	-29.48	-52.78	-63.35	2.11	10.99	V
	10368	-59.39	-25	-34.39	-62.09	-68.96	2.38	11.95	V
									V
									V
									V
									V



LTE Band 41C / 20MHz+20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5338	-66.05	-25	-41.05	-60.23	-76.00	2.22	12.17	H
	8005	-57.16	-25	-32.16	-56.53	-66.86	2.11	11.81	H
	10676	-59.09	-25	-34.09	-62.53	-68.23	2.61	11.75	H
									H
									H
									H
									H
	5338	-65.81	-25	-40.81	-60.5	-75.76	2.22	12.17	V
	8005	-54.38	-25	-29.38	-53.49	-64.08	2.11	11.81	V
	10676	-59.21	-25	-34.21	-62.68	-68.35	2.61	11.75	V
									V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 66**

LTE Band 66 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422	-57.40	-13	-44.40	-76.46	-67.76	1.81	12.17	H
	5133	-53.31	-13	-40.31	-76.87	-63.13	2.31	12.13	H
	6844	-50.97	-13	-37.97	-77.4	-59.66	2.37	11.06	H
									H
									H
									H
									H
	3422	-56.80	-13	-43.80	-76.49	-67.16	1.81	12.17	V
	5133	-52.78	-13	-39.78	-76.91	-62.60	2.31	12.13	V
	6844	-50.50	-13	-37.50	-77.48	-59.19	2.37	11.06	V
									V
									V
									V
									V
Middle	3472	-56.78	-13	-43.78	-76.32	-67.25	1.85	12.32	H
	5208	-54.14	-13	-41.14	-77.72	-64.01	2.27	12.14	H
	6944	-50.19	-13	-37.19	-76.89	-58.75	2.40	10.96	H
									H
									H
									H
									H
	3472	-56.31	-13	-43.31	-76.37	-66.78	1.85	12.32	V
	5208	-53.62	-13	-40.62	-77.75	-63.49	2.27	12.14	V
	6944	-49.87	-13	-36.87	-77.19	-58.43	2.40	10.96	V
									V
									V
									V
									V
									V



LTE Band 66 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3522	-56.70	-13	-43.70	-76.66	-67.21	1.88	12.39	H
	5283	-54.23	-13	-41.23	-77.86	-64.14	2.24	12.16	H
	7044	-49.59	-13	-36.59	-76.65	-58.02	2.39	10.82	H
									H
									H
									H
									H
	3522	-56.30	-13	-43.30	-76.73	-66.81	1.88	12.39	V
	5283	-53.67	-13	-40.67	-77.83	-63.58	2.24	12.16	V
	7044	-49.04	-13	-36.04	-76.71	-57.47	2.39	10.82	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 66B**

LTE Band 66B / 10MHz+10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3441	-57.03	-13	-44.03	-76.27	-67.43	1.82	12.22	H
	5166	-53.19	-13	-40.19	-76.76	-63.03	2.29	12.13	H
	6888	-50.15	-13	-37.15	-76.7	-58.78	2.38	11.01	H
									H
									H
									H
									H
	3441	-56.32	-13	-43.32	-76.14	-66.72	1.82	12.22	V
	5166	-53.06	-13	-40.06	-77.19	-62.90	2.29	12.13	V
	6888	-50.31	-13	-37.31	-77.44	-58.94	2.38	11.01	V
									V
									V
									V
									V
Middle	3509	-56.54	-13	-43.54	-76.43	-67.06	1.87	12.39	H
	5263	-54.13	-13	-41.13	-77.74	-64.03	2.25	12.15	H
	7018	-49.19	-13	-36.19	-76.12	-57.65	2.41	10.87	H
									H
									H
									H
									H
	3509	-56.11	-13	-43.11	-76.44	-66.63	1.87	12.39	V
	5263	-53.74	-13	-40.74	-77.89	-63.64	2.25	12.15	V
	7018	-48.38	-13	-35.38	-75.96	-56.84	2.41	10.87	V
									V
									V
									V
									V



LTE Band 66B / 10MHz+10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3539	-56.09	-13	-43.09	-76.16	-66.58	1.89	12.38	H
	5308	-53.83	-13	-40.83	-77.49	-63.76	2.23	12.16	H
	7078	-48.67	-13	-35.67	-75.9	-57.06	2.37	10.76	H
									H
									H
									H
									H
	3539	-55.97	-13	-42.97	-76.53	-66.46	1.89	12.38	V
	5308	-53.87	-13	-40.87	-78.05	-63.80	2.23	12.16	V
	7078	-48.20	-13	-35.20	-75.99	-56.59	2.37	10.76	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 66C**

LTE Band 66C / 20MHz+20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3457	-56.93	-13	-43.93	-76.31	-67.37	1.83	12.27	H
	5186	-53.12	-13	-40.12	-76.69	-62.97	2.28	12.14	H
	6915	-50.07	-13	-37.07	-76.69	-58.66	2.39	10.99	H
									H
									H
									H
									H
	3457	-56.31	-13	-43.31	-76.26	-66.75	1.83	12.27	V
	5186	-52.84	-13	-39.84	-76.96	-62.69	2.28	12.14	V
	6915	-49.61	-13	-36.61	-76.82	-58.20	2.39	10.99	V
									V
									V
									V
									V
Middle	3508	-56.20	-13	-43.20	-76.09	-66.72	1.87	12.40	H
	5262	-53.83	-13	-40.83	-77.44	-63.73	2.25	12.15	H
	7016	-49.21	-13	-36.21	-76.13	-57.67	2.41	10.87	H
									H
									H
									H
									H
	3508	-56.05	-13	-43.05	-76.38	-66.57	1.87	12.40	V
	5262	-53.33	-13	-40.33	-77.48	-63.23	2.25	12.15	V
	7016	-47.96	-13	-34.96	-75.54	-56.42	2.41	10.87	V
									V
									V
									V
									V



LTE Band 66C / 20MHz+20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3518	-56.06	-13	-43.06	-75.99	-66.57	1.88	12.39	H
	5277	-53.77	-13	-40.77	-77.4	-63.68	2.25	12.16	H
	7036	-48.76	-13	-35.76	-75.78	-57.20	2.40	10.84	H
									H
									H
									H
									H
	3518	-56.14	-13	-43.14	-76.54	-66.65	1.88	12.39	V
	5277	-53.45	-13	-40.45	-77.61	-63.36	2.25	12.16	V
	7036	-48.73	-13	-35.73	-76.38	-57.17	2.40	10.84	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<Ant. 0>

LTE Band 5

LTE Band 5 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649	-55.81	-13	-42.81	-68.84	-61.20	1.23	8.77	H
	2473	-47.97	-13	-34.97	-64.92	-54.86	1.44	10.48	H
	3298	-57.42	-13	-44.42	-76.16	-65.36	1.70	11.79	H
									H
									H
									H
									H
	1649	-55.37	-13	-42.37	-68.28	-60.76	1.23	8.77	V
	2473	-50.25	-13	-37.25	-67.49	-57.14	1.44	10.48	V
	3298	-57.13	-13	-44.13	-76.27	-65.07	1.70	11.79	V
									V
									V
									V
									V
Middle	1664	-54.97	-13	-41.97	-68.06	-60.41	1.23	8.82	H
	2496	-45.67	-13	-32.67	-62.55	-52.58	1.44	10.50	H
	3328	-57.31	-13	-44.31	-75.86	-65.32	1.73	11.88	H
									H
									H
									H
									H
	1664	-56.19	-13	-43.19	-69.16	-61.63	1.23	8.82	V
	2496	-47.69	-13	-34.69	-64.78	-54.60	1.44	10.50	V
	3328	-56.92	-13	-43.92	-75.95	-64.93	1.73	11.88	V
									V
									V
									V
									V



LTE Band 5 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1679	-55.43	-13	-42.43	-68.57	-60.92	1.24	8.88	H
	2518	-47.89	-13	-34.89	-64.76	-54.81	1.44	10.51	H
	3358	-57.53	-13	-44.53	-75.9	-65.60	1.75	11.97	H
									H
									H
									H
									H
	1679	-55.35	-13	-42.35	-68.39	-60.84	1.24	8.88	V
	2518	-49.49	-13	-36.49	-66.56	-56.41	1.44	10.51	V
	3358	-57.42	-13	-44.42	-76.36	-65.49	1.75	11.97	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 5B**

LTE Band 5B / 10+10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1669	-61.88	-13	-48.88	-74.99	-67.34	1.23	8.84	H
	2503	-56.46	-13	-43.46	-73.32	-63.37	1.44	10.50	H
	3338	-57.39	-13	-44.39	-75.89	-65.42	1.74	11.91	H
									H
									H
									H
									H
	1669	-61.96	-13	-48.96	-74.96	-67.42	1.23	8.84	V
	2503	-55.83	-13	-42.83	-72.88	-62.74	1.44	10.50	V
	3338	-56.74	-13	-43.74	-75.75	-64.77	1.74	11.91	V
									V
									V
									V
									V
Middle	1674	-62.01	-13	-49.01	-75.12	-67.49	1.24	8.86	H
	2511	-54.89	-13	-41.89	-71.76	-61.81	1.44	10.51	H
	3348	-57.31	-13	-44.31	-75.74	-65.36	1.75	11.94	H
									H
									H
									H
									H
	1674	-62.22	-13	-49.22	-75.23	-67.70	1.24	8.86	V
	2511	-55.50	-13	-42.50	-72.56	-62.42	1.44	10.51	V
	3348	-56.65	-13	-43.65	-75.62	-64.70	1.75	11.94	V
									V
									V
									V
									V
									V



LTE Band 5B / 10+10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1679	-61.78	-13	-48.78	-74.92	-67.27	1.24	8.88	H
	2518	-55.57	-13	-42.57	-72.44	-62.49	1.44	10.51	H
	3358	-57.40	-13	-44.40	-75.77	-65.47	1.75	11.97	H
									H
									H
									H
									H
	1679	-61.92	-13	-48.92	-74.95	-67.41	1.24	8.88	V
	2518	-55.26	-13	-42.26	-72.33	-62.18	1.44	10.51	V
	3358	-56.45	-13	-43.45	-75.39	-64.52	1.75	11.97	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 12**

LTE Band 12 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1399	-59.56	-13.00	-46.56	-74.10	-64.00	1.15	7.74	H
	2099	-56.19	-13.00	-43.19	-73.07	-62.84	1.38	10.18	H
	2798	-58.32	-13.00	-45.32	-76.01	-65.46	1.45	10.74	H
									H
									H
									H
									H
	1399	-63.81	-13.00	-50.81	-73.80	-68.25	1.15	7.74	V
	2099	-49.51	-13.00	-36.51	-66.65	-56.16	1.38	10.18	V
	2798	-57.53	-13.00	-44.53	-75.63	-64.67	1.45	10.74	V
									V
									V
									V
									V
Middle	1406	-59.95	-13.00	-46.95	-74.47	-64.42	1.15	7.77	H
	2109	-55.36	-13.00	-42.36	-72.41	-62.02	1.38	10.19	H
	2812	-58.09	-13.00	-45.09	-75.82	-65.24	1.45	10.75	H
									H
									H
									H
									H
	1406	-60.40	-13.00	-47.40	-74.36	-64.87	1.15	7.77	V
	2109	-26.16	-13.00	-13.16	-43.49	-32.82	1.38	10.19	V
	2812	-57.94	-13.00	-44.94	-76.09	-65.09	1.45	10.75	V
									V
									V
									V
									V
									V



LTE Band 12 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1413	-59.79	-13.00	-46.79	-74.27	-64.29	1.15	7.80	H
	2120	-52.96	-13.00	-39.96	-70.21	-59.63	1.38	10.20	H
	2826	-58.26	-13.00	-45.26	-76.03	-65.42	1.45	10.76	H
									H
									H
									H
									H
	1413	-60.18	-13.00	-47.18	-74.13	-64.68	1.15	7.80	V
	2120	-43.77	-13.00	-30.77	-61.33	-50.44	1.38	10.20	V
	2826	-57.50	-13.00	-44.50	-75.69	-64.66	1.45	10.76	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 13**

LTE Band 13 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1554	-61.04	-13	-48.04	-74.46	-66.10	1.19	8.41	H
	2332	-42.36	-13	-29.36	-60.03	-49.16	1.41	10.37	H
	3109	-57.33	-13	-44.33	-76.16	-64.86	1.55	11.23	H
									H
									H
									H
									H
	1554	-61.01	-13	-48.01	-74.21	-66.07	1.19	8.41	V
	2332	-43.31	-13	-30.31	-61.51	-50.11	1.41	10.37	V
	3109	-56.93	-13	-43.93	-76.05	-64.46	1.55	11.23	V
									V
									V
									V
									V
Middle	1560	-61.20	-42.15	-19.05	-74.56	-66.29	1.19	8.43	H
	2336	-43.13	-13	-30.13	-60.75	-49.94	1.41	10.37	H
	3120	-56.90	-13	-43.90	-75.79	-64.45	1.56	11.26	H
									H
									H
									H
									H
	1560	-61.49	-42.15	-19.34	-74.63	-66.58	1.19	8.43	V
	2336	-44.76	-13	-31.76	-62.91	-51.57	1.41	10.37	V
	3120	-56.67	-13	-43.67	-75.84	-64.22	1.56	11.26	V
									V
									V
									V
									V
									V



LTE Band 13 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1564	-61.60	-42.15	-19.45	-74.90	-66.70	1.19	8.44	H
	2347	-42.96	-13	-29.96	-60.52	-49.77	1.42	10.38	H
	3129	-56.56	-13	-43.56	-75.50	-64.13	1.57	11.29	H
									H
									H
									H
									H
	1564	-61.64	-42.15	-19.49	-74.73	-66.74	1.19	8.44	V
	2347	-43.91	-13	-30.91	-62.00	-50.72	1.42	10.38	V
	3129	-56.59	-13	-43.59	-75.78	-64.16	1.57	11.29	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 13 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1555	-58.04	-13	-45.04	-71.46	-63.11	1.19	8.41	H
	2332	-46.43	-13	-33.43	-64.1	-53.23	1.41	10.37	H
	3110	-57.15	-13	-44.15	-76	-64.68	1.55	11.23	H
									H
									H
									H
									H
	1555	-60.86	-13	-47.86	-74.06	-65.93	1.19	8.41	V
	2332	-47.61	-13	-34.61	-65.81	-54.41	1.41	10.37	V
	3110	-56.99	-13	-43.99	-76.13	-64.52	1.55	11.23	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 17**

LTE Band 17 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1409	-59.97	-13	-46.97	-74.47	-64.45	1.15	7.78	H
	2114	-43.91	-13	-30.91	-61.03	-50.57	1.38	10.19	H
	2818	-58.07	-13	-45.07	-75.82	-65.22	1.45	10.75	H
									H
									H
									H
									H
	1409	-60.44	-13	-47.44	-74.40	-64.92	1.15	7.78	V
	2114	-41.77	-13	-28.77	-59.17	-48.43	1.38	10.19	V
	2818	-57.83	-13	-44.83	-75.99	-64.98	1.45	10.75	V
									V
									V
									V
									V
Middle	1411	-59.67	-13	-46.67	-74.16	-64.16	1.15	7.79	H
	2117	-43.34	-13	-30.34	-60.54	-50.00	1.38	10.19	H
	2822	-58.36	-13	-45.36	-76.12	-65.51	1.45	10.76	H
									H
									H
									H
									H
	1411	-60.30	-13	-47.30	-74.25	-64.79	1.15	7.79	V
	2117	-41.98	-13	-28.98	-59.48	-48.64	1.38	10.19	V
	2822	-57.88	-13	-44.88	-76.06	-65.03	1.45	10.76	V
									V
									V
									V
									V
									V



LTE Band 17 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1413	-59.54	-13	-46.54	-74.02	-64.04	1.15	7.80	H
	2120	-44.41	-13	-31.41	-61.66	-51.08	1.38	10.20	H
	2826	-58.06	-13	-45.06	-75.83	-65.22	1.45	10.76	H
									H
									H
									H
									H
	1413	-60.31	-13	-47.31	-74.26	-64.81	1.15	7.80	V
	2120	-41.72	-13	-28.72	-59.28	-48.39	1.38	10.20	V
	2826	-57.82	-13	-44.82	-76.01	-64.98	1.45	10.76	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 26**

LTE Band 26 / 15MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649	-57.14	-13	-44.14	-70.18	-62.53	1.23	8.77	H
	2474	-35.59	-13	-22.59	-52.54	-42.48	1.44	10.48	H
	3339	-56.55	-13	-43.55	-75.28	-64.58	1.74	11.92	H
									H
									H
									H
									H
	1649	-59.35	-13	-46.35	-72.26	-64.74	1.23	8.77	V
	2474	-33.96	-13	-20.96	-51.19	-40.85	1.44	10.48	V
	3339	-56.39	-13	-43.39	-75.52	-64.42	1.74	11.92	V
									V
									V
									V
									V
Middle	1656	-61.80	-13	-48.80	-74.86	-67.21	1.23	8.79	H
	2488	-36.11	-13	-23.11	-53.01	-43.01	1.44	10.49	H
	3320	-57.81	-13	-44.81	-76.42	-65.80	1.72	11.86	H
									H
									H
									H
									H
	1656	-60.18	-13	-47.18	-73.11	-65.59	1.23	8.79	V
	2488	-37.81	-13	-24.81	-54.95	-44.71	1.44	10.49	V
	3320	-57.32	-13	-44.32	-76.39	-65.31	1.72	11.86	V
									V
									V
									V
									V
									V



LTE Band 26 / 15MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1669	-59.97	-13	-46.97	-73.08	-65.43	1.23	8.84	H
	2504	-35.24	-13	-22.24	-52.1	-42.15	1.44	10.50	H
	3339	-57.09	-13	-44.09	-75.58	-65.12	1.74	11.92	H
									H
									H
									H
									H
	1669	-60.77	-13	-47.77	-73.77	-66.23	1.23	8.84	V
	2504	-42.56	-13	-29.56	-59.61	-49.47	1.44	10.50	V
	3339	-56.37	-13	-43.37	-75.38	-64.40	1.74	11.92	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 71**

LTE Band 71 / 20MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1328	-59.49	-13	-46.49	-73.71	-65.97	0.83	7.31	H
	1992	-36.20	-13	-23.20	-51.29	-45.13	1.04	9.97	H
	2656	-58.69	-13	-45.69	-75.8	-68.39	1.19	10.89	H
									H
									H
									H
									H
	1328	-56.33	-13	-43.33	-70.2	-62.81	0.83	7.31	V
	1992	-36.34	-13	-23.34	-51.44	-45.27	1.04	9.97	V
	2656	-58.41	-13	-45.41	-75.82	-68.11	1.19	10.89	V
									V
									V
									V
									V
Middle	1348	-59.63	-13	-46.63	-73.93	-66.20	0.83	7.40	H
	2022	-36.91	-13	-23.91	-52.48	-45.90	1.04	10.03	H
	2696	-58.58	-13	-45.58	-75.85	-68.32	1.20	10.94	H
									H
									H
									H
									H
	1348	-56.89	-13	-43.89	-70.78	-63.46	0.83	7.40	V
	2022	-35.26	-13	-22.26	-50.91	-44.25	1.04	10.03	V
	2696	-58.30	-13	-45.30	-75.9	-68.04	1.20	10.94	V
									V
									V
									V
									V



LTE Band 71 / 20MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1358	-58.83	-13	-45.83	-73.18	-65.44	0.83	7.45	H
	2037	-36.28	-13	-23.28	-52.13	-45.28	1.05	10.05	H
	2716	-58.50	-13	-45.50	-75.86	-68.26	1.20	10.96	H
									H
									H
									H
									H
	1358	-57.19	-13	-44.19	-71.1	-63.80	0.83	7.45	V
	2037	-37.18	-13	-24.18	-53.14	-46.18	1.05	10.05	V
	2716	-57.97	-13	-44.97	-75.65	-67.73	1.20	10.96	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<ASDIV Antenna>

<Ant. 0>

LTE Band 2

LTE Band 2 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-54.87	-13	-41.87	-75.6	-65.17	1.98	12.28	H
	5553	-41.35	-13	-28.35	-65.08	-51.48	2.14	12.27	H
	7404	-48.15	-13	-35.15	-76.54	-56.15	2.17	10.17	H
									H
									H
									H
	3702	-54.79	-13	-41.79	-76.04	-65.09	1.98	12.28	V
	5553	-48.94	-13	-35.94	-73.29	-59.07	2.14	12.27	V
	7404	-47.83	-13	-34.83	-76.19	-55.83	2.17	10.17	V
									V
									V
									V
Middle	3742	-54.52	-13	-41.52	-75.36	-64.78	2.00	12.25	H
	5613	-47.36	-13	-34.36	-71.08	-57.59	2.13	12.36	H
	7484	-48.71	-13	-35.71	-76.88	-56.61	2.12	10.03	H
									H
									H
									H
	3742	-54.32	-13	-41.32	-75.68	-64.58	2.00	12.25	V
	5613	-48.86	-13	-35.86	-73.23	-59.09	2.13	12.36	V
	7484	-48.77	-13	-35.77	-76.8	-56.67	2.12	10.03	V
									V
									V
									V



LTE Band 2 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3782	-54.49	-13	-41.49	-75.46	-64.70	2.02	12.23	H
	5673	-47.93	-13	-34.93	-71.97	-58.26	2.12	12.44	H
	7564	-48.58	-13	-35.58	-76.22	-56.70	2.11	10.23	H
									H
									H
									H
	3782	-53.68	-13	-40.68	-75.14	-63.89	2.02	12.23	V
	5673	-49.97	-13	-36.97	-74.61	-60.30	2.12	12.44	V
	7564	-48.71	-13	-35.71	-76.32	-56.83	2.11	10.23	V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 4**

LTE Band 4 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422	-56.83	-13	-43.83	-75.89	-67.19	1.81	12.17	H
	5135	-44.83	-13	-31.83	-68.39	-54.65	2.30	12.13	H
	6844	-50.57	-13	-37.57	-77	-59.26	2.37	11.06	H
									H
									H
									H
									H
	3422	-56.24	-13	-43.24	-75.93	-66.60	1.81	12.17	V
	5135	-45.08	-13	-32.08	-69.21	-54.90	2.30	12.13	V
	6844	-50.04	-13	-37.04	-77.02	-58.73	2.37	11.06	V
									V
									V
									V
									V
Middle	3448	-56.79	-13	-43.79	-76.09	-67.21	1.83	12.24	H
	5172	-43.27	-13	-30.27	-66.84	-53.11	2.29	12.13	H
	6894	-50.28	-13	-37.28	-76.85	-58.90	2.38	11.01	H
									H
									H
									H
									H
	3448	-56.10	-13	-43.10	-75.97	-66.52	1.83	12.24	V
	5172	-44.45	-13	-31.45	-68.58	-54.29	2.29	12.13	V
	6894	-49.66	-13	-36.66	-76.82	-58.28	2.38	11.01	V
									V
									V
									V
									V
									V



LTE Band 4 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3472	-56.68	-13	-43.68	-76.22	-67.15	1.85	12.32	H
	5208	-45.03	-13	-32.03	-68.61	-54.90	2.27	12.14	H
	6944	-49.46	-13	-36.46	-76.16	-58.02	2.40	10.96	H
									H
									H
									H
									H
	3472	-55.92	-13	-42.92	-75.98	-66.39	1.85	12.32	V
	5208	-44.47	-13	-31.47	-68.6	-54.34	2.27	12.14	V
	6944	-49.15	-13	-36.15	-76.47	-57.71	2.40	10.96	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 7**

LTE Band 7 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5002	-52.50	-25	-27.50	-76.03	-62.24	2.36	12.10	H
	7503	-47.39	-25	-22.39	-75.49	-55.29	2.11	10.01	H
	10004	-44.31	-25	-19.31	-76.34	-54.31	1.81	11.80	H
									H
									H
									H
									H
	5002	-51.86	-25	-26.86	-76.01	-61.60	2.36	12.10	V
	7503	-46.62	-25	-21.62	-74.58	-54.52	2.11	10.01	V
	10004	-45.44	-25	-20.44	-76.55	-55.44	1.81	11.80	V
									V
									V
									V
									V
Middle	5052	-52.82	-25	-27.82	-76.36	-62.59	2.34	12.11	H
	7578	-46.21	-25	-21.21	-73.74	-54.38	2.11	10.28	H
	10104	-43.82	-25	-18.82	-75.9	-53.70	1.96	11.84	H
									H
									H
									H
									H
	5052	-52.37	-25	-27.37	-76.51	-62.14	2.34	12.11	V
	7578	-46.60	-25	-21.60	-74.12	-54.77	2.11	10.28	V
	10104	-44.95	-25	-19.95	-76.3	-54.83	1.96	11.84	V
									V
									V
									V
									V
									V



LTE Band 7 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5102	-52.71	-25	-27.71	-76.26	-62.51	2.32	12.12	H
	7653	-44.79	-25	-19.79	-72.22	-53.23	2.11	10.55	H
	10204	-43.79	-25	-18.79	-75.94	-53.55	2.12	11.88	H
									H
									H
									H
									H
	5102	-52.60	-25	-27.60	-76.74	-62.40	2.32	12.12	V
	7653	-45.37	-25	-20.37	-72.85	-53.81	2.11	10.55	V
	10204	-44.16	-25	-19.16	-75.76	-53.92	2.12	11.88	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 7C**

LTE Band 7C / 20MHz +20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5037	-62.31	-25	-37.31	-55.68	-72.07	2.34	12.11	H
	7557	-58.03	-25	-33.03	-56.11	-66.12	2.11	10.21	H
	10080	-59.68	-25	-34.68	-62.3	-69.59	1.93	11.83	H
									H
									H
									H
									H
	5037	-62.85	-25	-37.85	-56.83	-72.61	2.34	12.11	V
	7557	-53.70	-25	-28.70	-51.74	-61.79	2.11	10.21	V
	10080	-60.45	-25	-35.45	-62.29	-70.36	1.93	11.83	V
									V
									V
									V
									V
Middle	5065	-63.81	-25	-38.81	-57.25	-73.59	2.33	12.11	H
	7599	-52.28	-25	-27.28	-50.08	-60.52	2.11	10.36	H
	10132	-58.73	-25	-33.73	-61.41	-68.57	2.01	11.85	H
									H
									H
									H
									H
	5065	-63.67	-25	-38.67	-57.71	-73.45	2.33	12.11	V
	7599	-61.14	-25	-36.14	-58.97	-69.38	2.11	10.36	V
	10132	-60.28	-25	-35.28	-62.28	-70.12	2.01	11.85	V
									V
									V
									V
									V
									V



LTE Band 7C / 20MHz +20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5100	-61.44	-25	-36.44	-54.97	-71.24	2.32	12.12	H
	7648	-50.72	-25	-25.72	-48.63	-59.14	2.11	10.53	H
	10198	-59.73	-25	-34.73	-62.47	-69.50	2.11	11.88	H
									H
									H
									H
									H
	5100	-62.51	-25	-37.51	-56.63	-72.31	2.32	12.12	V
	7648	-48.33	-25	-23.33	-46.29	-56.75	2.11	10.53	V
	10198	-60.94	-25	-35.94	-63.13	-70.71	2.11	11.88	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 25**

LTE Band 25 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-54.92	-13	-41.92	-75.65	-65.23	1.97	12.28	H
	5553	-47.64	-13	-34.64	-71.37	-57.77	2.14	12.27	H
	7403	-48.20	-13	-35.20	-76.6	-56.20	2.17	10.17	H
									H
									H
									H
									H
	3700	-54.42	-13	-41.42	-75.67	-64.73	1.97	12.28	V
	5553	-43.50	-13	-30.50	-67.85	-53.63	2.14	12.27	V
	7403	-48.11	-13	-35.11	-76.47	-56.11	2.17	10.17	V
									V
									V
									V
									V
Middle	3742	-54.78	-13	-41.78	-75.63	-65.04	2.00	12.25	H
	5613	-48.96	-13	-35.96	-72.68	-59.19	2.13	12.36	H
	7484	-48.01	-13	-35.01	-76.18	-55.91	2.12	10.03	H
									H
									H
									H
									H
	3742	-54.36	-13	-41.36	-75.72	-64.62	2.00	12.25	V
	5613	-44.56	-13	-31.56	-68.93	-54.79	2.13	12.36	V
	7484	-47.93	-13	-34.93	-75.96	-55.83	2.12	10.03	V
									V
									V
									V
									V
									V



LTE Band 25 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3791	-54.33	-13	-41.33	-75.32	-64.53	2.02	12.23	H
	5688	-50.24	-13	-37.24	-74.35	-60.59	2.11	12.46	H
	7585	-48.70	-13	-35.70	-76.17	-56.89	2.11	10.31	H
									H
									H
									H
									H
	3791	-53.72	-13	-40.72	-75.2	-63.92	2.02	12.23	V
	5688	-46.49	-13	-33.49	-71.19	-56.84	2.11	12.46	V
	7585	-48.65	-13	-35.65	-76.13	-56.84	2.11	10.31	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 38 HPUE

LTE Band 38 (HPUE) / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5142	-51.98	-25	-26.98	-75.54	-61.81	2.30	12.13	H
	7713	-45.09	-25	-20.09	-72.62	-53.74	2.11	10.77	H
	10284	-44.05	-25	-19.05	-76.23	-53.71	2.25	11.91	H
									H
									H
									H
									H
	5142	-52.32	-25	-27.32	-76.45	-62.15	2.30	12.13	V
	7713	-38.76	-25	-13.76	-66.35	-47.41	2.11	10.77	V
	10284	-44.40	-25	-19.40	-76.2	-54.06	2.25	11.91	V
									V
									V
									V
									V
Middle	5172	-51.65	-25	-26.65	-75.22	-61.49	2.29	12.13	H
	7758	-43.43	-25	-18.43	-71.03	-52.25	2.11	10.93	H
	10344	-43.81	-25	-18.81	-76.02	-53.40	2.34	11.94	H
									H
									H
									H
									H
	5172	-51.49	-25	-26.49	-75.62	-61.33	2.29	12.13	V
	7758	-38.77	-25	-13.77	-66.43	-47.59	2.11	10.93	V
	10344	-43.97	-25	-18.97	-75.91	-53.56	2.34	11.94	V
									V
									V
									V
									V



LTE Band 38 (HPUE) / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5202	-52.95	-25	-27.95	-76.52	-62.81	2.28	12.14	H
	7803	-45.24	-25	-20.24	-72.92	-54.22	2.11	11.09	H
	10404	-43.93	-25	-18.93	-76.17	-53.45	2.44	11.96	H
									H
									H
									H
									H
	5202	-52.36	-25	-27.36	-76.48	-62.22	2.28	12.14	V
	7803	-40.64	-25	-15.64	-68.38	-49.62	2.11	11.09	V
	10404	-43.87	-25	-18.87	-75.96	-53.39	2.44	11.96	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 41 HPUE**

LTE Band 41 (HPUE) / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4994	-61.30	-25	-36.30	-54.56	-71.04	2.36	12.10	H
	7491	-47.05	-25	-22.05	-45.54	-54.95	2.12	10.02	H
	9988	-60.03	-25	-35.03	-62.56	-70.02	1.81	11.80	H
									H
									H
									H
									H
	4994	-61.53	-25	-36.53	-55.41	-71.27	2.36	12.10	V
	7491	-47.79	-25	-22.79	-46.14	-55.69	2.12	10.02	V
	12485	-57.45	-25	-32.45	-61.46	-68.17	2.55	13.27	V
									V
									V
									V
									V
Middle	5168	-58.91	-25	-33.91	-52.6	-68.75	2.29	12.13	H
	7752	-49.73	-25	-24.73	-47.91	-58.52	2.11	10.91	H
	12920	-56.63	-25	-31.63	-62.33	-66.91	2.52	12.80	H
									H
									H
									H
									H
	5168	-56.70	-25	-31.70	-50.95	-66.54	2.29	12.13	V
	7752	-45.76	-25	-20.76	-44	-54.55	2.11	10.91	V
	12920	-53.60	-25	-28.60	-58.58	-63.88	2.52	12.80	V
									V
									V
									V
									V
									V



LTE Band 41 (HPUE) / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5342	-59.53	-25	-34.53	-53.74	-69.48	2.22	12.17	H
	8013	-47.84	-25	-22.84	-47.2	-57.55	2.11	11.82	H
	10684	-58.82	-25	-33.82	-62.27	-67.95	2.62	11.74	H
									H
									H
									H
									H
	5342	-58.78	-25	-33.78	-53.5	-68.73	2.22	12.17	V
	8013	-45.42	-25	-20.42	-44.52	-55.13	2.11	11.82	V
	10684	-58.90	-25	-33.90	-62.39	-68.03	2.62	11.74	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 41C**

LTE Band 41C / 20MHz +20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5030	-64.76	-25	-39.76	-58.11	-74.52	2.35	12.11	H
	7543	-61.90	-25	-36.90	-60.08	-69.94	2.11	10.15	H
	10060	-60.09	-25	-35.09	-62.69	-70.02	1.89	11.82	H
									H
									H
									H
									H
	5030	-64.17	-25	-39.17	-58.13	-73.93	2.35	12.11	V
	7543	-61.70	-25	-36.70	-59.81	-69.74	2.11	10.15	V
	10060	-60.82	-25	-35.82	-62.6	-70.75	1.89	11.82	V
									V
									V
									V
									V
Middle	5184	-65.35	-25	-40.35	-59.08	-75.20	2.28	12.14	H
	7774	-56.97	-25	-31.97	-55.2	-65.84	2.11	10.99	H
	10368	-58.85	-25	-33.85	-61.77	-68.42	2.38	11.95	H
									H
									H
									H
									H
	5184	-64.24	-25	-39.24	-58.52	-74.09	2.28	12.14	V
	7774	-54.90	-25	-29.90	-53.2	-63.77	2.11	10.99	V
	10368	-59.83	-25	-34.83	-62.53	-69.40	2.38	11.95	V
									V
									V
									V
									V
									V



LTE Band 41C / 20MHz +20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5338	-64.78	-25	-39.78	-58.96	-74.73	2.22	12.17	H
	8005	-60.17	-25	-35.17	-59.54	-69.87	2.11	11.81	H
	10676	-58.98	-25	-33.98	-62.42	-68.12	2.61	11.75	H
									H
									H
									H
									H
	5338	-65.26	-25	-40.26	-59.95	-75.21	2.22	12.17	V
	8005	-61.38	-25	-36.38	-60.49	-71.08	2.11	11.81	V
	10676	-58.75	-25	-33.75	-62.22	-67.89	2.61	11.75	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 66**

LTE Band 66 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422	-56.27	-13	-43.27	-75.33	-66.63	1.81	12.17	H
	5133	-39.22	-13	-26.22	-62.78	-49.04	2.31	12.13	H
	6844	-49.88	-13	-36.88	-76.31	-58.57	2.37	11.06	H
									H
									H
									H
									H
	3422	-56.55	-13	-43.55	-76.24	-66.91	1.81	12.17	V
	5133	-42.26	-13	-29.26	-66.39	-52.08	2.31	12.13	V
	6844	-49.90	-13	-36.90	-76.88	-58.59	2.37	11.06	V
									V
									V
									V
									V
Middle	3472	-56.38	-13	-43.38	-75.92	-66.85	1.85	12.32	H
	5208	-43.15	-13	-30.15	-66.73	-53.02	2.27	12.14	H
	6944	-49.74	-13	-36.74	-76.44	-58.30	2.40	10.96	H
									H
									H
									H
									H
	3472	-56.35	-13	-43.35	-76.41	-66.82	1.85	12.32	V
	5208	-45.23	-13	-32.23	-69.36	-55.10	2.27	12.14	V
	6944	-49.01	-13	-36.01	-76.33	-57.57	2.40	10.96	V
									V
									V
									V
									V
									V



LTE Band 66 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3522	-56.44	-13	-43.44	-76.4	-66.95	1.88	12.39	H
	5283	-37.91	-13	-24.91	-61.54	-47.82	2.24	12.16	H
	7044	-49.06	-13	-36.06	-76.12	-57.49	2.39	10.82	H
									H
									H
									H
									H
	3522	-56.14	-13	-43.14	-76.57	-66.65	1.88	12.39	V
	5283	-39.34	-13	-26.34	-63.5	-49.25	2.24	12.16	V
	7044	-48.72	-13	-35.72	-76.39	-57.15	2.39	10.82	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 66B**

LTE Band 66B / 10MHz +10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3441	-56.60	-13	-43.60	-75.84	-67.00	1.82	12.22	H
	5166	-53.33	-13	-40.33	-76.9	-63.17	2.29	12.13	H
	6888	-50.59	-13	-37.59	-77.14	-59.22	2.38	11.01	H
									H
									H
									H
									H
	3441	-56.53	-13	-43.53	-76.35	-66.93	1.82	12.22	V
	5166	-52.81	-13	-39.81	-76.94	-62.65	2.29	12.13	V
	6888	-50.15	-13	-37.15	-77.28	-58.78	2.38	11.01	V
									V
									V
									V
									V
Middle	3509	-56.63	-13	-43.63	-76.52	-67.15	1.87	12.39	H
	5263	-53.82	-13	-40.82	-77.43	-63.72	2.25	12.15	H
	7018	-48.97	-13	-35.97	-75.9	-57.43	2.41	10.87	H
									H
									H
									H
									H
	3509	-55.77	-13	-42.77	-76.1	-66.29	1.87	12.39	V
	5263	-53.28	-13	-40.28	-77.43	-63.18	2.25	12.15	V
	7018	-47.85	-13	-34.85	-75.43	-56.31	2.41	10.87	V
									V
									V
									V
									V



LTE Band 66B / 10MHz +10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3539	-56.56	-13	-43.56	-76.63	-67.05	1.89	12.38	H
	5308	-53.41	-13	-40.41	-77.07	-63.34	2.23	12.16	H
	7078	-48.79	-13	-35.79	-76.02	-57.18	2.37	10.76	H
									H
									H
									H
									H
	3539	-56.11	-13	-43.11	-76.67	-66.60	1.89	12.38	V
	5308	-52.85	-13	-39.85	-77.03	-62.78	2.23	12.16	V
	7078	-48.14	-13	-35.14	-75.93	-56.53	2.37	10.76	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 66C**

LTE Band 66C / 20MHz +20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3457	-56.92	-13	-43.92	-76.32	-67.36	1.83	12.27	H
	5186	-51.85	-13	-38.85	-75.42	-61.70	2.28	12.14	H
	6915	-49.50	-13	-36.50	-76.12	-58.09	2.39	10.99	H
									H
									H
									H
									H
	3457	-56.51	-13	-43.51	-76.46	-66.95	1.83	12.27	V
	5186	-51.00	-13	-38.00	-75.12	-60.85	2.28	12.14	V
	6915	-49.05	-13	-36.05	-76.27	-57.64	2.39	10.99	V
									V
									V
									V
									V
Middle	3508	-56.42	-13	-43.42	-76.31	-66.94	1.87	12.40	H
	5262	-53.34	-13	-40.34	-76.95	-63.24	2.25	12.15	H
	7016	-49.19	-13	-36.19	-76.11	-57.65	2.41	10.87	H
									H
									H
									H
									H
	3508	-56.13	-13	-43.13	-76.46	-66.65	1.87	12.40	V
	5262	-52.57	-13	-39.57	-76.72	-62.47	2.25	12.15	V
	7016	-48.65	-13	-35.65	-76.23	-57.11	2.41	10.87	V
									V
									V
									V
									V



LTE Band 66C / 20MHz +20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3518	-56.70	-13	-43.70	-76.63	-67.21	1.88	12.39	H
	5277	-53.53	-13	-40.53	-77.16	-63.44	2.25	12.16	H
	7036	-49.36	-13	-36.36	-76.38	-57.80	2.40	10.84	H
									H
									H
									H
									H
	3518	-55.71	-13	-42.71	-76.11	-66.22	1.88	12.39	V
	5277	-53.03	-13	-40.03	-77.19	-62.94	2.25	12.16	V
	7036	-48.49	-13	-35.49	-76.12	-56.93	2.40	10.84	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<Ant. 1>

LTE Band 5

LTE Band 5 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649	-61.32	-13	-48.32	-74.36	-66.71	1.23	8.77	H
	2473	-38.35	-13	-25.35	-55.3	-45.24	1.44	10.48	H
	3298	-57.35	-13	-44.35	-76.09	-65.29	1.70	11.79	H
									H
									H
									H
									H
	1649	-61.47	-13	-48.47	-74.38	-66.86	1.23	8.77	V
	2473	-37.80	-13	-24.80	-55.04	-44.69	1.44	10.48	V
	3298	-56.91	-13	-43.91	-76.05	-64.85	1.70	11.79	V
									V
									V
									V
									V
Middle	1664	-61.78	-13	-48.78	-74.87	-67.22	1.23	8.82	H
	2496	-39.38	-13	-26.38	-56.26	-46.29	1.44	10.50	H
	3328	-57.28	-13	-44.28	-75.83	-65.29	1.73	11.88	H
									H
									H
									H
									H
	1664	-61.56	-13	-48.56	-74.53	-67.00	1.23	8.82	V
	2496	-38.31	-13	-25.31	-55.4	-45.22	1.44	10.50	V
	3328	-56.98	-13	-43.98	-76.01	-64.99	1.73	11.88	V
									V
									V
									V
									V



LTE Band 5 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1679	-61.39	-13	-48.39	-74.53	-66.88	1.24	8.88	H
	2518	-39.35	-13	-26.35	-56.22	-46.27	1.44	10.51	H
	3358	-57.72	-13	-44.72	-76.09	-65.79	1.75	11.97	H
									H
									H
									H
									H
	1679	-61.76	-13	-48.76	-74.79	-67.25	1.24	8.88	V
	2518	-38.98	-13	-25.98	-56.05	-45.90	1.44	10.51	V
	3358	-57.29	-13	-44.29	-76.23	-65.36	1.75	11.97	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 5B**

LTE Band 5B / 10+10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1669	-59.85	-13	-46.85	-72.96	-65.31	1.23	8.84	H
	2503	-50.34	-13	-37.34	-67.2	-57.25	1.44	10.50	H
	3338	-57.15	-13	-44.15	-75.65	-65.18	1.74	11.91	H
									H
									H
									H
									H
	1669	-61.95	-13	-48.95	-74.95	-67.41	1.23	8.84	V
	2503	-51.41	-13	-38.41	-68.46	-58.32	1.44	10.50	V
	3338	-56.55	-13	-43.55	-75.56	-64.58	1.74	11.91	V
									V
									V
									V
									V
Middle	1674	-58.05	-13	-45.05	-71.16	-63.53	1.24	8.86	H
	2511	-43.94	-13	-30.94	-60.81	-50.86	1.44	10.51	H
	3348	-57.37	-13	-44.37	-75.8	-65.42	1.75	11.94	H
									H
									H
									H
									H
	1674	-61.66	-13	-48.66	-74.67	-67.14	1.24	8.86	V
	2511	-48.93	-13	-35.93	-65.99	-55.85	1.44	10.51	V
	3348	-56.54	-13	-43.54	-75.51	-64.59	1.75	11.94	V
									V
									V
									V
									V
									V



LTE Band 5B / 10+10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1679	-59.17	-13	-46.17	-72.31	-64.66	1.24	8.88	H
	2518	-51.23	-13	-38.23	-68.1	-58.15	1.44	10.51	H
	3358	-57.36	-13	-44.36	-75.73	-65.43	1.75	11.97	H
									H
									H
									H
									H
	1679	-61.42	-13	-48.42	-74.45	-66.91	1.24	8.88	V
	2518	-50.12	-13	-37.12	-67.19	-57.04	1.44	10.51	V
	3358	-56.43	-13	-43.43	-75.37	-64.50	1.75	11.97	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 12**

LTE Band 12 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1399	-57.43	-13.00	-44.43	-71.97	-61.87	1.15	7.74	H
	2099	-45.66	-13.00	-32.66	-62.54	-52.31	1.38	10.18	H
	2798	-57.95	-13.00	-44.95	-75.64	-65.09	1.45	10.74	H
									H
									H
									H
									H
	1399	-64.14	-13.00	-51.14	-74.13	-68.58	1.15	7.74	V
	2099	-46.18	-13.00	-33.18	-63.32	-52.83	1.38	10.18	V
	2798	-57.41	-13.00	-44.41	-75.51	-64.55	1.45	10.74	V
									V
									V
									V
									V
Middle	1406	-57.61	-13.00	-44.61	-72.11	-62.08	1.15	7.77	H
	2109	-44.17	-13.00	-31.17	-61.22	-50.83	1.38	10.19	H
	2812	-57.80	-13.00	-44.80	-75.53	-64.95	1.45	10.75	H
									H
									H
									H
									H
	1406	-60.10	-13.00	-47.10	-74.06	-64.57	1.15	7.77	V
	2109	-43.38	-13.00	-30.38	-60.71	-50.04	1.38	10.19	V
	2812	-57.70	-13.00	-44.70	-75.85	-64.85	1.45	10.75	V
									V
									V
									V
									V
									V



LTE Band 12 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1413	-58.44	-13.00	-45.44	-72.92	-62.94	1.15	7.80	H
	2120	-43.97	-13.00	-30.97	-61.22	-50.64	1.38	10.20	H
	2826	-58.18	-13.00	-45.18	-75.95	-65.34	1.45	10.76	H
									H
									H
									H
									H
	1413	-59.88	-13.00	-46.88	-73.83	-64.38	1.15	7.80	V
	2120	-40.22	-13.00	-27.22	-57.78	-46.89	1.38	10.20	V
	2826	-57.45	-13.00	-44.45	-75.63	-64.61	1.45	10.76	V
									V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 13**

LTE Band 13 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1554	-60.98	-13	-47.98	-74.41	-66.04	1.19	8.41	H
	2332	-44.30	-13	-31.30	-61.97	-51.10	1.41	10.37	H
	3109	-57.25	-13	-44.25	-76.08	-64.78	1.55	11.23	H
									H
									H
									H
									H
	1554	-61.25	-13	-48.25	-74.46	-66.31	1.19	8.41	V
	2332	-41.45	-13	-28.45	-59.65	-48.25	1.41	10.37	V
	3109	-57.14	-13	-44.14	-76.26	-64.67	1.55	11.23	V
									V
									V
									V
									V
Middle	1560	-60.81	-42.15	-18.66	-74.17	-65.90	1.19	8.43	H
	2336	-40.63	-13	-27.63	-58.27	-47.44	1.41	10.37	H
	3120	-57.00	-13	-44.00	-75.90	-64.55	1.56	11.26	H
									H
									H
									H
									H
	1560	-61.71	-42.15	-19.56	-74.85	-66.80	1.19	8.43	V
	2336	-38.58	-13	-25.58	-56.76	-45.39	1.41	10.37	V
	3120	-56.68	-13	-43.68	-75.85	-64.23	1.56	11.26	V
									V
									V
									V
									V



LTE Band 13 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1564	-59.97	-42.15	-17.82	-73.29	-65.07	1.19	8.44	H
	2347	-39.52	-13	-26.52	-57.08	-46.33	1.42	10.38	H
	3911	-53.10	-13	-40.10	-73.78	-61.02	2.08	12.15	H
									H
									H
									H
									H
	1564	-62.05	-42.15	-19.90	-75.15	-67.15	1.19	8.44	V
	2347	-39.07	-13	-26.07	-57.16	-45.88	1.42	10.38	V
	3911	-54.96	-13	-41.96	-76.08	-62.88	2.08	12.15	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 13 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1555	-60.56	-13	-47.56	-73.98	-65.63	1.19	8.41	H
	2332	-42.24	-13	-29.24	-59.91	-49.04	1.41	10.37	H
	3110	-44.21	-13	-31.21	-76.12	-51.74	1.55	11.23	H
									H
									H
									H
									H
	1555	-61.72	-13	-48.72	-74.92	-66.79	1.19	8.41	V
	2332	-38.51	-13	-25.51	-56.71	-45.31	1.41	10.37	V
	3110	-56.97	-13	-43.97	-76.11	-64.50	1.55	11.23	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 17**

LTE Band 17 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1409	-59.87	-13	-46.87	-74.38	-64.35	1.15	7.78	H
	2114	-58.83	-13	-45.83	-75.95	-65.49	1.38	10.19	H
	2818	-58.18	-13	-45.18	-75.93	-65.33	1.45	10.75	H
									H
									H
									H
									H
	1409	-60.20	-13	-47.20	-74.16	-64.68	1.15	7.78	V
	2114	-58.31	-13	-45.31	-75.75	-64.97	1.38	10.19	V
	2818	-57.93	-13	-44.93	-76.09	-65.08	1.45	10.75	V
									V
									V
									V
									V
Middle	1411	-59.44	-13	-46.44	-73.94	-63.93	1.15	7.79	H
	2117	-58.26	-13	-45.26	-75.46	-64.92	1.38	10.19	H
	2822	-58.06	-13	-45.06	-75.82	-65.21	1.45	10.76	H
									H
									H
									H
									H
	1411	-59.69	-13	-46.69	-73.64	-64.18	1.15	7.79	V
	2117	-57.94	-13	-44.94	-75.44	-64.60	1.38	10.19	V
	2822	-57.57	-13	-44.57	-75.75	-64.72	1.45	10.76	V
									V
									V
									V
									V
									V



LTE Band 17 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1413	-59.40	-13	-46.40	-73.88	-63.90	1.15	7.80	H
	2120	-58.39	-13	-45.39	-75.64	-65.06	1.38	10.20	H
	2826	-58.20	-13	-45.20	-75.97	-65.36	1.45	10.76	H
									H
									H
									H
									H
	1413	-60.08	-13	-47.08	-74.03	-64.58	1.15	7.80	V
	2120	-58.23	-13	-45.23	-75.79	-64.90	1.38	10.20	V
	2826	-57.47	-13	-44.47	-75.66	-64.63	1.45	10.76	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 26**

LTE Band 26 / 15MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649	-61.19	-13	-48.19	-74.23	-66.58	1.23	8.77	H
	2474	-41.89	-13	-28.89	-58.84	-48.78	1.44	10.48	H
	3339	-57.82	-13	-44.82	-76.31	-65.85	1.74	11.92	H
									H
									H
									H
									H
	1649	-62.19	-13	-49.19	-75.1	-67.58	1.23	8.77	V
	2474	-46.11	-13	-33.11	-63.35	-53.00	1.44	10.48	V
	3339	-57.23	-13	-44.23	-76.24	-65.26	1.74	11.92	V
									V
									V
									V
									V
Middle	1656	-58.16	-13	-45.16	-71.22	-63.57	1.23	8.79	H
	2488	-38.26	-13	-25.26	-55.16	-45.16	1.44	10.49	H
	3320	-57.66	-13	-44.66	-76.27	-65.65	1.72	11.86	H
									H
									H
									H
									H
	1656	-60.82	-13	-47.82	-73.75	-66.23	1.23	8.79	V
	2488	-46.98	-13	-33.98	-64.12	-53.88	1.44	10.49	V
	3320	-56.92	-13	-43.92	-75.99	-64.91	1.72	11.86	V
									V
									V
									V
									V
									V



LTE Band 26 / 15MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1669	-61.53	-13	-48.53	-74.64	-66.99	1.23	8.84	H
	2504	-44.76	-13	-31.76	-61.62	-51.67	1.44	10.50	H
	3339	-56.95	-13	-43.95	-75.44	-64.98	1.74	11.92	H
									H
									H
									H
									H
	1669	-61.64	-13	-48.64	-74.64	-67.10	1.23	8.84	V
	2504	-46.68	-13	-33.68	-63.73	-53.59	1.44	10.50	V
	3339	-56.98	-13	-43.98	-75.99	-65.01	1.74	11.92	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 71**

LTE Band 71 / 20MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1328	-60.42	-13	-47.42	-74.64	-66.90	0.83	7.31	H
	1992	-56.34	-13	-43.34	-71.43	-65.27	1.04	9.97	H
	2656	-58.87	-13	-45.87	-75.98	-68.57	1.19	10.89	H
									H
									H
									H
									H
	1328	-60.32	-13	-47.32	-74.19	-66.80	0.83	7.31	V
	1992	-49.49	-13	-36.49	-64.59	-58.42	1.04	9.97	V
	2656	-58.30	-13	-45.30	-75.71	-68.00	1.19	10.89	V
									V
									V
									V
									V
Middle	1348	-60.22	-13	-47.22	-74.52	-66.79	0.83	7.40	H
	2022	-60.25	-13	-47.25	-75.79	-69.24	1.04	10.03	H
	2696	-58.31	-13	-45.31	-75.58	-68.05	1.20	10.94	H
									H
									H
									H
									H
	1348	-60.63	-13	-47.63	-74.52	-67.20	0.83	7.40	V
	2022	-60.14	-13	-47.14	-75.75	-69.13	1.04	10.03	V
	2696	-57.68	-13	-44.68	-75.28	-67.42	1.20	10.94	V
									V
									V
									V
									V
									V



LTE Band 71 / 20MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1358	-59.61	-13	-46.61	-73.96	-66.22	0.83	7.45	H
	2037	-56.89	-13	-43.89	-72.69	-65.89	1.05	10.05	H
	2716	-58.24	-13	-45.24	-75.6	-68.00	1.20	10.96	H
									H
									H
									H
									H
	1358	-60.76	-13	-47.76	-74.67	-67.37	0.83	7.45	V
	2037	-54.35	-13	-41.35	-70.25	-63.35	1.05	10.05	V
	2716	-58.17	-13	-45.17	-75.87	-67.93	1.20	10.96	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

————THE END————