



Mode	15																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																																																																
ANT	3+4																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>52.66</td><td>88.20</td><td>-35.54</td><td>41.48</td><td>34.25</td><td>13.70</td><td>36.77</td><td>0.00</td><td>206</td><td>0 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5924.68	52.66	88.20	-35.54	41.48	34.25	13.70	36.77	0.00	206	0 Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>106.61</td><td>-----</td><td>-----</td><td>94.27</td><td>34.68</td><td>14.21</td><td>36.55</td><td>0.00</td><td>206</td><td>0 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6385.00	106.61	-----	-----	94.27	34.68	14.21	36.55	0.00	206	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5924.68	52.66	88.20	-35.54	41.48	34.25	13.70	36.77	0.00	206	0 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																							
1	6385.00	106.61	-----	-----	94.27	34.68	14.21	36.55	0.00	206	0 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-12-19 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.20</td><td>44.16</td><td>68.20</td><td>-24.04</td><td>32.98</td><td>34.26</td><td>13.69</td><td>36.77</td><td>0.00</td><td>206</td><td>0 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5920.20	44.16	68.20	-24.04	32.98	34.26	13.69	36.77	0.00	206	0 Average	Level (dBuV/m) Date: 2025-12-19 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>99.53</td><td>-----</td><td>-----</td><td>87.32</td><td>34.59</td><td>14.18</td><td>36.56</td><td>0.00</td><td>206</td><td>0 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6385.00	99.53	-----	-----	87.32	34.59	14.18	36.56	0.00	206	0 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5920.20	44.16	68.20	-24.04	32.98	34.26	13.69	36.77	0.00	206	0 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																							
1	6385.00	99.53	-----	-----	87.32	34.59	14.18	36.56	0.00	206	0 Average																																																																																						



Mode	15																																																																																														
	Band Edge																																																																																														
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																																																														
ANT	3+4																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5899.48</td><td>52.74</td><td>88.20</td><td>-35.46</td><td>41.56</td><td>34.30</td><td>13.65</td><td>36.77</td><td>0.00</td><td>200</td><td>25 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5899.48	52.74	88.20	-35.46	41.56	34.30	13.65	36.77	0.00	200	25 Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>105.60</td><td>-----</td><td>-----</td><td>93.41</td><td>34.58</td><td>14.18</td><td>36.57</td><td>0.00</td><td>200</td><td>25 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6385.00	105.60	-----	-----	93.41	34.58	14.18	36.57	0.00	200	25 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																						
1	5899.48	52.74	88.20	-35.46	41.56	34.30	13.65	36.77	0.00	200	25 Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																						
1	6385.00	105.60	-----	-----	93.41	34.58	14.18	36.57	0.00	200	25 Peak																																																																																				
Avg	Level (dBuV/m) Date: 2025-12-19 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.64</td><td>43.27</td><td>68.20</td><td>-24.93</td><td>32.09</td><td>34.26</td><td>13.69</td><td>36.77</td><td>0.00</td><td>200</td><td>25 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5919.64	43.27	68.20	-24.93	32.09	34.26	13.69	36.77	0.00	200	25 Average	Level (dBuV/m) Date: 2025-12-19 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>98.45</td><td>-----</td><td>-----</td><td>86.30</td><td>34.55</td><td>14.17</td><td>36.57</td><td>0.00</td><td>200</td><td>25 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6385.00	98.45	-----	-----	86.30	34.55	14.17	36.57	0.00	200	25 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																						
1	5919.64	43.27	68.20	-24.93	32.09	34.26	13.69	36.77	0.00	200	25 Average																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																						
1	6385.00	98.45	-----	-----	86.30	34.55	14.17	36.57	0.00	200	25 Average																																																																																				







Mode	15																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																																																																															
ANT	3+4																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>50.00</td><td>88.20</td><td>-38.20</td><td>46.54</td><td>39.67</td><td>20.42</td><td>57.16</td><td>0.53</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>36.47</td><td>74.00</td><td>-37.53</td><td>57.20</td><td>38.29</td><td>5.85</td><td>55.33</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	50.00	88.20	-38.20	46.54	39.67	20.42	57.16	0.53	--	Peak	2	19155.00	36.47	74.00	-37.53	57.20	38.29	5.85	55.33	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>49.12</td><td>88.20</td><td>-39.08</td><td>45.66</td><td>39.67</td><td>20.42</td><td>57.16</td><td>0.53</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>36.84</td><td>74.00</td><td>-37.16</td><td>57.57</td><td>38.29</td><td>5.85</td><td>55.33</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	49.12	88.20	-39.08	45.66	39.67	20.42	57.16	0.53	--	Peak	2	19155.00	36.84	74.00	-37.16	57.57	38.29	5.85	55.33	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12770.00	50.00	88.20	-38.20	46.54	39.67	20.42	57.16	0.53	--	Peak																																																																																																					
2	19155.00	36.47	74.00	-37.53	57.20	38.29	5.85	55.33	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12770.00	49.12	88.20	-39.08	45.66	39.67	20.42	57.16	0.53	--	Peak																																																																																																					
2	19155.00	36.84	74.00	-37.16	57.57	38.29	5.85	55.33	-9.54	--	Peak																																																																																																					



Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL



		16																																																																																																																																																																																			
Mode		Band Edge																																																																																																																																																																																			
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																																																																																																			
ANT		3+4																																																																																																																																																																																			
Pol.		Horizontal					Fundamental																																																																																																																																																																														
Peak	Level (dBuV/m) Date: 2025-12-08  Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5909.20</td><td>74.23</td><td>88.20</td><td>-13.97</td><td>63.05</td><td>34.28</td><td>13.67</td><td>36.77</td><td>0.00 226 0 Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2025-12-08  Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>99.50</td><td>-----</td><td>-----</td><td>88.23</td><td>34.18</td><td>13.85</td><td>36.76</td><td>0.00 226 0 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	5909.20	74.23	88.20	-13.97	63.05	34.28	13.67	36.77	0.00 226 0 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	6025.00	99.50	-----	-----	88.23	34.18	13.85	36.76	0.00 226 0 Peak	Avg	Level (dBuV/m) Date: 2025-12-08  Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5914.40</td><td>63.43</td><td>68.20</td><td>-4.77</td><td>52.25</td><td>34.27</td><td>13.68</td><td>36.77</td><td>0.00 226 0 Average</td></tr></tbody></table> Level (dBuV/m) Date: 2025-12-08  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>91.85</td><td>-----</td><td>-----</td><td>80.60</td><td>34.11</td><td>13.88</td><td>36.74</td><td>0.00 226 0 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	5914.40	63.43	68.20	-4.77	52.25	34.27	13.68	36.77	0.00 226 0 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	6025.00	91.85	-----	-----	80.60	34.11	13.88	36.74	0.00 226 0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																												
1	5909.20	74.23	88.20	-13.97	63.05	34.28	13.67	36.77	0.00 226 0 Peak																																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																												
1	6025.00	99.50	-----	-----	88.23	34.18	13.85	36.76	0.00 226 0 Peak																																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																												
1	5914.40	63.43	68.20	-4.77	52.25	34.27	13.68	36.77	0.00 226 0 Average																																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																												
1	6025.00	91.85	-----	-----	80.60	34.11	13.88	36.74	0.00 226 0 Average																																																																																																																																																																												







Mode	16																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																	
ANT	3+4																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-12-08 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.40</td><td>75.58</td><td>88.20</td><td>-12.62</td><td>64.40</td><td>34.27</td><td>13.68</td><td>36.77</td><td>0.00</td><td>200</td><td>19 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.40	75.58	88.20	-12.62	64.40	34.27	13.68	36.77	0.00	200	19 Peak	Level (dBuV/m) Date: 2025-12-08 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>103.49</td><td>-----</td><td>-----</td><td>92.22</td><td>34.18</td><td>13.85</td><td>36.76</td><td>0.00</td><td>200</td><td>19 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	103.49	-----	-----	92.22	34.18	13.85	36.76	0.00	200	19 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5914.40	75.58	88.20	-12.62	64.40	34.27	13.68	36.77	0.00	200	19 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6025.00	103.49	-----	-----	92.22	34.18	13.85	36.76	0.00	200	19 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-12-08 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.40</td><td>65.73</td><td>68.20</td><td>-2.47</td><td>54.55</td><td>34.27</td><td>13.68</td><td>36.77</td><td>0.00</td><td>200</td><td>19 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.40	65.73	68.20	-2.47	54.55	34.27	13.68	36.77	0.00	200	19 Average	Level (dBuV/m) Date: 2025-12-08 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>93.44</td><td>-----</td><td>-----</td><td>82.17</td><td>34.18</td><td>13.85</td><td>36.76</td><td>0.00</td><td>200</td><td>19 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	93.44	-----	-----	82.17	34.18	13.85	36.76	0.00	200	19 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5914.40	65.73	68.20	-2.47	54.55	34.27	13.68	36.77	0.00	200	19 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6025.00	93.44	-----	-----	82.17	34.18	13.85	36.76	0.00	200	19 Average																																																																																							



Mode	16																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																																																																
ANT	3+4																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12050.00</td><td>49.19</td><td>74.00</td><td>-24.81</td><td>46.72</td><td>39.30</td><td>19.84</td><td>57.15</td><td>0.48</td><td>300</td><td>18</td><td>Peak</td></tr><tr><td>2 12050.00</td><td>39.40</td><td>54.00</td><td>-14.60</td><td>36.93</td><td>39.30</td><td>19.84</td><td>57.15</td><td>0.48</td><td>300</td><td>18</td><td>Average</td></tr><tr><td>3 18075.00</td><td>36.29</td><td>74.00</td><td>-37.71</td><td>58.08</td><td>38.01</td><td>5.69</td><td>55.95</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12050.00	49.19	74.00	-24.81	46.72	39.30	19.84	57.15	0.48	300	18	Peak	2 12050.00	39.40	54.00	-14.60	36.93	39.30	19.84	57.15	0.48	300	18	Average	3 18075.00	36.29	74.00	-37.71	58.08	38.01	5.69	55.95	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12050.00</td><td>50.04</td><td>74.00</td><td>-23.96</td><td>47.57</td><td>39.30</td><td>19.84</td><td>57.15</td><td>0.48</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 12050.00</td><td>40.30</td><td>54.00</td><td>-13.70</td><td>37.83</td><td>39.30</td><td>19.84</td><td>57.15</td><td>0.48</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3 18075.00</td><td>35.69</td><td>74.00</td><td>-38.31</td><td>57.48</td><td>38.01</td><td>5.69</td><td>55.95</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12050.00	50.04	74.00	-23.96	47.57	39.30	19.84	57.15	0.48	--	--	Peak	2 12050.00	40.30	54.00	-13.70	37.83	39.30	19.84	57.15	0.48	--	--	Average	3 18075.00	35.69	74.00	-38.31	57.48	38.01	5.69	55.95	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1 12050.00	49.19	74.00	-24.81	46.72	39.30	19.84	57.15	0.48	300	18	Peak																																																																																																																																						
2 12050.00	39.40	54.00	-14.60	36.93	39.30	19.84	57.15	0.48	300	18	Average																																																																																																																																						
3 18075.00	36.29	74.00	-37.71	58.08	38.01	5.69	55.95	-9.54	--	--	Peak																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1 12050.00	50.04	74.00	-23.96	47.57	39.30	19.84	57.15	0.48	--	--	Peak																																																																																																																																						
2 12050.00	40.30	54.00	-13.70	37.83	39.30	19.84	57.15	0.48	--	--	Average																																																																																																																																						
3 18075.00	35.69	74.00	-38.31	57.48	38.01	5.69	55.95	-9.54	--	--	Peak																																																																																																																																						



Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-22  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-22  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-22  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-22  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL



Mode	17																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																																																																	
ANT	3+4																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.00</td><td>66.53</td><td>88.20 -21.67</td><td>55.35</td><td>34.25</td><td>13.70</td><td>36.77</td><td>0.00</td><td>107</td><td>356 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.00	66.53	88.20 -21.67	55.35	34.25	13.70	36.77	0.00	107	356 Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6185.00</td><td>104.20</td><td>-----</td><td>92.68</td><td>34.20</td><td>13.99</td><td>36.67</td><td>0.00</td><td>107</td><td>356 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6185.00	104.20	-----	92.68	34.20	13.99	36.67	0.00	107	356 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5924.00	66.53	88.20 -21.67	55.35	34.25	13.70	36.77	0.00	107	356 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6185.00	104.20	-----	92.68	34.20	13.99	36.67	0.00	107	356 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-12-19 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.00</td><td>58.62</td><td>68.20 -9.58</td><td>47.44</td><td>34.25</td><td>13.70</td><td>36.77</td><td>0.00</td><td>107</td><td>356 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.00	58.62	68.20 -9.58	47.44	34.25	13.70	36.77	0.00	107	356 Average	Level (dBuV/m) Date: 2025-12-19 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6185.00</td><td>96.24</td><td>-----</td><td>84.75</td><td>34.20</td><td>13.97</td><td>36.68</td><td>0.00</td><td>107</td><td>356 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6185.00	96.24	-----	84.75	34.20	13.97	36.68	0.00	107	356 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5924.00	58.62	68.20 -9.58	47.44	34.25	13.70	36.77	0.00	107	356 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6185.00	96.24	-----	84.75	34.20	13.97	36.68	0.00	107	356 Average																																																																									







Mode	17																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																																																																									
ANT	3+4																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5913.08</td><td>65.00</td><td>88.20 -23.20</td><td>53.82</td><td>34.27</td><td>13.68</td><td>36.77</td><td>0.00</td><td>200</td><td>17 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 5913.08	65.00	88.20 -23.20	53.82	34.27	13.68	36.77	0.00	200	17 Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6185.00</td><td>103.06</td><td>-----</td><td>92.34</td><td>34.20</td><td>13.99</td><td>36.67</td><td>0.00</td><td>200</td><td>17 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 6185.00	103.06	-----	92.34	34.20	13.99	36.67	0.00	200	17 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5913.08	65.00	88.20 -23.20	53.82	34.27	13.68	36.77	0.00	200	17 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																	
1 6185.00	103.06	-----	92.34	34.20	13.99	36.67	0.00	200	17 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-12-19 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.44</td><td>57.11</td><td>68.20 -11.09</td><td>45.93</td><td>34.25</td><td>13.70</td><td>36.77</td><td>0.00</td><td>200</td><td>17 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 5924.44	57.11	68.20 -11.09	45.93	34.25	13.70	36.77	0.00	200	17 Average	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6185.00</td><td>96.19</td><td>-----</td><td>84.68</td><td>34.20</td><td>13.98</td><td>36.67</td><td>0.00</td><td>200</td><td>17 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 6185.00	96.19	-----	84.68	34.20	13.98	36.67	0.00	200	17 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5924.44	57.11	68.20 -11.09	45.93	34.25	13.70	36.77	0.00	200	17 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																	
1 6185.00	96.19	-----	84.68	34.20	13.98	36.67	0.00	200	17 Average																																																																																	



Mode	17																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																																																																																																																																							
ANT	3+4																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL Mode : 17 Setting : 90 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>49.02</td><td>74.00</td><td>-24.98</td><td>46.44</td><td>39.16</td><td>20.10</td><td>57.18</td><td>0.50</td><td>300</td><td>10</td><td>Peak</td></tr><tr><td>2</td><td>12370.00</td><td>38.69</td><td>54.00</td><td>-15.31</td><td>36.11</td><td>39.16</td><td>20.10</td><td>57.18</td><td>0.50</td><td>300</td><td>10</td><td>Average</td></tr><tr><td>3</td><td>18555.00</td><td>36.40</td><td>74.00</td><td>-37.60</td><td>58.09</td><td>38.21</td><td>5.75</td><td>56.11</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	49.02	74.00	-24.98	46.44	39.16	20.10	57.18	0.50	300	10	Peak	2	12370.00	38.69	54.00	-15.31	36.11	39.16	20.10	57.18	0.50	300	10	Average	3	18555.00	36.40	74.00	-37.60	58.09	38.21	5.75	56.11	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL Mode : 17 Setting : 90 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>49.25</td><td>74.00</td><td>-24.75</td><td>46.67</td><td>39.16</td><td>20.10</td><td>57.18</td><td>0.50</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12370.00</td><td>38.95</td><td>54.00</td><td>-15.05</td><td>36.37</td><td>39.16</td><td>20.10</td><td>57.18</td><td>0.50</td><td>300</td><td>282</td><td>Average</td></tr><tr><td>3</td><td>18555.00</td><td>35.86</td><td>74.00</td><td>-38.14</td><td>57.55</td><td>38.21</td><td>5.75</td><td>56.11</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	49.25	74.00	-24.75	46.67	39.16	20.10	57.18	0.50	--	--	Peak	2	12370.00	38.95	54.00	-15.05	36.37	39.16	20.10	57.18	0.50	300	282	Average	3	18555.00	35.86	74.00	-38.14	57.55	38.21	5.75	56.11	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12370.00	49.02	74.00	-24.98	46.44	39.16	20.10	57.18	0.50	300	10	Peak																																																																																																																																												
2	12370.00	38.69	54.00	-15.31	36.11	39.16	20.10	57.18	0.50	300	10	Average																																																																																																																																												
3	18555.00	36.40	74.00	-37.60	58.09	38.21	5.75	56.11	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12370.00	49.25	74.00	-24.75	46.67	39.16	20.10	57.18	0.50	--	--	Peak																																																																																																																																												
2	12370.00	38.95	54.00	-15.05	36.37	39.16	20.10	57.18	0.50	300	282	Average																																																																																																																																												
3	18555.00	35.86	74.00	-38.14	57.55	38.21	5.75	56.11	-9.54	--	--	Peak																																																																																																																																												



Mode	17	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-22  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL Mode : 17 Setting : 90	Level (dBuV/m) Date: 2025-12-22  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL Mode : 17 Setting : 90
	Level (dBuV/m) Date: 2025-12-22  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL Mode : 17 Setting : 90	Level (dBuV/m) Date: 2025-12-22  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL Mode : 17 Setting : 90



Mode	18																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																																																	
ANT	3+4																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5920.40</td><td>61.01</td><td>88.20 -27.19</td><td>49.83</td><td>34.26</td><td>13.69</td><td>36.77</td><td>0.00</td><td>197</td><td>359 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5920.40	61.01	88.20 -27.19	49.83	34.26	13.69	36.77	0.00	197	359 Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6345.00</td><td>104.02</td><td>-----</td><td>91.92</td><td>34.53</td><td>14.15</td><td>36.58</td><td>0.00</td><td>197</td><td>359 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6345.00	104.02	-----	91.92	34.53	14.15	36.58	0.00	197	359 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5920.40	61.01	88.20 -27.19	49.83	34.26	13.69	36.77	0.00	197	359 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6345.00	104.02	-----	91.92	34.53	14.15	36.58	0.00	197	359 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5920.40</td><td>52.76</td><td>68.20 -15.44</td><td>41.58</td><td>34.26</td><td>13.69</td><td>36.77</td><td>0.00</td><td>197</td><td>359 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5920.40	52.76	68.20 -15.44	41.58	34.26	13.69	36.77	0.00	197	359 Average	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6345.00</td><td>96.45</td><td>-----</td><td>84.35</td><td>34.53</td><td>14.15</td><td>36.58</td><td>0.00</td><td>197</td><td>359 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6345.00	96.45	-----	84.35	34.53	14.15	36.58	0.00	197	359 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5920.40	52.76	68.20 -15.44	41.58	34.26	13.69	36.77	0.00	197	359 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6345.00	96.45	-----	84.35	34.53	14.15	36.58	0.00	197	359 Average																																																																									



		18																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																																																																		
ANT		3+4																																																																																																		
Pol.		Vertical						Fundamental																																																																																												
Peak		Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.60</td><td>60.07</td><td>88.20</td><td>-28.13</td><td>48.09</td><td>34.28</td><td>13.67</td><td>36.77</td><td>0.00</td><td>138</td><td>354</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6345.00</td><td>106.93</td><td>-----</td><td>-----</td><td>94.83</td><td>34.53</td><td>14.15</td><td>36.58</td><td>0.00</td><td>138</td><td>354</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5909.60	60.07	88.20	-28.13	48.09	34.28	13.67	36.77	0.00	138	354	Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6345.00	106.93	-----	-----	94.83	34.53	14.15	36.58	0.00	138	354	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5909.60	60.07	88.20	-28.13	48.09	34.28	13.67	36.77	0.00	138	354	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6345.00	106.93	-----	-----	94.83	34.53	14.15	36.58	0.00	138	354	Peak																																																																																								
Avg		Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5912.00</td><td>51.73</td><td>68.20</td><td>-16.47</td><td>40.54</td><td>34.28</td><td>13.68</td><td>36.77</td><td>0.00</td><td>138</td><td>354</td><td>Average</td></tr></table> Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6345.00</td><td>97.67</td><td>-----</td><td>-----</td><td>85.75</td><td>34.40</td><td>14.12</td><td>36.60</td><td>0.00</td><td>138</td><td>354</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5912.00	51.73	68.20	-16.47	40.54	34.28	13.68	36.77	0.00	138	354	Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6345.00	97.67	-----	-----	85.75	34.40	14.12	36.60	0.00	138	354	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5912.00	51.73	68.20	-16.47	40.54	34.28	13.68	36.77	0.00	138	354	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6345.00	97.67	-----	-----	85.75	34.40	14.12	36.60	0.00	138	354	Average																																																																																								



Mode	18																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																																																																																																							
ANT	3+4																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12690.00</td><td>49.84</td><td>74.00</td><td>-24.16</td><td>46.55</td><td>39.58</td><td>20.36</td><td>57.17</td><td>0.52</td><td>300</td><td>15</td><td>Peak</td></tr><tr><td>2 12690.00</td><td>39.58</td><td>54.00</td><td>-14.42</td><td>36.29</td><td>39.58</td><td>20.36</td><td>57.17</td><td>0.52</td><td>300</td><td>15</td><td>Average</td></tr><tr><td>3 19035.00</td><td>36.18</td><td>74.00</td><td>-37.82</td><td>56.83</td><td>38.33</td><td>5.87</td><td>55.31</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12690.00	49.84	74.00	-24.16	46.55	39.58	20.36	57.17	0.52	300	15	Peak	2 12690.00	39.58	54.00	-14.42	36.29	39.58	20.36	57.17	0.52	300	15	Average	3 19035.00	36.18	74.00	-37.82	56.83	38.33	5.87	55.31	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12690.00</td><td>50.12</td><td>74.00</td><td>-23.88</td><td>46.83</td><td>39.58</td><td>20.36</td><td>57.17</td><td>0.52</td><td>300</td><td>276</td><td>Peak</td></tr><tr><td>2 12690.00</td><td>39.91</td><td>54.00</td><td>-14.09</td><td>36.62</td><td>39.58</td><td>20.36</td><td>57.17</td><td>0.52</td><td>300</td><td>276</td><td>Average</td></tr><tr><td>3 19035.00</td><td>36.39</td><td>74.00</td><td>-37.61</td><td>57.04</td><td>38.33</td><td>5.87</td><td>55.31</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12690.00	50.12	74.00	-23.88	46.83	39.58	20.36	57.17	0.52	300	276	Peak	2 12690.00	39.91	54.00	-14.09	36.62	39.58	20.36	57.17	0.52	300	276	Average	3 19035.00	36.39	74.00	-37.61	57.04	38.33	5.87	55.31	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 12690.00	49.84	74.00	-24.16	46.55	39.58	20.36	57.17	0.52	300	15	Peak																																																																																																																													
2 12690.00	39.58	54.00	-14.42	36.29	39.58	20.36	57.17	0.52	300	15	Average																																																																																																																													
3 19035.00	36.18	74.00	-37.82	56.83	38.33	5.87	55.31	-9.54	--	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 12690.00	50.12	74.00	-23.88	46.83	39.58	20.36	57.17	0.52	300	276	Peak																																																																																																																													
2 12690.00	39.91	54.00	-14.09	36.62	39.58	20.36	57.17	0.52	300	276	Average																																																																																																																													
3 19035.00	36.39	74.00	-37.61	57.04	38.33	5.87	55.31	-9.54	--	--	Peak																																																																																																																													



Mode	18	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL



FCC RADIO TEST REPORT

Report No. : FR5N0803-01H

Mode	31																																																																																												
	Band Edge																																																																																												
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																												
ANT	3+4																																																																																												
Pol.	Horizontal						Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-12-20 PEAK_BE(UNII)_6E						Level (dBuV/m) Date: 2025-12-20 PEAK(UNII)_6E																																																																																						
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																						
	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Level</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7131.24</td><td>57.40</td><td>88.20</td><td>-30.00</td><td>42.55</td><td>36.59</td><td>15.04</td><td>36.78</td><td>0.00</td><td>185</td><td>360</td><td>Peak</td></tr></tbody></table>							Freq	Limit	Level	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7131.24	57.40	88.20	-30.00	42.55	36.59	15.04	36.78	0.00	185	360	Peak	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Level</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6535.00</td><td>113.18</td><td>-----</td><td>-----</td><td>99.95</td><td>35.39</td><td>14.37</td><td>36.53</td><td>0.00</td><td>185</td><td>360</td><td>Peak</td></tr></tbody></table>							Freq	Limit	Level	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6535.00	113.18	-----	-----	99.95	35.39	14.37	36.53	0.00	185	360
	Freq	Limit	Level	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	7131.24	57.40	88.20	-30.00	42.55	36.59	15.04	36.78	0.00	185	360	Peak																																																																																	
	Freq	Limit	Level	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	6535.00	113.18	-----	-----	99.95	35.39	14.37	36.53	0.00	185	360	Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-12-20 AVG_BE(UNII)_6E						Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E																																																																																						
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto						Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto																																																																																						
	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Level</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7242.84</td><td>46.46</td><td>68.20</td><td>-21.74</td><td>31.18</td><td>36.89</td><td>15.17</td><td>36.78</td><td>0.00</td><td>185</td><td>360</td><td>Average</td></tr></tbody></table>							Freq	Limit	Level	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7242.84	46.46	68.20	-21.74	31.18	36.89	15.17	36.78	0.00	185	360	Average	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Level</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6535.00</td><td>106.85</td><td>-----</td><td>-----</td><td>93.62</td><td>35.39</td><td>14.37</td><td>36.53</td><td>0.00</td><td>185</td><td>360</td><td>Average</td></tr></tbody></table>							Freq	Limit	Level	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6535.00	106.85	-----	-----	93.62	35.39	14.37	36.53	0.00	185	360
	Freq	Limit	Level	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	7242.84	46.46	68.20	-21.74	31.18	36.89	15.17	36.78	0.00	185	360	Average																																																																																	
	Freq	Limit	Level	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	6535.00	106.85	-----	-----	93.62	35.39	14.37	36.53	0.00	185	360	Average																																																																																	



Mode	31											
	Band Edge											
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz											
ANT	3+4											
Pol.	Vertical						Fundamental					
Peak	Level (dBuV/m) Date: 2025-12-20 </											



Mode	31																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																																									
ANT	3+4																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>48.00</td><td>88.20</td><td>-39.40</td><td>44.88</td><td>39.83</td><td>20.67</td><td>57.13</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>36.18</td><td>74.00</td><td>-37.82</td><td>57.06</td><td>30.10</td><td>5.83</td><td>55.27</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	48.00	88.20	-39.40	44.88	39.83	20.67	57.13	0.55	--	Peak	2	19605.00	36.18	74.00	-37.82	57.06	30.10	5.83	55.27	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>48.42</td><td>88.20</td><td>-39.78</td><td>44.50</td><td>39.83</td><td>20.67</td><td>57.13</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>37.86</td><td>74.00</td><td>-36.14</td><td>58.74</td><td>30.10</td><td>5.83</td><td>55.27</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	48.42	88.20	-39.78	44.50	39.83	20.67	57.13	0.55	--	Peak	2	19605.00	37.86	74.00	-36.14	58.74	30.10	5.83	55.27	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	48.00	88.20	-39.40	44.88	39.83	20.67	57.13	0.55	--	Peak																																																																																																															
2	19605.00	36.18	74.00	-37.82	57.06	30.10	5.83	55.27	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	48.42	88.20	-39.78	44.50	39.83	20.67	57.13	0.55	--	Peak																																																																																																															
2	19605.00	37.86	74.00	-36.14	58.74	30.10	5.83	55.27	-9.54	--	Peak																																																																																																															



Mode	31	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL



Mode	32																																																																																																			
	Band Edge																																																																																																			
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																			
ANT	3+4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7178.92</td><td>56.52</td><td>88.20</td><td>-31.68</td><td>41.44</td><td>36.76</td><td>15.10</td><td>36.78</td><td>0.00</td><td>198</td><td>354</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7178.92	56.52	88.20	-31.68	41.44	36.76	15.10	36.78	0.00	198	354	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>113.00</td><td>-----</td><td>-----</td><td>99.22</td><td>35.90</td><td>14.57</td><td>36.61</td><td>0.00</td><td>198</td><td>354</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6695.00	113.00	-----	-----	99.22	35.90	14.57	36.61	0.00	198	354	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																										
1	7178.92	56.52	88.20	-31.68	41.44	36.76	15.10	36.78	0.00	198	354	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																										
1	6695.00	113.00	-----	-----	99.22	35.90	14.57	36.61	0.00	198	354	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7244.44</td><td>46.57</td><td>68.20</td><td>-21.63</td><td>31.28</td><td>36.89</td><td>15.18</td><td>36.78</td><td>0.00</td><td>198</td><td>354</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7244.44	46.57	68.20	-21.63	31.28	36.89	15.18	36.78	0.00	198	354	Average	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>106.80</td><td>-----</td><td>-----</td><td>92.94</td><td>35.90</td><td>14.57</td><td>36.61</td><td>0.00</td><td>198</td><td>354</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6695.00	106.80	-----	-----	92.94	35.90	14.57	36.61	0.00	198	354	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																										
1	7244.44	46.57	68.20	-21.63	31.28	36.89	15.18	36.78	0.00	198	354	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																										
1	6695.00	106.80	-----	-----	92.94	35.90	14.57	36.61	0.00	198	354	Average																																																																																								



Mode	32																																																																																			
	Band Edge																																																																																			
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																			
ANT	3+4																																																																																			
Pol.	Vertical						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-12-20 PEAK_BE(UNII)_6E Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7200.04</td><td>56.97</td><td>88.20</td><td>-31.23</td><td>41.00</td><td>36.82</td><td>15.13</td><td>36.78</td><td>0.00</td><td>100</td><td></td><td>4 Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7200.04	56.97	88.20	-31.23	41.00	36.82	15.13	36.78	0.00	100		4 Peak	Level (dBuV/m) Date: 2025-12-20 PEAK(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6695.00</td><td>112.42</td><td>-----</td><td>-----</td><td>98.58</td><td>35.88</td><td>14.57</td><td>36.61</td><td>0.00</td><td>100</td><td></td><td>4 Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6695.00	112.42	-----	-----	98.58	35.88	14.57	36.61	0.00	100		4 Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7200.04	56.97	88.20	-31.23	41.00	36.82	15.13	36.78	0.00	100		4 Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6695.00	112.42	-----	-----	98.58	35.88	14.57	36.61	0.00	100		4 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-12-20 AVG_BE(UNII)_6E Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7241.08</td><td>46.57</td><td>68.20</td><td>-21.63</td><td>31.30</td><td>36.88</td><td>15.17</td><td>36.78</td><td>0.00</td><td>100</td><td></td><td>4 Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7241.08	46.57	68.20	-21.63	31.30	36.88	15.17	36.78	0.00	100		4 Average	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6695.00</td><td>105.37</td><td>-----</td><td>-----</td><td>91.53</td><td>35.88</td><td>14.57</td><td>36.61</td><td>0.00</td><td>100</td><td></td><td>4 Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6695.00	105.37	-----	-----	91.53	35.88	14.57	36.61	0.00	100		4 Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7241.08	46.57	68.20	-21.63	31.30	36.88	15.17	36.78	0.00	100		4 Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6695.00	105.37	-----	-----	91.53	35.88	14.57	36.61	0.00	100		4 Average																																																																									



Mode	32																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																															
ANT	3+4																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>49.32</td><td>74.00</td><td>-24.68</td><td>44.87</td><td>40.09</td><td>20.92</td><td>57.13</td><td>0.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20085.00</td><td>36.86</td><td>74.00</td><td>-37.14</td><td>57.40</td><td>38.00</td><td>5.88</td><td>54.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	49.32	74.00	-24.68	44.87	40.09	20.92	57.13	0.57	--	Peak	2	20085.00	36.86	74.00	-37.14	57.40	38.00	5.88	54.88	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>49.42</td><td>74.00</td><td>-24.58</td><td>44.97</td><td>40.09</td><td>20.92</td><td>57.13</td><td>0.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20085.00</td><td>36.18</td><td>74.00</td><td>-37.82</td><td>56.72</td><td>38.00</td><td>5.88</td><td>54.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	49.42	74.00	-24.58	44.97	40.09	20.92	57.13	0.57	--	Peak	2	20085.00	36.18	74.00	-37.82	56.72	38.00	5.88	54.88	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13390.00	49.32	74.00	-24.68	44.87	40.09	20.92	57.13	0.57	--	Peak																																																																																																					
2	20085.00	36.86	74.00	-37.14	57.40	38.00	5.88	54.88	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13390.00	49.42	74.00	-24.58	44.97	40.09	20.92	57.13	0.57	--	Peak																																																																																																					
2	20085.00	36.18	74.00	-37.82	56.72	38.00	5.88	54.88	-9.54	--	Peak																																																																																																					



Mode	32	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL



Mode	33																																																																																	
	Band Edge																																																																																	
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																	
ANT	3+4																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7193.40 57.03 88.20 -31.17 41.91 36.79 15.11 36.78 0.00 236 347 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 7193.40 57.03 88.20 -31.17 41.91 36.79 15.11 36.78 0.00 236 347 Peak									Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6855.00 110.83 ----- 97.04 35.74 14.75 36.70 0.00 236 347 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 6855.00 110.83 ----- 97.04 35.74 14.75 36.70 0.00 236 347 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
	Freq Level Line Margin Level Factor Loss Factor Factor																																																																																	
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																																		
1 7193.40 57.03 88.20 -31.17 41.91 36.79 15.11 36.78 0.00 236 347 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																																		
1 6855.00 110.83 ----- 97.04 35.74 14.75 36.70 0.00 236 347 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7230.20 46.57 68.20 -21.63 31.33 36.86 15.16 36.78 0.00 236 347 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 7230.20 46.57 68.20 -21.63 31.33 36.86 15.16 36.78 0.00 236 347 Average									Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6855.00 105.26 ----- 91.47 35.74 14.75 36.70 0.00 236 347 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 6855.00 105.26 ----- 91.47 35.74 14.75 36.70 0.00 236 347 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
	Freq Level Line Margin Level Factor Loss Factor Factor																																																																																	
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																																		
1 7230.20 46.57 68.20 -21.63 31.33 36.86 15.16 36.78 0.00 236 347 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																																		
1 6855.00 105.26 ----- 91.47 35.74 14.75 36.70 0.00 236 347 Average																																																																																		



Mode	33																																																																																	
	Band Edge																																																																																	
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																	
ANT	3+4																																																																																	
Pol.	Vertical						Fundamental																																																																											
Peak	Level (dBuV/m) Date: 2025-12-20 PEAK_BE(UNII)_6E						Level (dBuV/m) Date: 2025-12-20 PEAK(UNII)_6E																																																																											
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7210.20 56.43 88.20 -31.77 41.26 36.82 15.13 36.78 0.00 100 14 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7210.20 56.43 88.20 -31.77 41.26 36.82 15.13 36.78 0.00 100 14 Peak									Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6855.00 110.50 ----- 96.73 35.71 14.75 36.69 0.00 100 14 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 6855.00 110.50 ----- 96.73 35.71 14.75 36.69 0.00 100 14 Peak							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7210.20 56.43 88.20 -31.77 41.26 36.82 15.13 36.78 0.00 100 14 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 6855.00 110.50 ----- 96.73 35.71 14.75 36.69 0.00 100 14 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-12-20 AVG_BE(UNII)_6E						Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E																																																																											
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7241.00 46.56 68.20 -21.64 31.29 36.88 15.17 36.78 0.00 100 14 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7241.00 46.56 68.20 -21.64 31.29 36.88 15.17 36.78 0.00 100 14 Average									Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6855.00 103.09 ----- 89.32 35.71 14.75 36.69 0.00 100 14 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 6855.00 103.09 ----- 89.32 35.71 14.75 36.69 0.00 100 14 Average							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7241.00 46.56 68.20 -21.64 31.29 36.88 15.17 36.78 0.00 100 14 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 6855.00 103.09 ----- 89.32 35.71 14.75 36.69 0.00 100 14 Average																																																																																		



Mode	33																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																																															
ANT	3+4																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>49.59</td><td>88.20</td><td>-38.61</td><td>44.77</td><td>40.00</td><td>21.18</td><td>57.03</td><td>0.59</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>36.52</td><td>74.00</td><td>-37.48</td><td>57.38</td><td>38.10</td><td>5.80</td><td>55.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	49.59	88.20	-38.61	44.77	40.00	21.18	57.03	0.59	--	Peak	2	20565.00	36.52	74.00	-37.48	57.38	38.10	5.80	55.22	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>50.00</td><td>88.20</td><td>-38.20</td><td>45.18</td><td>40.08</td><td>21.18</td><td>57.03</td><td>0.59</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>36.54</td><td>74.00</td><td>-37.46</td><td>57.40</td><td>38.10</td><td>5.80</td><td>55.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	50.00	88.20	-38.20	45.18	40.08	21.18	57.03	0.59	--	Peak	2	20565.00	36.54	74.00	-37.46	57.40	38.10	5.80	55.22	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13710.00	49.59	88.20	-38.61	44.77	40.00	21.18	57.03	0.59	--	Peak																																																																																																					
2	20565.00	36.52	74.00	-37.48	57.38	38.10	5.80	55.22	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13710.00	50.00	88.20	-38.20	45.18	40.08	21.18	57.03	0.59	--	Peak																																																																																																					
2	20565.00	36.54	74.00	-37.46	57.40	38.10	5.80	55.22	-9.54	--	Peak																																																																																																					



Mode	33	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL





		35																																																																																										
Mode		Band Edge																																																																																										
		U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																																																										
ANT		3+4																																																																																										
Pol.	Horizontal										Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-12-20 PEAK_BE(UNII)_6E Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7172.28</td><td>57.76</td><td>88.20</td><td>-30.44</td><td>42.71</td><td>36.74</td><td>15.09</td><td>36.78</td><td>0.00 250 0 Peak</td></tr></table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Level	Factor	Loss	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm deg	1 7172.28	57.76	88.20	-30.44	42.71	36.74	15.09	36.78	0.00 250 0 Peak	Level (dBuV/m) Date: 2025-12-20 PEAK(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6535.00</td><td>113.26</td><td>-----</td><td>-----</td><td>100.03</td><td>35.39</td><td>14.37</td><td>36.53</td><td>0.00 250 0 Peak</td></tr></table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Level	Factor	Loss	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm deg	1 6535.00	113.26	-----	-----	100.03	35.39	14.37	36.53	0.00 250 0 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Level	Factor	Loss	Factor	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm deg																																																																																				
1 7172.28	57.76	88.20	-30.44	42.71	36.74	15.09	36.78	0.00 250 0 Peak																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Level	Factor	Loss	Factor	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm deg																																																																																				
1 6535.00	113.26	-----	-----	100.03	35.39	14.37	36.53	0.00 250 0 Peak																																																																																				
Avg	Level (dBuV/m) Date: 2025-12-20 AVG_BE(UNII)_6E Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 7245.00</td><td>46.67</td><td>68.20</td><td>-21.53</td><td>31.38</td><td>36.89</td><td>15.18</td><td>36.78</td><td>0.00 250 0 Average</td></tr></table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Level	Factor	Loss	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm deg	1 7245.00	46.67	68.20	-21.53	31.38	36.89	15.18	36.78	0.00 250 0 Average	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6535.00</td><td>105.68</td><td>-----</td><td>-----</td><td>92.45</td><td>35.39</td><td>14.37</td><td>36.53</td><td>0.00 250 0 Average</td></tr></table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Level	Factor	Loss	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm deg	1 6535.00	105.68	-----	-----	92.45	35.39	14.37	36.53	0.00 250 0 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Level	Factor	Loss	Factor	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm deg																																																																																				
1 7245.00	46.67	68.20	-21.53	31.38	36.89	15.18	36.78	0.00 250 0 Average																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Level	Factor	Loss	Factor	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm deg																																																																																				
1 6535.00	105.68	-----	-----	92.45	35.39	14.37	36.53	0.00 250 0 Average																																																																																				



Mode	35																																																																																	
	Band Edge																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																																																	
ANT	3+4																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-12-20 PEAK_BE(UNII)_6E Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7221.96 56.93 88.20 -31.27 41.72 36.84 15.15 36.78 0.00 100 11 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 7221.96 56.93 88.20 -31.27 41.72 36.84 15.15 36.78 0.00 100 11 Peak									Level (dBuV/m) Date: 2025-12-20 PEAK(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6535.00 112.00 ----- 99.62 35.34 14.37 36.53 0.00 100 11 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 6535.00 112.00 ----- 99.62 35.34 14.37 36.53 0.00 100 11 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																																		
1 7221.96 56.93 88.20 -31.27 41.72 36.84 15.15 36.78 0.00 100 11 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																																		
1 6535.00 112.00 ----- 99.62 35.34 14.37 36.53 0.00 100 11 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-12-20 AVG_BE(UNII)_6E Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7245.00 46.66 68.20 -21.54 31.37 36.89 15.18 36.78 0.00 100 11 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 7245.00 46.66 68.20 -21.54 31.37 36.89 15.18 36.78 0.00 100 11 Average									Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6535.00 105.36 ----- 92.13 35.39 14.37 36.53 0.00 100 11 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 6535.00 105.36 ----- 92.13 35.39 14.37 36.53 0.00 100 11 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																																		
1 7245.00 46.66 68.20 -21.54 31.37 36.89 15.18 36.78 0.00 100 11 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																																		
1 6535.00 105.36 ----- 92.13 35.39 14.37 36.53 0.00 100 11 Average																																																																																		



Mode	35																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																																																																															
ANT	3+4																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-20  Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>49.81</td><td>88.20</td><td>-38.39</td><td>45.89</td><td>39.83</td><td>20.67</td><td>57.13</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>36.52</td><td>74.00</td><td>-37.48</td><td>57.40</td><td>38.10</td><td>5.83</td><td>55.27</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	49.81	88.20	-38.39	45.89	39.83	20.67	57.13	0.55	--	Peak	2	19605.00	36.52	74.00	-37.48	57.40	38.10	5.83	55.27	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20  Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>49.23</td><td>88.20</td><td>-38.97</td><td>45.31</td><td>39.83</td><td>20.67</td><td>57.13</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>36.54</td><td>74.00</td><td>-37.46</td><td>57.42</td><td>38.10</td><td>5.83</td><td>55.27</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	49.23	88.20	-38.97	45.31	39.83	20.67	57.13	0.55	--	Peak	2	19605.00	36.54	74.00	-37.46	57.42	38.10	5.83	55.27	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13070.00	49.81	88.20	-38.39	45.89	39.83	20.67	57.13	0.55	--	Peak																																																																																																					
2	19605.00	36.52	74.00	-37.48	57.40	38.10	5.83	55.27	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13070.00	49.23	88.20	-38.97	45.31	39.83	20.67	57.13	0.55	--	Peak																																																																																																					
2	19605.00	36.54	74.00	-37.46	57.42	38.10	5.83	55.27	-9.54	--	Peak																																																																																																					



Mode	35	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL



Mode	36																																																																																			
	Band Edge																																																																																			
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																																																			
ANT	3+4																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7241.00</td><td>56.41</td><td>88.20</td><td>-31.79</td><td>41.14</td><td>36.88</td><td>15.17</td><td>36.78</td><td>0.00</td><td>251</td><td>351</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7241.00	56.41	88.20	-31.79	41.14	36.88	15.17	36.78	0.00	251	351	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6695.00</td><td>113.29</td><td>-----</td><td>-----</td><td>99.45</td><td>35.88</td><td>14.57</td><td>36.61</td><td>0.00</td><td>251</td><td>351</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6695.00	113.29	-----	-----	99.45	35.88	14.57	36.61	0.00	251	351	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7241.00	56.41	88.20	-31.79	41.14	36.88	15.17	36.78	0.00	251	351	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6695.00	113.29	-----	-----	99.45	35.88	14.57	36.61	0.00	251	351	Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7242.76</td><td>46.66</td><td>68.20</td><td>-21.54</td><td>31.38</td><td>36.89</td><td>15.17</td><td>36.78</td><td>0.00</td><td>251</td><td>351</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7242.76	46.66	68.20	-21.54	31.38	36.89	15.17	36.78	0.00	251	351	Average	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6695.00</td><td>106.07</td><td>-----</td><td>-----</td><td>92.21</td><td>35.90</td><td>14.57</td><td>36.61</td><td>0.00</td><td>251</td><td>351</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6695.00	106.07	-----	-----	92.21	35.90	14.57	36.61	0.00	251	351	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7242.76	46.66	68.20	-21.54	31.38	36.89	15.17	36.78	0.00	251	351	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6695.00	106.07	-----	-----	92.21	35.90	14.57	36.61	0.00	251	351	Average																																																																									



		36																																																																																	
Mode	Band Edge																																																																																		
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																																																		
ANT	3+4																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-12-20 PEAK_BE(UNII)_6E Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7214.20 57.17 88.20 -31.03 41.98 36.83 15.14 36.78 0.00 101 6 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 7214.20 57.17 88.20 -31.03 41.98 36.83 15.14 36.78 0.00 101 6 Peak									Level (dBuV/m) Date: 2025-12-20 PEAK_UNII_6E Site : 03CH15-HY Condition: PEAK_UNII_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6695.00 113.57 ----- 99.71 35.90 14.57 36.61 0.00 101 6 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 6695.00 113.57 ----- 99.71 35.90 14.57 36.61 0.00 101 6 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																			
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																																			
1 7214.20 57.17 88.20 -31.03 41.98 36.83 15.14 36.78 0.00 101 6 Peak																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																			
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																																			
1 6695.00 113.57 ----- 99.71 35.90 14.57 36.61 0.00 101 6 Peak																																																																																			
Avg	Level (dBuV/m) Date: 2025-12-20 AVG_BE(UNII)_6E Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7244.44 46.67 68.20 -21.53 31.38 36.89 15.18 36.78 0.00 101 6 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 7244.44 46.67 68.20 -21.53 31.38 36.89 15.18 36.78 0.00 101 6 Average									Level (dBuV/m) Date: 2025-12-20 AVG_UNII_6E Site : 03CH15-HY Condition: AVG_UNII_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6695.00 105.72 ----- 91.88 35.88 14.57 36.61 0.00 101 6 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 6695.00 105.72 ----- 91.88 35.88 14.57 36.61 0.00 101 6 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																			
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																																			
1 7244.44 46.67 68.20 -21.53 31.38 36.89 15.18 36.78 0.00 101 6 Average																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																			
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																																			
1 6695.00 105.72 ----- 91.88 35.88 14.57 36.61 0.00 101 6 Average																																																																																			



Mode	36																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																																																																																								
ANT	3+4																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>49.94</td><td>74.00</td><td>-24.06</td><td>45.49</td><td>40.00</td><td>20.92</td><td>57.13</td><td>0.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20805.00</td><td>36.52</td><td>74.00</td><td>-37.48</td><td>57.06</td><td>38.00</td><td>5.88</td><td>54.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	49.94	74.00	-24.06	45.49	40.00	20.92	57.13	0.57	--	Peak	2	20805.00	36.52	74.00	-37.48	57.06	38.00	5.88	54.88	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>49.44</td><td>74.00</td><td>-24.56</td><td>44.99</td><td>40.00</td><td>20.92</td><td>57.13</td><td>0.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20805.00</td><td>36.54</td><td>74.00</td><td>-37.46</td><td>57.08</td><td>38.00</td><td>5.88</td><td>54.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	49.44	74.00	-24.56	44.99	40.00	20.92	57.13	0.57	--	Peak	2	20805.00	36.54	74.00	-37.46	57.08	38.00	5.88	54.88	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13390.00	49.94	74.00	-24.06	45.49	40.00	20.92	57.13	0.57	--	Peak																																																																																																														
2	20805.00	36.52	74.00	-37.48	57.06	38.00	5.88	54.88	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13390.00	49.44	74.00	-24.56	44.99	40.00	20.92	57.13	0.57	--	Peak																																																																																																														
2	20805.00	36.54	74.00	-37.46	57.08	38.00	5.88	54.88	-9.54	--	Peak																																																																																																														



Mode	36	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL



Mode	37																																																																									
	Band Edge																																																																									
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																																																									
ANT	3+4																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7210.20 56.64 88.20 -31.56 41.47 36.82 15.13 36.78 0.00 183 353 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7210.20 56.64 88.20 -31.56 41.47 36.82 15.13 36.78 0.00 183 353 Peak									Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6855.00 110.83 ----- 97.06 35.71 14.75 36.69 0.00 183 353 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 6855.00 110.83 ----- 97.06 35.71 14.75 36.69 0.00 183 353 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																										
1 7210.20 56.64 88.20 -31.56 41.47 36.82 15.13 36.78 0.00 183 353 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																										
1 6855.00 110.83 ----- 97.06 35.71 14.75 36.69 0.00 183 353 Peak																																																																										
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7243.00 46.56 68.20 -21.64 31.28 36.89 15.17 36.78 0.00 183 353 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7243.00 46.56 68.20 -21.64 31.28 36.89 15.17 36.78 0.00 183 353 Average									Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6855.00 103.99 ----- 90.20 35.74 14.75 36.70 0.00 183 353 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 6855.00 103.99 ----- 90.20 35.74 14.75 36.70 0.00 183 353 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																										
1 7243.00 46.56 68.20 -21.64 31.28 36.89 15.17 36.78 0.00 183 353 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																										
1 6855.00 103.99 ----- 90.20 35.74 14.75 36.70 0.00 183 353 Average																																																																										



	37																																																																									
Mode	Band Edge																																																																									
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																																																									
ANT	3+4																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-12-20 PEAK_BE(UNII)_6E Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7202.60 57.14 88.20 -31.06 41.99 36.81 15.12 36.78 0.00 100 18 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 7202.60 57.14 88.20 -31.06 41.99 36.81 15.12 36.78 0.00 100 18 Peak									Level (dBuV/m) Date: 2025-12-20 PEAK(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6855.00 100.51 ----- 94.72 35.74 14.75 36.70 0.00 100 18 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 6855.00 100.51 ----- 94.72 35.74 14.75 36.70 0.00 100 18 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																										
1 7202.60 57.14 88.20 -31.06 41.99 36.81 15.12 36.78 0.00 100 18 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																										
1 6855.00 100.51 ----- 94.72 35.74 14.75 36.70 0.00 100 18 Peak																																																																										
Avg	Level (dBuV/m) Date: 2025-12-20 AVG_BE(UNII)_6E Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7243.00 46.56 68.20 -21.64 31.28 36.89 15.17 36.78 0.00 100 18 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 7243.00 46.56 68.20 -21.64 31.28 36.89 15.17 36.78 0.00 100 18 Average									Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6855.00 100.98 ----- 87.21 35.71 14.75 36.69 0.00 100 18 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 6855.00 100.98 ----- 87.21 35.71 14.75 36.69 0.00 100 18 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																										
1 7243.00 46.56 68.20 -21.64 31.28 36.89 15.17 36.78 0.00 100 18 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																										
1 6855.00 100.98 ----- 87.21 35.71 14.75 36.69 0.00 100 18 Average																																																																										



	37																																																																																																						
Mode	Harmonic																																																																																																						
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																																																																																						
ANT	3+4																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>50.30</td><td>88.20</td><td>-37.90</td><td>45.48</td><td>40.00</td><td>21.18</td><td>57.03</td><td>0.59</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>20565.00</td><td>36.52</td><td>74.00</td><td>-37.48</td><td>57.38</td><td>30.10</td><td>5.00</td><td>55.22</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	13710.00	50.30	88.20	-37.90	45.48	40.00	21.18	57.03	0.59	--	-- Peak	2	20565.00	36.52	74.00	-37.48	57.38	30.10	5.00	55.22	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>50.10</td><td>88.20</td><td>-38.10</td><td>45.28</td><td>40.08</td><td>21.18</td><td>57.03</td><td>0.59</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>20565.00</td><td>36.54</td><td>74.00</td><td>-37.46</td><td>57.40</td><td>30.10</td><td>5.00</td><td>55.22</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	13710.00	50.10	88.20	-38.10	45.28	40.08	21.18	57.03	0.59	--	-- Peak	2	20565.00	36.54	74.00	-37.46	57.40	30.10	5.00	55.22	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																												
1	13710.00	50.30	88.20	-37.90	45.48	40.00	21.18	57.03	0.59	--	-- Peak																																																																																												
2	20565.00	36.52	74.00	-37.48	57.38	30.10	5.00	55.22	-9.54	--	-- Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																												
1	13710.00	50.10	88.20	-38.10	45.28	40.08	21.18	57.03	0.59	--	-- Peak																																																																																												
2	20565.00	36.54	74.00	-37.46	57.40	30.10	5.00	55.22	-9.54	--	-- Peak																																																																																												



Mode	37	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL



Mode	39																																																																																																			
	Band Edge																																																																																																			
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																																																																			
ANT	3+4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-12-20 PEAK_BE(UNII)_6E Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7228.94</td><td>57.07</td><td>88.20</td><td>-31.13</td><td>41.83</td><td>36.86</td><td>15.16</td><td>36.78</td><td>0.00</td><td>200</td><td>353</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7228.94	57.07	88.20	-31.13	41.83	36.86	15.16	36.78	0.00	200	353	Peak	Level (dBuV/m) Date: 2025-12-20 PEAK(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>111.99</td><td>-----</td><td>-----</td><td>90.55</td><td>35.57</td><td>14.42</td><td>36.55</td><td>0.00</td><td>200</td><td>353</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	111.99	-----	-----	90.55	35.57	14.42	36.55	0.00	200	353	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7228.94	57.07	88.20	-31.13	41.83	36.86	15.16	36.78	0.00	200	353	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6565.00	111.99	-----	-----	90.55	35.57	14.42	36.55	0.00	200	353	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-12-20 AVG_BE(UNII)_6E Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7241.35</td><td>46.67</td><td>68.20</td><td>-21.53</td><td>31.40</td><td>36.88</td><td>15.17</td><td>36.78</td><td>0.00</td><td>200</td><td>353</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7241.35	46.67	68.20	-21.53	31.40	36.88	15.17	36.78	0.00	200	353	Average	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>103.76</td><td>-----</td><td>-----</td><td>90.34</td><td>35.55</td><td>14.41</td><td>36.54</td><td>0.00</td><td>200</td><td>353</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	103.76	-----	-----	90.34	35.55	14.41	36.54	0.00	200	353	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7241.35	46.67	68.20	-21.53	31.40	36.88	15.17	36.78	0.00	200	353	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6565.00	103.76	-----	-----	90.34	35.55	14.41	36.54	0.00	200	353	Average																																																																																								



Mode	39																																																																																														
	Band Edge																																																																																														
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																																																														
ANT	3+4																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2025-12-20 PEAK_BE(UNII)_6E Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7234.78</td><td>57.06</td><td>88.20</td><td>-31.14</td><td>41.81</td><td>36.87</td><td>15.16</td><td>36.78</td><td>0.00</td><td>100</td><td>10 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7234.78	57.06	88.20	-31.14	41.81	36.87	15.16	36.78	0.00	100	10 Peak	Level (dBuV/m) Date: 2025-12-20 PEAK(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>111.74</td><td>-----</td><td>-----</td><td>90.32</td><td>35.55</td><td>14.41</td><td>36.54</td><td>0.00</td><td>100</td><td>10 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6565.00	111.74	-----	-----	90.32	35.55	14.41	36.54	0.00	100	10 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																						
1	7234.78	57.06	88.20	-31.14	41.81	36.87	15.16	36.78	0.00	100	10 Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																						
1	6565.00	111.74	-----	-----	90.32	35.55	14.41	36.54	0.00	100	10 Peak																																																																																				
Avg	Level (dBuV/m) Date: 2025-12-20 AVG_BE(UNII)_6E Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7243.54</td><td>46.67</td><td>68.20</td><td>-21.53</td><td>31.39</td><td>36.89</td><td>15.17</td><td>36.78</td><td>0.00</td><td>100</td><td>10 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7243.54	46.67	68.20	-21.53	31.39	36.89	15.17	36.78	0.00	100	10 Average	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>103.80</td><td>-----</td><td>-----</td><td>90.38</td><td>35.55</td><td>14.41</td><td>36.54</td><td>0.00</td><td>100</td><td>10 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6565.00	103.80	-----	-----	90.38	35.55	14.41	36.54	0.00	100	10 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																						
1	7243.54	46.67	68.20	-21.53	31.39	36.89	15.17	36.78	0.00	100	10 Average																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																						
1	6565.00	103.80	-----	-----	90.38	35.55	14.41	36.54	0.00	100	10 Average																																																																																				



Mode	39																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																																																																															
ANT	3+4																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>50.08</td><td>88.20</td><td>-38.12</td><td>46.15</td><td>39.00</td><td>20.71</td><td>57.13</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>36.52</td><td>74.00</td><td>-37.48</td><td>57.28</td><td>38.10</td><td>5.85</td><td>55.17</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	50.08	88.20	-38.12	46.15	39.00	20.71	57.13	0.55	--	Peak	2	19695.00	36.52	74.00	-37.48	57.28	38.10	5.85	55.17	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>48.06</td><td>88.20</td><td>-39.34</td><td>44.93</td><td>39.00</td><td>20.71</td><td>57.13</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>36.54</td><td>74.00</td><td>-37.46</td><td>57.30</td><td>38.10</td><td>5.85</td><td>55.17</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	48.06	88.20	-39.34	44.93	39.00	20.71	57.13	0.55	--	Peak	2	19695.00	36.54	74.00	-37.46	57.30	38.10	5.85	55.17	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13130.00	50.08	88.20	-38.12	46.15	39.00	20.71	57.13	0.55	--	Peak																																																																																																					
2	19695.00	36.52	74.00	-37.48	57.28	38.10	5.85	55.17	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13130.00	48.06	88.20	-39.34	44.93	39.00	20.71	57.13	0.55	--	Peak																																																																																																					
2	19695.00	36.54	74.00	-37.46	57.30	38.10	5.85	55.17	-9.54	--	Peak																																																																																																					



Mode	39	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL



Mode	40																																																																																																	
	Band Edge																																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																																																																	
ANT	3+4																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7227.68</td><td>56.33</td><td>88.20</td><td>-31.87</td><td>41.10</td><td>36.06</td><td>15.15</td><td>36.78</td><td>0.00</td><td>265</td><td>353</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7227.68	56.33	88.20	-31.87	41.10	36.06	15.15	36.78	0.00	265	353	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>111.70</td><td>-----</td><td>-----</td><td>97.06</td><td>35.88</td><td>14.57</td><td>36.61</td><td>0.00</td><td>265</td><td>353</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6685.00	111.70	-----	-----	97.06	35.88	14.57	36.61	0.00	265	353	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	7227.68	56.33	88.20	-31.87	41.10	36.06	15.15	36.78	0.00	265	353	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	6685.00	111.70	-----	-----	97.06	35.88	14.57	36.61	0.00	265	353	Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7242.68</td><td>46.67</td><td>68.20</td><td>-21.53</td><td>31.39</td><td>36.09</td><td>15.17</td><td>36.78</td><td>0.00</td><td>265</td><td>353</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7242.68	46.67	68.20	-21.53	31.39	36.09	15.17	36.78	0.00	265	353	Average	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>103.61</td><td>-----</td><td>-----</td><td>89.77</td><td>35.88</td><td>14.57</td><td>36.61</td><td>0.00</td><td>265</td><td>353</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6685.00	103.61	-----	-----	89.77	35.88	14.57	36.61	0.00	265	353	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	7242.68	46.67	68.20	-21.53	31.39	36.09	15.17	36.78	0.00	265	353	Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	6685.00	103.61	-----	-----	89.77	35.88	14.57	36.61	0.00	265	353	Average																																																																																						



Mode	40																																																																																	
	Band Edge																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																																																	
ANT	3+4																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7243.04 57.46 88.20 -30.74 42.18 36.09 15.17 36.78 0.00 100 12 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7243.04 57.46 88.20 -30.74 42.18 36.09 15.17 36.78 0.00 100 12 Peak									Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6685.00 110.32 ----- 96.48 35.88 14.57 36.61 0.00 100 12 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 6685.00 110.32 ----- 96.48 35.88 14.57 36.61 0.00 100 12 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7243.04 57.46 88.20 -30.74 42.18 36.09 15.17 36.78 0.00 100 12 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 6685.00 110.32 ----- 96.48 35.88 14.57 36.61 0.00 100 12 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7242.10 46.66 68.20 -21.54 31.39 36.88 15.17 36.78 0.00 100 12 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7242.10 46.66 68.20 -21.54 31.39 36.88 15.17 36.78 0.00 100 12 Average									Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6685.00 103.16 ----- 89.32 35.88 14.57 36.61 0.00 100 12 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 6685.00 103.16 ----- 89.32 35.88 14.57 36.61 0.00 100 12 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7242.10 46.66 68.20 -21.54 31.39 36.88 15.17 36.78 0.00 100 12 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 6685.00 103.16 ----- 89.32 35.88 14.57 36.61 0.00 100 12 Average																																																																																		



Mode	40																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																																																																																								
ANT	3+4																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>49.82</td><td>74.00</td><td>-24.18</td><td>45.40</td><td>40.07</td><td>20.91</td><td>57.13</td><td>0.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20055.00</td><td>36.52</td><td>74.00</td><td>-37.48</td><td>57.02</td><td>38.00</td><td>5.89</td><td>54.85</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	49.82	74.00	-24.18	45.40	40.07	20.91	57.13	0.57	--	Peak	2	20055.00	36.52	74.00	-37.48	57.02	38.00	5.89	54.85	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>49.74</td><td>74.00</td><td>-24.26</td><td>45.32</td><td>40.07</td><td>20.91</td><td>57.13</td><td>0.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20055.00</td><td>36.54</td><td>74.00</td><td>-37.46</td><td>57.04</td><td>38.00</td><td>5.89</td><td>54.85</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	49.74	74.00	-24.26	45.32	40.07	20.91	57.13	0.57	--	Peak	2	20055.00	36.54	74.00	-37.46	57.04	38.00	5.89	54.85	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13370.00	49.82	74.00	-24.18	45.40	40.07	20.91	57.13	0.57	--	Peak																																																																																																														
2	20055.00	36.52	74.00	-37.48	57.02	38.00	5.89	54.85	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13370.00	49.74	74.00	-24.26	45.32	40.07	20.91	57.13	0.57	--	Peak																																																																																																														
2	20055.00	36.54	74.00	-37.46	57.04	38.00	5.89	54.85	-9.54	--	Peak																																																																																																														



Mode	40	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL



Mode	41																																																																																			
	Band Edge																																																																																			
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																																																			
ANT	3+4																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7190.40</td><td>56.63</td><td>88.20</td><td>-31.57</td><td>41.52</td><td>36.78</td><td>15.11</td><td>36.78</td><td>0.00</td><td>109</td><td>353</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7190.40	56.63	88.20	-31.57	41.52	36.78	15.11	36.78	0.00	109	353	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6845.00</td><td>100.78</td><td>-----</td><td>-----</td><td>95.04</td><td>35.70</td><td>14.73</td><td>36.69</td><td>0.00</td><td>109</td><td>353</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6845.00	100.78	-----	-----	95.04	35.70	14.73	36.69	0.00	109	353	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7190.40	56.63	88.20	-31.57	41.52	36.78	15.11	36.78	0.00	109	353	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6845.00	100.78	-----	-----	95.04	35.70	14.73	36.69	0.00	109	353	Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7244.58</td><td>46.56</td><td>68.20</td><td>-21.64</td><td>31.27</td><td>36.89</td><td>15.18</td><td>36.78</td><td>0.00</td><td>109</td><td>353</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7244.58	46.56	68.20	-21.64	31.27	36.89	15.18	36.78	0.00	109	353	Average	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6845.00</td><td>101.66</td><td>-----</td><td>-----</td><td>87.92</td><td>35.70</td><td>14.73</td><td>36.69</td><td>0.00</td><td>109</td><td>353</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6845.00	101.66	-----	-----	87.92	35.70	14.73	36.69	0.00	109	353	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7244.58	46.56	68.20	-21.64	31.27	36.89	15.18	36.78	0.00	109	353	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6845.00	101.66	-----	-----	87.92	35.70	14.73	36.69	0.00	109	353	Average																																																																									



	41																																																																									
Mode	Band Edge																																																																									
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																																									
ANT	3+4																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-12-20 PEAK_BE(UNII)_6E Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7144.20 57.95 88.20 -30.25 43.00 36.67 15.06 36.78 0.00 117 7 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7144.20 57.95 88.20 -30.25 43.00 36.67 15.06 36.78 0.00 117 7 Peak									Level (dBuV/m) Date: 2025-12-20 PEAK(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6845.00 106.37 ----- 92.63 35.70 14.73 36.69 0.00 117 7 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 6845.00 106.37 ----- 92.63 35.70 14.73 36.69 0.00 117 7 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 7144.20 57.95 88.20 -30.25 43.00 36.67 15.06 36.78 0.00 117 7 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 6845.00 106.37 ----- 92.63 35.70 14.73 36.69 0.00 117 7 Peak																																																																										
Avg	Level (dBuV/m) Date: 2025-12-20 AVG_BE(UNII)_6E Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7243.32 46.62 68.20 -21.58 31.34 36.89 15.17 36.78 0.00 117 7 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7243.32 46.62 68.20 -21.58 31.34 36.89 15.17 36.78 0.00 117 7 Average									Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6845.00 98.49 ----- 84.75 35.70 14.73 36.69 0.00 117 7 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 6845.00 98.49 ----- 84.75 35.70 14.73 36.69 0.00 117 7 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 7243.32 46.62 68.20 -21.58 31.34 36.89 15.17 36.78 0.00 117 7 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 6845.00 98.49 ----- 84.75 35.70 14.73 36.69 0.00 117 7 Average																																																																										



Mode	41																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																																																																															
ANT	3+4																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>50.27</td><td>88.20</td><td>-37.93</td><td>45.45</td><td>40.11</td><td>21.16</td><td>57.04</td><td>0.59</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20535.00</td><td>36.52</td><td>74.00</td><td>-37.48</td><td>57.43</td><td>38.10</td><td>5.79</td><td>55.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	50.27	88.20	-37.93	45.45	40.11	21.16	57.04	0.59	--	Peak	2	20535.00	36.52	74.00	-37.48	57.43	38.10	5.79	55.26	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>50.78</td><td>88.20</td><td>-37.42</td><td>45.96</td><td>40.11</td><td>21.16</td><td>57.04</td><td>0.59</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20535.00</td><td>36.54</td><td>74.00</td><td>-37.46</td><td>57.45</td><td>38.10</td><td>5.79</td><td>55.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	50.78	88.20	-37.42	45.96	40.11	21.16	57.04	0.59	--	Peak	2	20535.00	36.54	74.00	-37.46	57.45	38.10	5.79	55.26	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13690.00	50.27	88.20	-37.93	45.45	40.11	21.16	57.04	0.59	--	Peak																																																																																																					
2	20535.00	36.52	74.00	-37.48	57.43	38.10	5.79	55.26	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13690.00	50.78	88.20	-37.42	45.96	40.11	21.16	57.04	0.59	--	Peak																																																																																																					
2	20535.00	36.54	74.00	-37.46	57.45	38.10	5.79	55.26	-9.54	--	Peak																																																																																																					



Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL



Mode	43																																																																																	
	Band Edge																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																																																	
ANT	3+4																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7203.00</td><td>56.96</td><td>88.20 -31.24</td><td>41.81</td><td>36.81</td><td>15.12</td><td>36.78</td><td>0.00</td><td>192</td><td>354 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7203.00	56.96	88.20 -31.24	41.81	36.81	15.12	36.78	0.00	192	354 Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6625.00</td><td>110.07</td><td>-----</td><td>96.40</td><td>35.75</td><td>14.49</td><td>36.57</td><td>0.00</td><td>192</td><td>354 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6625.00	110.07	-----	96.40	35.75	14.49	36.57	0.00	192	354 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 7203.00	56.96	88.20 -31.24	41.81	36.81	15.12	36.78	0.00	192	354 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6625.00	110.07	-----	96.40	35.75	14.49	36.57	0.00	192	354 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7232.40</td><td>48.07</td><td>68.20 -20.13</td><td>32.83</td><td>36.86</td><td>15.16</td><td>36.78</td><td>0.00</td><td>192</td><td>354 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7232.40	48.07	68.20 -20.13	32.83	36.86	15.16	36.78	0.00	192	354 Average	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6625.00</td><td>100.71</td><td>-----</td><td>87.04</td><td>35.75</td><td>14.49</td><td>36.57</td><td>0.00</td><td>192</td><td>354 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6625.00	100.71	-----	87.04	35.75	14.49	36.57	0.00	192	354 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 7232.40	48.07	68.20 -20.13	32.83	36.86	15.16	36.78	0.00	192	354 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6625.00	100.71	-----	87.04	35.75	14.49	36.57	0.00	192	354 Average																																																																									



Mode	43																																																																																	
	Band Edge																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																																																	
ANT	3+4																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-12-20 PEAK_BE(UNII)_6E Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7237.30</td><td>57.08</td><td>88.20 -31.12</td><td>41.82</td><td>36.87</td><td>15.17</td><td>36.78</td><td>0.00</td><td>114</td><td>6 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 7237.30	57.08	88.20 -31.12	41.82	36.87	15.17	36.78	0.00	114	6 Peak	Level (dBuV/m) Date: 2025-12-20 PEAK(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6625.00</td><td>100.00</td><td>-----</td><td>95.13</td><td>35.75</td><td>14.49</td><td>36.57</td><td>0.00</td><td>114</td><td>6 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 6625.00	100.00	-----	95.13	35.75	14.49	36.57	0.00	114	6 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																									
1 7237.30	57.08	88.20 -31.12	41.82	36.87	15.17	36.78	0.00	114	6 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																									
1 6625.00	100.00	-----	95.13	35.75	14.49	36.57	0.00	114	6 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-12-20 AVG_BE(UNII)_6E Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7242.90</td><td>47.75</td><td>68.20 -20.45</td><td>32.47</td><td>36.89</td><td>15.17</td><td>36.78</td><td>0.00</td><td>114</td><td>6 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 7242.90	47.75	68.20 -20.45	32.47	36.89	15.17	36.78	0.00	114	6 Average	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6625.00</td><td>100.98</td><td>-----</td><td>87.34</td><td>35.73</td><td>14.48</td><td>36.57</td><td>0.00</td><td>114</td><td>6 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 6625.00	100.98	-----	87.34	35.73	14.48	36.57	0.00	114	6 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																									
1 7242.90	47.75	68.20 -20.45	32.47	36.89	15.17	36.78	0.00	114	6 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																									
1 6625.00	100.98	-----	87.34	35.73	14.48	36.57	0.00	114	6 Average																																																																									



Mode	43																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																																																																																									
ANT	3+4																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>48.59</td><td>74.00</td><td>-25.41</td><td>44.45</td><td>39.90</td><td>20.81</td><td>57.13</td><td>0.56</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19875.00</td><td>36.52</td><td>74.00</td><td>-37.48</td><td>57.03</td><td>38.10</td><td>5.88</td><td>54.95</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	48.59	74.00	-25.41	44.45	39.90	20.81	57.13	0.56	--	Peak	2	19875.00	36.52	74.00	-37.48	57.03	38.10	5.88	54.95	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>48.57</td><td>74.00</td><td>-25.43</td><td>44.43</td><td>39.90</td><td>20.81</td><td>57.13</td><td>0.56</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19875.00</td><td>36.54</td><td>74.00</td><td>-37.46</td><td>57.05</td><td>38.10</td><td>5.88</td><td>54.95</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	48.57	74.00	-25.43	44.43	39.90	20.81	57.13	0.56	--	Peak	2	19875.00	36.54	74.00	-37.46	57.05	38.10	5.88	54.95	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13250.00	48.59	74.00	-25.41	44.45	39.90	20.81	57.13	0.56	--	Peak																																																																																																															
2	19875.00	36.52	74.00	-37.48	57.03	38.10	5.88	54.95	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13250.00	48.57	74.00	-25.43	44.43	39.90	20.81	57.13	0.56	--	Peak																																																																																																															
2	19875.00	36.54	74.00	-37.46	57.05	38.10	5.88	54.95	-9.54	--	Peak																																																																																																															



Mode	43	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL



Mode	44																																																																																																			
	Band Edge																																																																																																			
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																																																																																			
ANT	3+4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7222.96</td><td>57.25</td><td>88.20</td><td>-30.95</td><td>42.03</td><td>36.85</td><td>15.15</td><td>36.78</td><td>0.00</td><td>200</td><td>353</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7222.96	57.25	88.20	-30.95	42.03	36.85	15.15	36.78	0.00	200	353	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>109.51</td><td>-----</td><td>-----</td><td>95.67</td><td>35.87</td><td>14.59</td><td>36.62</td><td>0.00</td><td>200</td><td>353</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	109.51	-----	-----	95.67	35.87	14.59	36.62	0.00	200	353	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7222.96	57.25	88.20	-30.95	42.03	36.85	15.15	36.78	0.00	200	353	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6705.00	109.51	-----	-----	95.67	35.87	14.59	36.62	0.00	200	353	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7235.14</td><td>47.64</td><td>68.20</td><td>-20.56</td><td>32.39</td><td>36.87</td><td>15.16</td><td>36.78</td><td>0.00</td><td>200</td><td>353</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7235.14	47.64	68.20	-20.56	32.39	36.87	15.16	36.78	0.00	200	353	Average	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>100.46</td><td>-----</td><td>-----</td><td>86.60</td><td>35.90</td><td>14.57</td><td>36.61</td><td>0.00</td><td>200</td><td>353</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	100.46	-----	-----	86.60	35.90	14.57	36.61	0.00	200	353	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7235.14	47.64	68.20	-20.56	32.39	36.87	15.16	36.78	0.00	200	353	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6705.00	100.46	-----	-----	86.60	35.90	14.57	36.61	0.00	200	353	Average																																																																																								



Mode	44																																																																																																	
	Band Edge																																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																																																																																	
ANT	3+4																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-12-20 PEAK_BE(UNII)_6E Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7206.72</td><td>57.55</td><td>88.20</td><td>-30.65</td><td>42.39</td><td>36.81</td><td>15.13</td><td>36.78</td><td>0.00</td><td>100</td><td>11 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7206.72	57.55	88.20	-30.65	42.39	36.81	15.13	36.78	0.00	100	11 Peak	Level (dBuV/m) Date: 2025-12-20 PEAK(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>100.01</td><td>-----</td><td>-----</td><td>94.20</td><td>35.86</td><td>14.55</td><td>36.60</td><td>0.00</td><td>100</td><td>11 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	100.01	-----	-----	94.20	35.86	14.55	36.60	0.00	100	11 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7206.72	57.55	88.20	-30.65	42.39	36.81	15.13	36.78	0.00	100	11 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6705.00	100.01	-----	-----	94.20	35.86	14.55	36.60	0.00	100	11 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-12-20 AVG_BE(UNII)_6E Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7186.42</td><td>48.11</td><td>68.20</td><td>-20.09</td><td>33.01</td><td>36.77</td><td>15.11</td><td>36.78</td><td>0.00</td><td>100</td><td>11 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7186.42	48.11	68.20	-20.09	33.01	36.77	15.11	36.78	0.00	100	11 Average	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>99.99</td><td>-----</td><td>-----</td><td>86.13</td><td>35.90</td><td>14.57</td><td>36.61</td><td>0.00</td><td>100</td><td>11 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	99.99	-----	-----	86.13	35.90	14.57	36.61	0.00	100	11 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7186.42	48.11	68.20	-20.09	33.01	36.77	15.11	36.78	0.00	100	11 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6705.00	99.99	-----	-----	86.13	35.90	14.57	36.61	0.00	100	11 Average																																																																																							



Mode	44																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																																																																																																								
ANT	3+4																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>48.95</td><td>88.20</td><td>-39.25</td><td>44.45</td><td>40.12</td><td>20.94</td><td>57.13</td><td>0.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>36.52</td><td>74.00</td><td>-37.48</td><td>57.11</td><td>38.00</td><td>5.87</td><td>54.92</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	48.95	88.20	-39.25	44.45	40.12	20.94	57.13	0.57	--	Peak	2	20115.00	36.52	74.00	-37.48	57.11	38.00	5.87	54.92	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>49.75</td><td>88.20</td><td>-38.45</td><td>45.25</td><td>40.12</td><td>20.94</td><td>57.13</td><td>0.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>36.54</td><td>74.00</td><td>-37.46</td><td>57.13</td><td>38.00</td><td>5.87</td><td>54.92</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	49.75	88.20	-38.45	45.25	40.12	20.94	57.13	0.57	--	Peak	2	20115.00	36.54	74.00	-37.46	57.13	38.00	5.87	54.92	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13410.00	48.95	88.20	-39.25	44.45	40.12	20.94	57.13	0.57	--	Peak																																																																																																														
2	20115.00	36.52	74.00	-37.48	57.11	38.00	5.87	54.92	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13410.00	49.75	88.20	-38.45	45.25	40.12	20.94	57.13	0.57	--	Peak																																																																																																														
2	20115.00	36.54	74.00	-37.46	57.13	38.00	5.87	54.92	-9.54	--	Peak																																																																																																														



Mode	44	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL



	45																																																																																																			
Mode	Band Edge																																																																																																			
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																																																																																			
ANT	3+4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7171.99</td><td>57.17</td><td>88.20</td><td>-31.03</td><td>42.12</td><td>36.74</td><td>15.09</td><td>36.78</td><td>0.00</td><td>192</td><td>354</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7171.99	57.17	88.20	-31.03	42.12	36.74	15.09	36.78	0.00	192	354	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>100.78</td><td>-----</td><td>-----</td><td>95.04</td><td>35.73</td><td>14.67</td><td>36.66</td><td>0.00</td><td>192</td><td>354</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	100.78	-----	-----	95.04	35.73	14.67	36.66	0.00	192	354	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7171.99	57.17	88.20	-31.03	42.12	36.74	15.09	36.78	0.00	192	354	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6785.00	100.78	-----	-----	95.04	35.73	14.67	36.66	0.00	192	354	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7234.22</td><td>47.78</td><td>68.20</td><td>-20.42</td><td>32.53</td><td>36.87</td><td>15.16</td><td>36.78</td><td>0.00</td><td>192</td><td>354</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7234.22	47.78	68.20	-20.42	32.53	36.87	15.16	36.78	0.00	192	354	Average	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>99.88</td><td>-----</td><td>-----</td><td>86.11</td><td>35.76</td><td>14.66</td><td>36.65</td><td>0.00</td><td>192</td><td>354</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	99.88	-----	-----	86.11	35.76	14.66	36.65	0.00	192	354	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7234.22	47.78	68.20	-20.42	32.53	36.87	15.16	36.78	0.00	192	354	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6785.00	99.88	-----	-----	86.11	35.76	14.66	36.65	0.00	192	354	Average																																																																																								



Mode	45																																																																																			
	Band Edge																																																																																			
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																																																																			
ANT	3+4																																																																																			
Pol.	Vertical						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-12-20 PEAK_BE(UNII)_6E Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7138.34</td><td>58.29</td><td>88.20</td><td>-29.91</td><td>43.45</td><td>36.58</td><td>15.04</td><td>36.78</td><td>0.00</td><td>100</td><td></td><td>9 Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7138.34	58.29	88.20	-29.91	43.45	36.58	15.04	36.78	0.00	100		9 Peak	Level (dBuV/m) Date: 2025-12-20 PEAK(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6785.00</td><td>107.35</td><td>-----</td><td>-----</td><td>93.61</td><td>35.72</td><td>14.68</td><td>36.66</td><td>0.00</td><td>100</td><td></td><td>9 Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6785.00	107.35	-----	-----	93.61	35.72	14.68	36.66	0.00	100		9 Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7138.34	58.29	88.20	-29.91	43.45	36.58	15.04	36.78	0.00	100		9 Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6785.00	107.35	-----	-----	93.61	35.72	14.68	36.66	0.00	100		9 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-12-20 AVG_BE(UNII)_6E Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7137.69</td><td>48.41</td><td>68.20</td><td>-19.79</td><td>33.51</td><td>36.63</td><td>15.05</td><td>36.78</td><td>0.00</td><td>100</td><td></td><td>9 Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7137.69	48.41	68.20	-19.79	33.51	36.63	15.05	36.78	0.00	100		9 Average	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6785.00</td><td>98.68</td><td>-----</td><td>-----</td><td>84.91</td><td>35.76</td><td>14.66</td><td>36.65</td><td>0.00</td><td>100</td><td></td><td>9 Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6785.00	98.68	-----	-----	84.91	35.76	14.66	36.65	0.00	100		9 Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7137.69	48.41	68.20	-19.79	33.51	36.63	15.05	36.78	0.00	100		9 Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 6785.00	98.68	-----	-----	84.91	35.76	14.66	36.65	0.00	100		9 Average																																																																									



Mode	45																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																																																																																																								
ANT	3+4																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>50.32</td><td>88.20</td><td>-37.88</td><td>45.54</td><td>40.23</td><td>21.07</td><td>57.10</td><td>0.58</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20355.00</td><td>36.52</td><td>74.00</td><td>-37.48</td><td>57.40</td><td>38.00</td><td>5.81</td><td>55.15</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	50.32	88.20	-37.88	45.54	40.23	21.07	57.10	0.58	--	Peak	2	20355.00	36.52	74.00	-37.48	57.40	38.00	5.81	55.15	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>49.83</td><td>88.20</td><td>-38.37</td><td>45.05</td><td>40.23</td><td>21.07</td><td>57.10</td><td>0.58</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20355.00</td><td>36.54</td><td>74.00</td><td>-37.46</td><td>57.42</td><td>38.00</td><td>5.81</td><td>55.15</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	49.83	88.20	-38.37	45.05	40.23	21.07	57.10	0.58	--	Peak	2	20355.00	36.54	74.00	-37.46	57.42	38.00	5.81	55.15	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13570.00	50.32	88.20	-37.88	45.54	40.23	21.07	57.10	0.58	--	Peak																																																																																																														
2	20355.00	36.52	74.00	-37.48	57.40	38.00	5.81	55.15	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13570.00	49.83	88.20	-38.37	45.05	40.23	21.07	57.10	0.58	--	Peak																																																																																																														
2	20355.00	36.54	74.00	-37.46	57.42	38.00	5.81	55.15	-9.54	--	Peak																																																																																																														



Mode	45	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL



Mode	47																																																																																																			
	Band Edge																																																																																																			
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																																																																			
ANT	3+4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7195.50</td><td>59.17</td><td>88.20</td><td>-29.03</td><td>44.04</td><td>36.79</td><td>15.12</td><td>36.78</td><td>0.00</td><td>266</td><td>354</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7195.50	59.17	88.20	-29.03	44.04	36.79	15.12	36.78	0.00	266	354	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>105.54</td><td>-----</td><td>-----</td><td>91.00</td><td>35.81</td><td>14.52</td><td>36.59</td><td>0.00</td><td>266</td><td>354</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6665.00	105.54	-----	-----	91.00	35.81	14.52	36.59	0.00	266	354	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7195.50	59.17	88.20	-29.03	44.04	36.79	15.12	36.78	0.00	266	354	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6665.00	105.54	-----	-----	91.00	35.81	14.52	36.59	0.00	266	354	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7194.18</td><td>49.61</td><td>68.20</td><td>-18.59</td><td>34.49</td><td>36.79</td><td>15.11</td><td>36.78</td><td>0.00</td><td>266</td><td>354</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7194.18	49.61	68.20	-18.59	34.49	36.79	15.11	36.78	0.00	266	354	Average	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>97.15</td><td>-----</td><td>-----</td><td>83.33</td><td>35.87</td><td>14.56</td><td>36.61</td><td>0.00</td><td>266</td><td>354</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6665.00	97.15	-----	-----	83.33	35.87	14.56	36.61	0.00	266	354	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7194.18	49.61	68.20	-18.59	34.49	36.79	15.11	36.78	0.00	266	354	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6665.00	97.15	-----	-----	83.33	35.87	14.56	36.61	0.00	266	354	Average																																																																																								







Mode	47																																																																																	
	Band Edge																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																																																	
ANT	3+4																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-12-20 PEAK_BE(UNII)_6E Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7165.00 50.30 88.20 -29.90 43.27 36.73 15.08 36.78 0.00 104 11 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 7165.00 50.30 88.20 -29.90 43.27 36.73 15.08 36.78 0.00 104 11 Peak									Level (dBuV/m) Date: 2025-12-20 PEAK(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6665.00 107.07 ----- 93.26 35.86 14.55 36.60 0.00 104 11 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 6665.00 107.07 ----- 93.26 35.86 14.55 36.60 0.00 104 11 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																																		
1 7165.00 50.30 88.20 -29.90 43.27 36.73 15.08 36.78 0.00 104 11 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																																		
1 6665.00 107.07 ----- 93.26 35.86 14.55 36.60 0.00 104 11 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-12-20 AVG_BE(UNII)_6E Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7196.16 50.87 68.20 -17.33 35.74 36.79 15.12 36.78 0.00 104 11 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 7196.16 50.87 68.20 -17.33 35.74 36.79 15.12 36.78 0.00 104 11 Average									Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6665.00 98.02 ----- 84.31 35.78 14.51 36.58 0.00 104 11 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 6665.00 98.02 ----- 84.31 35.78 14.51 36.58 0.00 104 11 Average								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																																		
1 7196.16 50.87 68.20 -17.33 35.74 36.79 15.12 36.78 0.00 104 11 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																																		
1 6665.00 98.02 ----- 84.31 35.78 14.51 36.58 0.00 104 11 Average																																																																																		



Mode	47																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																																																																															
ANT	3+4																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>49.14</td><td>74.00</td><td>-24.86</td><td>44.00</td><td>40.03</td><td>20.87</td><td>57.13</td><td>0.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19995.00</td><td>36.52</td><td>74.00</td><td>-37.48</td><td>56.97</td><td>38.00</td><td>5.90</td><td>54.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	49.14	74.00	-24.86	44.00	40.03	20.87	57.13	0.57	--	Peak	2	19995.00	36.52	74.00	-37.48	56.97	38.00	5.90	54.81	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>48.00</td><td>74.00</td><td>-25.20</td><td>44.46</td><td>40.03</td><td>20.87</td><td>57.13</td><td>0.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19995.00</td><td>36.54</td><td>74.00</td><td>-37.46</td><td>56.99</td><td>38.00</td><td>5.90</td><td>54.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	48.00	74.00	-25.20	44.46	40.03	20.87	57.13	0.57	--	Peak	2	19995.00	36.54	74.00	-37.46	56.99	38.00	5.90	54.81	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13330.00	49.14	74.00	-24.86	44.00	40.03	20.87	57.13	0.57	--	Peak																																																																																																					
2	19995.00	36.52	74.00	-37.48	56.97	38.00	5.90	54.81	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13330.00	48.00	74.00	-25.20	44.46	40.03	20.87	57.13	0.57	--	Peak																																																																																																					
2	19995.00	36.54	74.00	-37.46	56.99	38.00	5.90	54.81	-9.54	--	Peak																																																																																																					



Mode	47	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL






Mode	62																																																																																																																																																																																					
	LF																																																																																																																																																																																					
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																																																																																																					
ANT	3+4																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																				
QP/ Peak	Level (dBuV/m) Date: 2025-12-23 Site : 03CH15-HY Condition: QP 3m Bilog_41912 & 05_250301 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>49.40</td><td>25.26</td><td>40.00</td><td>-14.74</td><td>41.62</td><td>14.77</td><td>1.21</td><td>32.46</td><td>0.12 -- -- Peak</td></tr><tr><td>2</td><td>168.71</td><td>31.98</td><td>43.50</td><td>-11.52</td><td>45.94</td><td>15.09</td><td>2.30</td><td>32.38</td><td>0.23 -- -- Peak</td></tr><tr><td>3</td><td>216.24</td><td>31.97</td><td>46.00</td><td>-14.03</td><td>46.62</td><td>15.02</td><td>2.58</td><td>32.34</td><td>0.09 -- -- Peak</td></tr><tr><td>4</td><td>328.76</td><td>26.61</td><td>46.00</td><td>-19.39</td><td>35.00</td><td>19.75</td><td>3.17</td><td>32.28</td><td>0.17 -- -- Peak</td></tr><tr><td>5</td><td>721.61</td><td>32.66</td><td>46.00</td><td>-13.34</td><td>32.74</td><td>27.33</td><td>4.71</td><td>32.28</td><td>0.16 -- -- Peak</td></tr><tr><td>6</td><td>956.35</td><td>33.58</td><td>46.00</td><td>-12.42</td><td>27.78</td><td>31.04</td><td>5.40</td><td>30.99</td><td>0.35 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	49.40	25.26	40.00	-14.74	41.62	14.77	1.21	32.46	0.12 -- -- Peak	2	168.71	31.98	43.50	-11.52	45.94	15.09	2.30	32.38	0.23 -- -- Peak	3	216.24	31.97	46.00	-14.03	46.62	15.02	2.58	32.34	0.09 -- -- Peak	4	328.76	26.61	46.00	-19.39	35.00	19.75	3.17	32.28	0.17 -- -- Peak	5	721.61	32.66	46.00	-13.34	32.74	27.33	4.71	32.28	0.16 -- -- Peak	6	956.35	33.58	46.00	-12.42	27.78	31.04	5.40	30.99	0.35 -- -- Peak	Level (dBuV/m) Date: 2025-12-23 Site : 03CH15-HY Condition: QP 3m Bilog_41912 & 05_250301 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>49.40</td><td>33.61</td><td>40.00</td><td>-6.39</td><td>49.97</td><td>14.77</td><td>1.21</td><td>32.46</td><td>0.12 -- -- Peak</td></tr><tr><td>2</td><td>170.65</td><td>29.70</td><td>43.50</td><td>-13.80</td><td>43.82</td><td>15.73</td><td>2.31</td><td>32.39</td><td>0.23 -- -- Peak</td></tr><tr><td>3</td><td>216.24</td><td>27.35</td><td>46.00</td><td>-18.65</td><td>42.00</td><td>15.02</td><td>2.58</td><td>32.34</td><td>0.09 -- -- Peak</td></tr><tr><td>4</td><td>418.00</td><td>26.30</td><td>46.00</td><td>-19.70</td><td>32.61</td><td>22.33</td><td>3.58</td><td>32.34</td><td>0.12 -- -- Peak</td></tr><tr><td>5</td><td>705.12</td><td>36.41</td><td>46.00</td><td>-9.59</td><td>37.12</td><td>26.78</td><td>4.66</td><td>32.30</td><td>0.15 -- -- Peak</td></tr><tr><td>6</td><td>957.32</td><td>32.92</td><td>46.00</td><td>-13.08</td><td>27.10</td><td>31.05</td><td>5.40</td><td>30.98</td><td>0.35 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	49.40	33.61	40.00	-6.39	49.97	14.77	1.21	32.46	0.12 -- -- Peak	2	170.65	29.70	43.50	-13.80	43.82	15.73	2.31	32.39	0.23 -- -- Peak	3	216.24	27.35	46.00	-18.65	42.00	15.02	2.58	32.34	0.09 -- -- Peak	4	418.00	26.30	46.00	-19.70	32.61	22.33	3.58	32.34	0.12 -- -- Peak	5	705.12	36.41	46.00	-9.59	37.12	26.78	4.66	32.30	0.15 -- -- Peak	6	957.32	32.92	46.00	-13.08	27.10	31.05	5.40	30.98	0.35 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	49.40	25.26	40.00	-14.74	41.62	14.77	1.21	32.46	0.12 -- -- Peak																																																																																																																																																																													
2	168.71	31.98	43.50	-11.52	45.94	15.09	2.30	32.38	0.23 -- -- Peak																																																																																																																																																																													
3	216.24	31.97	46.00	-14.03	46.62	15.02	2.58	32.34	0.09 -- -- Peak																																																																																																																																																																													
4	328.76	26.61	46.00	-19.39	35.00	19.75	3.17	32.28	0.17 -- -- Peak																																																																																																																																																																													
5	721.61	32.66	46.00	-13.34	32.74	27.33	4.71	32.28	0.16 -- -- Peak																																																																																																																																																																													
6	956.35	33.58	46.00	-12.42	27.78	31.04	5.40	30.99	0.35 -- -- Peak																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	49.40	33.61	40.00	-6.39	49.97	14.77	1.21	32.46	0.12 -- -- Peak																																																																																																																																																																													
2	170.65	29.70	43.50	-13.80	43.82	15.73	2.31	32.39	0.23 -- -- Peak																																																																																																																																																																													
3	216.24	27.35	46.00	-18.65	42.00	15.02	2.58	32.34	0.09 -- -- Peak																																																																																																																																																																													
4	418.00	26.30	46.00	-19.70	32.61	22.33	3.58	32.34	0.12 -- -- Peak																																																																																																																																																																													
5	705.12	36.41	46.00	-9.59	37.12	26.78	4.66	32.30	0.15 -- -- Peak																																																																																																																																																																													
6	957.32	32.92	46.00	-13.08	27.10	31.05	5.40	30.98	0.35 -- -- Peak																																																																																																																																																																													

Appendix C. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting	Duty Factor(dB)
3+4	802.11a	99.51	-	-	10Hz	0.02
3+4	802.11ax HE20 Full RU	99.31	-	-	10Hz	0.03
3+4	802.11ax HE20 26 RU	97.89	1620	0.62	680Hz	0.09
3+4	802.11ax HE20 52 RU	97.67	1465	0.68	750Hz	0.10
3+4	802.11ax HE20 106 RU	97.01	1300	0.77	820Hz	0.13
3+4	802.11ax HE40 Full RU	98.65	-	-	10Hz	0.06
3+4	802.11ax HE80 Full RU	97.22	735	1.36	1.5kHz	0.12
3+4	802.11ax HE160 Full RU	95.24	400	2.50	2.7kHz	0.21
3+4	802.11be EHT20 Full RU	99.31	-	-	10Hz	0.03
3+4	802.11be EHT20 26 RU	97.77	1620	0.62	680Hz	0.10
3+4	802.11be EHT20 52 RU	97.33	1460	0.68	750Hz	0.12
3+4	802.11be EHT20 106 RU	97.01	1300	0.77	820Hz	0.13
3+4	802.11be EHT20 52T+26T	98.85	-	-	10Hz	0.05
3+4	802.11be EHT20 106T+26T	98.04	-	-	10Hz	0.09
3+4	802.11be EHT40 Full RU	98.67	-	-	10Hz	0.06
3+4	802.11be EHT80 Full RU	97.24	741	1.35	1.5kHz	0.12
3+4	802.11be EHT80 Puncture 20	98.04	-	-	10Hz	0.09
3+4	802.11be EHT160 Full RU	95.24	400	2.50	2.7kHz	0.21
3+4	802.11be EHT160 Puncture 20	95.88	465	2.15	2.2kHz	0.18
3+4	802.11be EHT160 Puncture 40	96.33	525	1.90	2kHz	0.16



MIMO <Ant. 3+4>






802.11ax HE80 Full RU



802.11ax HE160 Full RU



802.11be EHT20 Full RU




802.11be EHT20 26 RU



802.11be EHT20 52 RU




802.11be EHT20 106 RU







802.11be EHT20 52T+26T




802.11be EHT20 106T+26T




802.11be EHT40 Full RU




802.11be EHT80 Full RU




802.11be EHT80 Puncture 20



802.11be EHT160 Full RU





—THE END—