




DFT-s-OFDM

NR Band n260


Lowest Channel / 200MHz / QPSK




Lowest Channel / 200MHz / 16QAM




Middle Channel / 200MHz / QPSK




Middle Channel / 200MHz / 16QAM



Highest Channel / 200MHz / QPSK



Highest Channel / 200MHz / 16QAM






DFT-s-OFDM

NR Band n260


Lowest Channel / 200MHz / 64QAM




Lowest Channel / 300MHz / QPSK




Middle Channel / 200MHz / 64QAM




Middle Channel / 300MHz / QPSK



Highest Channel / 200MHz / 64QAM



Highest Channel / 300MHz / QPSK





DFT-s-OFDM

NR Band n260

Lowest Channel / 300MHz / 16QAM



Lowest Channel / 300MHz / 64QAM



Middle Channel / 300MHz / 16QAM



Middle Channel / 300MHz / 64QAM



Highest Channel / 300MHz / 16QAM



Highest Channel / 300MHz / 64QAM





DFT-s-OFDM

NR Band n260


Lowest Channel / 400MHz / QPSK




Lowest Channel / 400MHz / 16QAM




Middle Channel / 400MHz / QPSK




Middle Channel / 400MHz / 16QAM



Highest Channel / 400MHz / QPSK



Highest Channel / 400MHz / 16QAM





DFT-s-OFDM


NR Band n260																													
Lowest Channel / 400MHz / 64QAM																													
MultiView Spectrum Ref Level 45.13 dBm Offset 49.62 dB RBW 5 MHz Att 0 dB SWT 3.2 ms VBW 20 MHz Mode Auto Sweep Occupied Bandwidth 40 dBm 30 dBm 20 dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm CF 37.2 GHz 1001 pts 80.0 MHz/ Span 800.0 MHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Fc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td>37.044 96 GHz</td><td>19.57 dBm</td><td></td><td>Occ Bar</td><td>390.711 577 233 MHz</td></tr><tr><td>T1</td><td>1</td><td>37.003 138 GHz</td><td>13.25 dBm</td><td></td><td>Occ Bar Centroid</td><td>37.198 494 238 GHz</td></tr><tr><td>T2</td><td>1</td><td>37.203 85 GHz</td><td>14.34 dBm</td><td></td><td>Occ Bar Freq Offset</td><td>-3.565 261 62 MHz</td></tr></table> 14:04:50 02.12.2025	Type	Ref	Fc	X-Value	Y-Value	Function	Function Result	M1	1	37.044 96 GHz	19.57 dBm		Occ Bar	390.711 577 233 MHz	T1	1	37.003 138 GHz	13.25 dBm		Occ Bar Centroid	37.198 494 238 GHz	T2	1	37.203 85 GHz	14.34 dBm		Occ Bar Freq Offset	-3.565 261 62 MHz	intentionally blank
Type	Ref	Fc	X-Value	Y-Value	Function	Function Result																							
M1	1	37.044 96 GHz	19.57 dBm		Occ Bar	390.711 577 233 MHz																							
T1	1	37.003 138 GHz	13.25 dBm		Occ Bar Centroid	37.198 494 238 GHz																							
T2	1	37.203 85 GHz	14.34 dBm		Occ Bar Freq Offset	-3.565 261 62 MHz																							
Middle Channel / 400MHz / 64QAM																													
MultiView Spectrum Ref Level 45.13 dBm Offset 49.62 dB RBW 5 MHz Att 0 dB SWT 3.2 ms VBW 20 MHz Mode Auto Sweep Occupied Bandwidth 40 dBm 30 dBm 20 dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm CF 38.5 GHz 1001 pts 80.0 MHz/ Span 800.0 MHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Fc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td>38.432 07 GHz</td><td>18.27 dBm</td><td></td><td>Occ Bar</td><td>389.780 379 067 MHz</td></tr><tr><td>T1</td><td>1</td><td>38.304 11 GHz</td><td>10.61 dBm</td><td></td><td>Occ Bar Centroid</td><td>38.498 999 729 GHz</td></tr><tr><td>T2</td><td>1</td><td>38.693 89 GHz</td><td>13.75 dBm</td><td></td><td>Occ Bar Freq Offset</td><td>-1.000 270 607 MHz</td></tr></table> 16:39:47 02.12.2025	Type	Ref	Fc	X-Value	Y-Value	Function	Function Result	M1	1	38.432 07 GHz	18.27 dBm		Occ Bar	389.780 379 067 MHz	T1	1	38.304 11 GHz	10.61 dBm		Occ Bar Centroid	38.498 999 729 GHz	T2	1	38.693 89 GHz	13.75 dBm		Occ Bar Freq Offset	-1.000 270 607 MHz	intentionally blank
Type	Ref	Fc	X-Value	Y-Value	Function	Function Result																							
M1	1	38.432 07 GHz	18.27 dBm		Occ Bar	389.780 379 067 MHz																							
T1	1	38.304 11 GHz	10.61 dBm		Occ Bar Centroid	38.498 999 729 GHz																							
T2	1	38.693 89 GHz	13.75 dBm		Occ Bar Freq Offset	-1.000 270 607 MHz																							
Highest Channel / 400MHz / 64QAM																													
MultiView Spectrum Ref Level 45.13 dBm Offset 49.62 dB RBW 5 MHz Att 0 dB SWT 3.2 ms VBW 20 MHz Mode Auto Sweep Occupied Bandwidth 40 dBm 30 dBm 20 dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm CF 39.8 GHz 1001 pts 80.0 MHz/ Span 800.0 MHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Fc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td>39.731 27 GHz</td><td>17.09 dBm</td><td></td><td>Occ Bar</td><td>390.466 044 823 MHz</td></tr><tr><td>T1</td><td>1</td><td>39.603 355 GHz</td><td>10.33 dBm</td><td></td><td>Occ Bar Centroid</td><td>39.798 587 98 GHz</td></tr><tr><td>T2</td><td>1</td><td>39.993 821 GHz</td><td>12.39 dBm</td><td></td><td>Occ Bar Freq Offset</td><td>-1.412 001 9 MHz</td></tr></table> 15:00:41 03.12.2025	Type	Ref	Fc	X-Value	Y-Value	Function	Function Result	M1	1	39.731 27 GHz	17.09 dBm		Occ Bar	390.466 044 823 MHz	T1	1	39.603 355 GHz	10.33 dBm		Occ Bar Centroid	39.798 587 98 GHz	T2	1	39.993 821 GHz	12.39 dBm		Occ Bar Freq Offset	-1.412 001 9 MHz	intentionally blank
Type	Ref	Fc	X-Value	Y-Value	Function	Function Result																							
M1	1	39.731 27 GHz	17.09 dBm		Occ Bar	390.466 044 823 MHz																							
T1	1	39.603 355 GHz	10.33 dBm		Occ Bar Centroid	39.798 587 98 GHz																							
T2	1	39.993 821 GHz	12.39 dBm		Occ Bar Freq Offset	-1.412 001 9 MHz																							




CP-OFDM

NR Band n260


Lowest Channel / 50MHz / QPSK




Lowest Channel / 100MHz / QPSK




Middle Channel / 50MHz / QPSK




Middle Channel / 100MHz / QPSK



Highest Channel / 50MHz / QPSK



Highest Channel / 100MHz / QPSK







CP-OFDM

NR Band n260


Lowest Channel / 200MHz / QPSK




Lowest Channel / 300MHz / QPSK



Middle Channel / 200MHz / QPSK



Middle Channel / 300MHz / QPSK



Highest Channel / 200MHz / QPSK



Highest Channel / 300MHz / QPSK





CP-OFDM

NR Band n260

Lowest Channel / 400MHz / QPSK




intentionally blank

Middle Channel / 400MHz / QPSK



intentionally blank

Highest Channel / 400MHz / QPSK



intentionally blank

Radiated Out of Band Emissions

Mode			DFT-s-OFDM NR Band n260 : BE (dBm) 1 RB								
BW			50MHz			100MHz			200MHz		
Limit (dBm)			QPSK	16QAM	64QAM	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Low CH	0~10%OB	≤ -5	-6.96	-8.79	-8.52	-23.498	-25.90	-7.86	-12.37	-11.82	-16.31
	>10%OB	≤ -13	-25.04	-25.71	-27.22	-29.442	-30.68	-26.29	-22.55	-20.47	-24.85
High CH	0~10%OB	≤ -5	-11.88	-11.09	-14.12	-15.18	-13.79	-17.36	-23.79	-22.24	-25.05
	>10%OB	≤ -13	-25.89	-26.17	-27.19	-25.87	-25.91	-27.64	-22.06	-16.60	-26.55
Result			Compliance								

Mode			DFT-s-OFDM NR Band n260 : BE (dBm) 1 RB					
BW			300MHz			400MHz		
Limit (dBm)			QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Low CH	0~10%OB	≤ -5	-13.43	-14.02	-17.16	-31.29	-31.03	-16.86
	>10%OB	≤ -13	-16.40	-16.22	-25.53	-19.98	-20.09	-15.99
High CH	0~10%OB	≤ -5	-23.62	-24.32	-25.98	-32.31	-32.52	-26.66
	>10%OB	≤ -13	-19.08	-17.33	-24.79	-23.71	-24.11	-21.41
Result			Compliance					

Mode			CP-OFDM NR Band n260 : BE (dBm) 1 RB		
BW			50MHz	100MHz	200MHz
Limit (dBm)			QPSK	QPSK	QPSK
Low CH	0~10%OB	≤ -5	-7.13	-8.10	-13.33
	>10%OB	≤ -13	-26.38	-25.27	-15.22
High CH	0~10%OB	≤ -5	-10.65	-14.96	-24.38
	>10%OB	≤ -13	-26.71	-26.28	-17.29
Result			Compliance		

Mode			CP-OFDM NR Band n260 : BE (dBm) 1 RB	
BW			300MHz	400MHz
Limit (dBm)			QPSK	QPSK
Low CH	0~10%OB	≤ -5	-13.28	-30.76
	>10%OB	≤ -13	-16.34	-20.45
High CH	0~10%OB	≤ -5	-23.99	-32.43
	>10%OB	≤ -13	-16.87	-23.77
Result			Compliance	

Mode			DFT-s-OFDM NR Band n260 : BE (dBm) Full RB								
BW			50MHz			100MHz			200MHz		
Limit (dBm)			QPSK	16QAM	64QAM	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Low CH	0~10%OB	≤ -5	-24.86	-18.65	-22.05	-14.95	-17.49	-21.16	-24.01	-27.76	-30.43
	>10%OB	≤ -13	-23.48	-16.01	-21.35	-15.72	-18.60	-23.10	-27.50	-29.91	-34.34
High CH	0~10%OB	≤ -5	-18.54	-21.20	-24.75	-18.58	-20.96	-26.78	-29.65	-30.07	-34.01
	>10%OB	≤ -13	-20.95	-23.41	-28.30	-17.20	-21.03	-26.92	-30.01	-30.68	-34.32
Result			Compliance								

Mode			DFT-s-OFDM NR Band n260 : BE (dBm) Full RB					
BW			300MHz			400MHz		
Limit (dBm)			QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Low CH	0~10%OB	≤ -5	-25.82	-28.73	-30.34	-23.93	-27.26	-31.61
	>10%OB	≤ -13	-25.40	-29.42	-34.33	-23.94	-27.65	-32.32
High CH	0~10%OB	≤ -5	-29.24	-30.56	-34.55	-28.00	-29.16	-34.06
	>10%OB	≤ -13	-30.52	-31.33	-34.31	-27.82	-28.82	-34.22
Result			Compliance					

Mode			CP-OFDM NR Band n260 : BE (dBm) Full RB		
BW			50MHz	100MHz	200MHz
Limit (dBm)			QPSK	QPSK	QPSK
Low CH	0~10%OB	≤ -5	-17.01	-15.96	-23.10
	>10%OB	≤ -13	-14.71	-16.49	-25.40
High CH	0~10%OB	≤ -5	-18.91	-18.76	-28.21
	>10%OB	≤ -13	-21.20	-18.11	-28.25
Result			Compliance		

Mode			CP-OFDM NR Band n260 : BE (dBm) Full RB	
BW			300MHz	400MHz
Limit (dBm)			QPSK	QPSK
Low CH	0~10%OB	≤ -5	-23.76	-23.28
	>10%OB	≤ -13	-25.85	-23.90
High CH	0~10%OB	≤ -5	-28.98	-27.92
	>10%OB	≤ -13	-30.14	-27.09
Result			Compliance	