





Test Mode : 802.11g

Test Channel : 13


100kHz PSD reference Level




Channel 13 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11be EHT20_FullIRU

Test Channel : 01


100kHz PSD reference Level




Channel 01 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11be EHT20_FullIRU

Test Channel : 02


100kHz PSD reference Level




Channel 02 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11be EHT20_FullIRU


Test Channel : 06

100kHz PSD reference Level




Channel 06 Plot

Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11be EHT20_FullIRU

Test Channel : 10


100kHz PSD reference Level




Channel 10 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11be EHT20_FullIRU

Test Channel : 11


100kHz PSD reference Level




Channel 11 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11be EHT20_FullIRU

Test Channel : 12


100kHz PSD reference Level




Channel 12 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11be EHT20_FullIRU

Test Channel : 13


100kHz PSD reference Level




Channel 13 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Number of TX = 2, Ant. 4 (Measured)


Test Mode : 802.11b

Test Channel : 01


100kHz PSD reference Level




Channel 01 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11b


Test Channel : 06

100kHz PSD reference Level




Channel 06 Plot

Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11b

Test Channel : 11


100kHz PSD reference Level




Channel 11 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11b

Test Channel : 12


100kHz PSD reference Level




Channel 12 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11b

Test Channel : 13


100kHz PSD reference Level




Channel 13 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11g

Test Channel : 01


100kHz PSD reference Level




Channel 01 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11g

Test Channel : 02


100kHz PSD reference Level




Channel 02 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11g


Test Channel : 06

100kHz PSD reference Level




Channel 06 Plot

Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11g

Test Channel : 10


100kHz PSD reference Level




Channel 10 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11g

Test Channel : 11


100kHz PSD reference Level




Channel 11 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11g

Test Channel : 12


100kHz PSD reference Level




Channel 12 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11g

Test Channel : 13


100kHz PSD reference Level




Channel 13 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11be EHT20_FullIRU

Test Channel : 01


100kHz PSD reference Level




Channel 01 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11be EHT20_FullIRU

Test Channel : 02


100kHz PSD reference Level




Channel 02 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11be EHT20_FullIRU


Test Channel : 06

100kHz PSD reference Level




Channel 06 Plot

Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11be EHT20_FullIRU

Test Channel : 10


100kHz PSD reference Level




Channel 10 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11be EHT20_FullIRU

Test Channel : 11


100kHz PSD reference Level




Channel 11 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11be EHT20_FullIRU

Test Channel : 12


100kHz PSD reference Level




Channel 12 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11be EHT20_FullIRU

Test Channel : 13


100kHz PSD reference Level




Channel 13 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Louis Chung	Temperature :	16.1~22.7℃
		Relative Humidity :	45.9~48.9%

EUT Information

Report NO : 4N0917
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	21.23	55.88	34.65	L1	OFF	19.8
0.152250	47.30	---	65.88	18.58	L1	OFF	19.8
0.170250	---	34.91	54.95	20.04	L1	OFF	19.8
0.170250	53.00	---	64.95	11.95	L1	OFF	19.8
0.183750	---	32.92	54.31	21.39	L1	OFF	19.8
0.183750	51.29	---	64.31	13.02	L1	OFF	19.8
0.222000	---	12.38	52.74	40.36	L1	OFF	19.8
0.222000	38.23	---	62.74	24.51	L1	OFF	19.8
0.276000	---	21.66	50.94	29.28	L1	OFF	19.8
0.276000	36.76	---	60.94	24.18	L1	OFF	19.8
22.879500	---	27.20	50.00	22.80	L1	OFF	20.7
22.879500	32.77	---	60.00	27.23	L1	OFF	20.7

EUT Information

Report NO : 4N0917
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.156750	---	21.07	55.63	34.56	N	OFF	19.8
0.156750	46.79	---	65.63	18.84	N	OFF	19.8
0.167955	---	32.62	55.06	22.44	N	OFF	19.8
0.167955	52.61	---	65.06	12.45	N	OFF	19.8
0.177000	---	38.97	54.63	15.66	N	OFF	19.8
0.177000	54.10	---	64.63	10.53	N	OFF	19.8
0.213000	---	12.28	53.09	40.81	N	OFF	19.8
0.213000	39.28	---	63.09	23.81	N	OFF	19.8
0.260610	---	27.12	51.41	24.29	N	OFF	19.8
0.260610	39.25	---	61.41	22.16	N	OFF	19.8
23.480385	---	23.07	50.00	26.93	N	OFF	20.8
23.480385	28.35	---	60.00	31.65	N	OFF	20.8



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Rain Lee, Jacky Hong and White Hou	Temperature :	20~26°C
		Relative Humidity :	40~65%

Note symbol

-L	Low channel location
-R	High channel location

C1. Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 55	2400-2483.5	3	802.11b	01	2412	1Mbps	-	-
Mode 56	2400-2483.5	3	802.11b	06	2437	1Mbps	-	-
Mode 57	2400-2483.5	3	802.11b	11	2462	1Mbps	-	-
Mode 58	2400-2483.5	3	802.11b	12	2467	1Mbps	-	-
Mode 59	2400-2483.5	3	802.11b	13	2472	1Mbps	-	-
Mode 60	2400-2483.5	4	802.11b	01	2412	1Mbps	-	-
Mode 61	2400-2483.5	4	802.11b	06	2437	1Mbps	-	-
Mode 62	2400-2483.5	4	802.11b	11	2462	1Mbps	-	-
Mode 63	2400-2483.5	4	802.11b	12	2467	1Mbps	-	-
Mode 64	2400-2483.5	4	802.11b	13	2472	1Mbps	-	-
Mode 65	2400-2483.5	3+4	802.11b	01	2412	1Mbps	-	-
Mode 66	2400-2483.5	3+4	802.11b	06	2437	1Mbps	-	-
Mode 67	2400-2483.5	3+4	802.11b	11	2462	1Mbps	-	-
Mode 68	2400-2483.5	3+4	802.11b	12	2467	1Mbps	-	-
Mode 69	2400-2483.5	3+4	802.11b	13	2472	1Mbps	-	-
Mode 70	2400-2483.5	3+4	802.11g	01	2412	6Mbps	-	-
Mode 71	2400-2483.5	3+4	802.11g	06	2437	6Mbps	-	-
Mode 72	2400-2483.5	3+4	802.11g	11	2462	6Mbps	-	-
Mode 73	2400-2483.5	3+4	802.11g	12	2467	6Mbps	-	-
Mode 74	2400-2483.5	3+4	802.11g	13	2472	6Mbps	-	-
Mode 75	2400-2483.5	3+4	802.11be EHT20	01	2412	MCS0	Full RU	-



Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 76	2400-2483.5	3+4	802.11be EHT20	01	2412	MCS0	Partial_26/0RU	-
Mode 77	2400-2483.5	3+4	802.11be EHT20	01	2412	MCS0	Partial_52/37RU	-
Mode 78	2400-2483.5	3+4	802.11be EHT20	01	2412	MCS0	Partial_106/53RU	-
Mode 79	2400-2483.5	3+4	802.11be EHT20	06	2437	MCS0	Full RU	-
Mode 80	2400-2483.5	3+4	802.11be EHT20	11	2462	MCS0	Full RU	-
Mode 81	2400-2483.5	3+4	802.11be EHT20	11	2462	MCS0	Partial_26/8RU	-
Mode 82	2400-2483.5	3+4	802.11be EHT20	11	2462	MCS0	Partial_52/40RU	-
Mode 83	2400-2483.5	3+4	802.11be EHT20	11	2462	MCS0	Partial_106/54RU	-
Mode 84	2400-2483.5	3+4	802.11be EHT20	12	2467	MCS0	Full RU	-
Mode 85	2400-2483.5	3+4	802.11be EHT20	12	2467	MCS0	Partial_26/8RU	-
Mode 86	2400-2483.5	3+4	802.11be EHT20	12	2467	MCS0	Partial_52/40RU	-
Mode 87	2400-2483.5	3+4	802.11be EHT20	12	2467	MCS0	Partial_106/54RU	-
Mode 88	2400-2483.5	3+4	802.11be EHT20	13	2472	MCS0	Full RU	-
Mode 89	2400-2483.5	3+4	802.11be EHT20	13	2472	MCS0	Partial_26/8RU	-
Mode 90	2400-2483.5	3+4	802.11be EHT20	13	2472	MCS0	Partial_52/40RU	-
Mode 91	2400-2483.5	3+4	802.11be EHT20	13	2472	MCS0	Partial_106/54RU	-
Mode 92	2400-2483.5	3+4	802.11be EHT20	01	2412	MCS0	Full RU	LF
Mode 93	2400-2483.5	3+4	802.11be EHT20	01	2412	MCS0	Full RU	SHF



C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
55	802.11b	01	2389.95	44.80	54.00	-9.20	H	Avg.	Pass	-	Band Edge
	802.11b	01	4824.00	33.85	54.00	-20.15	V	Avg.	Pass	-	Harmonic
56	802.11b	06	2483.94	42.44	54.00	-11.56	H	Avg.	Pass	-	Band Edge
	802.11b	06	7311.00	43.70	54.00	-10.30	V	Avg.	Pass	-	Harmonic
57	802.11b	11	2483.51	46.42	54.00	-7.58	H	Avg.	Pass	-	Band Edge
	802.11b	11	7386.00	44.01	54.00	-9.99	V	Avg.	Pass	-	Harmonic
58	802.11b	12	2483.51	51.53	54.00	-2.47	H	Avg.	Pass	-	Band Edge
	802.11b	12	7401.00	42.86	54.00	-11.14	V	Avg.	Pass	-	Harmonic
59	802.11b	13	2483.77	52.29	54.00	-1.71	H	Avg.	Pass	-	Band Edge
	802.11b	13	7416.00	44.08	74.00	-29.92	H	Peak	Pass	-	Harmonic
60	802.11b	01	2389.95	44.99	54.00	-9.01	V	Avg.	Pass	-	Band Edge
	802.11b	01	4824.00	41.55	74.00	-32.45	H	Peak	Pass	-	Harmonic
61	802.11b	06	2484.94	42.70	54.00	-11.30	V	Avg.	Pass	-	Band Edge
	802.11b	06	7311.00	45.16	74.00	-28.84	H	Peak	Pass	-	Harmonic
62	802.11b	11	2483.51	47.79	54.00	-6.21	V	Avg.	Pass	-	Band Edge
	802.11b	11	7386.00	44.92	74.00	-29.08	H	Peak	Pass	-	Harmonic
63	802.11b	12	2483.51	50.52	54.00	-3.48	V	Avg.	Pass	-	Band Edge
	802.11b	12	7401.00	44.59	74.00	-29.41	V	Peak	Pass	-	Harmonic
64	802.11b	13	2483.62	52.17	54.00	-1.83	V	Avg.	Pass	-	Band Edge
	802.11b	13	7416.00	44.46	74.00	-29.54	V	Peak	Pass	-	Harmonic
65	802.11b	01	2389.95	49.82	54.00	-4.18	H	Avg.	Pass	-	Band Edge
	802.11b	01	4824.00	33.32	54.00	-20.68	H	Avg.	Pass	-	Harmonic
66	802.11b	06	2387.09	42.75	54.00	-11.25	H	Avg.	Pass	-	Band Edge
	802.11b	06	7311.00	39.92	54.00	-14.08	V	Avg.	Pass	-	Harmonic
67	802.11b	11	2483.51	48.96	54.00	-5.04	V	Avg.	Pass	-	Band Edge
	802.11b	11	7386.00	41.44	54.00	-12.56	H	Avg.	Pass	-	Harmonic
68	802.11b	12	2483.51	51.02	54.00	-2.98	H	Avg.	Pass	-	Band Edge
	802.11b	12	7401.00	43.31	54.00	-10.69	H	Avg.	Pass	-	Harmonic
69	802.11b	13	2483.70	51.94	54.00	-2.06	H	Avg.	Pass	-	Band Edge
	802.11b	13	7416.00	45.62	74.00	-28.38	H	Peak	Pass	-	Harmonic
70	802.11g	01	2389.95	52.29	54.00	-1.71	V	Avg.	Pass	-	Band Edge
	802.11g	01	4824.00	40.47	74.00	-33.53	V	Peak	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
71	802.11g	06	2389.88	45.12	54.00	-8.88	V	Avg.	Pass	-	Band Edge
	802.11g	06	7311.00	39.30	54.00	-14.70	H	Avg.	Pass	-	Harmonic
72	802.11g	11	2483.51	51.98	54.00	-2.02	V	Avg.	Pass	-	Band Edge
	802.11g	11	7386.00	45.73	74.00	-28.27	V	Peak	Pass	-	Harmonic
73	802.11g	12	2483.51	51.97	54.00	-2.03	V	Avg.	Pass	-	Band Edge
	802.11g	12	7401.00	45.66	74.00	-28.34	V	Peak	Pass	-	Harmonic
74	802.11g	13	2483.51	51.69	54.00	-2.31	V	Avg.	Pass	-	Band Edge
	802.11g	13	7416.00	46.22	74.00	-27.78	H	Peak	Pass	-	Harmonic
75	802.11be EHT20	01	2388.52	52.25	54.00	-1.75	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	01	4824.00	40.88	74.00	-33.12	H	Peak	Pass	Full RU	Harmonic
76	802.11be EHT20	01	2389.95	52.01	54.00	-1.99	V	Avg.	Pass	Partial_ 26/0RU	Band Edge
	802.11be EHT20	01	-	-	-	-	-	-	-	Partial_ 26/0RU	Harmonic
77	802.11be EHT20	01	2389.95	52.48	54.00	-1.52	V	Avg.	Pass	Partial_ 52/37RU	Band Edge
	802.11be EHT20	01	-	-	-	-	-	-	-	Partial_ 52/37RU	Harmonic
78	802.11be EHT20	01	2389.82	72.35	74.00	-1.65	V	Peak	Pass	Partial_ 106/53RU	Band Edge
	802.11be EHT20	01	-	-	-	-	-	-	-	Partial_ 106/53RU	Harmonic
79	802.11be EHT20	06	2483.56	45.06	54.00	-8.94	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	06	7311.00	47.77	74.00	-26.23	H	Peak	Pass	Full RU	Harmonic
80	802.11be EHT20	11	2483.51	51.97	54.00	-2.03	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	11	7386.00	45.46	74.00	-28.54	V	Peak	Pass	Full RU	Harmonic
81	802.11be EHT20	11	2484.53	72.40	74.00	-1.60	V	Peak	Pass	Partial_ 26/8RU	Band Edge
	802.11be EHT20	11	-	-	-	-	-	-	-	Partial_ 26/8RU	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
82	802.11be EHT20	11	2484.08	71.12	74.00	-2.88	V	Peak	Pass	Partial_ 52/40RU	Band Edge
	802.11be EHT20	11	-	-	-	-	-	-	-	Partial_ 52/40RU	Harmonic
83	802.11be EHT20	11	2483.51	52.25	54.00	-1.75	V	Avg.	Pass	Partial_ 106/54RU	Band Edge
	802.11be EHT20	11	-	-	-	-	-	-	-	Partial_ 106/54RU	Harmonic
84	802.11be EHT20	12	2483.51	51.10	54.00	-2.90	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	12	7401.00	44.73	74.00	-29.27	V	Peak	Pass	Full RU	Harmonic
85	802.11be EHT20	12	2484.23	50.38	54.00	-3.62	V	Avg.	Pass	Partial_ 26/8RU	Band Edge
	802.11be EHT20	12	-	-	-	-	-	-	-	Partial_ 26/8RU	Harmonic
86	802.11be EHT20	12	2484.99	50.98	54.00	-3.02	V	Avg.	Pass	Partial_ 52/40RU	Band Edge
	802.11be EHT20	12	-	-	-	-	-	-	-	Partial_ 52/40RU	Harmonic
87	802.11be EHT20	12	2483.58	51.37	54.00	-2.63	V	Avg.	Pass	Partial_ 106/54RU	Band Edge
	802.11be EHT20	12	-	-	-	-	-	-	-	Partial_ 106/54RU	Harmonic
88	802.11be EHT20	13	2483.51	52.00	54.00	-2.00	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	13	7416.00	44.99	74.00	-29.01	V	Peak	Pass	Full RU	Harmonic
89	802.11be EHT20	13	2483.51	52.33	54.00	-1.67	V	Avg.	Pass	Partial_ 26/8RU	Band Edge
	802.11be EHT20	13	-	-	-	-	-	-	-	Partial_26 /8RU	Harmonic
90	802.11be EHT20	13	2483.51	52.33	54.00	-1.67	V	Avg.	Pass	Partial_ 52/40RU	Band Edge
	802.11be EHT20	13	-	-	-	-	-	-	-	Partial_ 52/40RU	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
91	802.11be EHT20	13	2483.58	51.76	54.00	-2.24	V	Avg.	Pass	Partial_ 106/54RU	Band Edge
	802.11be EHT20	13	-	-	-	-	-	-	-	Partial_ 106/54RU	Harmonic
92	LF	01	210.42	36.49	43.50	-7.01	H	Peak	Pass	-	LF
93	SHF	01	24056.00	40.93	74.00	-33.07	H	Peak	Pass	-	SHF





Mode	55																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																	
ANT	3																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH13-HY Condition: PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>54.61</td><td>74.00</td><td>-19.39</td><td>47.52</td><td>27.50</td><td>6.74</td><td>37.08</td><td>9.93</td><td>103 74 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	54.61	74.00	-19.39	47.52	27.50	6.74	37.08	9.93	103 74 PEAK	Site : 03CH13-HY Condition: PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>110.59</td><td>-----</td><td>-----</td><td>103.37</td><td>27.60</td><td>6.77</td><td>37.08</td><td>9.93</td><td>103 74 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.59	-----	-----	103.37	27.60	6.77	37.08	9.93
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.82	54.61	74.00	-19.39	47.52	27.50	6.74	37.08	9.93	103 74 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	110.59	-----	-----	103.37	27.60	6.77	37.08	9.93	103 74 PEAK																																																																																								
Avg																																																																																																		
	Site : 03CH13-HY Condition: AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>44.00</td><td>54.00</td><td>-9.20</td><td>37.71</td><td>27.50</td><td>6.74</td><td>37.08</td><td>9.93</td><td>103 74 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	44.00	54.00	-9.20	37.71	27.50	6.74	37.08	9.93	103 74 AVERAGE	Site : 03CH13-HY Condition: AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>107.60</td><td>-----</td><td>-----</td><td>100.38</td><td>27.60</td><td>6.77</td><td>37.08</td><td>9.93</td><td>103 74 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.60	-----	-----	100.38	27.60	6.77	37.08	9.93
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.95	44.00	54.00	-9.20	37.71	27.50	6.74	37.08	9.93	103 74 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	107.60	-----	-----	100.38	27.60	6.77	37.08	9.93	103 74 AVERAGE																																																																																								







Mode	55																																																																																																												
	Band Edge																																																																																																												
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																												
ANT	3																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	Site : 03CH13-HY Condition: PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>53.64</td><td>74.00</td><td>-20.36</td><td>46.55</td><td>27.50</td><td>6.74</td><td>37.08</td><td>9.93</td><td>400</td><td>101</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2389.95	53.64	74.00	-20.36	46.55	27.50	6.74	37.08	9.93	400	101	PEAK	Site : 03CH13-HY Condition: PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>108.98</td><td>-----</td><td>-----</td><td>101.76</td><td>27.60</td><td>6.77</td><td>37.08</td><td>9.93</td><td>400</td><td>101</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2412.00	108.98	-----	-----	101.76	27.60	6.77	37.08	9.93	400	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	2389.95	53.64	74.00	-20.36	46.55	27.50	6.74	37.08	9.93	400	101	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	2412.00	108.98	-----	-----	101.76	27.60	6.77	37.08	9.93	400	101	PEAK																																																																																																	
Avg																																																																																																													
	Site : 03CH13-HY Condition: AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>43.65</td><td>54.00</td><td>-10.35</td><td>36.56</td><td>27.50</td><td>6.74</td><td>37.08</td><td>9.93</td><td>400</td><td>101</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2389.95	43.65	54.00	-10.35	36.56	27.50	6.74	37.08	9.93	400	101	AVERAGE	Site : 03CH13-HY Condition: AVG_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>106.01</td><td>-----</td><td>-----</td><td>98.79</td><td>27.60</td><td>6.77</td><td>37.08</td><td>9.93</td><td>400</td><td>101</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2412.00	106.01	-----	-----	98.79	27.60	6.77	37.08	9.93	400	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	2389.95	43.65	54.00	-10.35	36.56	27.50	6.74	37.08	9.93	400	101	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	2412.00	106.01	-----	-----	98.79	27.60	6.77	37.08	9.93	400	101	AVERAGE																																																																																																	







Mode	55																																																																																																																																
	Harmonic																																																																																																																																
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																																
ANT	3																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	Site : 03CH13-HY Condition: PEAK_74 3m HORN_91200_1326 HORIZONTAL						Site : 03CH13-HY Condition: PEAK_74 3m HORN_91200_1326 VERTICAL																																																																																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>41.69</td><td>74.00</td><td>-32.31</td><td>56.41</td><td>32.50</td><td>9.47</td><td>57.39</td><td>0.70</td><td>100</td><td>271</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>33.13</td><td>54.00</td><td>-20.87</td><td>47.85</td><td>32.50</td><td>9.47</td><td>57.39</td><td>0.70</td><td>100</td><td>271</td><td>Average</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	41.69	74.00	-32.31	56.41	32.50	9.47	57.39	0.70	100	271	PEAK	2	4824.00	33.13	54.00	-20.87	47.85	32.50	9.47	57.39	0.70	100	271	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>41.12</td><td>74.00</td><td>-32.88</td><td>55.84</td><td>32.50</td><td>9.47</td><td>57.39</td><td>0.70</td><td>398</td><td>244</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>33.85</td><td>54.00</td><td>-20.15</td><td>48.57</td><td>32.50</td><td>9.47</td><td>57.39</td><td>0.70</td><td>398</td><td>244</td><td>Average</td></tr></table>				Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	41.12	74.00	-32.88	55.84	32.50	9.47	57.39	0.70	398	244	PEAK	2	4824.00	33.85	54.00	-20.15	48.57	32.50	9.47	57.39	0.70	398	244	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	4824.00	41.69	74.00	-32.31	56.41	32.50	9.47	57.39	0.70	100	271	PEAK																																																																																																																					
2	4824.00	33.13	54.00	-20.87	47.85	32.50	9.47	57.39	0.70	100	271	Average																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	4824.00	41.12	74.00	-32.88	55.84	32.50	9.47	57.39	0.70	398	244	PEAK																																																																																																																					
2	4824.00	33.85	54.00	-20.15	48.57	32.50	9.47	57.39	0.70	398	244	Average																																																																																																																					





Mode	55	
	Harmonic	
	2400-2483.5_802.11b_CH01_2412MHz	
ANT	3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG_54 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG_54 3m HORN_91200_1326 VERTICAL
	 Site : 03CH13-HY Condition: AVG_54 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG_54 3m HORN_91200_1326 VERTICAL







Mode	56																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																			
ANT	3																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Site : 03CH13-HY Condition: PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.85</td><td>52.34</td><td>74.00</td><td>-21.66</td><td>45.28</td><td>27.48</td><td>6.73</td><td>37.08</td><td>9.93</td><td>300</td><td>24</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.85	52.34	74.00	-21.66	45.28	27.48	6.73	37.08	9.93	300	24	PEAK	 Site : 03CH13-HY Condition: PEAK_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>112.48</td><td>-----</td><td>-----</td><td>105.19</td><td>27.64</td><td>6.80</td><td>37.08</td><td>9.93</td><td>300</td><td>24</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	112.48	-----	-----	105.19	27.64	6.80	37.08	9.93	300	24	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2387.85	52.34	74.00	-21.66	45.28	27.48	6.73	37.08	9.93	300	24	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2437.00	112.48	-----	-----	105.19	27.64	6.80	37.08	9.93	300	24	PEAK																																																																																								
Avg	 Site : 03CH13-HY Condition: AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.11</td><td>41.94</td><td>54.00</td><td>-12.06</td><td>34.88</td><td>27.48</td><td>6.73</td><td>37.08</td><td>9.93</td><td>300</td><td>24</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.11	41.94	54.00	-12.06	34.88	27.48	6.73	37.08	9.93	300	24	AVERAGE	 Site : 03CH13-HY Condition: AVG_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>109.41</td><td>-----</td><td>-----</td><td>102.12</td><td>27.64</td><td>6.80</td><td>37.08</td><td>9.93</td><td>300</td><td>24</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	109.41	-----	-----	102.12	27.64	6.80	37.08	9.93	300	24	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.11	41.94	54.00	-12.06	34.88	27.48	6.73	37.08	9.93	300	24	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2437.00	109.41	-----	-----	102.12	27.64	6.80	37.08	9.93	300	24	AVERAGE																																																																																								



Mode	56																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11b_CH06_2437MHz																																																					
ANT	3																																																					
Pol.	Horizontal						Fundamental																																															
Peak	 Site : 03CH13-HY Condition: PEAK_BE_74 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.66</td><td>56.95</td><td>74.00</td><td>-17.05</td><td>49.42</td><td>27.80</td><td>6.87</td><td>37.07</td><td>9.93</td><td>300</td><td>24 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.66	56.95	74.00	-17.05	49.42	27.80	6.87	37.07	9.93	300	24 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2488.66	56.95	74.00	-17.05	49.42	27.80	6.87	37.07	9.93	300	24 PEAK																																											
Avg	 Site : 03CH13-HY Condition: AVG_BE_54 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.94</td><td>42.44</td><td>54.00</td><td>-11.56</td><td>34.91</td><td>27.80</td><td>6.87</td><td>37.07</td><td>9.93</td><td>300</td><td>24 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.94	42.44	54.00	-11.56	34.91	27.80	6.87	37.07	9.93	300	24 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.94	42.44	54.00	-11.56	34.91	27.80	6.87	37.07	9.93	300	24 AVERAGE																																											



Mode	56																																																																																								
	Band Edge - L																																																																																								
	2400-2483.5_802.11b_CH06_2437MHz																																																																																								
ANT	3																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	Site : 03CH13-HY Condition: PEAK_BE_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 2389.63</td><td>52.95</td><td>74.00</td><td>-21.05</td><td>45.86</td><td>27.50</td><td>6.74</td><td>37.08</td><td>9.93</td><td>400 111 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2389.63	52.95	74.00	-21.05	45.86	27.50	6.74	37.08	9.93	400 111 PEAK	Site : 03CH13-HY Condition: PEAK_74 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 2437.00</td><td>109.31</td><td>-----</td><td>-----</td><td>102.02</td><td>27.64</td><td>6.80</td><td>37.08</td><td>9.93</td><td>400 111 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2437.00	109.31	-----	-----	102.02	27.64	6.80	37.08	9.93
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 2389.63	52.95	74.00	-21.05	45.86	27.50	6.74	37.08	9.93	400 111 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 2437.00	109.31	-----	-----	102.02	27.64	6.80	37.08	9.93	400 111 PEAK																																																																																
Avg																																																																																									
	Site : 03CH13-HY Condition: AVG_BE_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 2388.36</td><td>41.62</td><td>54.00</td><td>-12.38</td><td>34.56</td><td>27.48</td><td>6.73</td><td>37.08</td><td>9.93</td><td>400 111 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2388.36	41.62	54.00	-12.38	34.56	27.48	6.73	37.08	9.93	400 111 AVERAGE	Site : 03CH13-HY Condition: AVG_54 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 2437.00</td><td>106.22</td><td>-----</td><td>-----</td><td>98.93</td><td>27.64</td><td>6.80</td><td>37.08</td><td>9.93</td><td>400 111 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2437.00	106.22	-----	-----	98.93	27.64	6.80	37.08	9.93
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 2388.36	41.62	54.00	-12.38	34.56	27.48	6.73	37.08	9.93	400 111 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 2437.00	106.22	-----	-----	98.93	27.64	6.80	37.08	9.93	400 111 AVERAGE																																																																																