





CP-OFDM Module A

NR Band n258b / 400MHz / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






Spurious Emission

NR Band n258b (30MHz-1GHz)

Horizontal




Site : 03CH10-HY
Condition : -13 EIRP_WO HORIZONTAL
Project : 3N2326
 : n258b MA

			Over	Limit
Freq	Level	Limit	Line	
MHz	dBm	dB	dBm	

1	62.01	-55.77	-42.77	-13.00
---	-------	--------	--------	--------

Vertical



Site : 03CH10-HY
Condition : -13 EIRP_WO VERTICAL
Project : 3N2326
 : n258b MA


			Over	Limit
Freq	Level	Limit	Line	
MHz	dBm	dB	dBm	

1	62.98	-59.20	-46.20	-13.00
---	-------	--------	--------	--------



NR Band n258b (1GHz-18GHz)


Horizontal



Site : 03CH10-HY
Condition : -13 EIRP_WO HORIZONTAL
Project : 3N2326
 : n258b MA

Freq	Level	Over	Limit
MHz	dBm	Limit	Line
MHz	dBm	dB	dBm
1	8769.00	-52.82	-39.82 -13.00

Vertical




Site : 03CH10-HY
Condition : -13 EIRP_WO VERTICAL
Project : 3N2326
 : n258b MA

Freq	Level	Over	Limit
MHz	dBm	Limit	Line
MHz	dBm	dB	dBm
1	8769.00	-50.37	-37.37 -13.00



Spurious emission between 18GHz to 40GHz worst case plot is reported as following.


DFT-s-OFDM Module A



Remark: In band and out of band frequencies are omitted.






DFT-s-OFDM Module A



Remark: In band and out of band frequencies are omitted.




DFT-s-OFDM Module A

NR Band n258b QPSK (18-40GHz)	
Lowest Channel / 400MHz	
	intentionally blank
Middle Channel / 400MHz	
	intentionally blank
Highest Channel / 400MHz	
	intentionally blank

Remark: In band and out of band frequencies are omitted.




CP-OFDM Module A



Remark: In band and out of band frequencies are omitted.






CP-OFDM Module A




Remark: In band and out of band frequencies are omitted.




CP-OFDM Module A

NR Band n258b QPSK (18-40GHz)	
Lowest Channel / 400MHz	
	intentionally blank
Middle Channel / 400MHz	
	intentionally blank
Highest Channel / 400MHz	
	intentionally blank


Remark: In band and out of band frequencies are omitted.

NR Band n258b
(40GHz-60GHz)


$$\begin{aligned} \text{Offset} &= \text{Antenna Factor (dB/m)} + \text{Cable Loss (dB)} + 107 + 20\log(D) - 104.8 \\ &= 43 + 0.43 + 107 + 20\log(1) - 104.8 = 45.63(\text{dB}) \end{aligned}$$

NR Band n258b
(60GHz-90GHz)


$$\begin{aligned} \text{Offset} &= \text{Antenna Factor (dB/m)} + \text{Cable Loss (dB)} + 107 + 20\log(D) - 104.8 \\ &= 46.9 + 0.43 + 107 + 20\log(1) - 104.8 = 49.53 \text{ (dB)} \end{aligned}$$

NR Band n258b
(90GHz-100GHz)


$$\text{Offset} = \text{Antenna Factor (dB/m)} + \text{Cable Loss (dB)} + 107 + 20\log(D) - 104.8$$

$$= 47.92 + 0.43 + 107 + 20\log(0.5) - 104.8 = 44.53 \text{ (dB)}$$

Frequency Stability

Test Conditions		NR Band n258b / Middle Channel			Limit
Temperature (°C)	Voltage (Volt)	CW tone			Note 2.
		Frequency (GHz)	Deviation (kHz)	Deviation (ppm)	Result
50	Normal Voltage	24.9999271	42.900	1.716	Pass
40	Normal Voltage	24.9999301	39.900	1.596	
30	Normal Voltage	24.9999341	35.900	1.436	
20(Ref.)	Normal Voltage	24.99997	0.000	0.000	
10	Normal Voltage	25.000048	-78.000	3.120	
0	Normal Voltage	25.0001129	-142.900	5.716	
-10	Normal Voltage	25.0001309	-160.900	6.436	
-20	Normal Voltage	25.0001269	-156.900	6.276	
-30	Normal Voltage	25.0001239	-153.900	6.156	
20	Maximum Voltage	24.999976	-6.000	0.240	
20	Normal Voltage	24.999974	-4.000	0.160	
20	Battery End Point	24.999975	-5.000	0.200	

Note:

1. Normal Voltage = 3.89 V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the operation band.

NR Band n258b Module B AGH+V

Occupied Bandwidth

Mode	DFT-s-OFDM Module B NR Band n258b : 99%OBW(MHz)								
BW	50MHz			100MHz			200MHz		
Mod.	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Lowest CH	46.17	46.10	45.97	91.23	91.08	91.21	190.19	190.12	190.19
Middle CH	45.69	45.87	45.78	90.95	90.73	90.92	189.55	189.59	190.15
Highest CH	46.05	46.01	45.99	91.10	91.09	91.05	190.06	190.18	190.25

Mode	DFT-s-OFDM Module B NR Band n258b : 99%OBW(MHz)					
BW	300MHz			400MHz		
Mod.	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Lowest CH	290.37	289.60	289.41	390.14	389.54	389.23
Middle CH	290.18	289.14	289.12	389.68	389.30	389.56
Highest CH	289.28	289.04	288.72	389.62	388.57	388.65

Mode	CP-OFDM Module B NR Band n258b : 99%OBW(MHz)		
BW	50MHz	100MHz	200MHz
Mod.	QPSK	QPSK	QPSK
Lowest CH	46.14	94.13	193.27
Middle CH	45.90	94.02	192.87
Highest CH	45.93	94.13	192.76


Mode	CP-OFDM Module B NR Band n258b : 99%OBW(MHz)	
BW	300MHz	400MHz
Mod.	QPSK	QPSK
Lowest CH	294.72	393.26
Middle CH	295.70	392.66
Highest CH	292.75	392.28




DFT-s-OFDM Module B

NR Band n258b


Lowest Channel / 50MHz / QPSK




Lowest Channel / 50MHz / 16QAM




Middle Channel / 50MHz / QPSK




Middle Channel / 50MHz / 16QAM



Highest Channel / 50MHz / QPSK



Highest Channel / 50MHz / 16QAM







DFT-s-OFDM Module B

NR Band n258b


Lowest Channel / 50MHz / 64QAM




Lowest Channel / 100MHz / QPSK




Middle Channel / 50MHz / 64QAM




Middle Channel / 100MHz / QPSK



Highest Channel / 50MHz / 64QAM



Highest Channel / 100MHz / QPSK







DFT-s-OFDM Module B

NR Band n258b


Lowest Channel / 100MHz / 16QAM




Lowest Channel / 100MHz / 64QAM




Middle Channel / 100MHz / 16QAM




Middle Channel / 100MHz / 64QAM



Highest Channel / 100MHz / 16QAM



Highest Channel / 100MHz / 64QAM







DFT-s-OFDM Module B

NR Band n258b


Lowest Channel / 200MHz / QPSK




Lowest Channel / 200MHz / 16QAM




Middle Channel / 200MHz / QPSK




Middle Channel / 200MHz / 16QAM



Highest Channel / 200MHz / QPSK



Highest Channel / 200MHz / 16QAM







DFT-s-OFDM Module B

NR Band n258b


Lowest Channel / 200MHz / 64QAM




Lowest Channel / 300MHz / QPSK




Middle Channel / 200MHz / 64QAM




Middle Channel / 300MHz / QPSK



Highest Channel / 200MHz / 64QAM



Highest Channel / 300MHz / QPSK







DFT-s-OFDM Module B

NR Band n258b


Lowest Channel / 300MHz / 16QAM




Lowest Channel / 300MHz / 64QAM




Middle Channel / 300MHz / 16QAM




Middle Channel / 300MHz / 64QAM



Highest Channel / 300MHz / 16QAM



Highest Channel / 300MHz / 64QAM







DFT-s-OFDM Module B

NR Band n258b


Lowest Channel / 400MHz / QPSK




Lowest Channel / 400MHz / 16QAM




Middle Channel / 400MHz / QPSK




Middle Channel / 400MHz / 16QAM



Highest Channel / 400MHz / QPSK



Highest Channel / 400MHz / 16QAM






DFT-s-OFDM Module B


NR Band n258b

Lowest Channel / 400MHz / 64QAM




intentionally blank

Middle Channel / 400MHz / 64QAM



intentionally blank

Highest Channel / 400MHz / 64QAM




intentionally blank




CP-OFDM Module B

NR Band n258b


Lowest Channel / 50MHz / QPSK




Lowest Channel / 100MHz / QPSK




Middle Channel / 50MHz / QPSK




Middle Channel / 100MHz / QPSK



Highest Channel / 50MHz / QPSK



Highest Channel / 100MHz / QPSK







CP-OFDM Module B

NR Band n258b


Lowest Channel / 200MHz / QPSK




Lowest Channel / 300MHz / QPSK




Middle Channel / 200MHz / QPSK




Middle Channel / 300MHz / QPSK



Highest Channel / 200MHz / QPSK



Highest Channel / 300MHz / QPSK






CP-OFDM Module B


NR Band n258b

Lowest Channel / 400MHz / QPSK




intentionally blank

Middle Channel / 400MHz / QPSK



intentionally blank

Highest Channel / 400MHz / QPSK



intentionally blank

Radiated Out of Band Emissions

Mode			DFT-s-OFDM Module B NR Band n258b : BE (dBm) 1 RB								
BW			50MHz			100MHz			200MHz		
Limit (dBm)			QPSK	16QAM	64QAM	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Low CH	0~10%OB	≤-5	-17.002	-15.201	-19.609	-5.60	-5.30	-7.01	-13.24	-15.09	-16.67
	>10%OB	≤-13	-32.536	-32.571	-32.724	-33.96	-32.98	-34.09	-14.03	-15.74	-21.70
High CH	0~10%OB	≤-5	-17.807	-5.70	-8.54	-7.60	-10.53	-10.88	-16.29	-17.51	-17.33
	>10%OB	≤-13	-32.712	-30.09	-32.23	-29.06	-30.11	-31.71	-21.75	-23.17	-27.09
Result			Compliance								

Mode			DFT-s-OFDM Module B NR Band n258b : BE (dBm) 1 RB					
BW			300MHz			400MHz		
Limit (dBm)			QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Low CH	0~10%OB	≤-5	-28.198	-29.820	-19.66	-23.939	-15.09	-18.36
	>10%OB	≤-13	-20.036	-23.903	-17.25	-24.006	-14.90	-20.10
High CH	0~10%OB	≤-5	-29.678	-19.03	-19.23	-24.499	-17.38	-20.21
	>10%OB	≤-13	-24.128	-15.79	-23.25	-23.570	-16.25	-21.27
Result			Compliance					

Mode			CP-OFDM Module B NR Band n258b : BE (dBm) 1 RB		
BW			50MHz	100MHz	200MHz
Limit (dBm)			QPSK	QPSK	QPSK
Low CH	0~10%OB	≤-5	-17.508	-6.72	-26.301
	>10%OB	≤-13	-32.463	-33.65	-23.473
High CH	0~10%OB	≤-5	-19.982	-6.58	-14.11
	>10%OB	≤-13	-32.765	-29.78	-16.87
Result			Compliance		

Mode			CP-OFDM Module B NR Band n258b : BE (dBm) 1 RB	
BW			300MHz	400MHz
Limit (dBm)			QPSK	QPSK
Low CH	0~10%OB	≤-5	-28.293	-19.907
	>10%OB	≤-13	-17.491	-20.126
High CH	0~10%OB	≤-5	-28.550	-20.198
	>10%OB	≤-13	-21.042	-20.069
Result			Compliance	

Mode			DFT-s-OFDM Module B NR Band n258b : BE (dBm) Full RB								
BW			50MHz			100MHz			200MHz		
Limit (dBm)			QPSK	16QAM	64QAM	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Low CH	0~10%OB	≤-5	-9.29	-12.56	-15.61	-15.34	-17.57	-20.14	-21.90	-23.92	-26.11
	>10%OB	≤-13	-15.99	-19.57	-25.38	-19.32	-22.75	-27.88	-26.51	-29.53	-33.46
High CH	0~10%OB	≤-5	-13.02	-16.73	-17.71	-21.63	-24.29	-26.23	-30.47	-31.23	-32.47
	>10%OB	≤-13	-21.78	-25.08	-30.06	-25.11	-28.26	-33.65	-33.67	-35.60	-35.52
Result			Compliance								

Mode			DFT-s-OFDM Module B NR Band n258b : BE (dBm) Full RB					
BW			300MHz			400MHz		
Limit (dBm)			QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Low CH	0~10%OB	≤-5	-20.40	-24.33	-29.53	-25.13	-26.98	-30.15
	>10%OB	≤-13	-24.00	-27.68	-33.43	-26.85	-29.50	-34.71
High CH	0~10%OB	≤-5	-28.94	-31.41	-33.71	-28.10	-31.00	-33.23
	>10%OB	≤-13	-27.84	-31.81	-34.00	-26.84	-30.82	-33.06
Result			Compliance					

Mode			CP-OFDM Module B NR Band n258b : BE (dBm) Full RB		
BW			50MHz	100MHz	200MHz
Limit (dBm)			QPSK	QPSK	QPSK
Low CH	0~10%OB	≤-5	-11.25	-16.46	-20.83
	>10%OB	≤-13	-15.82	-19.68	-22.71
High CH	0~10%OB	≤-5	-16.52	-19.20	-23.22
	>10%OB	≤-13	-21.46	-25.80	-29.16
Result			Compliance		


Mode			CP-OFDM Module B NR Band n258b : BE (dBm) Full RB	
BW			300MHz	400MHz
Limit (dBm)			QPSK	QPSK
Low CH	0~10%OB	≤-5	-19.10	-23.60
	>10%OB	≤-13	-20.76	-24.76
High CH	0~10%OB	≤-5	-23.36	-23.91
	>10%OB	≤-13	-25.54	-26.18
Result			Compliance	




DFT-s-OFDM Module B

NR Band n258b / 50MHz / QPSK

Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



NR Band n258b / 50MHz / 16QAM

Lowest Band Edge / 1 RB



Highest Band Edge / 1 RB

