FR1 n25 / 30MHz / DFT-S OFDM / Middle Channel / Full RB	
PI/2 BPSK	
	

FR1 n25 / 30MHz / CP OFDM / Middle Channel / Full RB	
QPSK	16QAM
	
64QAM	256QAM
	

FR1 n25 / 35MHz / DFT-S OFDM / Middle Channel / Full RB	
PI/2 BPSK	
	

FR1 n25 / 35MHz / CP OFDM / Middle Channel / Full RB	
QPSK	16QAM
	
64QAM	256QAM
	

FR1 n25 / 40MHz / DFT-S OFDM / Middle Channel / Full RB	
PI/2 BPSK	
	

FR1 n25 / 40MHz / CP OFDM / Middle Channel / Full RB	
QPSK	16QAM
	
64QAM	256QAM
	

Occupied Bandwidth

Mode	FR1 n25 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	4.53		9.02		13.51		18.01	
BW	25MHz		30MHz		35MHz		40MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	23.02		29.16		32.66		38.95	

Mode	FR1 n25 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	4.53	4.52	9.34	9.34	14.17	14.17	19.09	19.05
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	4.51	4.49	9.35	9.35	14.18	14.18	19.06	19.11
BW	25MHz		30MHz		35MHz		40MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	23.85	23.80	29.03	28.95	33.94	33.90	38.84	38.80
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	23.90	23.79	28.96	28.89	33.90	33.91	38.80	38.83

FR1 n25 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



FR1 n25 / 5MHz / CP OFDM / Middle Channel / Full RB

QPSK



16QAM



64QAM



256QAM



FR1 n25 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



FR1 n25 / 10MHz / CP OFDM / Middle Channel / Full RB

QPSK



16QAM



64QAM



256QAM

FR1 n25 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



FR1 n25 / 15MHz / CP OFDM / Middle Channel / Full RB

QPSK



16QAM



64QAM

256QAM



FR1 n25 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



FR1 n25 / 20MHz / CP OFDM / Middle Channel / Full RB

QPSK



16QAM



64QAM

256QAM



FR1 n25 / 25MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



FR1 n25 / 25MHz / CP OFDM / Middle Channel / Full RB

QPSK



16QAM



64QAM

256QAM

FR1 n25 / 30MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



FR1 n25 / 30MHz / CP OFDM / Middle Channel / Full RB

QPSK



16QAM



64QAM

256QAM

FR1 n25 / 35MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



FR1 n25 / 35MHz / CP OFDM / Middle Channel / Full RB

QPSK



16QAM



64QAM

256QAM

FR1 n25 / 40MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK

FR1 n25 / 40MHz / CP OFDM / Middle Channel / Full RB

QPSK



16QAM



64QAM

256QAM

Conducted Band Edge

FR1 n25 / 5MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / 1RB0



Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB

FR1 n25 / 5MHz / DFT-S OFDM / QPSK

Lowest Band Edge / 1RB0



Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB

FR1 n25 / 5MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / 1RB0



Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB



FR1 n25 / 5MHz / DFT-S OFDM / 64QAM

Lowest Band Edge / 1RB0



Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB



FR1 n25 / 5MHz / DFT-S OFDM / 256QAM

Lowest Band Edge / 1RB0



Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB

FR1 n25 / 5MHz / CP OFDM / QPSK / Full RB	
Lowest Band Edge	**Highest Band Edge**

FR1 n25 / 10MHz / DFT-s-OFDM / PI/2 BPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 10MHz / DFT-s-OFDM / QPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 10MHz / DFT-s-OFDM / 16QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 10MHz / DFT-s-OFDM / 64QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 10MHz / DFT-s-OFDM / 256QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 10MHz / CP OFDM / QPSK / Full RB	
Lowest Band Edge	**Highest Band Edge**
	

FR1 n25 / 15MHz / DFT-s-OFDM / PI/2 BPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 15MHz / DFT-s-OFDM / QPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 15MHz / DFT-s-OFDM / 16QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**

FR1 n25 / 15MHz / DFT-s-OFDM / 64QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 15MHz / DFT-s-OFDM / 256QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**

FR1 n25 / 15MHz / CP OFDM / QPSK / Full RB	
Lowest Band Edge	**Highest Band Edge**
	

FR1 n25 / 20MHz / DFT-s-OFDM / PI/2 BPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 20MHz / DFT-s-OFDM / QPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 20MHz / DFT-s-OFDM / 16QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 20MHz / DFT-s-OFDM / 64QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 20MHz / DFT-s-OFDM / 256QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 20MHz / CP OFDM / QPSK / Full RB	
Lowest Band Edge	**Highest Band Edge**
	

FR1 n25 / 25MHz / DFT-s-OFDM / PI/2 BPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**

FR1 n25 / 25MHz / DFT-s-OFDM / QPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**

FR1 n25 / 25MHz / DFT-s-OFDM / 16QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 25MHz / DFT-s-OFDM / 64QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 25MHz / DFT-s-OFDM / 256QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**

FR1 n25 / 25MHz / CP OFDM / QPSK / Full RB	
Lowest Band Edge	**Highest Band Edge**
	

FR1 n25 / 30MHz / DFT-s-OFDM / PI/2 BPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**

FR1 n25 / 30MHz / DFT-s-OFDM / QPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 30MHz / DFT-s-OFDM / 16QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 30MHz / DFT-s-OFDM / 64QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 30MHz / DFT-s-OFDM / 256QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**

FR1 n25 / 30MHz / CP OFDM / QPSK / Full RB	
Lowest Band Edge	**Highest Band Edge**
	

FR1 n25 / 35MHz / DFT-s-OFDM / PI/2 BPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**

FR1 n25 / 35MHz / DFT-s-OFDM / QPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 35MHz / DFT-s-OFDM / 16QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**

FR1 n25 / 35MHz / DFT-s-OFDM / 64QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 35MHz / DFT-s-OFDM / 256QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**

FR1 n25 / 35MHz / CP OFDM / QPSK / Full RB	
Lowest Band Edge	**Highest Band Edge**
	

FR1 n25 / 40MHz / DFT-s-OFDM / PI/2 BPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 40MHz / DFT-s-OFDM / QPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 40MHz / DFT-s-OFDM / 16QAM	
Lowest Band Edge / Full RB	Highest Band Edge / Full RB

FR1 n25 / 40MHz / DFT-s-OFDM / 64QAM	
Lowest Band Edge / Full RB	Highest Band Edge / Full RB
	

FR1 n25 / 40MHz / DFT-s-OFDM / 256QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n25 / 40MHz / CP OFDM / QPSK / Full RB	
Lowest Band Edge	**Highest Band Edge**
	

Conducted Spurious Emission

FR1 n25 / 5MHz / DFT-S OFDM / QPSK / 1RB1

Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n25 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0021	PASS
40	Normal Voltage	0.0018	
30	Normal Voltage	0.0012	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0019	
0	Normal Voltage	0.0006	
-10	Normal Voltage	0.0001	
-20	Normal Voltage	0.0019	
-30	Normal Voltage	0.0037	
20	Maximum Voltage	0.0016	
20	Normal Voltage	0.0014	
20	Minimum Voltage	0.0003	

Note:

1. Normal Voltage = 3.9 V.；Minimum Voltage = 3.6 V.；Maximum Voltage = 4.5 V.
2. The frequency fundamental emissions stay within the authorized frequency block.

FR1 n26_Part22H

Peak-to-Average Ratio

Mode	FR1 n26 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.50	5.68	6.42	6.66	PASS
Mode	FR1 n26 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.46				PASS

FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



QPSK



16QAM



64QAM



256QAM



26dB Bandwidth

Mode	FR1 n26 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	5.28		9.97		14.79		19.50	

Mode	FR1 n26 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	5.38	5.43	10.48	10.37	15.40	15.42	21.34	21.23
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	5.41	5.26	10.39	10.38	15.38	15.36	21.31	21.54

FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB	
PI/2 BPSK	
	

FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB	
QPSK	16QAM
	
64QAM	256QAM
	

FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB	
PI/2 BPSK	
	

FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB	
QPSK	16QAM
	
64QAM	256QAM
	

FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB	
PI/2 BPSK	
	

FR1 n26 / 15MHz / CP OFDM / Middle Channel / Full RB	
QPSK	16QAM
	
64QAM	256QAM
	

FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB	
PI/2 BPSK	
	

FR1 n26 / 20MHz / CP OFDM / Middle Channel / Full RB	
QPSK	16QAM
	
64QAM	256QAM
	

Occupied Bandwidth

Mode	FR1 n26 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	4.52		9.01		13.49		18.00	

Mode	FR1 n26 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	4.51	4.51	9.33	9.32	14.13	14.13	19.08	19.02
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	4.52	4.50	9.35	9.35	14.14	14.11	19.07	19.06

FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB

QPSK



16QAM



64QAM



256QAM



FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK

FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB

QPSK



16QAM



64QAM



256QAM

FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



FR1 n26 / 15MHz / CP OFDM / Middle Channel / Full RB

QPSK



16QAM



64QAM



256QAM

FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



FR1 n26 / 20MHz / CP OFDM / Middle Channel / Full RB

QPSK



16QAM



64QAM



256QAM

Conducted Band Edge

FR1 n26 / 5MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / 1RB0



Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n26 / 5MHz / DFT-S OFDM / QPSK

Lowest Band Edge / 1RB0



Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB



FR1 n26 / 5MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / 1RB0



Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB



Highest Band Edge / Full RB

FR1 n26 / 5MHz / DFT-S OFDM / 64QAM

Lowest Band Edge / 1RB0



Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n26 / 5MHz / DFT-S OFDM / 256QAM

Lowest Band Edge / 1RB0



Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB



Highest Band Edge / Full RB