













Mode	57																																																																																																
	Band Edge - L																																																																																																
	2400-2483.5_Bluetooth-LE GSKF_CH38_2440MHz																																																																																																
ANT	3																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.54</td><td>50.45</td><td>74.00</td><td>-23.55</td><td>37.61</td><td>26.77</td><td>8.62</td><td>32.58</td><td>10.03</td><td>343</td><td>226</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.54	50.45	74.00	-23.55	37.61	26.77	8.62	32.58	10.03	343	226	PEAK	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>112.74</td><td>-----</td><td>-----</td><td>99.91</td><td>26.70</td><td>8.72</td><td>32.62</td><td>10.03</td><td>343</td><td>226</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	112.74	-----	-----	99.91	26.70	8.72	32.62	10.03	343	226
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2382.54	50.45	74.00	-23.55	37.61	26.77	8.62	32.58	10.03	343	226	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2440.00	112.74	-----	-----	99.91	26.70	8.72	32.62	10.03	343	226	PEAK																																																																																					
Avg																																																																																																	
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2378.51</td><td>45.45</td><td>54.00</td><td>-8.55</td><td>32.56</td><td>26.83</td><td>8.61</td><td>32.58</td><td>10.03</td><td>343</td><td>226</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2378.51	45.45	54.00	-8.55	32.56	26.83	8.61	32.58	10.03	343	226	AVERAGE	Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>111.61</td><td>-----</td><td>-----</td><td>98.78</td><td>26.70</td><td>8.72</td><td>32.62</td><td>10.03</td><td>343</td><td>226</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	111.61	-----	-----	98.78	26.70	8.72	32.62	10.03	343	226
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2378.51	45.45	54.00	-8.55	32.56	26.83	8.61	32.58	10.03	343	226	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2440.00	111.61	-----	-----	98.78	26.70	8.72	32.62	10.03	343	226	AVERAGE																																																																																					





Mode	57																																																											
	Band Edge - R																																																											
	2400-2483.5_Bluetooth-LE GSKF_CH38_2440MHz																																																											
ANT	3																																																											
Pol.	Horizontal						Fundamental																																																					
Peak	 Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2498.38</td><td>50.51</td><td>74.00</td><td>-23.49</td><td>37.61</td><td>26.70</td><td>8.83</td><td>32.66</td><td>10.03</td><td>343</td><td>226 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2498.38	50.51	74.00	-23.49	37.61	26.70	8.83	32.66	10.03	343	226 PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	2498.38	50.51	74.00	-23.49	37.61	26.70	8.83	32.66	10.03	343	226 PEAK																																																	
Avg	 Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2498.18</td><td>45.16</td><td>54.00</td><td>-8.84</td><td>32.26</td><td>26.70</td><td>8.82</td><td>32.65</td><td>10.03</td><td>343</td><td>226 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2498.18	45.16	54.00	-8.84	32.26	26.70	8.82	32.65	10.03	343	226 AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	2498.18	45.16	54.00	-8.84	32.26	26.70	8.82	32.65	10.03	343	226 AVERAGE																																																	



Mode	57																																																																																									
	Band Edge - L																																																																																									
	2400-2483.5_Bluetooth-LE GSKF_CH38_2440MHz																																																																																									
ANT	3																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	 Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2373.18</td><td>50.65</td><td>74.00 -23.35</td><td>37.66</td><td>26.94</td><td>8.60</td><td>32.58</td><td>10.03</td><td>133</td><td>282 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 2373.18	50.65	74.00 -23.35	37.66	26.94	8.60	32.58	10.03	133	282 PEAK	 Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2440.00</td><td>115.61</td><td>-----</td><td>102.78</td><td>26.70</td><td>8.72</td><td>32.62</td><td>10.03</td><td>133</td><td>282 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 2440.00	115.61	-----	102.78	26.70	8.72	32.62	10.03	133	282 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 2373.18	50.65	74.00 -23.35	37.66	26.94	8.60	32.58	10.03	133	282 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 2440.00	115.61	-----	102.78	26.70	8.72	32.62	10.03	133	282 PEAK																																																																																	
Avg	 Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2330.15</td><td>45.63</td><td>54.00 -8.37</td><td>32.63</td><td>27.00</td><td>8.52</td><td>32.55</td><td>10.03</td><td>133</td><td>282 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 2330.15	45.63	54.00 -8.37	32.63	27.00	8.52	32.55	10.03	133	282 AVERAGE	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2440.00</td><td>114.17</td><td>-----</td><td>101.34</td><td>26.70</td><td>8.72</td><td>32.62</td><td>10.03</td><td>133</td><td>282 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 2440.00	114.17	-----	101.34	26.70	8.72	32.62	10.03	133	282 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 2330.15	45.63	54.00 -8.37	32.63	27.00	8.52	32.55	10.03	133	282 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 2440.00	114.17	-----	101.34	26.70	8.72	32.62	10.03	133	282 AVERAGE																																																																																	





Mode	57																																																							
	Band Edge - R																																																							
	2400-2483.5_Bluetooth-LE GSKF_CH38_2440MHz																																																							
ANT	3																																																							
Pol.	Vertical						Fundamental																																																	
Peak	 Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.30</td><td>50.65</td><td>74.00</td><td>-23.35</td><td>37.76</td><td>26.70</td><td>8.81</td><td>32.65</td><td>10.03</td><td>133</td><td>282</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	2485.30	50.65	74.00	-23.35	37.76	26.70	8.81	32.65	10.03	133	282	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																														
1	2485.30	50.65	74.00	-23.35	37.76	26.70	8.81	32.65	10.03	133	282	PEAK																																												
Avg	 Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.40</td><td>45.82</td><td>54.00</td><td>-8.18</td><td>32.92</td><td>26.70</td><td>8.83</td><td>32.66</td><td>10.03</td><td>133</td><td>282</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	2496.40	45.82	54.00	-8.18	32.92	26.70	8.83	32.66	10.03	133	282	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																														
1	2496.40	45.82	54.00	-8.18	32.92	26.70	8.83	32.66	10.03	133	282	AVERAGE																																												







Mode	57																																																																																		
	Harmonic																																																																																		
	2400-2483.5_Bluetooth-LE GSKF_CH38_2440MHz																																																																																		
ANT	3																																																																																		
Pol.	Horizontal							Vertical																																																																											
Peak Avg																																																																																			
	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																																		
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td></td><td>32.66</td><td>32.46</td><td>12.49</td><td>33.67</td><td>0.50</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>48.30</td><td>74.00</td><td>-25.70</td><td></td><td>31.86</td><td>37.20</td><td>15.41</td><td>36.61</td><td>0.44</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7320.00</td><td>42.00</td><td>54.00</td><td>-12.00</td><td></td><td>25.56</td><td>37.20</td><td>15.41</td><td>36.61</td><td>0.44</td><td>--</td><td>--</td><td>Average</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	44.44	74.00	-29.56		32.66	32.46	12.49	33.67	0.50	--	--	PEAK	2	7320.00	48.30	74.00	-25.70		31.86	37.20	15.41	36.61	0.44	--	--	PEAK	3	7320.00	42.00	54.00	-12.00		25.56	37.20	15.41	36.61	0.44	--	--	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	4880.00	44.44	74.00	-29.56		32.66	32.46	12.49	33.67	0.50	--	--	PEAK																																																																						
2	7320.00	48.30	74.00	-25.70		31.86	37.20	15.41	36.61	0.44	--	--	PEAK																																																																						
3	7320.00	42.00	54.00	-12.00		25.56	37.20	15.41	36.61	0.44	--	--	Average																																																																						
Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																			
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td></td><td>32.91</td><td>32.46</td><td>12.49</td><td>33.67</td><td>0.50</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>48.75</td><td>74.00</td><td>-25.25</td><td></td><td>32.31</td><td>37.20</td><td>15.41</td><td>36.61</td><td>0.44</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7320.00</td><td>42.24</td><td>54.00</td><td>-11.76</td><td></td><td>25.00</td><td>37.20</td><td>15.41</td><td>36.61</td><td>0.44</td><td>--</td><td>--</td><td>Average</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	44.69	74.00	-29.31		32.91	32.46	12.49	33.67	0.50	--	--	PEAK	2	7320.00	48.75	74.00	-25.25		32.31	37.20	15.41	36.61	0.44	--	--	PEAK	3	7320.00	42.24	54.00	-11.76		25.00	37.20	15.41	36.61	0.44	--	--	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	4880.00	44.69	74.00	-29.31		32.91	32.46	12.49	33.67	0.50	--	--	PEAK																																																																						
2	7320.00	48.75	74.00	-25.25		32.31	37.20	15.41	36.61	0.44	--	--	PEAK																																																																						
3	7320.00	42.24	54.00	-11.76		25.00	37.20	15.41	36.61	0.44	--	--	Average																																																																						







Mode	57	
	Harmonic	
	2400-2483.5_Bluetooth-LE GSKF_CH38_2440MHz	
ANT	3	
Pol.	Horizontal	Vertical
10.8G ~18G Avg	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





		58																																																																																												
Mode	Band Edge																																																																																													
	2400-2483.5_Bluetooth-LE GSKF_CH76_2478MHz																																																																																													
ANT	3																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak																																																																																														
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2484.18</td><td>55.25</td><td>74.00 -18.75</td><td>52.39</td><td>26.70</td><td>8.81</td><td>32.65</td><td>0.00</td><td>202</td><td>234</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2484.18	55.25	74.00 -18.75	52.39	26.70	8.81	32.65	0.00	202	234	PEAK	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2478.00</td><td>111.53</td><td>-----</td><td>108.71</td><td>26.68</td><td>8.79</td><td>32.65</td><td>0.00</td><td>202</td><td>234</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2478.00	111.53	-----	108.71	26.68	8.79	32.65	0.00	202	234
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 2484.18	55.25	74.00 -18.75	52.39	26.70	8.81	32.65	0.00	202	234	PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 2478.00	111.53	-----	108.71	26.68	8.79	32.65	0.00	202	234	PEAK																																																																																				
Avg																																																																																														
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:36.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2484.16</td><td>47.65</td><td>54.00 -6.35</td><td>44.79</td><td>26.70</td><td>8.81</td><td>32.65</td><td>0.00</td><td>202</td><td>234</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2484.16	47.65	54.00 -6.35	44.79	26.70	8.81	32.65	0.00	202	234	AVERAGE	Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:36.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2478.00</td><td>110.30</td><td>-----</td><td>107.48</td><td>26.68</td><td>8.79</td><td>32.65</td><td>0.00</td><td>202</td><td>234</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2478.00	110.30	-----	107.48	26.68	8.79	32.65	0.00	202	234
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 2484.16	47.65	54.00 -6.35	44.79	26.70	8.81	32.65	0.00	202	234	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 2478.00	110.30	-----	107.48	26.68	8.79	32.65	0.00	202	234	AVERAGE																																																																																				





	58																																																																																																		
Mode	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE GSKF_CH76_2478MHz																																																																																																		
ANT	3																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.45</td><td>58.02</td><td>74.00</td><td>-15.98</td><td>55.16</td><td>26.70</td><td>8.81</td><td>32.65</td><td>0.00</td><td>100</td><td>247</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.45	58.02	74.00	-15.98	55.16	26.70	8.81	32.65	0.00	100	247	PEAK	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>114.76</td><td>-----</td><td>-----</td><td>111.94</td><td>26.68</td><td>8.79</td><td>32.65</td><td>0.00</td><td>100</td><td>247</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2478.00	114.76	-----	-----	111.94	26.68	8.79	32.65	0.00	100	247
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2484.45	58.02	74.00	-15.98	55.16	26.70	8.81	32.65	0.00	100	247	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2478.00	114.76	-----	-----	111.94	26.68	8.79	32.65	0.00	100	247	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.04</td><td>58.93</td><td>54.00</td><td>-3.07</td><td>48.07</td><td>26.70</td><td>8.81</td><td>32.65</td><td>0.00</td><td>100</td><td>247</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.04	58.93	54.00	-3.07	48.07	26.70	8.81	32.65	0.00	100	247	AVERAGE	Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>113.28</td><td>-----</td><td>-----</td><td>110.46</td><td>26.68</td><td>8.79</td><td>32.65</td><td>0.00</td><td>100</td><td>247</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2478.00	113.28	-----	-----	110.46	26.68	8.79	32.65	0.00	100	247
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2484.04	58.93	54.00	-3.07	48.07	26.70	8.81	32.65	0.00	100	247	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2478.00	113.28	-----	-----	110.46	26.68	8.79	32.65	0.00	100	247	AVERAGE																																																																																							



Mode	58												
	Harmonic												
	2400-2483.5_Bluetooth-LE GSKF_CH76_2478MHz												
ANT	3												
Pol.	Horizontal						Vertical						
Peak Avg													
	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	4956.00	46.27	74.00	-27.73	34.15	32.70	12.56	33.67	0.53	--	--	--	PEAK
2	7434.00	48.40	74.00	-25.60	31.89	37.24	15.54	36.78	0.51	--	--	--	PEAK
3	7434.00	42.28	54.00	-11.72	25.77	37.24	15.54	36.78	0.51	--	--	--	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	4956.00	44.74	74.00	-29.26	32.62	32.70	12.56	33.67	0.53	--	--	--	PEAK
2	7434.00	48.22	74.00	-25.78	31.71	37.24	15.54	36.78	0.51	--	--	--	PEAK
3	7434.00	41.49	54.00	-12.51	24.98	37.24	15.54	36.78	0.51	--	--	--	Average





Mode	58	
	Harmonic	
	2400-2483.5_Bluetooth-LE GSKF_CH76_2478MHz	
ANT	3	
Pol.	Horizontal	Vertical
10.8G ~18G Avg	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL



Mode	59																																																																																																																																																																																																																											
	LF																																																																																																																																																																																																																											
	2400-2483.5_Bluetooth-LE GSKF_CH76_2478MHz																																																																																																																																																																																																																											
ANT	3																																																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																																																										
QPI Peak	Site : 03CH20-HY Condition: QP 3m Bilog_55606 & 00_241127 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>33.88</td><td>24.11</td><td>40.00</td><td>-15.89</td><td>35.89</td><td>22.74</td><td>1.02</td><td>35.75</td><td>0.21</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>199.75</td><td>32.55</td><td>43.50</td><td>-10.95</td><td>50.27</td><td>15.07</td><td>2.52</td><td>35.51</td><td>0.20</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>274.44</td><td>36.25</td><td>46.00</td><td>-9.75</td><td>49.60</td><td>18.86</td><td>2.94</td><td>35.34</td><td>0.19</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>408.30</td><td>30.06</td><td>46.00</td><td>-15.94</td><td>39.19</td><td>22.12</td><td>3.58</td><td>34.98</td><td>0.15</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>740.04</td><td>31.10</td><td>46.00</td><td>-14.90</td><td>32.00</td><td>28.07</td><td>4.81</td><td>33.93</td><td>0.15</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>943.74</td><td>34.80</td><td>46.00</td><td>-11.20</td><td>32.10</td><td>30.36</td><td>5.41</td><td>33.18</td><td>0.11</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	33.88	24.11	40.00	-15.89	35.89	22.74	1.02	35.75	0.21	--	--	--	Peak	2	199.75	32.55	43.50	-10.95	50.27	15.07	2.52	35.51	0.20	--	--	--	Peak	3	274.44	36.25	46.00	-9.75	49.60	18.86	2.94	35.34	0.19	--	--	--	Peak	4	408.30	30.06	46.00	-15.94	39.19	22.12	3.58	34.98	0.15	--	--	--	Peak	5	740.04	31.10	46.00	-14.90	32.00	28.07	4.81	33.93	0.15	--	--	--	Peak	6	943.74	34.80	46.00	-11.20	32.10	30.36	5.41	33.18	0.11	--	--	--	Peak	Site : 03CH20-HY Condition: QP 3m Bilog_55606 & 00_241127 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>33.88</td><td>30.73</td><td>40.00</td><td>-9.27</td><td>42.51</td><td>22.74</td><td>1.02</td><td>35.75</td><td>0.21</td><td>100</td><td>359</td><td>QP</td></tr><tr><td>2</td><td>42.61</td><td>28.75</td><td>40.00</td><td>-11.25</td><td>45.06</td><td>18.05</td><td>1.16</td><td>35.75</td><td>0.23</td><td>100</td><td>100</td><td>QP</td></tr><tr><td>3</td><td>53.28</td><td>29.54</td><td>40.00</td><td>-10.46</td><td>50.54</td><td>13.20</td><td>1.29</td><td>35.73</td><td>0.24</td><td>102</td><td>357</td><td>QP</td></tr><tr><td>4</td><td>84.32</td><td>29.53</td><td>40.00</td><td>-10.47</td><td>49.45</td><td>13.93</td><td>1.64</td><td>35.70</td><td>0.21</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>200.72</td><td>28.84</td><td>43.50</td><td>-14.66</td><td>46.54</td><td>15.09</td><td>2.52</td><td>35.51</td><td>0.20</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>406.36</td><td>31.12</td><td>46.00</td><td>-14.88</td><td>40.34</td><td>22.05</td><td>3.57</td><td>34.99</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	33.88	30.73	40.00	-9.27	42.51	22.74	1.02	35.75	0.21	100	359	QP	2	42.61	28.75	40.00	-11.25	45.06	18.05	1.16	35.75	0.23	100	100	QP	3	53.28	29.54	40.00	-10.46	50.54	13.20	1.29	35.73	0.24	102	357	QP	4	84.32	29.53	40.00	-10.47	49.45	13.93	1.64	35.70	0.21	--	--	Peak	5	200.72	28.84	43.50	-14.66	46.54	15.09	2.52	35.51	0.20	--	--	Peak	6	406.36	31.12	46.00	-14.88	40.34	22.05	3.57	34.99	0.15	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																
1	33.88	24.11	40.00	-15.89	35.89	22.74	1.02	35.75	0.21	--	--	--	Peak																																																																																																																																																																																																															
2	199.75	32.55	43.50	-10.95	50.27	15.07	2.52	35.51	0.20	--	--	--	Peak																																																																																																																																																																																																															
3	274.44	36.25	46.00	-9.75	49.60	18.86	2.94	35.34	0.19	--	--	--	Peak																																																																																																																																																																																																															
4	408.30	30.06	46.00	-15.94	39.19	22.12	3.58	34.98	0.15	--	--	--	Peak																																																																																																																																																																																																															
5	740.04	31.10	46.00	-14.90	32.00	28.07	4.81	33.93	0.15	--	--	--	Peak																																																																																																																																																																																																															
6	943.74	34.80	46.00	-11.20	32.10	30.36	5.41	33.18	0.11	--	--	--	Peak																																																																																																																																																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																
1	33.88	30.73	40.00	-9.27	42.51	22.74	1.02	35.75	0.21	100	359	QP																																																																																																																																																																																																																
2	42.61	28.75	40.00	-11.25	45.06	18.05	1.16	35.75	0.23	100	100	QP																																																																																																																																																																																																																
3	53.28	29.54	40.00	-10.46	50.54	13.20	1.29	35.73	0.24	102	357	QP																																																																																																																																																																																																																
4	84.32	29.53	40.00	-10.47	49.45	13.93	1.64	35.70	0.21	--	--	Peak																																																																																																																																																																																																																
5	200.72	28.84	43.50	-14.66	46.54	15.09	2.52	35.51	0.20	--	--	Peak																																																																																																																																																																																																																
6	406.36	31.12	46.00	-14.88	40.34	22.05	3.57	34.99	0.15	--	--	Peak																																																																																																																																																																																																																



Mode	60																																																																																															
	SHF																																																																																															
	2400-2483.5_Bluetooth-LE GSKF_CH76_2478MHz																																																																																															
ANT	3																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak																																																																																																
	Site : 03CH22-HY Condition: PEAK_74 1m SHF_1225_240624 HORIZONTAL						Site : 03CH22-HY Condition: PEAK_74 1m SHF_1225_240624 VERTICAL																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>23957.78</td><td>40.37</td><td>74.00</td><td>-33.63</td><td>42.35</td><td>38.82</td><td>28.94</td><td>60.20</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	23957.78	40.37	74.00	-33.63	42.35	38.82	28.94	60.20	-9.54	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>24488.28</td><td>40.62</td><td>74.00</td><td>-33.38</td><td>42.11</td><td>39.30</td><td>29.24</td><td>60.49</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	24488.28	40.62	74.00	-33.38	42.11	39.30	29.24	60.49	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	23957.78	40.37	74.00	-33.63	42.35	38.82	28.94	60.20	-9.54	--	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	24488.28	40.62	74.00	-33.38	42.11	39.30	29.24	60.49	-9.54	--	PEAK																																																																																					

Appendix C.3 Radiated Spurious Emission Test Data

Note symbol

-L	Low channel location
-R	High channel location





C3.1 Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 61	2400-2483.5	4	Bluetooth-LE GSFK	02	2404	1Mbps	-	-
Mode 62	2400-2483.5	4	Bluetooth-LE GSFK	38	2440	1Mbps	-	-
Mode 63	2400-2483.5	4	Bluetooth-LE GSFK	76	2478	1Mbps	-	-





C3.2 Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
61	Bluetooth-LE GSFK	02	2373.99	44.90	54.00	-9.10	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE GSFK	02	4808.00	44.82	74.00	-29.18	H	Peak	Pass	-	Harmonic
62	Bluetooth-LE GSFK	38	2324.04	44.78	54.00	-9.22	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE GSFK	38	7320.00	42.53	54.00	-11.47	H	Avg.	Pass	-	Harmonic
63	Bluetooth-LE GSFK	76	2483.90	45.23	54.00	-8.77	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE GSFK	76	7434.00	41.60	54.00	-12.40	V	Avg.	Pass	-	Harmonic





Mode	61																																																																																												
	Band Edge																																																																																												
	2400-2483.5_Bluetooth-LE GSKF_CH02_2404MHz																																																																																												
ANT	4																																																																																												
Pol.	Horizontal						Fundamental																																																																																						
Peak																																																																																													
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																						
<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2322.54</td><td>50.48</td><td>74.00</td><td>-23.52</td><td>37.48</td><td>27.00</td><td>8.51</td><td>32.54</td><td>10.03</td><td>260</td><td>18</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2322.54	50.48	74.00	-23.52	37.48	27.00	8.51	32.54	10.03	260	18	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>111.63</td><td>-----</td><td>-----</td><td>98.70</td><td>26.84</td><td>8.66</td><td>32.60</td><td>10.03</td><td>260</td><td>18</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2404.00	111.63	-----	-----	98.70	26.84	8.66	32.60	10.03	260	18	PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	2322.54	50.48	74.00	-23.52	37.48	27.00	8.51	32.54	10.03	260	18	PEAK																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	2404.00	111.63	-----	-----	98.70	26.84	8.66	32.60	10.03	260	18	PEAK																																																																																	
Avg																																																																																													
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:24.000kHz SMT:Auto						Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:24.000kHz SMT:Auto																																																																																						
<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2373.99</td><td>44.90</td><td>54.00</td><td>-9.10</td><td>31.93</td><td>26.92</td><td>8.60</td><td>32.58</td><td>10.03</td><td>260</td><td>18</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2373.99	44.90	54.00	-9.10	31.93	26.92	8.60	32.58	10.03	260	18	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>110.55</td><td>-----</td><td>-----</td><td>97.62</td><td>26.84</td><td>8.66</td><td>32.60</td><td>10.03</td><td>260</td><td>18</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2404.00	110.55	-----	-----	97.62	26.84	8.66	32.60	10.03	260	18	AVERAGE
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	2373.99	44.90	54.00	-9.10	31.93	26.92	8.60	32.58	10.03	260	18	AVERAGE																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	2404.00	110.55	-----	-----	97.62	26.84	8.66	32.60	10.03	260	18	AVERAGE																																																																																	





Mode	61																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_Bluetooth-LE GSKF_CH02_2404MHz																																																																																																				
ANT	4																																																																																																				
Pol.	Vertical					Fundamental																																																																																															
Peak																																																																																																					
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto					Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																															
Avg																																																																																																					
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:24.000kHz SMT:Auto					Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:24.000kHz SMT:Auto																																																																																															
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2382.62</td><td>51.22</td><td>74.00</td><td>-22.78</td><td>38.38</td><td>26.77</td><td>8.62</td><td>32.58</td><td>10.03</td><td>400 264 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 2382.62	51.22	74.00	-22.78	38.38	26.77	8.62	32.58	10.03	400 264 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2404.00</td><td>100.53</td><td>-----</td><td>-----</td><td>95.60</td><td>26.84</td><td>8.66</td><td>32.60</td><td>10.03</td><td>400 264 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 2404.00	100.53	-----	-----	95.60	26.84	8.66	32.60	10.03	400 264 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																																												
1 2382.62	51.22	74.00	-22.78	38.38	26.77	8.62	32.58	10.03	400 264 PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																																												
1 2404.00	100.53	-----	-----	95.60	26.84	8.66	32.60	10.03	400 264 PEAK																																																																																												







Mode	61																																																																															
	Harmonic																																																																															
	2400-2483.5_Bluetooth-LE GSKF_CH02_2404MHz																																																																															
ANT	4																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	 Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4808.00</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>33.18</td><td>32.40</td><td>12.43</td><td>33.67</td><td>0.48</td><td>-- -- PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4808.00	44.82	74.00	-29.18	33.18	32.40	12.43	33.67	0.48	-- -- PEAK	 Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4808.00</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>32.76</td><td>32.40</td><td>12.43</td><td>33.67</td><td>0.48</td><td>-- -- PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4808.00	44.40	74.00	-29.60	32.76	32.40	12.43	33.67	0.48	-- -- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																							
1 4808.00	44.82	74.00	-29.18	33.18	32.40	12.43	33.67	0.48	-- -- PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																							
1 4808.00	44.40	74.00	-29.60	32.76	32.40	12.43	33.67	0.48	-- -- PEAK																																																																							





Mode	61	
	Harmonic	
	2400-2483.5_Bluetooth-LE GSKF_CH02_2404MHz	
ANT	4	
Pol.	Horizontal	Vertical
10.8G ~18G Avg	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL



Mode	62																																																																																								
	Band Edge - L																																																																																								
	2400-2483.5_Bluetooth-LE GSKF_CH38_2440MHz																																																																																								
ANT	4																																																																																								
Pol.	Horizontal						Fundamental																																																																																		
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2311.43</td><td>50.42</td><td>74.00</td><td>-23.58</td><td>37.44</td><td>27.00</td><td>8.49</td><td>32.54</td><td>10.03</td><td>114</td><td>220</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2311.43	50.42	74.00	-23.58	37.44	27.00	8.49	32.54	10.03	114	220	PEAK	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>112.03</td><td>-----</td><td>-----</td><td>99.20</td><td>26.70</td><td>8.72</td><td>32.62</td><td>10.03</td><td>114</td><td>220</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	112.03	-----	-----	99.20	26.70	8.72	32.62	10.03	114	220
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2311.43	50.42	74.00	-23.58	37.44	27.00	8.49	32.54	10.03	114	220	PEAK																																																																													
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2440.00	112.03	-----	-----	99.20	26.70	8.72	32.62	10.03	114	220	PEAK																																																																													
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:24.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2324.04</td><td>44.78</td><td>54.00</td><td>-9.22</td><td>31.78</td><td>27.00</td><td>8.51</td><td>32.54</td><td>10.03</td><td>114</td><td>220</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2324.04	44.78	54.00	-9.22	31.78	27.00	8.51	32.54	10.03	114	220	AVERAGE	Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:24.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>110.95</td><td>-----</td><td>-----</td><td>98.12</td><td>26.70</td><td>8.72</td><td>32.62</td><td>10.03</td><td>114</td><td>220</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	110.95	-----	-----	98.12	26.70	8.72	32.62	10.03	114	220
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2324.04	44.78	54.00	-9.22	31.78	27.00	8.51	32.54	10.03	114	220	AVERAGE																																																																													
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2440.00	110.95	-----	-----	98.12	26.70	8.72	32.62	10.03	114	220	AVERAGE																																																																													





Mode	62																																															
	Band Edge - R																																															
	2400-2483.5_Bluetooth-LE GSKF_CH38_2440MHz																																															
ANT	4																																															
Pol.	Horizontal						Fundamental																																									
Peak	 Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2486.98</td><td>50.31</td><td>74.00</td><td>-23.69</td><td>37.42</td><td>26.70</td><td>8.81</td><td>32.65</td><td>10.03</td><td>114</td><td>220</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2486.98	50.31	74.00	-23.69	37.42	26.70	8.81	32.65	10.03	114	220	PEAK	Blank					
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1 2486.98	50.31	74.00	-23.69	37.42	26.70	8.81	32.65	10.03	114	220	PEAK																																					
Avg	 Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:24.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2486.92</td><td>44.37</td><td>54.00</td><td>-9.63</td><td>31.48</td><td>26.70</td><td>8.81</td><td>32.65</td><td>10.03</td><td>114</td><td>220</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2486.92	44.37	54.00	-9.63	31.48	26.70	8.81	32.65	10.03	114	220	AVERAGE	Blank					
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1 2486.92	44.37	54.00	-9.63	31.48	26.70	8.81	32.65	10.03	114	220	AVERAGE																																					





	62																																																																																									
Mode	Band Edge - L																																																																																									
	2400-2483.5_Bluetooth-LE GSKF_CH38_2440MHz																																																																																									
ANT	4																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Frequency (MHz) Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2358.36</td><td>50.39</td><td>74.00 -23.61</td><td>37.38</td><td>26.98</td><td>8.57</td><td>32.57</td><td>10.03</td><td>218 288 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2358.36	50.39	74.00 -23.61	37.38	26.98	8.57	32.57	10.03	218 288 PEAK	Level (dBuV/m) Frequency (MHz) Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>110.22</td><td>-----</td><td>97.39</td><td>26.70</td><td>8.72</td><td>32.62</td><td>10.03</td><td>218 288 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2440.00	110.22	-----	97.39	26.70	8.72	32.62	10.03	218 288 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	2358.36	50.39	74.00 -23.61	37.38	26.98	8.57	32.57	10.03	218 288 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	2440.00	110.22	-----	97.39	26.70	8.72	32.62	10.03	218 288 PEAK																																																																																	
Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:24.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2359.27</td><td>44.50</td><td>54.00 -9.50</td><td>31.48</td><td>26.99</td><td>8.57</td><td>32.57</td><td>10.03</td><td>218 288 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2359.27	44.50	54.00 -9.50	31.48	26.99	8.57	32.57	10.03	218 288 AVERAGE	Level (dBuV/m) Frequency (MHz) Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:24.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>109.08</td><td>-----</td><td>96.25</td><td>26.70</td><td>8.72</td><td>32.62</td><td>10.03</td><td>218 288 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2440.00	109.08	-----	96.25	26.70	8.72	32.62	10.03	218 288 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	2359.27	44.50	54.00 -9.50	31.48	26.99	8.57	32.57	10.03	218 288 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	2440.00	109.08	-----	96.25	26.70	8.72	32.62	10.03	218 288 AVERAGE																																																																																	





Mode	62																																												
	Band Edge - R																																												
	2400-2483.5_Bluetooth-LE GSKF_CH38_2440MHz																																												
ANT	4																																												
Pol.	Vertical	Fundamental																																											
Peak	 Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.56</td><td>50.91</td><td>74.00</td><td>-23.09</td><td>38.02</td><td>26.70</td><td>8.82</td><td>32.66</td><td>10.03</td><td>218</td><td>288</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2492.56	50.91	74.00	-23.09	38.02	26.70	8.82	32.66	10.03	218	288	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																				
1	2492.56	50.91	74.00	-23.09	38.02	26.70	8.82	32.66	10.03	218	288	PEAK																																	
Avg	 Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:24.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.70</td><td>44.66</td><td>54.00</td><td>-9.34</td><td>31.77</td><td>26.70</td><td>8.82</td><td>32.66</td><td>10.03</td><td>218</td><td>288</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2493.70	44.66	54.00	-9.34	31.77	26.70	8.82	32.66	10.03	218	288	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																				
1	2493.70	44.66	54.00	-9.34	31.77	26.70	8.82	32.66	10.03	218	288	AVERAGE																																	



Mode	62																																																																																					
	Harmonic																																																																																					
	2400-2483.5_Bluetooth-LE GSKF_CH38_2440MHz																																																																																					
ANT	4																																																																																					
Pol.	Horizontal						Vertical																																																																															
Peak Avg																																																																																						
	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																															
<table><tr><th></th><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>45.42</td><td>74.00</td><td>-28.58</td><td>33.64</td><td>32.46</td><td>12.49</td><td>33.67</td><td>0.50</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>49.47</td><td>74.00</td><td>-24.53</td><td>33.03</td><td>37.20</td><td>15.41</td><td>36.61</td><td>0.44</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7320.00</td><td>42.53</td><td>54.00</td><td>-11.47</td><td>26.09</td><td>37.20</td><td>15.41</td><td>36.61</td><td>0.44</td><td>--</td><td>--</td><td>Average</td></tr></table>																Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	45.42	74.00	-28.58	33.64	32.46	12.49	33.67	0.50	--	--	PEAK	2	7320.00	49.47	74.00	-24.53	33.03	37.20	15.41	36.61	0.44	--	--	PEAK	3	7320.00	42.53	54.00	-11.47	26.09	37.20	15.41	36.61	0.44	--	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	4880.00	45.42	74.00	-28.58	33.64	32.46	12.49	33.67	0.50	--	--	PEAK																																																																										
2	7320.00	49.47	74.00	-24.53	33.03	37.20	15.41	36.61	0.44	--	--	PEAK																																																																										
3	7320.00	42.53	54.00	-11.47	26.09	37.20	15.41	36.61	0.44	--	--	Average																																																																										







Mode	62	
	Harmonic	
	2400-2483.5_Bluetooth-LE GSKF_CH38_2440MHz	
ANT	4	
Pol.	Horizontal	Vertical
10.8G ~18G Avg	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	63																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE GSKF_CH76_2478MHz																																																																																	
ANT	4																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2483.51</td><td>51.86</td><td>74.00 -22.14</td><td>38.98</td><td>26.70</td><td>8.80</td><td>32.65</td><td>10.03</td><td>276</td><td>331 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2483.51	51.86	74.00 -22.14	38.98	26.70	8.80	32.65	10.03	276	331 PEAK	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2478.00</td><td>112.40</td><td>-----</td><td>99.55</td><td>26.68</td><td>8.79</td><td>32.65</td><td>10.03</td><td>276</td><td>331 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2478.00	112.40	-----	99.55	26.68	8.79	32.65	10.03	276	331 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 2483.51	51.86	74.00 -22.14	38.98	26.70	8.80	32.65	10.03	276	331 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 2478.00	112.40	-----	99.55	26.68	8.79	32.65	10.03	276	331 PEAK																																																																									
Avg	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:24.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2483.98</td><td>45.23</td><td>54.00 -8.77</td><td>32.34</td><td>26.70</td><td>8.81</td><td>32.65</td><td>10.03</td><td>276</td><td>331 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2483.98	45.23	54.00 -8.77	32.34	26.70	8.81	32.65	10.03	276	331 AVERAGE	Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:24.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2478.00</td><td>111.45</td><td>-----</td><td>98.60</td><td>26.68</td><td>8.79</td><td>32.65</td><td>10.03</td><td>276</td><td>331 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2478.00	111.45	-----	98.60	26.68	8.79	32.65	10.03	276	331 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 2483.98	45.23	54.00 -8.77	32.34	26.70	8.81	32.65	10.03	276	331 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 2478.00	111.45	-----	98.60	26.68	8.79	32.65	10.03	276	331 AVERAGE																																																																									





Mode	63																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE GSKF_CH76_2478MHz																																																																																	
ANT	4																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE_74 Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2494.74</td><td>51.14</td><td>74.00</td><td>-22.86</td><td>38.24</td><td>26.70</td><td>8.83</td><td>32.66</td><td>10.03</td><td>201 291 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2494.74	51.14	74.00	-22.86	38.24	26.70	8.83	32.66	10.03	201 291 PEAK	 Level (dBuV/m) Frequency (MHz) PEAK_74 Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2478.00</td><td>110.85</td><td>-----</td><td>-----</td><td>98.00</td><td>26.68</td><td>8.79</td><td>32.65</td><td>10.03</td><td>201 291 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2478.00	110.85	-----	-----	98.00	26.68	8.79	32.65	10.03	201 291 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 2494.74	51.14	74.00	-22.86	38.24	26.70	8.83	32.66	10.03	201 291 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 2478.00	110.85	-----	-----	98.00	26.68	8.79	32.65	10.03	201 291 PEAK																																																																									
Avg	 Level (dBuV/m) Frequency (MHz) AVG_BE_54 Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:24.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2484.26</td><td>44.89</td><td>54.00</td><td>-9.11</td><td>32.00</td><td>26.70</td><td>8.81</td><td>32.65</td><td>10.03</td><td>201 291 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2484.26	44.89	54.00	-9.11	32.00	26.70	8.81	32.65	10.03	201 291 AVERAGE	 Level (dBuV/m) Frequency (MHz) AVG_54 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:24.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2478.00</td><td>109.82</td><td>-----</td><td>-----</td><td>96.97</td><td>26.68</td><td>8.79</td><td>32.65</td><td>10.03</td><td>201 291 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2478.00	109.82	-----	-----	96.97	26.68	8.79	32.65	10.03	201 291 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 2484.26	44.89	54.00	-9.11	32.00	26.70	8.81	32.65	10.03	201 291 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 2478.00	109.82	-----	-----	96.97	26.68	8.79	32.65	10.03	201 291 AVERAGE																																																																									



Mode	63																																																																																		
	Harmonic																																																																																		
	2400-2483.5_Bluetooth-LE GSKF_CH76_2478MHz																																																																																		
ANT	4																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg																																																																																			
	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>44.84</td><td>74.00</td><td>-29.16</td><td>32.72</td><td>32.70</td><td>12.56</td><td>33.67</td><td>0.53</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>48.70</td><td>74.00</td><td>-25.30</td><td>32.19</td><td>37.24</td><td>15.54</td><td>36.78</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7434.00</td><td>41.54</td><td>54.00</td><td>-12.46</td><td>25.03</td><td>37.24</td><td>15.54</td><td>36.78</td><td>0.51</td><td>--</td><td>--</td><td>Average</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	44.84	74.00	-29.16	32.72	32.70	12.56	33.67	0.53	--	--	PEAK	2	7434.00	48.70	74.00	-25.30	32.19	37.24	15.54	36.78	0.51	--	--	PEAK	3	7434.00	41.54	54.00	-12.46	25.03	37.24	15.54	36.78	0.51	--	--	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	4956.00	44.84	74.00	-29.16	32.72	32.70	12.56	33.67	0.53	--	--	PEAK																																																																							
2	7434.00	48.70	74.00	-25.30	32.19	37.24	15.54	36.78	0.51	--	--	PEAK																																																																							
3	7434.00	41.54	54.00	-12.46	25.03	37.24	15.54	36.78	0.51	--	--	Average																																																																							



Mode	63	
	Harmonic	
	2400-2483.5_Bluetooth-LE GSKF_CH76_2478MHz	
ANT	4	
Pol.	Horizontal	Vertical
10.8G ~18G Avg	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL

Appendix C.4 Radiated Spurious Emission Test Data

Note symbol

-L	Low channel location
-R	High channel location





C4.1 Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 64	2400-2483.5	4	Bluetooth-LE GSKF	02	2404	2Mbps	-	-
Mode 65	2400-2483.5	4	Bluetooth-LE GSKF	38	2440	2Mbps	-	-
Mode 66	2400-2483.5	4	Bluetooth-LE GSKF	76	2478	2Mbps	-	-
Mode 67	2400-2483.5	4	Bluetooth-LE GSKF	76	2478	2Mbps	-	LF
Mode 68	2400-2483.5	4	Bluetooth-LE GSKF	76	2478	2Mbps	-	SHF





C4.2 Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
64	Bluetooth-LE GSKF	02	2387.32	45.70	54.00	-8.30	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE GSKF	02	4808.00	45.55	74.00	-28.45	H	Peak	Pass	-	Harmonic
65	Bluetooth-LE GSKF	38	2376.17	45.92	54.00	-8.08	V	Avg.	Pass	-	Band Edge
	Bluetooth-LE GSKF	38	7320.00	41.94	54.00	-12.06	V	Avg.	Pass	-	Harmonic
66	Bluetooth-LE GSKF	76	2483.58	48.02	54.00	-5.98	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE GSKF	76	7434.00	42.34	54.00	-11.66	H	Avg.	Pass	-	Harmonic
67	LF	76	46.49	31.72	40.00	-8.28	V	QP	Pass	-	LF
68	SHF	76	23977.00	40.38	74.00	-33.62	V	Peak	Pass	-	SHF





Mode	64																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE GSKF_CH02_2404MHz																																																																																																			
ANT	4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.09</td><td>51.51</td><td>74.00</td><td>-22.49</td><td>38.73</td><td>26.71</td><td>8.63</td><td>32.59</td><td>10.03</td><td>195</td><td>211</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.09	51.51	74.00	-22.49	38.73	26.71	8.63	32.59	10.03	195	211	PEAK	 Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>111.15</td><td>-----</td><td>-----</td><td>98.22</td><td>26.84</td><td>8.66</td><td>32.60</td><td>10.03</td><td>195</td><td>211</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	111.15	-----	-----	98.22	26.84	8.66	32.60	10.03	195	211	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.09	51.51	74.00	-22.49	38.73	26.71	8.63	32.59	10.03	195	211	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2404.00	111.15	-----	-----	98.22	26.84	8.66	32.60	10.03	195	211	PEAK																																																																																								
Avg	 Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.32</td><td>45.70</td><td>54.00</td><td>-8.30</td><td>32.90</td><td>26.73</td><td>8.63</td><td>32.59</td><td>10.03</td><td>195</td><td>211</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.32	45.70	54.00	-8.30	32.90	26.73	8.63	32.59	10.03	195	211	AVERAGE	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>109.71</td><td>-----</td><td>-----</td><td>96.78</td><td>26.84</td><td>8.66</td><td>32.60</td><td>10.03</td><td>195</td><td>211</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	109.71	-----	-----	96.78	26.84	8.66	32.60	10.03	195	211	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2387.32	45.70	54.00	-8.30	32.90	26.73	8.63	32.59	10.03	195	211	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2404.00	109.71	-----	-----	96.78	26.84	8.66	32.60	10.03	195	211	AVERAGE																																																																																								





Mode	64																																																																																															
	Band Edge																																																																																															
	2400-2483.5_Bluetooth-LE GSKF_CH02_2404MHz																																																																																															
ANT	4																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	 Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.28</td><td>51.73</td><td>74.00</td><td>-22.27</td><td></td><td>38.95</td><td>26.71</td><td>8.63</td><td>32.59</td><td>10.03</td><td>190</td><td>289</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2389.28	51.73	74.00	-22.27		38.95	26.71	8.63	32.59	10.03	190	289	PEAK	 Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>110.56</td><td>-----</td><td>-----</td><td></td><td>97.63</td><td>26.84</td><td>8.66</td><td>32.60</td><td>10.03</td><td>190</td><td>289</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2404.00	110.56	-----	-----		97.63	26.84	8.66	32.60	10.03	190	289	PEAK
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																			
1	2389.28	51.73	74.00	-22.27		38.95	26.71	8.63	32.59	10.03	190	289	PEAK																																																																																			
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																			
1	2404.00	110.56	-----	-----		97.63	26.84	8.66	32.60	10.03	190	289	PEAK																																																																																			
Avg	 Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.93</td><td>45.55</td><td>54.00</td><td>-8.45</td><td></td><td>32.75</td><td>26.73</td><td>8.63</td><td>32.59</td><td>10.03</td><td>190</td><td>289</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2386.93	45.55	54.00	-8.45		32.75	26.73	8.63	32.59	10.03	190	289	AVERAGE	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>109.03</td><td>-----</td><td>-----</td><td></td><td>96.10</td><td>26.84</td><td>8.66</td><td>32.60</td><td>10.03</td><td>190</td><td>289</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2404.00	109.03	-----	-----		96.10	26.84	8.66	32.60	10.03	190	289	AVERAGE
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																			
1	2386.93	45.55	54.00	-8.45		32.75	26.73	8.63	32.59	10.03	190	289	AVERAGE																																																																																			
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																			
1	2404.00	109.03	-----	-----		96.10	26.84	8.66	32.60	10.03	190	289	AVERAGE																																																																																			







Mode	64																																																																																																																
	Harmonic																																																																																																																
	2400-2483.5_Bluetooth-LE GSKF_CH02_2404MHz																																																																																																																
ANT	4																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4800.00</td><td>45.55</td><td>74.00</td><td>-28.45</td><td>33.91</td><td>32.40</td><td>12.43</td><td>33.67</td><td>0.48</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4800.00	45.55	74.00	-28.45	33.91	32.40	12.43	33.67	0.48	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4800.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td>33.41</td><td>32.40</td><td>12.43</td><td>33.67</td><td>0.48</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4800.00	45.05	74.00	-28.95	33.41	32.40	12.43	33.67	0.48	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	4800.00	45.55	74.00	-28.45	33.91	32.40	12.43	33.67	0.48	--	PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	4800.00	45.05	74.00	-28.95	33.41	32.40	12.43	33.67	0.48	--	PEAK																																																																																																						





Mode	64	
	Harmonic	
	2400-2483.5_Bluetooth-LE GSKF_CH02_2404MHz	
ANT	4	
Pol.	Horizontal	Vertical
10.8G ~18G Avg	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL







Mode	65																																																																																															
	Band Edge - L																																																																																															
	2400-2483.5_Bluetooth-LE GSKF_CH38_2440MHz																																																																																															
ANT	4																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2357.19</td><td>51.43</td><td>74.00</td><td>-22.57</td><td>38.43</td><td>26.97</td><td>8.57</td><td>32.57</td><td>10.03</td><td>137</td><td>211</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2357.19	51.43	74.00	-22.57	38.43	26.97	8.57	32.57	10.03	137	211	PEAK	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2440.00</td><td>111.26</td><td>-----</td><td>-----</td><td>98.43</td><td>26.70</td><td>8.72</td><td>32.62</td><td>10.03</td><td>137</td><td>211</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2440.00	111.26	-----	-----	98.43	26.70	8.72	32.62	10.03	137	211
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 2357.19	51.43	74.00	-22.57	38.43	26.97	8.57	32.57	10.03	137	211	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 2440.00	111.26	-----	-----	98.43	26.70	8.72	32.62	10.03	137	211	PEAK																																																																																					
Avg																																																																																																
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2375.91</td><td>45.55</td><td>54.00</td><td>-8.45</td><td>32.61</td><td>26.88</td><td>8.61</td><td>32.58</td><td>10.03</td><td>137</td><td>211</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2375.91	45.55	54.00	-8.45	32.61	26.88	8.61	32.58	10.03	137	211	AVERAGE	Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2440.00</td><td>109.47</td><td>-----</td><td>-----</td><td>96.64</td><td>26.70</td><td>8.72</td><td>32.62</td><td>10.03</td><td>137</td><td>211</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2440.00	109.47	-----	-----	96.64	26.70	8.72	32.62	10.03	137	211
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 2375.91	45.55	54.00	-8.45	32.61	26.88	8.61	32.58	10.03	137	211	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 2440.00	109.47	-----	-----	96.64	26.70	8.72	32.62	10.03	137	211	AVERAGE																																																																																					





Mode	65																																																				
	Band Edge - R																																																				
	2400-2483.5_Bluetooth-LE GSKF_CH38_2440MHz																																																				
ANT	4																																																				
Pol.	Horizontal						Fundamental																																														
Peak	 Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2487.88</td><td>50.25</td><td>74.00</td><td>-23.75</td><td></td><td>37.36</td><td>26.70</td><td>8.81</td><td>32.65</td><td>10.03</td><td>137</td><td>211</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	2487.88	50.25	74.00	-23.75		37.36	26.70	8.81	32.65	10.03	137	211	PEAK	Blank				
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	2487.88	50.25	74.00	-23.75		37.36	26.70	8.81	32.65	10.03	137	211	PEAK																																								
Avg	 Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2496.10</td><td>45.12</td><td>54.00</td><td>-8.88</td><td></td><td>32.22</td><td>26.70</td><td>8.83</td><td>32.66</td><td>10.03</td><td>137</td><td>211</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	2496.10	45.12	54.00	-8.88		32.22	26.70	8.83	32.66	10.03	137	211	AVERAGE	Blank				
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																								
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	2496.10	45.12	54.00	-8.88		32.22	26.70	8.83	32.66	10.03	137	211	AVERAGE																																								





Mode	65																																																																																														
	Band Edge - L																																																																																														
	2400-2483.5_Bluetooth-LE GSKF_CH38_2440MHz																																																																																														
ANT	4																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak																																																																																															
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																								
<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2351.47</td><td>50.54</td><td>74.00</td><td>-23.46</td><td></td><td>37.60</td><td>26.91</td><td>8.56</td><td>32.56</td><td>10.03</td><td>200</td><td>293</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2351.47	50.54	74.00	-23.46		37.60	26.91	8.56	32.56	10.03	200	293	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>110.17</td><td>-----</td><td>-----</td><td></td><td>97.34</td><td>26.70</td><td>8.72</td><td>32.62</td><td>10.03</td><td>200</td><td>293</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2440.00	110.17	-----	-----		97.34	26.70	8.72	32.62	10.03	200	293	PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	2351.47	50.54	74.00	-23.46		37.60	26.91	8.56	32.56	10.03	200	293	PEAK																																																																																		
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	2440.00	110.17	-----	-----		97.34	26.70	8.72	32.62	10.03	200	293	PEAK																																																																																		
Avg																																																																																															
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto						Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto																																																																																								
<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2376.17</td><td>45.92</td><td>54.00</td><td>-8.08</td><td></td><td>32.98</td><td>26.88</td><td>8.61</td><td>32.58</td><td>10.03</td><td>200</td><td>293</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2376.17	45.92	54.00	-8.08		32.98	26.88	8.61	32.58	10.03	200	293	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>108.74</td><td>-----</td><td>-----</td><td></td><td>95.91</td><td>26.70</td><td>8.72</td><td>32.62</td><td>10.03</td><td>200</td><td>293</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2440.00	108.74	-----	-----		95.91	26.70	8.72	32.62	10.03	200	293	AVERAGE
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	2376.17	45.92	54.00	-8.08		32.98	26.88	8.61	32.58	10.03	200	293	AVERAGE																																																																																		
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																		
1	2440.00	108.74	-----	-----		95.91	26.70	8.72	32.62	10.03	200	293	AVERAGE																																																																																		





Mode	65																																																				
	Band Edge - R																																																				
	2400-2483.5_Bluetooth-LE GSKF_CH38_2440MHz																																																				
ANT	4																																																				
Pol.	Vertical						Fundamental																																														
Peak	 Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2487.22</td><td>50.72</td><td>74.00</td><td>-23.28</td><td></td><td>37.83</td><td>26.70</td><td>8.81</td><td>32.65</td><td>10.03</td><td>200</td><td>293</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	2487.22	50.72	74.00	-23.28		37.83	26.70	8.81	32.65	10.03	200	293	PEAK	Blank				
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																								
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	2487.22	50.72	74.00	-23.28		37.83	26.70	8.81	32.65	10.03	200	293	PEAK																																								
Avg	 Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2484.94</td><td>45.10</td><td>54.00</td><td>-8.90</td><td></td><td>32.21</td><td>26.70</td><td>8.81</td><td>32.65</td><td>10.03</td><td>200</td><td>293</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	2484.94	45.10	54.00	-8.90		32.21	26.70	8.81	32.65	10.03	200	293	AVERAGE	Blank				
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																								
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	2484.94	45.10	54.00	-8.90		32.21	26.70	8.81	32.65	10.03	200	293	AVERAGE																																								







Mode	65																																																																																																																																															
	Harmonic																																																																																																																																															
	2400-2483.5_Bluetooth-LE GSKF_CH38_2440MHz																																																																																																																																															
ANT	4																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>45.06</td><td>74.00</td><td>-28.94</td><td>33.28</td><td>32.46</td><td>12.49</td><td>33.67</td><td>0.50</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>48.42</td><td>74.00</td><td>-25.58</td><td>31.98</td><td>37.20</td><td>15.41</td><td>36.61</td><td>0.44</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7320.00</td><td>41.72</td><td>54.00</td><td>-12.28</td><td>25.28</td><td>37.20</td><td>15.41</td><td>36.61</td><td>0.44</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	45.06	74.00	-28.94	33.28	32.46	12.49	33.67	0.50	--	PEAK	2	7320.00	48.42	74.00	-25.58	31.98	37.20	15.41	36.61	0.44	--	PEAK	3	7320.00	41.72	54.00	-12.28	25.28	37.20	15.41	36.61	0.44	--	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>45.31</td><td>74.00</td><td>-28.69</td><td>33.53</td><td>32.46</td><td>12.49</td><td>33.67</td><td>0.50</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>49.71</td><td>74.00</td><td>-24.29</td><td>33.27</td><td>37.20</td><td>15.41</td><td>36.61</td><td>0.44</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7320.00</td><td>41.94</td><td>54.00</td><td>-12.06</td><td>25.50</td><td>37.20</td><td>15.41</td><td>36.61</td><td>0.44</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	45.31	74.00	-28.69	33.53	32.46	12.49	33.67	0.50	--	PEAK	2	7320.00	49.71	74.00	-24.29	33.27	37.20	15.41	36.61	0.44	--	PEAK	3	7320.00	41.94	54.00	-12.06	25.50	37.20	15.41	36.61	0.44	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	4880.00	45.06	74.00	-28.94	33.28	32.46	12.49	33.67	0.50	--	PEAK																																																																																																																																					
2	7320.00	48.42	74.00	-25.58	31.98	37.20	15.41	36.61	0.44	--	PEAK																																																																																																																																					
3	7320.00	41.72	54.00	-12.28	25.28	37.20	15.41	36.61	0.44	--	Average																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	4880.00	45.31	74.00	-28.69	33.53	32.46	12.49	33.67	0.50	--	PEAK																																																																																																																																					
2	7320.00	49.71	74.00	-24.29	33.27	37.20	15.41	36.61	0.44	--	PEAK																																																																																																																																					
3	7320.00	41.94	54.00	-12.06	25.50	37.20	15.41	36.61	0.44	--	Average																																																																																																																																					







Mode	65	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2440MHz	
ANT	4	
Pol.	Horizontal	Vertical
10.8G ~18G Avg	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL





Mode	66																																																																																								
	Band Edge																																																																																								
	2400-2483.5_Bluetooth-LE GSKF_CH76_2478MHz																																																																																								
ANT	4																																																																																								
Pol.	Horizontal						Fundamental																																																																																		
Peak																																																																																									
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>55.98</td><td>74.00</td><td>-18.02</td><td>53.13</td><td>26.70</td><td>8.80</td><td>32.65</td><td>0.00</td><td>191</td><td>215</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2483.56	55.98	74.00	-18.02	53.13	26.70	8.80	32.65	0.00	191	215	PEAK	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>111.72</td><td>-----</td><td>-----</td><td>108.90</td><td>26.68</td><td>8.79</td><td>32.65</td><td>0.00</td><td>191</td><td>215</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2478.00	111.72	-----	-----	108.90	26.68	8.79	32.65	0.00	191	215
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2483.56	55.98	74.00	-18.02	53.13	26.70	8.80	32.65	0.00	191	215	PEAK																																																																													
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2478.00	111.72	-----	-----	108.90	26.68	8.79	32.65	0.00	191	215	PEAK																																																																													
Avg																																																																																									
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.58</td><td>48.02</td><td>54.00</td><td>-5.98</td><td>45.17</td><td>26.70</td><td>8.80</td><td>32.65</td><td>0.00</td><td>191</td><td>215</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2483.58	48.02	54.00	-5.98	45.17	26.70	8.80	32.65	0.00	191	215	AVERAGE	Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>110.34</td><td>-----</td><td>-----</td><td>107.52</td><td>26.68</td><td>8.79</td><td>32.65</td><td>0.00</td><td>191</td><td>215</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2478.00	110.34	-----	-----	107.52	26.68	8.79	32.65	0.00	191	215
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2483.58	48.02	54.00	-5.98	45.17	26.70	8.80	32.65	0.00	191	215	AVERAGE																																																																													
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2478.00	110.34	-----	-----	107.52	26.68	8.79	32.65	0.00	191	215	AVERAGE																																																																													





Mode	66																																																																																													
	Band Edge																																																																																													
	2400-2483.5_Bluetooth-LE GSKF_CH76_2478MHz																																																																																													
ANT	4																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2483.73</td><td>55.07</td><td>74.00 -18.93</td><td>52.22</td><td>26.70</td><td>8.80</td><td>32.65</td><td>0.00</td><td>213</td><td>290</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2483.73	55.07	74.00 -18.93	52.22	26.70	8.80	32.65	0.00	213	290	PEAK	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2478.00</td><td>111.59</td><td>-----</td><td>108.77</td><td>26.68</td><td>8.79</td><td>32.65</td><td>0.00</td><td>213</td><td>290</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2478.00	111.59	-----	108.77	26.68	8.79	32.65	0.00	213	290
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 2483.73	55.07	74.00 -18.93	52.22	26.70	8.80	32.65	0.00	213	290	PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 2478.00	111.59	-----	108.77	26.68	8.79	32.65	0.00	213	290	PEAK																																																																																				
Avg																																																																																														
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2483.66</td><td>47.67</td><td>54.00 -6.33</td><td>44.82</td><td>26.70</td><td>8.80</td><td>32.65</td><td>0.00</td><td>213</td><td>290</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2483.66	47.67	54.00 -6.33	44.82	26.70	8.80	32.65	0.00	213	290	AVERAGE	Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2478.00</td><td>110.23</td><td>-----</td><td>107.41</td><td>26.68</td><td>8.79</td><td>32.65</td><td>0.00</td><td>213</td><td>290</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2478.00	110.23	-----	107.41	26.68	8.79	32.65	0.00	213	290
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 2483.66	47.67	54.00 -6.33	44.82	26.70	8.80	32.65	0.00	213	290	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 2478.00	110.23	-----	107.41	26.68	8.79	32.65	0.00	213	290	AVERAGE																																																																																				



Mode	66												
	Harmonic												
	2400-2483.5_Bluetooth-LE GSKF_CH76_2478MHz												
ANT	4												
Pol.	Horizontal												
Peak													
	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL												
Avg													
	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	4956.00	45.20	74.00	-28.80	33.08	32.70	12.56	33.67	0.53	--	--	--	PEAK
2	7434.00	48.70	74.00	-25.30	32.19	37.24	15.54	36.78	0.51	--	--	--	PEAK
3	7434.00	42.34	54.00	-11.66	25.83	37.24	15.54	36.78	0.51	--	--	--	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	4956.00	45.77	74.00	-28.23	33.65	32.70	12.56	33.67	0.53	--	--	--	PEAK
2	7434.00	48.29	74.00	-25.71	31.78	37.24	15.54	36.78	0.51	--	--	--	PEAK
3	7434.00	41.31	54.00	-12.69	24.00	37.24	15.54	36.78	0.51	--	--	--	Average





Mode	66	
	Harmonic	
	2400-2483.5_Bluetooth-LE GSKF_CH76_2478MHz	
ANT	4	
Pol.	Horizontal	Vertical
10.8G ~18G Avg	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL



Mode	67																																																																																																																																																																																																																																					
	LF																																																																																																																																																																																																																																					
	2400-2483.5_Bluetooth-LE GSKF_CH76_2478MHz																																																																																																																																																																																																																																					
ANT	4																																																																																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																																																																																															
QPI Peak	Site : 03CH20-HY Condition: QP 3m Bilog_55606 & 00_241127 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>40.67</td><td>25.36</td><td>40.00</td><td>-14.64</td><td>40.64</td><td>19.09</td><td>1.13</td><td>35.74</td><td>0.24</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>203.63</td><td>32.12</td><td>43.50</td><td>-11.38</td><td>49.74</td><td>15.14</td><td>2.54</td><td>35.50</td><td>0.20</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>271.53</td><td>34.35</td><td>46.00</td><td>-11.65</td><td>47.59</td><td>19.00</td><td>2.92</td><td>35.35</td><td>0.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>274.44</td><td>34.36</td><td>46.00</td><td>-11.64</td><td>47.71</td><td>18.06</td><td>2.94</td><td>35.34</td><td>0.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>777.87</td><td>32.05</td><td>46.00</td><td>-13.95</td><td>32.52</td><td>28.24</td><td>4.92</td><td>33.78</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>951.50</td><td>34.32</td><td>46.00</td><td>-11.68</td><td>31.03</td><td>30.91</td><td>5.43</td><td>33.15</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr></table> Site : 03CH20-HY Condition: QP 3m Bilog_55606 & 00_241127 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>35.82</td><td>30.80</td><td>40.00</td><td>-9.20</td><td>43.56</td><td>21.73</td><td>1.05</td><td>35.75</td><td>0.21</td><td>100</td><td>360</td><td>QP</td></tr><tr><td>2</td><td>41.64</td><td>29.94</td><td>40.00</td><td>-10.06</td><td>45.72</td><td>18.59</td><td>1.14</td><td>35.74</td><td>0.23</td><td>100</td><td>24</td><td>QP</td></tr><tr><td>3</td><td>46.49</td><td>31.72</td><td>40.00</td><td>-8.28</td><td>49.99</td><td>16.05</td><td>1.20</td><td>35.75</td><td>0.23</td><td>100</td><td>176</td><td>QP</td></tr><tr><td>4</td><td>201.69</td><td>28.93</td><td>43.50</td><td>-14.57</td><td>46.60</td><td>15.11</td><td>2.53</td><td>35.51</td><td>0.20</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>270.56</td><td>28.07</td><td>46.00</td><td>-17.93</td><td>41.16</td><td>19.15</td><td>2.92</td><td>35.35</td><td>0.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>408.30</td><td>31.27</td><td>46.00</td><td>-14.73</td><td>40.40</td><td>22.12</td><td>3.58</td><td>34.98</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	40.67	25.36	40.00	-14.64	40.64	19.09	1.13	35.74	0.24	--	--	Peak	2	203.63	32.12	43.50	-11.38	49.74	15.14	2.54	35.50	0.20	--	--	Peak	3	271.53	34.35	46.00	-11.65	47.59	19.00	2.92	35.35	0.19	--	--	Peak	4	274.44	34.36	46.00	-11.64	47.71	18.06	2.94	35.34	0.19	--	--	Peak	5	777.87	32.05	46.00	-13.95	32.52	28.24	4.92	33.78	0.15	--	--	Peak	6	951.50	34.32	46.00	-11.68	31.03	30.91	5.43	33.15	0.10	--	--	Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	35.82	30.80	40.00	-9.20	43.56	21.73	1.05	35.75	0.21	100	360	QP	2	41.64	29.94	40.00	-10.06	45.72	18.59	1.14	35.74	0.23	100	24	QP	3	46.49	31.72	40.00	-8.28	49.99	16.05	1.20	35.75	0.23	100	176	QP	4	201.69	28.93	43.50	-14.57	46.60	15.11	2.53	35.51	0.20	--	--	Peak	5	270.56	28.07	46.00	-17.93	41.16	19.15	2.92	35.35	0.19	--	--	Peak	6	408.30	31.27	46.00	-14.73	40.40	22.12	3.58	34.98	0.15	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																												
1	40.67	25.36	40.00	-14.64	40.64	19.09	1.13	35.74	0.24	--	--	Peak																																																																																																																																																																																																																										
2	203.63	32.12	43.50	-11.38	49.74	15.14	2.54	35.50	0.20	--	--	Peak																																																																																																																																																																																																																										
3	271.53	34.35	46.00	-11.65	47.59	19.00	2.92	35.35	0.19	--	--	Peak																																																																																																																																																																																																																										
4	274.44	34.36	46.00	-11.64	47.71	18.06	2.94	35.34	0.19	--	--	Peak																																																																																																																																																																																																																										
5	777.87	32.05	46.00	-13.95	32.52	28.24	4.92	33.78	0.15	--	--	Peak																																																																																																																																																																																																																										
6	951.50	34.32	46.00	-11.68	31.03	30.91	5.43	33.15	0.10	--	--	Peak																																																																																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																												
1	35.82	30.80	40.00	-9.20	43.56	21.73	1.05	35.75	0.21	100	360	QP																																																																																																																																																																																																																										
2	41.64	29.94	40.00	-10.06	45.72	18.59	1.14	35.74	0.23	100	24	QP																																																																																																																																																																																																																										
3	46.49	31.72	40.00	-8.28	49.99	16.05	1.20	35.75	0.23	100	176	QP																																																																																																																																																																																																																										
4	201.69	28.93	43.50	-14.57	46.60	15.11	2.53	35.51	0.20	--	--	Peak																																																																																																																																																																																																																										
5	270.56	28.07	46.00	-17.93	41.16	19.15	2.92	35.35	0.19	--	--	Peak																																																																																																																																																																																																																										
6	408.30	31.27	46.00	-14.73	40.40	22.12	3.58	34.98	0.15	--	--	Peak																																																																																																																																																																																																																										




Mode	68																																																																																						
	SHF																																																																																						
	2400-2483.5_Bluetooth-LE GSKF_CH76_2478MHz																																																																																						
ANT	4																																																																																						
Pol.	Horizontal					Vertical																																																																																	
Peak																																																																																							
	Site : 03CH22-HY Condition: PEAK_74 1m SHF_1225_240624 HORIZONTAL					Site : 03CH22-HY Condition: PEAK_74 1m SHF_1225_240624 VERTICAL																																																																																	
	<table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 24845.76</td><td>39.66</td><td>74.00</td><td>-34.34</td><td></td><td>41.71</td><td>38.72</td><td>29.00</td><td>60.23</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1 24845.76	39.66	74.00	-34.34		41.71	38.72	29.00	60.23	-9.54	--	--	PEAK	<table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 23977.00</td><td>40.38</td><td>74.00</td><td>-33.62</td><td></td><td>42.32</td><td>38.85</td><td>28.95</td><td>60.20</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1 23977.00	40.38	74.00	-33.62		42.32	38.85	28.95	60.20	-9.54	--	--
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 24845.76	39.66	74.00	-34.34		41.71	38.72	29.00	60.23	-9.54	--	--	PEAK																																																																											
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 23977.00	40.38	74.00	-33.62		42.32	38.85	28.95	60.20	-9.54	--	--	PEAK																																																																											




Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
3	Bluetooth - LE for GFSK 1Mbps	9.65	45	22.19	24kHz
3	Bluetooth - LE for GFSK 2Mbps	11.11	28	35.71	36kHz
4	Bluetooth - LE for GFSK 1Mbps	9.63	45	22.19	24kHz
4	Bluetooth - LE for GFSK 2Mbps	11.11	28	35.71	36kHz

<Ant. 3>



<Ant. 4>



—THE END—