




LTE Band 5B / 10MHz+5MHz


QPSK

Lowest Channel / 1RB0 and 1RB24

Lowest Channel / 1RB49 and 1RB0




Date: 2.DEC.2025 01:04:46




Date: 2.DEC.2025 01:03:41

Middle Channel / 1RB0 and 1RB24

Middle Channel / 1RB49 and 1RB0



Date: 2.DEC.2025 01:08:05



Date: 2.DEC.2025 01:09:10





LTE Band 5B / 10MHz+5MHz

QPSK

Highest Channel / 1RB0 and 1RB24

Highest Channel / 1RB49 and 1RB0







LTE Band 5B / 10MHz+10MHz

QPSK



Lowest Channel / 1RB0 and 1RB49

Lowest Channel / 1RB49 and 1RB0



Middle Channel / 1RB0 and 1RB49

Middle Channel / 1RB49 and 1RB0







LTE Band 5B / 10MHz+10MHz

QPSK

Highest Channel / 1RB0 and 1RB49

Highest Channel / 1RB49 and 1RB0





Appendix B. Radiated Spurious Emission Test Data

Test Engineer :	Tim Lee 、 Wilson Wu 、 Gerry Wei	Relative Humidity(%):	50~60%
		Test Engineer : Temperature(°C):	20~25°C



B1.Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 22H	LTE B26	L	2473	-39.64	RMS	27.83	-27.28	0.22	-95.23	54.82	-13.00	-26.64	H	0
2	Part 22H	LTE B26	M	2496	-54.87	RMS	28.06	-27.26	0.21	-95.23	39.35	-13.00	-41.87	H	1
3	Part 22H	LTE CA 5B	L	3298	-56.40	RMS	29.70	-26.24	0.20	-95.23	35.17	-13.00	-43.40	V	0
4	Part 22H	LTE CA 5B	M	3309	-57.22	RMS	29.70	-26.22	0.21	-95.23	34.32	-13.00	-44.22	V	1
1	Part 24E	LTE B25	L	5551	-39.05	RMS	33.30	-23.38	0.23	-95.23	46.03	-13.00	-26.05	H	2
2	Part 24E	LTE B25	M	7502	-46.20	RMS	36.59	-22.00	0.14	-95.23	34.30	-13.00	-33.20	V	0
3	Part 24E	LTE B25	M	7502	-46.96	RMS	36.59	-22.00	0.14	-95.23	33.54	-13.00	-33.96	H	1
4	Part 24E	LTE B25	M	7484	-46.89	RMS	36.63	-22.01	0.16	-95.23	33.56	-13.00	-33.89	V	5




Ant. 0

Part 22H Mode 1

LTE B26 10M Ch26840 1RB0 QPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: LTE Band 26 10M Ch26840 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m		dB	dB	dBuV	dBm	dB	
1	1649.00	-62.78	RMS	25.40	-29.28	0.41	-95.23	35.92	-13.00	-49.78	Horizontal	
2	2473.00	-39.64	RMS	27.83	-27.28	0.22	-95.23	54.82	-13.00	-26.64	Horizontal	
3	3298.00	-58.21	RMS	29.70	-26.24	0.20	-95.23	33.36	-13.00	-45.21	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: LTE Band 26 10M Ch26840 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m		dB	dB	dBuV	dBm	dB	
1	1649.00	-63.54	RMS	25.40	-29.28	0.41	-95.23	35.16	-13.00	-50.54	Vertical	
2	2473.00	-39.96	RMS	27.83	-27.28	0.22	-95.23	54.50	-13.00	-26.96	Vertical	
3	3298.00	-57.13	RMS	29.70	-26.24	0.20	-95.23	34.44	-13.00	-44.13	Vertical	




Ant. 0

Part 22H Mode 1

LTE B26 10M Ch26915 1RB0 QPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: LTE Band 26 10M Ch26915 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor		EIRPCF		Readin	Limit	Margin		Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dB	dBuV	dBm	dB	dB	
1	1664.00	-62.92	RMS	25.50	-29.21	0.40	-95.23	35.62	-13.00	-49.92	Horizontal			
2	2496.00	-40.63	RMS	28.06	-27.26	0.21	-95.23	53.59	-13.00	-27.63	Horizontal			
3	3328.00	-57.79	RMS	29.70	-26.19	0.22	-95.23	33.71	-13.00	-44.79	Horizontal			



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: LTE Band 26 10M Ch26915 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor		EIRPCF		Readin	Limit	Margin		Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dB	dBuV	dBm	dB	dB	
1	1664.00	-63.14	RMS	25.50	-29.21	0.40	-95.23	35.40	-13.00	-50.14	Vertical			
2	2496.00	-45.08	RMS	28.06	-27.26	0.21	-95.23	49.14	-13.00	-32.08	Vertical			
3	3328.00	-58.21	RMS	29.70	-26.19	0.22	-95.23	33.29	-13.00	-45.21	Vertical			




Ant. 0

Part 22H Mode 1

LTE B26 10M Ch26990 1RB0 QPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: LTE Band 26 10M Ch26990 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1679.00	-62.41	RMS		25.50	-29.14	0.39	-95.23	36.07	-13.00	-49.41		Horizontal
2	2518.00	-45.88	RMS		28.18	-27.24	0.20	-95.23	48.21	-13.00	-32.88		Horizontal
3	3358.00	-56.67	RMS		29.72	-26.15	0.25	-95.23	34.74	-13.00	-43.67		Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: LTE Band 26 10M Ch26990 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1679.00	-62.21	RMS		25.50	-29.14	0.39	-95.23	36.27	-13.00	-49.21		Vertical
2	2518.00	-47.65	RMS		28.18	-27.24	0.20	-95.23	46.44	-13.00	-34.65		Vertical
3	3358.00	-56.60	RMS		29.72	-26.15	0.25	-95.23	34.81	-13.00	-43.60		Vertical




Ant. 0

Part 22H Mode 3

LTE CA 5B 10M + 10M Ch20450 1RB49 QPSK + Ch20549 1RB0 QPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: LTE Band 5B 10M Ch20450 1RB49 QPSK

: LTE Band 5B 10M Ch20549 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB				
1	1649.00	-63.71	RMS	25.40	-29.28	0.41	-95.23	-95.23	34.99	-13.00	-50.71	Horizontal
2	2473.00	-59.49	RMS	27.83	-27.28	0.22	-95.23	-95.23	34.97	-13.00	-46.49	Horizontal
3	3298.00	-56.73	RMS	29.70	-26.24	0.20	-95.23	-95.23	34.84	-13.00	-43.73	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: LTE Band 5B 10M Ch20450 1RB49 QPSK

: LTE Band 5B 10M Ch20549 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB				
1	1649.00	-63.91	RMS	25.40	-29.28	0.41	-95.23	-95.23	34.79	-13.00	-50.91	Vertical
2	2473.00	-59.48	RMS	27.83	-27.28	0.22	-95.23	-95.23	34.98	-13.00	-46.48	Vertical
3	3298.00	-56.40	RMS	29.70	-26.24	0.20	-95.23	-95.23	35.17	-13.00	-43.40	Vertical




Ant. 0

Part 22H Mode 3

LTE CA 5B 10M + 10M Ch20476 1RB49 QPSK + Ch20575 1RB0 QPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: LTE Band 5B 10M Ch20476 1RB49 QPSK

: LTE Band 5B 10M Ch20575 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	1654.00	-63.83	RMS	25.44	-29.26	0.40	-95.23	-95.23	34.82	-13.00	-50.83	Horizontal
2	2482.00	-59.90	RMS	27.92	-27.28	0.21	-95.23	-95.23	34.48	-13.00	-46.90	Horizontal
3	3309.00	-57.18	RMS	29.70	-26.22	0.21	-95.23	-95.23	34.36	-13.00	-44.18	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: LTE Band 5B 10M Ch20476 1RB49 QPSK

: LTE Band 5B 10M Ch20575 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	1654.00	-64.29	RMS	25.44	-29.26	0.40	-95.23	-95.23	34.36	-13.00	-51.29	Vertical
2	2482.00	-59.47	RMS	27.92	-27.28	0.21	-95.23	-95.23	34.91	-13.00	-46.47	Vertical
3	3309.00	-56.77	RMS	29.70	-26.22	0.21	-95.23	-95.23	34.77	-13.00	-43.77	Vertical




Ant. 0

Part 22H Mode 3

LTE CA 5B 10M + 10M Ch20501 1RB49 QPSK + Ch20600 1RB0 QPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: LTE Band 5B 10M Ch20501 1RB49 QPSK

: LTE Band 5B 10M Ch20600 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB				
1	1669.00	-64.01	RMS	25.50	-29.19	0.40	-95.23	-95.23	34.51	-13.00	-51.01	Horizontal
2	2504.00	-59.54	RMS	28.10	-27.26	0.20	-95.23	-95.23	34.65	-13.00	-46.54	Horizontal
3	3339.00	-56.95	RMS	29.70	-26.17	0.23	-95.23	-95.23	34.52	-13.00	-43.95	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: LTE Band 5B 10M Ch20501 1RB49 QPSK

: LTE Band 5B 10M Ch20600 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB				
1	1669.00	-64.31	RMS	25.50	-29.19	0.40	-95.23	-95.23	34.21	-13.00	-51.31	Vertical
2	2504.00	-58.92	RMS	28.10	-27.26	0.20	-95.23	-95.23	35.27	-13.00	-45.92	Vertical
3	3339.00	-56.71	RMS	29.70	-26.17	0.23	-95.23	-95.23	34.76	-13.00	-43.71	Vertical




Ant. 1

Part 22H Mode 2

LTE B26 10M Ch26915 1RB0 QPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: LTE Band 26 10M Ch26915 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB	g	dBm	dB	
	MHz	dBm			dB/m	dB	dB	dB	dBuV			
1	1664.00	-63.65	RMS	25.50	-29.21	0.40	-95.23	34.89	-13.00	-50.65	Horizontal	
2	2496.00	-54.87	RMS	28.06	-27.26	0.21	-95.23	39.35	-13.00	-41.87	Horizontal	
3	3328.00	-56.91	RMS	29.70	-26.19	0.22	-95.23	34.59	-13.00	-43.91	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: LTE Band 26 10M Ch26915 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB	g	dBm	dB	
	MHz	dBm			dB/m	dB	dB	dB	dBuV			
1	1664.00	-64.00	RMS	25.50	-29.21	0.40	-95.23	34.54	-13.00	-51.00	Vertical	
2	2496.00	-58.48	RMS	28.06	-27.26	0.21	-95.23	35.74	-13.00	-45.48	Vertical	
3	3328.00	-56.66	RMS	29.70	-26.19	0.22	-95.23	34.84	-13.00	-43.66	Vertical	




Ant. 1

Part 22H Mode 4

LTE CA 5B 10M + 10M Ch20476 1RB49 QPSK + Ch20575 1RB0 QPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: LTE Band 5B 10M Ch20476 1RB49 QPSK

: LTE Band 5B 10M Ch20575 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB		dBm	dB	
1	1654.00	-64.09	RMS	25.44	-29.26	0.40	-95.23	-95.23	34.56	-13.00	-51.09	Horizontal
2	2482.00	-59.37	RMS	27.92	-27.28	0.21	-95.23	-95.23	35.01	-13.00	-46.37	Horizontal
3	3309.00	-57.24	RMS	29.70	-26.22	0.21	-95.23	-95.23	34.30	-13.00	-44.24	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: LTE Band 5B 10M Ch20476 1RB49 QPSK

: LTE Band 5B 10M Ch20575 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB		dBm	dB	
1	1654.00	-64.21	RMS	25.44	-29.26	0.40	-95.23	-95.23	34.44	-13.00	-51.21	Vertical
2	2482.00	-59.44	RMS	27.92	-27.28	0.21	-95.23	-95.23	34.94	-13.00	-46.44	Vertical
3	3309.00	-57.22	RMS	29.70	-26.22	0.21	-95.23	-95.23	34.32	-13.00	-44.22	Vertical




Ant. 2

Part 24E Mode 1


LTE B25 10M Ch26090 1RB0 QPSK

L



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: LTE Band 25 10M Ch26090 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	3701.00	-54.93	RMS	29.91	-25.62	0.86	-95.23		35.15	-13.00	-41.93		Horizontal
2	5551.00	-39.05	RMS	33.30	-23.38	0.23	-95.23		46.03	-13.00	-26.05		Horizontal
3	7402.00	-46.19	RMS	36.89	-22.07	0.25	-95.23		33.97	-13.00	-33.19		Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: LTE Band 25 10M Ch26090 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	3701.00	-55.22	RMS	29.91	-25.62	0.86	-95.23		34.86	-13.00	-42.22		Vertical
2	5551.00	-43.15	RMS	33.30	-23.38	0.23	-95.23		41.93	-13.00	-30.15		Vertical
3	7402.00	-46.44	RMS	36.89	-22.07	0.25	-95.23		33.72	-13.00	-33.44		Vertical




Ant. 2

Part 24E Mode 1


LTE B25 10M Ch26340 1RB0 QPSK

M



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: LTE Band 25 10M Ch26340 1RB0 QPSK

	Freq	Level	Detector	Ant Factor		Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin		Pol
	MHz	dBm													
1	3751.00	-55.19	RMS	30.21	-25.57	0.75	-95.23	34.65	-13.00	-42.19	Horizontal				
2	5627.00	-41.22	RMS	33.35	-23.30	0.20	-95.23	43.76	-13.00	-28.22	Horizontal				
3	7502.00	-46.57	RMS	36.59	-22.00	0.14	-95.23	33.93	-13.00	-33.57	Horizontal				



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: LTE Band 25 10M Ch26340 1RB0 QPSK

	Freq	Level	Detector	Ant Factor		Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin		Pol
	MHz	dBm													
1	3751.00	-55.04	RMS	30.21	-25.57	0.75	-95.23	34.80	-13.00	-42.04	Vertical				
2	5627.00	-42.91	RMS	33.35	-23.30	0.20	-95.23	42.07	-13.00	-29.91	Vertical				
3	7502.00	-46.68	RMS	36.59	-22.00	0.14	-95.23	33.82	-13.00	-33.68	Vertical				




Ant. 2

Part 24E Mode 1


LTE B25 10M Ch26640 1RB0 QPSK

H



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: LTE Band 25 10M Ch26640 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	3811.00	-54.94	RMS	30.59	-25.49	0.63	-95.23		34.56	-13.00	-41.94		Horizontal
2	5716.00	-45.80	RMS	33.76	-23.27	0.35	-95.23		38.59	-13.00	-32.80		Horizontal
3	7622.00	-46.75	RMS	36.49	-21.95	0.06	-95.23		33.88	-13.00	-33.75		Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: LTE Band 25 10M Ch26640 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	3811.00	-55.04	RMS	30.59	-25.49	0.63	-95.23		34.46	-13.00	-42.04		Vertical
2	5716.00	-44.52	RMS	33.76	-23.27	0.35	-95.23		39.87	-13.00	-31.52		Vertical
3	7622.00	-46.64	RMS	36.49	-21.95	0.06	-95.23		33.99	-13.00	-33.64		Vertical




Ant. 0

Part 24E Mode 2


LTE B25 10M Ch26340 1RB0 QPSK

M



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: LTE Band 25 10M Ch26340 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	3751.00	-55.48	RMS	30.21	-25.57	0.75	-95.23	34.36	-13.00	-42.48	Horizontal	
2	5627.00	-50.90	RMS	33.35	-23.30	0.20	-95.23	34.08	-13.00	-37.90	Horizontal	
3	7502.00	-46.40	RMS	36.59	-22.00	0.14	-95.23	34.10	-13.00	-33.40	Horizontal	



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: LTE Band 25 10M Ch26340 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	3751.00	-55.47	RMS	30.21	-25.57	0.75	-95.23	34.37	-13.00	-42.47	Vertical	
2	5627.00	-50.98	RMS	33.35	-23.30	0.20	-95.23	34.00	-13.00	-37.98	Vertical	
3	7502.00	-46.20	RMS	36.59	-22.00	0.14	-95.23	34.30	-13.00	-33.20	Vertical	




Ant. 1

Part 24E Mode 3


LTE B25 10M Ch26340 1RB0 QPSK

M



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: LTE Band 25 10M Ch26340 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	3751.00	-55.75	RMS	30.21	-25.57	0.75	-95.23		34.09	-13.00	-42.75		Horizontal
2	5627.00	-51.32	RMS	33.35	-23.30	0.20	-95.23		33.66	-13.00	-38.32		Horizontal
3	7502.00	-46.96	RMS	36.59	-22.00	0.14	-95.23		33.54	-13.00	-33.96		Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: LTE Band 25 10M Ch26340 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	3751.00	-55.48	RMS	30.21	-25.57	0.75	-95.23		34.36	-13.00	-42.48		Vertical
2	5627.00	-51.61	RMS	33.35	-23.30	0.20	-95.23		33.37	-13.00	-38.61		Vertical
3	7502.00	-47.14	RMS	36.59	-22.00	0.14	-95.23		33.36	-13.00	-34.14		Vertical




Ant. 5

Part 24E Mode 4


LTE B25 10M Ch26340 1RB0 QPSK

M



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: LTE Band 25 10M Ch26340 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	3742.00	-55.56	RMS	30.15	-25.58	0.77	-95.23	34.33	-13.00	-42.56	Horizontal		
2	5613.00	-51.83	RMS	33.33	-23.30	0.18	-95.23	33.19	-13.00	-38.83	Horizontal		
3	7484.00	-47.25	RMS	36.63	-22.01	0.16	-95.23	33.20	-13.00	-34.25	Horizontal		



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: LTE Band 25 10M Ch26340 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	3742.00	-55.89	RMS	30.15	-25.58	0.77	-95.23	34.00	-13.00	-42.89	Vertical		
2	5613.00	-51.75	RMS	33.33	-23.30	0.18	-95.23	33.27	-13.00	-38.75	Vertical		
3	7484.00	-46.89	RMS	36.63	-22.01	0.16	-95.23	33.56	-13.00	-33.89	Vertical		