











Mode	4																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.945~6.425_802.11ax HE80_CH7_5985MHz																																																																																											
ANT	4+3																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5922.60</td><td>73.94</td><td>88.20</td><td>-14.26</td><td>61.67</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>323 5 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5922.60	73.94	88.20	-14.26	61.67	34.30	11.56	33.59	0.00									323 5 PEAK	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5985.00</td><td>102.98</td><td>-----</td><td>-----</td><td>90.65</td><td>34.24</td><td>11.74</td><td>33.65</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>323 5 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5985.00	102.98	-----	-----	90.65	34.24	11.74	33.65	0.00									323 5 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5922.60	73.94	88.20	-14.26	61.67	34.30	11.56	33.59	0.00																																																																																				
								323 5 PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5985.00	102.98	-----	-----	90.65	34.24	11.74	33.65	0.00																																																																																				
								323 5 PEAK																																																																																				
Avg	 Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5924.20</td><td>65.13</td><td>68.20</td><td>-3.07</td><td>52.86</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>323 5 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5924.20	65.13	68.20	-3.07	52.86	34.30	11.56	33.59	0.00									323 5 AVERAGE	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5985.00</td><td>94.95</td><td>-----</td><td>-----</td><td>82.61</td><td>34.21</td><td>11.80</td><td>33.67</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>323 5 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5985.00	94.95	-----	-----	82.61	34.21	11.80	33.67	0.00									323 5 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5924.20	65.13	68.20	-3.07	52.86	34.30	11.56	33.59	0.00																																																																																				
								323 5 AVERAGE																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5985.00	94.95	-----	-----	82.61	34.21	11.80	33.67	0.00																																																																																				
								323 5 AVERAGE																																																																																				







Mode	4																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																														
	U-NII-5_5.945~6.425_802.11ax HE80_CH7_5985MHz																																																																																																																																																																																														
ANT	4+3																																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																																								
Peak Avg																																																																																																																																																																																															
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL																																																																																																																																																																																								
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11970.00</td><td>52.03</td><td>74.00</td><td>-21.97</td><td>59.46</td><td>39.00</td><td>19.38</td><td>66.38</td><td>0.57</td><td>213</td><td></td><td>55 Peak</td></tr><tr><td>2</td><td>11970.00</td><td>42.10</td><td>54.00</td><td>-11.90</td><td>49.53</td><td>39.00</td><td>19.38</td><td>66.38</td><td>0.57</td><td>213</td><td></td><td>55 Average</td></tr><tr><td>3</td><td>17955.00</td><td>59.17</td><td>74.00</td><td>-14.83</td><td>60.88</td><td>42.83</td><td>23.78</td><td>68.86</td><td>0.54</td><td>126</td><td></td><td>102 Peak</td></tr><tr><td>4</td><td>17955.00</td><td>49.24</td><td>54.00</td><td>-4.76</td><td>50.95</td><td>42.83</td><td>23.78</td><td>68.86</td><td>0.54</td><td>126</td><td></td><td>102 Average</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11970.00	52.03	74.00	-21.97	59.46	39.00	19.38	66.38	0.57	213		55 Peak	2	11970.00	42.10	54.00	-11.90	49.53	39.00	19.38	66.38	0.57	213		55 Average	3	17955.00	59.17	74.00	-14.83	60.88	42.83	23.78	68.86	0.54	126		102 Peak	4	17955.00	49.24	54.00	-4.76	50.95	42.83	23.78	68.86	0.54	126		102 Average	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11970.00</td><td>52.21</td><td>74.00</td><td>-21.79</td><td>59.64</td><td>39.00</td><td>19.38</td><td>66.38</td><td>0.57</td><td>141</td><td></td><td>23 Peak</td></tr><tr><td>2</td><td>11970.00</td><td>42.29</td><td>54.00</td><td>-11.71</td><td>49.72</td><td>39.00</td><td>19.38</td><td>66.38</td><td>0.57</td><td>141</td><td></td><td>23 Average</td></tr><tr><td>3</td><td>17955.00</td><td>58.55</td><td>74.00</td><td>-15.45</td><td>60.26</td><td>42.83</td><td>23.78</td><td>68.86</td><td>0.54</td><td>157</td><td></td><td>59 Peak</td></tr><tr><td>4</td><td>17955.00</td><td>48.63</td><td>54.00</td><td>-5.37</td><td>50.34</td><td>42.83</td><td>23.78</td><td>68.86</td><td>0.54</td><td>157</td><td></td><td>59 Average</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11970.00	52.21	74.00	-21.79	59.64	39.00	19.38	66.38	0.57	141		23 Peak	2	11970.00	42.29	54.00	-11.71	49.72	39.00	19.38	66.38	0.57	141		23 Average	3	17955.00	58.55	74.00	-15.45	60.26	42.83	23.78	68.86	0.54	157		59 Peak	4	17955.00	48.63	54.00	-5.37	50.34	42.83	23.78	68.86	0.54	157		59 Average
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	11970.00	52.03	74.00	-21.97	59.46	39.00	19.38	66.38	0.57	213		55 Peak																																																																																																																																																																																			
2	11970.00	42.10	54.00	-11.90	49.53	39.00	19.38	66.38	0.57	213		55 Average																																																																																																																																																																																			
3	17955.00	59.17	74.00	-14.83	60.88	42.83	23.78	68.86	0.54	126		102 Peak																																																																																																																																																																																			
4	17955.00	49.24	54.00	-4.76	50.95	42.83	23.78	68.86	0.54	126		102 Average																																																																																																																																																																																			
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	11970.00	52.21	74.00	-21.79	59.64	39.00	19.38	66.38	0.57	141		23 Peak																																																																																																																																																																																			
2	11970.00	42.29	54.00	-11.71	49.72	39.00	19.38	66.38	0.57	141		23 Average																																																																																																																																																																																			
3	17955.00	58.55	74.00	-15.45	60.26	42.83	23.78	68.86	0.54	157		59 Peak																																																																																																																																																																																			
4	17955.00	48.63	54.00	-5.37	50.34	42.83	23.78	68.86	0.54	157		59 Average																																																																																																																																																																																			





Mode	4	
	Harmonic	
	U-NII-5_5.945~6.425_802.11ax HE80_CH7_5985MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 VERTICAL
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	5																																					
	Band Edge																																					
	U-NII-5_5.945~6.425_802.11ax HE80_CH55_6225MHz																																					
ANT	4+3																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>NHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6225.00 104.04</td><td>-----</td><td>91.03</td><td>34.44</td><td>12.32</td><td>33.75</td><td>0.00</td><td>150</td><td>14 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						NHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6225.00 104.04	-----	91.03	34.44	12.32	33.75	0.00	150	14 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																			
NHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																						
1 6225.00 104.04	-----	91.03	34.44	12.32	33.75	0.00	150	14 PEAK																														
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>NHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6225.00 95.51</td><td>-----</td><td>82.49</td><td>34.43</td><td>12.34</td><td>33.75</td><td>0.00</td><td>150</td><td>14 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						NHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6225.00 95.51	-----	82.49	34.43	12.34	33.75	0.00	150	14 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																			
NHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																						
1 6225.00 95.51	-----	82.49	34.43	12.34	33.75	0.00	150	14 AVERAGE																														





Mode	5																																												
	Band Edge																																												
	U-NII-5_5.945~6.425_802.11ax HE80_CH55_6225MHz																																												
ANT	4+3																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>101.57</td><td>-----</td><td>-----</td><td>88.56</td><td>34.44</td><td>12.32</td><td>33.75</td><td>0.00</td><td>295</td><td>357</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6225.00	101.57	-----	-----	88.56	34.44	12.32	33.75	0.00	295	357	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6225.00	101.57	-----	-----	88.56	34.44	12.32	33.75	0.00	295	357	PEAK																																	
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>93.36</td><td>-----</td><td>-----</td><td>80.34</td><td>34.43</td><td>12.34</td><td>33.75</td><td>0.00</td><td>295</td><td>357</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6225.00	93.36	-----	-----	80.34	34.43	12.34	33.75	0.00	295	357	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6225.00	93.36	-----	-----	80.34	34.43	12.34	33.75	0.00	295	357	AVERAGE																																	







Mode	5																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-5_5.945~6.425_802.11ax HE80_CH55_6225MHz																																																																																																																																							
ANT	4+3																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>54.68</td><td>74.00</td><td>-19.32</td><td>61.19</td><td>38.80</td><td>20.42</td><td>66.42</td><td>0.69</td><td>157</td><td>124 PEAK</td></tr><tr><td>2</td><td>12450.00</td><td>46.26</td><td>54.00</td><td>-7.74</td><td>52.77</td><td>38.80</td><td>20.42</td><td>66.42</td><td>0.69</td><td>157</td><td>124 Average</td></tr><tr><td>3</td><td>18675.00</td><td>29.56</td><td>74.00</td><td>-44.44</td><td>33.40</td><td>37.74</td><td>21.69</td><td>53.73</td><td>-9.54</td><td>0</td><td>0 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	54.68	74.00	-19.32	61.19	38.80	20.42	66.42	0.69	157	124 PEAK	2	12450.00	46.26	54.00	-7.74	52.77	38.80	20.42	66.42	0.69	157	124 Average	3	18675.00	29.56	74.00	-44.44	33.40	37.74	21.69	53.73	-9.54	0	0 Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>61.20</td><td>38.80</td><td>20.42</td><td>66.42</td><td>0.69</td><td>227</td><td>97 PEAK</td></tr><tr><td>2</td><td>12450.00</td><td>46.26</td><td>54.00</td><td>-7.74</td><td>52.77</td><td>38.80</td><td>20.42</td><td>66.42</td><td>0.69</td><td>227</td><td>97 Average</td></tr><tr><td>3</td><td>18675.00</td><td>29.16</td><td>74.00</td><td>-44.84</td><td>33.00</td><td>37.74</td><td>21.69</td><td>53.73</td><td>-9.54</td><td>0</td><td>0 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	54.69	74.00	-19.31	61.20	38.80	20.42	66.42	0.69	227	97 PEAK	2	12450.00	46.26	54.00	-7.74	52.77	38.80	20.42	66.42	0.69	227	97 Average	3	18675.00	29.16	74.00	-44.84	33.00	37.74	21.69	53.73	-9.54	0	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	12450.00	54.68	74.00	-19.32	61.19	38.80	20.42	66.42	0.69	157	124 PEAK																																																																																																																													
2	12450.00	46.26	54.00	-7.74	52.77	38.80	20.42	66.42	0.69	157	124 Average																																																																																																																													
3	18675.00	29.56	74.00	-44.44	33.40	37.74	21.69	53.73	-9.54	0	0 Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	12450.00	54.69	74.00	-19.31	61.20	38.80	20.42	66.42	0.69	227	97 PEAK																																																																																																																													
2	12450.00	46.26	54.00	-7.74	52.77	38.80	20.42	66.42	0.69	227	97 Average																																																																																																																													
3	18675.00	29.16	74.00	-44.84	33.00	37.74	21.69	53.73	-9.54	0	0 Peak																																																																																																																													





Mode	5	
	Harmonic	
	U-NII-5_5.945~6.425_802.11ax HE80_CH55_6225MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 VERTICAL
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	6																																						
	Band Edge																																						
	U-NII-5_5.945~6.425_802.11ax HE80_CH87_6385MHz																																						
ANT	4+3																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6385.00</td><td>102.70</td><td>-----</td><td>89.86</td><td>34.80</td><td>11.85</td><td>33.81</td><td>0.00</td><td>104 59 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	6385.00	102.70	-----	89.86	34.80	11.85	33.81	0.00	104 59 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1	6385.00	102.70	-----	89.86	34.80	11.85	33.81	0.00	104 59 PEAK																														
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6385.00</td><td>95.00</td><td>-----</td><td>82.16</td><td>34.80</td><td>11.85</td><td>33.81</td><td>0.00</td><td>104 59 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	6385.00	95.00	-----	82.16	34.80	11.85	33.81	0.00	104 59 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1	6385.00	95.00	-----	82.16	34.80	11.85	33.81	0.00	104 59 AVERAGE																														





Mode	6																																								
	Band Edge																																								
	U-NII-5_5.945~6.425_802.11ax HE80_CH87_6385MHz																																								
ANT	4+3																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6385.00</td><td>101.97</td><td>-----</td><td>89.12</td><td>34.83</td><td>11.84</td><td>33.82</td><td>0.00</td><td>100</td><td>10</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	6385.00	101.97	-----	89.12	34.83	11.84	33.82	0.00	100	10	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	6385.00	101.97	-----	89.12	34.83	11.84	33.82	0.00	100	10	PEAK																														
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6385.00</td><td>94.85</td><td>-----</td><td>82.01</td><td>34.80</td><td>11.85</td><td>33.81</td><td>0.00</td><td>100</td><td>10</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	6385.00	94.85	-----	82.01	34.80	11.85	33.81	0.00	100	10	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	6385.00	94.85	-----	82.01	34.80	11.85	33.81	0.00	100	10	AVERAGE																														







Mode	6																																																																	
	Harmonic																																																																	
	U-NII-5_5.945~6.425_802.11ax HE80_CH87_6385MHz																																																																	
ANT	4+3																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH12-HY Condition: PEAK(U-NII)_6E 3m 91200-02114-240711 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(U-NII)_6E 3m 91200-02114-240711 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>53.68</td><td>88.20</td><td>-34.52</td><td>59.66</td><td>39.38</td><td>20.62</td><td>66.76</td><td>0.78</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19155.00</td><td>29.64</td><td>74.00</td><td>-44.36</td><td>32.83</td><td>37.80</td><td>22.06</td><td>53.51</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	53.68	88.20	-34.52	59.66	39.38	20.62	66.76	0.78	--	PEAK	2	19155.00	29.64	74.00	-44.36	32.83	37.80	22.06	53.51	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	12770.00	53.68	88.20	-34.52	59.66	39.38	20.62	66.76	0.78	--	PEAK																																																							
2	19155.00	29.64	74.00	-44.36	32.83	37.80	22.06	53.51	-9.54	--	Peak																																																							





Mode	6	
	Harmonic	
	U-NII-5_5.945~6.425_802.11ax HE80_CH87_6385MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 VERTICAL
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	7																																													
	Band Edge																																													
	U-NII-6_6.425~6.525_802.11ax HE80_CH103_6465MHz																																													
ANT	4+3																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6465.00</td><td>103.17</td><td>-----</td><td>-----</td><td>89.89</td><td>35.15</td><td>11.98</td><td>33.85</td><td>0.00</td><td>218</td><td>20</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6465.00	103.17	-----	-----	89.89	35.15	11.98	33.85	0.00	218	20	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6465.00	103.17	-----	-----	89.89	35.15	11.98	33.85	0.00	218	20	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6465.00</td><td>94.76</td><td>-----</td><td>-----</td><td>81.63</td><td>35.04</td><td>11.93</td><td>33.84</td><td>0.00</td><td>218</td><td>20</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6465.00	94.76	-----	-----	81.63	35.04	11.93	33.84	0.00	218	20	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6465.00	94.76	-----	-----	81.63	35.04	11.93	33.84	0.00	218	20	AVERAGE																																		





Mode	7																																																																
	Band Edge																																																																
	U-NII-6_6.425~6.525_802.11ax HE80_CH103_6465MHz																																																																
ANT	4+3																																																																
Pol.	Vertical	Fundamental																																																															
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6465.00</td><td>102.21</td><td>-----</td><td>89.08</td><td>35.04</td><td>11.93</td><td>33.84</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>4 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	6465.00	102.21	-----	89.08	35.04	11.93	33.84	0.00									cm									deg									4 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																									
1	6465.00	102.21	-----	89.08	35.04	11.93	33.84	0.00																																																									
								cm																																																									
								deg																																																									
								4 PEAK																																																									
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6465.00</td><td>94.72</td><td>-----</td><td>81.59</td><td>35.04</td><td>11.93</td><td>33.84</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>4 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	6465.00	94.72	-----	81.59	35.04	11.93	33.84	0.00									cm									deg									4 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																									
1	6465.00	94.72	-----	81.59	35.04	11.93	33.84	0.00																																																									
								cm																																																									
								deg																																																									
								4 AVERAGE																																																									







Mode	7																																																																				
	Harmonic																																																																				
	U-NII-6_6.425~6.525_802.11ax HE80_CH103_6465MHz																																																																				
ANT	4+3																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>54.60</td><td>88.20</td><td>-33.60</td><td>60.30</td><td>39.76</td><td>20.67</td><td>66.95</td><td>0.82</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19395.00</td><td>31.73</td><td>74.00</td><td>-42.27</td><td>34.55</td><td>37.89</td><td>22.19</td><td>53.36</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	54.60	88.20	-33.60	60.30	39.76	20.67	66.95	0.82	--	--	PEAK	2	19395.00	31.73	74.00	-42.27	34.55	37.89	22.19	53.36	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	12930.00	54.60	88.20	-33.60	60.30	39.76	20.67	66.95	0.82	--	--	PEAK																																																									
2	19395.00	31.73	74.00	-42.27	34.55	37.89	22.19	53.36	-9.54	--	--	Peak																																																									





Mode	7	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE80_CH103_6465MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 VERTICAL
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	8																																										
	Band Edge																																										
	U-NII-6_6.425~6.525_802.11ax HE80_CH119_6545MHz																																										
ANT	4+3																																										
Pol.	Horizontal	Fundamental																																									
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>101.37</td><td>-----</td><td>-----</td><td>87.47</td><td>35.59</td><td>12.17</td><td>33.86</td><td>0.00</td><td>100</td><td>87</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6545.00	101.37	-----	-----	87.47	35.59	12.17	33.86	0.00	100	87	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	6545.00	101.37	-----	-----	87.47	35.59	12.17	33.86	0.00	100	87	PEAK																															
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>93.70</td><td>-----</td><td>-----</td><td>79.00</td><td>35.59</td><td>12.17</td><td>33.86</td><td>0.00</td><td>100</td><td>87</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6545.00	93.70	-----	-----	79.00	35.59	12.17	33.86	0.00	100	87	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	6545.00	93.70	-----	-----	79.00	35.59	12.17	33.86	0.00	100	87	AVERAGE																															





Mode	8																																												
	Band Edge																																												
	U-NII-6_6.425~6.525_802.11ax HE80_CH119_6545MHz																																												
ANT	4+3																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>101.73</td><td>-----</td><td>-----</td><td>87.87</td><td>35.56</td><td>12.16</td><td>33.86</td><td>0.00</td><td>240</td><td>0</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6545.00	101.73	-----	-----	87.87	35.56	12.16	33.86	0.00	240	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6545.00	101.73	-----	-----	87.87	35.56	12.16	33.86	0.00	240	0	PEAK																																	
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>93.91</td><td>-----</td><td>-----</td><td>80.11</td><td>35.52</td><td>12.14</td><td>33.86</td><td>0.00</td><td>240</td><td>0</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6545.00	93.91	-----	-----	80.11	35.52	12.14	33.86	0.00	240	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6545.00	93.91	-----	-----	80.11	35.52	12.14	33.86	0.00	240	0	AVERAGE																																	







Mode	8																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-6_6.425~6.525_802.11ax HE80_CH119_6545MHz																																																																																																																				
ANT	4+3																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																			
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13090.00</td><td>54.83</td><td>88.20</td><td>-33.37</td><td>60.60</td><td>39.62</td><td>20.65</td><td>66.90</td><td>0.86</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19635.00</td><td>30.02</td><td>74.00</td><td>-43.98</td><td>32.98</td><td>37.54</td><td>22.28</td><td>53.24</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	13090.00	54.83	88.20	-33.37	60.60	39.62	20.65	66.90	0.86	--	--	PEAK	2	19635.00	30.02	74.00	-43.98	32.98	37.54	22.28	53.24	-9.54	--	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13090.00</td><td>54.49</td><td>88.20</td><td>-33.71</td><td>60.26</td><td>39.62</td><td>20.65</td><td>66.90</td><td>0.86</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19635.00</td><td>30.37</td><td>74.00</td><td>-43.63</td><td>33.33</td><td>37.54</td><td>22.28</td><td>53.24</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13090.00	54.49	88.20	-33.71	60.26	39.62	20.65	66.90	0.86	--	--	PEAK	2	19635.00	30.37	74.00	-43.63	33.33	37.54	22.28	53.24	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	13090.00	54.83	88.20	-33.37	60.60	39.62	20.65	66.90	0.86	--	--	PEAK																																																																																																									
2	19635.00	30.02	74.00	-43.98	32.98	37.54	22.28	53.24	-9.54	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	13090.00	54.49	88.20	-33.71	60.26	39.62	20.65	66.90	0.86	--	--	PEAK																																																																																																									
2	19635.00	30.37	74.00	-43.63	33.33	37.54	22.28	53.24	-9.54	--	--	Peak																																																																																																									





Mode	8	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE80_CH119_6545MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 VERTICAL
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	9																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_6625MHz																																					
ANT	4+3																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>NHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6625.00 101.21</td><td>-----</td><td>86.69</td><td>36.03</td><td>12.35</td><td>33.86</td><td>0.00</td><td>213</td><td>71 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						NHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6625.00 101.21	-----	86.69	36.03	12.35	33.86	0.00	213	71 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																			
NHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																														
1 6625.00 101.21	-----	86.69	36.03	12.35	33.86	0.00	213	71 PEAK																														
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>NHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6625.00 93.09</td><td>-----</td><td>78.57</td><td>36.03</td><td>12.35</td><td>33.86</td><td>0.00</td><td>213</td><td>71 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						NHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6625.00 93.09	-----	78.57	36.03	12.35	33.86	0.00	213	71 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																			
NHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																														
1 6625.00 93.09	-----	78.57	36.03	12.35	33.86	0.00	213	71 AVERAGE																														





Mode	9																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_6625MHz																																					
ANT	4+3																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6625.00 100.33</td><td>-----</td><td>-----</td><td>85.72</td><td>36.07</td><td>12.40</td><td>33.86</td><td>0.00</td><td>105 34 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6625.00 100.33	-----	-----	85.72	36.07	12.40	33.86	0.00	105 34 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																			
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																														
1 6625.00 100.33	-----	-----	85.72	36.07	12.40	33.86	0.00	105 34 PEAK																														
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6625.00 93.10</td><td>-----</td><td>-----</td><td>78.49</td><td>36.07</td><td>12.40</td><td>33.86</td><td>0.00</td><td>105 34 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6625.00 93.10	-----	-----	78.49	36.07	12.40	33.86	0.00	105 34 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																			
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																														
1 6625.00 93.10	-----	-----	78.49	36.07	12.40	33.86	0.00	105 34 AVERAGE																														







Mode	9																																																																																		
	Harmonic																																																																																		
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_6625MHz																																																																																		
ANT	4+3																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg																																																																																			
	Site : 03CH12-HY Condition: PEAK(UINII)_6E 3m 91200-02114-240711 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UINII)_6E 3m 91200-02114-240711 VERTICAL																																																																												
<table><tr><th></th><th></th><th>Limit</th><th></th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>56.11</td><td>74.00</td><td>-17.89</td><td>61.45</td><td>39.80</td><td>20.59</td><td>66.64</td><td>0.91</td><td>127</td><td>56 PEAK</td></tr><tr><td>2</td><td>13250.00</td><td>46.27</td><td>54.00</td><td>-7.73</td><td>51.61</td><td>39.80</td><td>20.59</td><td>66.64</td><td>0.91</td><td>127</td><td>56 Average</td></tr><tr><td>3</td><td>19875.00</td><td>32.43</td><td>74.00</td><td>-41.57</td><td>35.15</td><td>37.64</td><td>22.33</td><td>53.15</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13250.00	56.11	74.00	-17.89	61.45	39.80	20.59	66.64	0.91	127	56 PEAK	2	13250.00	46.27	54.00	-7.73	51.61	39.80	20.59	66.64	0.91	127	56 Average	3	19875.00	32.43	74.00	-41.57	35.15	37.64	22.33	53.15	-9.54	--	-- Peak
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	13250.00	56.11	74.00	-17.89	61.45	39.80	20.59	66.64	0.91	127	56 PEAK																																																																								
2	13250.00	46.27	54.00	-7.73	51.61	39.80	20.59	66.64	0.91	127	56 Average																																																																								
3	19875.00	32.43	74.00	-41.57	35.15	37.64	22.33	53.15	-9.54	--	-- Peak																																																																								





Mode	9	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_6625MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 VERTICAL
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	10																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_6705MHz																																					
ANT	4+3																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>NHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6705.00 99.71 -----</td><td>84.79</td><td>36.18</td><td>12.60</td><td>33.86</td><td>0.00</td><td>100</td><td>69</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									NHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 6705.00 99.71 -----	84.79	36.18	12.60	33.86	0.00	100	69	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin Level Factor Loss Factor Factor																																						
NHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																						
1 6705.00 99.71 -----	84.79	36.18	12.60	33.86	0.00	100	69	PEAK																														
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>NHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6705.00 92.41 -----</td><td>77.51</td><td>36.20</td><td>12.56</td><td>33.86</td><td>0.00</td><td>100</td><td>69</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									NHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1 6705.00 92.41 -----	77.51	36.20	12.56	33.86	0.00	100	69	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin Level Factor Loss Factor Factor																																						
NHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																						
1 6705.00 92.41 -----	77.51	36.20	12.56	33.86	0.00	100	69	AVERAGE																														





Mode	10																																									
	Band Edge																																									
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_6705MHz																																									
ANT	4+3																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>102.35</td><td>-----</td><td>87.45</td><td>36.20</td><td>12.56</td><td>33.86</td><td>0.00</td><td>100</td><td>33</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	102.35	-----	87.45	36.20	12.56	33.86	0.00	100	33	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6705.00	102.35	-----	87.45	36.20	12.56	33.86	0.00	100	33	PEAK																															
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>93.36</td><td>-----</td><td>78.44</td><td>36.17</td><td>12.61</td><td>33.86</td><td>0.00</td><td>100</td><td>33</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	93.36	-----	78.44	36.17	12.61	33.86	0.00	100	33	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																			
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	6705.00	93.36	-----	78.44	36.17	12.61	33.86	0.00	100	33	AVERAGE																															







Mode	10																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_6705MHz																																																																																																					
ANT	4+3																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH12-HY Condition: PEAK(U-NII)_6E 3m 91200-02114-240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13410.00</td><td>54.66</td><td>88.20</td><td>-33.54</td><td>59.40</td><td>40.16</td><td>20.53</td><td>66.38</td><td>0.95</td><td>-- -- PEAK</td></tr><tr><td>2 20115.00</td><td>31.26</td><td>74.00</td><td>-42.74</td><td>33.87</td><td>37.50</td><td>22.46</td><td>53.03</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13410.00	54.66	88.20	-33.54	59.40	40.16	20.53	66.38	0.95	-- -- PEAK	2 20115.00	31.26	74.00	-42.74	33.87	37.50	22.46	53.03	-9.54	-- -- Peak	 Site : 03CH12-HY Condition: PEAK(U-NII)_6E 3m 91200-02114-240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13410.00</td><td>54.91</td><td>88.20</td><td>-33.29</td><td>59.65</td><td>40.16</td><td>20.53</td><td>66.38</td><td>0.95</td><td>-- -- PEAK</td></tr><tr><td>2 20115.00</td><td>31.32</td><td>74.00</td><td>-42.68</td><td>33.93</td><td>37.50</td><td>22.46</td><td>53.03</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13410.00	54.91	88.20	-33.29	59.65	40.16	20.53	66.38	0.95	-- -- PEAK	2 20115.00	31.32	74.00	-42.68	33.93	37.50	22.46	53.03	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13410.00	54.66	88.20	-33.54	59.40	40.16	20.53	66.38	0.95	-- -- PEAK																																																																																													
2 20115.00	31.26	74.00	-42.74	33.87	37.50	22.46	53.03	-9.54	-- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13410.00	54.91	88.20	-33.29	59.65	40.16	20.53	66.38	0.95	-- -- PEAK																																																																																													
2 20115.00	31.32	74.00	-42.68	33.93	37.50	22.46	53.03	-9.54	-- -- Peak																																																																																													





Mode	10	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_6705MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 VERTICAL
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	11																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_6785MHz																																					
ANT	4+3																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>NHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6785.00 100.70 -----</td><td>85.64</td><td>36.10</td><td>12.82</td><td>33.86</td><td>0.00</td><td>100</td><td>62</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									NHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 6785.00 100.70 -----	85.64	36.10	12.82	33.86	0.00	100	62	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin Level Factor Loss Factor Factor																																						
NHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																						
1 6785.00 100.70 -----	85.64	36.10	12.82	33.86	0.00	100	62	PEAK																														
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>NHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6785.00 93.19 -----</td><td>78.12</td><td>36.10</td><td>12.83</td><td>33.86</td><td>0.00</td><td>100</td><td>62</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									NHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 6785.00 93.19 -----	78.12	36.10	12.83	33.86	0.00	100	62	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin Level Factor Loss Factor Factor																																						
NHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																						
1 6785.00 93.19 -----	78.12	36.10	12.83	33.86	0.00	100	62	AVERAGE																														





Mode	11																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_6785MHz																																													
ANT	4+3																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>101.13</td><td>-----</td><td>-----</td><td>86.06</td><td>36.10</td><td>12.83</td><td>33.86</td><td>0.00</td><td>100</td><td>29</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	101.13	-----	-----	86.06	36.10	12.83	33.86	0.00	100	29	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6785.00	101.13	-----	-----	86.06	36.10	12.83	33.86	0.00	100	29	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>93.93</td><td>-----</td><td>-----</td><td>78.87</td><td>36.10</td><td>12.82</td><td>33.86</td><td>0.00</td><td>100</td><td>29</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	93.93	-----	-----	78.87	36.10	12.82	33.86	0.00	100	29	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6785.00	93.93	-----	-----	78.87	36.10	12.82	33.86	0.00	100	29	AVERAGE																																		







Mode	11																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_6785MHz																																																																			
ANT	4+3																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	Site : 03CH12-HY Condition: PEAK(U-NII)_6E 3m 91200-02114-240711 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(U-NII)_6E 3m 91200-02114-240711 VERTICAL																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>55.26</td><td>88.20</td><td>-32.94</td><td>59.46</td><td>40.62</td><td>20.52</td><td>66.33</td><td>0.99</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20355.00</td><td>30.97</td><td>74.00</td><td>-43.03</td><td>33.02</td><td>37.72</td><td>22.66</td><td>52.89</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13570.00	55.26	88.20	-32.94	59.46	40.62	20.52	66.33	0.99	--	--	PEAK	2	20355.00	30.97	74.00	-43.03	33.02	37.72	22.66	52.89	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	13570.00	55.26	88.20	-32.94	59.46	40.62	20.52	66.33	0.99	--	--	PEAK																																																								
2	20355.00	30.97	74.00	-43.03	33.02	37.72	22.66	52.89	-9.54	--	--	Peak																																																								







Mode	11	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_6785MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL







17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 VERTICAL
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL



		12																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																			
ANT	4+3																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7167.35</td><td>60.19</td><td>88.20</td><td>-28.01</td><td>44.20</td><td>36.87</td><td>13.03</td><td>33.91</td><td>0.00</td><td>200</td><td>183</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7167.35	60.19	88.20	-28.01	44.20	36.87	13.03	33.91	0.00	200	183	PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>89.24</td><td>-----</td><td>-----</td><td>73.55</td><td>36.57</td><td>13.01</td><td>33.89</td><td>0.00</td><td>200</td><td>183</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7095.00	89.24	-----	-----	73.55	36.57	13.01	33.89	0.00	200	183	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7167.35	60.19	88.20	-28.01	44.20	36.87	13.03	33.91	0.00	200	183	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	7095.00	89.24	-----	-----	73.55	36.57	13.01	33.89	0.00	200	183	PEAK																																																																																								
Avg																																																																																																				
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7242.21</td><td>51.18</td><td>68.20</td><td>-17.02</td><td>34.00</td><td>37.17</td><td>13.15</td><td>33.94</td><td>0.00</td><td>200</td><td>183</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7242.21	51.18	68.20	-17.02	34.00	37.17	13.15	33.94	0.00	200	183	AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>82.96</td><td>-----</td><td>-----</td><td>67.27</td><td>36.57</td><td>13.01</td><td>33.89</td><td>0.00</td><td>200</td><td>183</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7095.00	82.96	-----	-----	67.27	36.57	13.01	33.89	0.00	200	183
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	7242.21	51.18	68.20	-17.02	34.00	37.17	13.15	33.94	0.00	200	183	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	7095.00	82.96	-----	-----	67.27	36.57	13.01	33.89	0.00	200	183	AVERAGE																																																																																								



Mode	12																																																																																										
	Band Edge																																																																																										
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																										
ANT	4+3																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7227.18</td><td>59.79</td><td>88.20 -28.41</td><td>43.50</td><td>37.11</td><td>13.11</td><td>33.93</td><td>0.00</td><td>254</td><td>360 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7227.18	59.79	88.20 -28.41	43.50	37.11	13.11	33.93	0.00	254	360 PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>93.39</td><td>-----</td><td>77.70</td><td>36.57</td><td>13.01</td><td>33.89</td><td>0.00</td><td>254</td><td>360 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7095.00	93.39	-----	77.70	36.57	13.01	33.89	0.00	254
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																		
1 7227.18	59.79	88.20 -28.41	43.50	37.11	13.11	33.93	0.00	254	360 PEAK																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																		
1 7095.00	93.39	-----	77.70	36.57	13.01	33.89	0.00	254	360 PEAK																																																																																		
Avg																																																																																											
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7238.96</td><td>51.16</td><td>68.20 -17.04</td><td>34.00</td><td>37.16</td><td>13.14</td><td>33.94</td><td>0.00</td><td>254</td><td>360 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7238.96	51.16	68.20 -17.04	34.00	37.16	13.14	33.94	0.00	254	360 AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>86.83</td><td>-----</td><td>71.14</td><td>36.57</td><td>13.01</td><td>33.89</td><td>0.00</td><td>254</td><td>360 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7095.00	86.83	-----	71.14	36.57	13.01	33.89	0.00	254
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																		
1 7238.96	51.16	68.20 -17.04	34.00	37.16	13.14	33.94	0.00	254	360 AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																		
1 7095.00	86.83	-----	71.14	36.57	13.01	33.89	0.00	254	360 AVERAGE																																																																																		



		13									
Mode	Band Edge										
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_7095MHz										
ANT	4+3										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Peak	Fundamental										
	Fundamental										
Avg	Fundamental										
	Fundamental										

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

7090

7121.

7152.

7183.

7214.

7245

PEAK_BE(UNII)_6E

Site : 03CH12-HY

Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm
1	7141.31	60.37	88.20	-27.83	44.49	36.77	13.02	33.91	0.00
									310
									360
									PEAK

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2240.

3480.

4720.

5960.

7200

PEAK(UNII)_6E

Site : 03CH12-HY

Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm
1	7095.00	92.62	-----	-----	76.93	36.57	13.01	33.89	0.00
									310
									360
									PEAK

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

7090

7121.

7152.

7183.

7214.

7245

AVG_BE(UNII)_6E

Site : 03CH12-HY

Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL

: RBW:1000.000kHz VBW:1.000kHz SMT:Auto

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm
1	7239.58	51.16	68.20	-17.04	34.00	37.16	13.14	33.94	0.00
									310
									360
									AVERAGE

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2240.

3480.

4720.

5960.

7200

AVG(UNII)_6E





Site : 03CH12-HY

Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL

: RBW:1000.000kHz VBW:1.000kHz SMT:Auto

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm
1	7095.00	85.38	-----	-----	69.69	36.57	13.01	33.89	0.00
									310
									360
									AVERAGE







		13																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_7095MHz																																																																																																	
ANT	4+3																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7157.58</td><td>59.92</td><td>88.20</td><td>-28.28</td><td>43.98</td><td>36.83</td><td>13.02</td><td>33.91</td><td>0.00</td><td>400 99 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg	1	7157.58	59.92	88.20	-28.28	43.98	36.83	13.02	33.91	0.00	400 99 PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>87.66</td><td>-----</td><td>-----</td><td>71.97</td><td>36.57</td><td>13.01</td><td>33.89</td><td>0.00</td><td>400 99 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg	1	7095.00	87.66	-----	-----	71.97	36.57	13.01	33.89	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg																																																																																								
1	7157.58	59.92	88.20	-28.28	43.98	36.83	13.02	33.91	0.00	400 99 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg																																																																																								
1	7095.00	87.66	-----	-----	71.97	36.57	13.01	33.89	0.00	400 99 PEAK																																																																																								
Avg																																																																																																		
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7109.36</td><td>51.26</td><td>68.20</td><td>-16.94</td><td>35.19</td><td>36.96</td><td>13.03</td><td>33.92</td><td>0.00</td><td>400 99 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg	1	7109.36	51.26	68.20	-16.94	35.19	36.96	13.03	33.92	0.00	400 99 AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>81.25</td><td>-----</td><td>-----</td><td>65.56</td><td>36.57</td><td>13.01</td><td>33.89</td><td>0.00</td><td>400 99 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg	1	7095.00	81.25	-----	-----	65.56	36.57	13.01	33.89	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg																																																																																								
1	7109.36	51.26	68.20	-16.94	35.19	36.96	13.03	33.92	0.00	400 99 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg																																																																																								
1	7095.00	81.25	-----	-----	65.56	36.57	13.01	33.89	0.00	400 99 AVERAGE																																																																																								





Mode	14																																																																																					
	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_7085MHz																																																																																					
ANT	4+3																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7126.44</td><td>67.32</td><td>88.20</td><td>-20.88</td><td>51.49</td><td>36.71</td><td>13.02</td><td>33.90</td><td>0.00</td><td>196</td><td>73 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7126.44	67.32	88.20	-20.88	51.49	36.71	13.02	33.90	0.00	196	73 PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>104.46</td><td>-----</td><td>-----</td><td>88.81</td><td>36.53</td><td>13.01</td><td>33.89</td><td>0.00</td><td>196</td><td>73 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7085.00	104.46	-----	-----	88.81	36.53	13.01	33.89	0.00	196	73 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 7126.44	67.32	88.20	-20.88	51.49	36.71	13.02	33.90	0.00	196	73 PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 7085.00	104.46	-----	-----	88.81	36.53	13.01	33.89	0.00	196	73 PEAK																																																																												
Avg	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7126.28</td><td>56.89</td><td>68.20</td><td>-11.31</td><td>41.06</td><td>36.71</td><td>13.02</td><td>33.90</td><td>0.00</td><td>196</td><td>73 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7126.28	56.89	68.20	-11.31	41.06	36.71	13.02	33.90	0.00	196	73 AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>95.65</td><td>-----</td><td>-----</td><td>80.04</td><td>36.49</td><td>13.01</td><td>33.89</td><td>0.00</td><td>196</td><td>73 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7085.00	95.65	-----	-----	80.04	36.49	13.01	33.89	0.00	196	73 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 7126.28	56.89	68.20	-11.31	41.06	36.71	13.02	33.90	0.00	196	73 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 7085.00	95.65	-----	-----	80.04	36.49	13.01	33.89	0.00	196	73 AVERAGE																																																																												





		14																																																																																								
Mode	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_7085MHz																																																																																									
ANT	4+3																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																			
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7126.76</td><td>67.43</td><td>88.20 -20.77</td><td>51.60</td><td>36.71</td><td>13.02</td><td>33.90</td><td>0.00</td><td>200</td><td>342 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7126.76	67.43	88.20 -20.77	51.60	36.71	13.02	33.90	0.00	200	342 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>101.72</td><td>-----</td><td>86.07</td><td>36.53</td><td>13.01</td><td>33.89</td><td>0.00</td><td>200</td><td>342 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7085.00	101.72	-----	86.07	36.53	13.01	33.89	0.00	200	342 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7126.76	67.43	88.20 -20.77	51.60	36.71	13.02	33.90	0.00	200	342 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7085.00	101.72	-----	86.07	36.53	13.01	33.89	0.00	200	342 PEAK																																																																																	
Avg																																																																																										
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto						Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto																																																																																			
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7126.60</td><td>56.74</td><td>68.20 -11.46</td><td>40.91</td><td>36.71</td><td>13.02</td><td>33.90</td><td>0.00</td><td>200</td><td>342 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7126.60	56.74	68.20 -11.46	40.91	36.71	13.02	33.90	0.00	200	342 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>95.32</td><td>-----</td><td>79.71</td><td>36.49</td><td>13.01</td><td>33.89</td><td>0.00</td><td>200</td><td>342 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7085.00	95.32	-----	79.71	36.49	13.01	33.89	0.00	200	342 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7126.60	56.74	68.20 -11.46	40.91	36.71	13.02	33.90	0.00	200	342 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 7085.00	95.32	-----	79.71	36.49	13.01	33.89	0.00	200	342 AVERAGE																																																																																	





Mode	15																																												
	Band Edge																																												
	U-NII-8_6.875-7.125_802.11ax HE80_CH183_6865MHz																																												
ANT	4+3																																												
Pol.	Horizontal	Fundamental																																											
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6865.00</td><td>99.39</td><td>-----</td><td>-----</td><td>84.26</td><td>36.10</td><td>12.89</td><td>33.86</td><td>0.00</td><td>107</td><td>65</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6865.00	99.39	-----	-----	84.26	36.10	12.89	33.86	0.00	107	65	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6865.00	99.39	-----	-----	84.26	36.10	12.89	33.86	0.00	107	65	PEAK																																	
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6865.00</td><td>93.07</td><td>-----</td><td>-----</td><td>77.94</td><td>36.10</td><td>12.89</td><td>33.86</td><td>0.00</td><td>107</td><td>65</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6865.00	93.07	-----	-----	77.94	36.10	12.89	33.86	0.00	107	65	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6865.00	93.07	-----	-----	77.94	36.10	12.89	33.86	0.00	107	65	AVERAGE																																	





Mode	15																																					
	Band Edge																																					
	U-NII-8_6.875-7.125_802.11ax HE80_CH183_6865MHz																																					
ANT	4+3																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>NHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6865.00 99.98</td><td>-----</td><td>84.86</td><td>36.10</td><td>12.88</td><td>33.86</td><td>0.00</td><td>100</td><td>27 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						NHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6865.00 99.98	-----	84.86	36.10	12.88	33.86	0.00	100	27 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																			
NHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																														
1 6865.00 99.98	-----	84.86	36.10	12.88	33.86	0.00	100	27 PEAK																														
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>NHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6865.00 93.65</td><td>-----</td><td>78.51</td><td>36.10</td><td>12.90</td><td>33.86</td><td>0.00</td><td>100</td><td>27 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						NHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6865.00 93.65	-----	78.51	36.10	12.90	33.86	0.00	100	27 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																			
NHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																														
1 6865.00 93.65	-----	78.51	36.10	12.90	33.86	0.00	100	27 AVERAGE																														







Mode	15																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE80_CH183_6865MHz																																																																																																															
ANT	4+3																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>54.28</td><td>88.20</td><td>-33.92</td><td>58.82</td><td>40.40</td><td>20.57</td><td>66.55</td><td>1.04</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20595.00</td><td>32.22</td><td>74.00</td><td>-41.78</td><td>33.95</td><td>37.88</td><td>22.71</td><td>52.78</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	54.28	88.20	-33.92	58.82	40.40	20.57	66.55	1.04	--	PEAK	2	20595.00	32.22	74.00	-41.78	33.95	37.88	22.71	52.78	-9.54	--	Peak	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>54.03</td><td>88.20</td><td>-34.17</td><td>58.57</td><td>40.40</td><td>20.57</td><td>66.55</td><td>1.04</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20595.00</td><td>31.98</td><td>74.00</td><td>-42.02</td><td>33.71</td><td>37.88</td><td>22.71</td><td>52.78</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	54.03	88.20	-34.17	58.57	40.40	20.57	66.55	1.04	--	PEAK	2	20595.00	31.98	74.00	-42.02	33.71	37.88	22.71	52.78	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13730.00	54.28	88.20	-33.92	58.82	40.40	20.57	66.55	1.04	--	PEAK																																																																																																					
2	20595.00	32.22	74.00	-41.78	33.95	37.88	22.71	52.78	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13730.00	54.03	88.20	-34.17	58.57	40.40	20.57	66.55	1.04	--	PEAK																																																																																																					
2	20595.00	31.98	74.00	-42.02	33.71	37.88	22.71	52.78	-9.54	--	Peak																																																																																																					





Mode	15	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH183_6865MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 VERTICAL
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	16																																																			
	Band Edge																																																			
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_6945MHz																																																			
ANT	4+3																																																			
Pol.	Horizontal						Fundamental																																													
Peak	Blank						 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6945.00</td><td>98.38</td><td>-----</td><td>-----</td><td>83.27</td><td>36.01</td><td>12.96</td><td>33.86</td><td>0.00</td><td>100</td><td>64</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	6945.00	98.38	-----	-----	83.27	36.01	12.96	33.86	0.00	100	64	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																												
1	6945.00	98.38	-----	-----	83.27	36.01	12.96	33.86	0.00	100	64	PEAK																																								
Avg	Blank						 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6945.00</td><td>91.78</td><td>-----</td><td>-----</td><td>76.66</td><td>36.03</td><td>12.95</td><td>33.86</td><td>0.00</td><td>100</td><td>64</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	6945.00	91.78	-----	-----	76.66	36.03	12.95	33.86	0.00	100	64	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																												
1	6945.00	91.78	-----	-----	76.66	36.03	12.95	33.86	0.00	100	64	AVERAGE																																								





Mode	16																																					
	Band Edge																																					
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_6945MHz																																					
ANT	4+3																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>NHz dBuV/m dB dB dB dB dB dB dB</th><th>dB dB dB dB dB dB dB dB</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6945.00 100.62</td><td>-----</td><td>85.49</td><td>36.02</td><td>12.97</td><td>33.86</td><td>0.00</td><td>103</td><td>28 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		NHz dBuV/m dB dB dB dB dB dB dB	dB dB dB dB dB dB dB dB								1 6945.00 100.62	-----	85.49	36.02	12.97	33.86	0.00	103	28 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																															
NHz dBuV/m dB dB dB dB dB dB dB	dB dB dB dB dB dB dB dB																																					
1 6945.00 100.62	-----	85.49	36.02	12.97	33.86	0.00	103	28 PEAK																														
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>NHz dBuV/m dB dB dB dB dB dB dB</th><th>dB dB dB dB dB dB dB dB</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6945.00 93.54</td><td>-----</td><td>78.42</td><td>36.03</td><td>12.95</td><td>33.86</td><td>0.00</td><td>103</td><td>28 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		NHz dBuV/m dB dB dB dB dB dB dB	dB dB dB dB dB dB dB dB								1 6945.00 93.54	-----	78.42	36.03	12.95	33.86	0.00	103	28 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																															
NHz dBuV/m dB dB dB dB dB dB dB	dB dB dB dB dB dB dB dB																																					
1 6945.00 93.54	-----	78.42	36.03	12.95	33.86	0.00	103	28 AVERAGE																														







Mode	16																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_6945MHz																																																																																																																											
ANT	4+3																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg																																																																																																																												
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13890.00</td><td>54.38</td><td>88.20</td><td>-33.82</td><td>58.87</td><td>40.56</td><td>20.63</td><td>66.76</td><td>1.08</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20835.00</td><td>31.21</td><td>74.00</td><td>-42.79</td><td>33.09</td><td>37.88</td><td>22.51</td><td>52.73</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13890.00	54.38	88.20	-33.82	58.87	40.56	20.63	66.76	1.08	--	--	PEAK	2	20835.00	31.21	74.00	-42.79	33.09	37.88	22.51	52.73	-9.54	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13890.00</td><td>54.27</td><td>88.20</td><td>-33.93</td><td>58.76</td><td>40.56</td><td>20.63</td><td>66.76</td><td>1.08</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20835.00</td><td>31.37</td><td>74.00</td><td>-42.63</td><td>33.25</td><td>37.88</td><td>22.51</td><td>52.73</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13890.00	54.27	88.20	-33.93	58.76	40.56	20.63	66.76	1.08	--	--	PEAK	2	20835.00	31.37	74.00	-42.63	33.25	37.88	22.51	52.73	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	13890.00	54.38	88.20	-33.82	58.87	40.56	20.63	66.76	1.08	--	--	PEAK																																																																																																																
2	20835.00	31.21	74.00	-42.79	33.09	37.88	22.51	52.73	-9.54	--	--	Peak																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	13890.00	54.27	88.20	-33.93	58.76	40.56	20.63	66.76	1.08	--	--	PEAK																																																																																																																
2	20835.00	31.37	74.00	-42.63	33.25	37.88	22.51	52.73	-9.54	--	--	Peak																																																																																																																







Mode	16	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_6945MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL







17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 VERTICAL
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





		17																																																																																																													
Mode	Band Edge																																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_7025MHz																																																																																																														
ANT	4+3																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																								
Avg																																																																																																															
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto						Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto																																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.20</td><td>66.39</td><td>88.20</td><td>-21.81</td><td>50.57</td><td>36.70</td><td>13.02</td><td>33.90</td><td>0.00</td><td>208</td><td>72</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.20	66.39	88.20	-21.81	50.57	36.70	13.02	33.90	0.00	208	72	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>102.85</td><td>-----</td><td>-----</td><td>87.45</td><td>36.26</td><td>13.01</td><td>33.87</td><td>0.00</td><td>208</td><td>72</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	102.85	-----	-----	87.45	36.26	13.01	33.87	0.00	208	72	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7126.20	66.39	88.20	-21.81	50.57	36.70	13.02	33.90	0.00	208	72	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7025.00	102.85	-----	-----	87.45	36.26	13.01	33.87	0.00	208	72	PEAK																																																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.90</td><td>58.41</td><td>68.20</td><td>-9.79</td><td>42.59</td><td>36.70</td><td>13.02</td><td>33.90</td><td>0.00</td><td>208</td><td>72</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.90	58.41	68.20	-9.79	42.59	36.70	13.02	33.90	0.00	208	72	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>95.01</td><td>-----</td><td>-----</td><td>79.65</td><td>36.23</td><td>13.00</td><td>33.87</td><td>0.00</td><td>208</td><td>72</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	95.01	-----	-----	79.65	36.23	13.00	33.87	0.00	208	72	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.90	58.41	68.20	-9.79	42.59	36.70	13.02	33.90	0.00	208	72	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7025.00	95.01	-----	-----	79.65	36.23	13.00	33.87	0.00	208	72	AVERAGE																																																																																																			





		17																																																																																												
Mode	Band Edge																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_7025MHz																																																																																													
ANT	4+3																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7129.72</td><td>65.08</td><td>88.20 -23.12</td><td>49.24</td><td>36.72</td><td>13.02</td><td>33.90</td><td>0.00</td><td>200</td><td>337</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7129.72	65.08	88.20 -23.12	49.24	36.72	13.02	33.90	0.00	200	337	PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>102.80</td><td>-----</td><td>87.55</td><td>36.11</td><td>13.00</td><td>33.86</td><td>0.00</td><td>200</td><td>337</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	102.80	-----	87.55	36.11	13.00	33.86	0.00	200	337
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 7129.72	65.08	88.20 -23.12	49.24	36.72	13.02	33.90	0.00	200	337	PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 7025.00	102.80	-----	87.55	36.11	13.00	33.86	0.00	200	337	PEAK																																																																																				
Avg																																																																																														
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7126.64</td><td>57.26</td><td>68.20 -10.94</td><td>41.43</td><td>36.71</td><td>13.02</td><td>33.90</td><td>0.00</td><td>200</td><td>337</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7126.64	57.26	68.20 -10.94	41.43	36.71	13.02	33.90	0.00	200	337	AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>94.82</td><td>-----</td><td>79.52</td><td>36.16</td><td>13.00</td><td>33.86</td><td>0.00</td><td>200</td><td>337</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	94.82	-----	79.52	36.16	13.00	33.86	0.00	200	337
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 7126.64	57.26	68.20 -10.94	41.43	36.71	13.02	33.90	0.00	200	337	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 7025.00	94.82	-----	79.52	36.16	13.00	33.86	0.00	200	337	AVERAGE																																																																																				







Mode	17																																																																	
	Harmonic																																																																	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_7025MHz																																																																	
ANT	4+3																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH12-HY Condition: PEAK(U-NII)_6E 3m 91200-02114-240711 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(U-NII)_6E 3m 91200-02114-240711 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>54.56</td><td>88.20</td><td>-33.64</td><td>58.92</td><td>40.70</td><td>20.70</td><td>66.85</td><td>1.09</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>21075.00</td><td>31.34</td><td>74.00</td><td>-42.66</td><td>33.24</td><td>37.86</td><td>22.51</td><td>52.73</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	54.56	88.20	-33.64	58.92	40.70	20.70	66.85	1.09	--	PEAK	2	21075.00	31.34	74.00	-42.66	33.24	37.86	22.51	52.73	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	14050.00	54.56	88.20	-33.64	58.92	40.70	20.70	66.85	1.09	--	PEAK																																																							
2	21075.00	31.34	74.00	-42.66	33.24	37.86	22.51	52.73	-9.54	--	Peak																																																							





Mode	17	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_7025MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-92114-240711 VERTICAL
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL







Mode	18																																																																																																																								
	LF																																																																																																																								
	U-NII-5_5.945~6.425_802.11ax HE80_CH7_5985MHz																																																																																																																								
ANT	4+3																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
QPI Peak																																																																																																																									
	Site : 03CH12-HY																																																																																																																								
	Condition: QP 3m Bilog_37059_20231103 HORIZONTAL																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>45.52</td><td>25.54</td><td>40.00</td><td>-14.46</td><td>36.97</td><td>16.99</td><td>1.25</td><td>29.69</td><td>0.02</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>200.72</td><td>35.81</td><td>43.50</td><td>-7.69</td><td>48.05</td><td>15.04</td><td>2.41</td><td>29.79</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>272.50</td><td>33.61</td><td>46.00</td><td>-12.39</td><td>41.49</td><td>18.85</td><td>2.73</td><td>29.62</td><td>0.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>273.47</td><td>34.04</td><td>46.00</td><td>-11.96</td><td>41.91</td><td>18.83</td><td>2.74</td><td>29.61</td><td>0.17</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>715.79</td><td>39.08</td><td>46.00</td><td>-6.92</td><td>36.19</td><td>27.18</td><td>4.38</td><td>28.98</td><td>0.31</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>901.06</td><td>38.86</td><td>46.00</td><td>-7.14</td><td>33.11</td><td>29.19</td><td>4.73</td><td>28.51</td><td>0.34</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	45.52	25.54	40.00	-14.46	36.97	16.99	1.25	29.69	0.02	--	--	Peak	2	200.72	35.81	43.50	-7.69	48.05	15.04	2.41	29.79	0.10	--	--	Peak	3	272.50	33.61	46.00	-12.39	41.49	18.85	2.73	29.62	0.16	--	--	Peak	4	273.47	34.04	46.00	-11.96	41.91	18.83	2.74	29.61	0.17	--	--	Peak	5	715.79	39.08	46.00	-6.92	36.19	27.18	4.38	28.98	0.31	--	--	Peak	6	901.06	38.86	46.00	-7.14	33.11	29.19	4.73	28.51	0.34	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
	1	45.52	25.54	40.00	-14.46	36.97	16.99	1.25	29.69	0.02	--	--	Peak																																																																																																												
	2	200.72	35.81	43.50	-7.69	48.05	15.04	2.41	29.79	0.10	--	--	Peak																																																																																																												
	3	272.50	33.61	46.00	-12.39	41.49	18.85	2.73	29.62	0.16	--	--	Peak																																																																																																												
4	273.47	34.04	46.00	-11.96	41.91	18.83	2.74	29.61	0.17	--	--	Peak																																																																																																													
5	715.79	39.08	46.00	-6.92	36.19	27.18	4.38	28.98	0.31	--	--	Peak																																																																																																													
6	901.06	38.86	46.00	-7.14	33.11	29.19	4.73	28.51	0.34	--	--	Peak																																																																																																													
Site : 03CH12-HY																																																																																																																									
Condition: QP 3m Bilog_37059_20231103 VERTICAL																																																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.70</td><td>33.04</td><td>40.00</td><td>-6.96</td><td>41.51</td><td>20.07</td><td>1.09</td><td>29.66</td><td>0.03</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>94.02</td><td>32.92</td><td>43.50</td><td>-10.58</td><td>45.61</td><td>15.44</td><td>1.71</td><td>29.91</td><td>0.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>268.62</td><td>27.98</td><td>46.00</td><td>-18.02</td><td>35.60</td><td>19.15</td><td>2.71</td><td>29.63</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>419.94</td><td>28.10</td><td>46.00</td><td>-17.90</td><td>31.17</td><td>22.79</td><td>3.37</td><td>29.41</td><td>0.18</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>710.94</td><td>38.51</td><td>46.00</td><td>-7.49</td><td>35.91</td><td>26.93</td><td>4.35</td><td>28.99</td><td>0.31</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>899.12</td><td>39.02</td><td>46.00</td><td>-6.98</td><td>33.28</td><td>29.18</td><td>4.73</td><td>28.51</td><td>0.34</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39.70	33.04	40.00	-6.96	41.51	20.07	1.09	29.66	0.03	--	--	Peak	2	94.02	32.92	43.50	-10.58	45.61	15.44	1.71	29.91	0.07	--	--	Peak	3	268.62	27.98	46.00	-18.02	35.60	19.15	2.71	29.63	0.15	--	--	Peak	4	419.94	28.10	46.00	-17.90	31.17	22.79	3.37	29.41	0.18	--	--	Peak	5	710.94	38.51	46.00	-7.49	35.91	26.93	4.35	28.99	0.31	--	--	Peak	6	899.12	39.02	46.00	-6.98	33.28	29.18	4.73	28.51	0.34	--	--	Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	39.70	33.04	40.00	-6.96	41.51	20.07	1.09	29.66	0.03	--	--	Peak																																																																																																													
2	94.02	32.92	43.50	-10.58	45.61	15.44	1.71	29.91	0.07	--	--	Peak																																																																																																													
3	268.62	27.98	46.00	-18.02	35.60	19.15	2.71	29.63	0.15	--	--	Peak																																																																																																													
4	419.94	28.10	46.00	-17.90	31.17	22.79	3.37	29.41	0.18	--	--	Peak																																																																																																													
5	710.94	38.51	46.00	-7.49	35.91	26.93	4.35	28.99	0.31	--	--	Peak																																																																																																													
6	899.12	39.02	46.00	-6.98	33.28	29.18	4.73	28.51	0.34	--	--	Peak																																																																																																													







Mode	19	
	SHF	
	U-NII-5_5.945~6.425_802.11ax HE80_CH7_5985MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
Peak	 Site : 03CH12-HY Condition: PEAK(UINII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: PEAK(UINII)_6E 1m SHF_00993_231124 VERTICAL



Mode	20																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 26/0_5955MHz																																																																																																		
ANT	4+3																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5888.83</td><td>55.82</td><td>88.20</td><td>-32.38</td><td>43.67</td><td>34.26</td><td>11.45</td><td>33.56</td><td>0.00</td><td>100</td><td>233</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5888.83	55.82	88.20	-32.38	43.67	34.26	11.45	33.56	0.00	100	233	PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>99.29</td><td>-----</td><td>-----</td><td>86.97</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>100</td><td>233</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.29	-----	-----	86.97	34.30	11.64	33.62	0.00	100	233
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5888.83	55.82	88.20	-32.38	43.67	34.26	11.45	33.56	0.00	100	233	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	99.29	-----	-----	86.97	34.30	11.64	33.62	0.00	100	233	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5869.20</td><td>46.33</td><td>68.20</td><td>-21.87</td><td>34.31</td><td>34.18</td><td>11.38</td><td>33.54</td><td>0.00</td><td>100</td><td>233</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5869.20	46.33	68.20	-21.87	34.31	34.18	11.38	33.54	0.00	100	233	AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>92.53</td><td>-----</td><td>-----</td><td>80.21</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>100</td><td>233</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	92.53	-----	-----	80.21	34.30	11.64	33.62	0.00	100	233
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5869.20	46.33	68.20	-21.87	34.31	34.18	11.38	33.54	0.00	100	233	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	92.53	-----	-----	80.21	34.30	11.64	33.62	0.00	100	233	AVERAGE																																																																																							







		20																																																																										
Mode	Band Edge																																																																											
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 26/0_5955MHz																																																																											
ANT	4+3																																																																											
Pol.	Vertical						Fundamental																																																																					
Peak																																																																												
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto						Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto																																																																					
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5897.41</td><td>56.06</td><td>88.20</td><td>-32.14</td><td>43.86</td><td>34.29</td><td>11.48</td><td>33.57</td><td>0.00</td><td>307</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg	1 5897.41	56.06	88.20	-32.14	43.86	34.29	11.48	33.57	0.00	307	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>100.26</td><td>-----</td><td>87.94</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>307</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg	1 5955.00	100.26	-----	87.94	34.30	11.64	33.62	0.00	307	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg																																																																		
1 5897.41	56.06	88.20	-32.14	43.86	34.29	11.48	33.57	0.00	307	0 PEAK																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg																																																																		
1 5955.00	100.26	-----	87.94	34.30	11.64	33.62	0.00	307	0	PEAK																																																																		
Avg																																																																												
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto						Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto																																																																					
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5882.85</td><td>46.26</td><td>68.20</td><td>-21.94</td><td>34.15</td><td>34.23</td><td>11.43</td><td>33.55</td><td>0.00</td><td>307</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg	1 5882.85	46.26	68.20	-21.94	34.15	34.23	11.43	33.55	0.00	307	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>93.67</td><td>-----</td><td>81.35</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>307</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg	1 5955.00	93.67	-----	81.35	34.30	11.64	33.62	0.00	307	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg																																																																		
1 5882.85	46.26	68.20	-21.94	34.15	34.23	11.43	33.55	0.00	307	0 AVERAGE																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg																																																																		
1 5955.00	93.67	-----	81.35	34.30	11.64	33.62	0.00	307	0	AVERAGE																																																																		







		21																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 52/37_5955MHz																																																																																																	
ANT	4+3																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5918.99</td><td>56.41</td><td>88.20</td><td>-31.79</td><td>44.15</td><td>34.30</td><td>11.55</td><td>33.59</td><td>0.00</td><td>102</td><td>248</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.99	56.41	88.20	-31.79	44.15	34.30	11.55	33.59	0.00	102	248	PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>102.52</td><td>-----</td><td>-----</td><td>90.20</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>102</td><td>248</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.52	-----	-----	90.20	34.30	11.64	33.62	0.00	102	248
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5918.99	56.41	88.20	-31.79	44.15	34.30	11.55	33.59	0.00	102	248	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	102.52	-----	-----	90.20	34.30	11.64	33.62	0.00	102	248	PEAK																																																																																						
Avg																																																																																																		
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5896.24</td><td>46.41</td><td>68.20</td><td>-21.79</td><td>34.23</td><td>34.28</td><td>11.47</td><td>33.57</td><td>0.00</td><td>102</td><td>248</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5896.24	46.41	68.20	-21.79	34.23	34.28	11.47	33.57	0.00	102	248	AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>93.92</td><td>-----</td><td>-----</td><td>81.60</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>102</td><td>248</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	93.92	-----	-----	81.60	34.30	11.64	33.62	0.00	102	248
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5896.24	46.41	68.20	-21.79	34.23	34.28	11.47	33.57	0.00	102	248	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	93.92	-----	-----	81.60	34.30	11.64	33.62	0.00	102	248	AVERAGE																																																																																						







		21																																																																																																															
Mode	Band Edge																																																																																																																
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 52/37_5955MHz																																																																																																																
ANT	4+3																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																										
Avg																																																																																																																	
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto						Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto																																																																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.50</td><td>55.92</td><td>88.20</td><td>-32.28</td><td>43.68</td><td>34.30</td><td>11.52</td><td>33.58</td><td>0.00</td><td>296</td><td>354</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5909.50	55.92	88.20	-32.28	43.68	34.30	11.52	33.58	0.00	296	354	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.92</td><td>-----</td><td>-----</td><td>88.60</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>296</td><td>354</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.92	-----	-----	88.60	34.30	11.64	33.62	0.00	296	354	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5909.50	55.92	88.20	-32.28	43.68	34.30	11.52	33.58	0.00	296	354	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5955.00	100.92	-----	-----	88.60	34.30	11.64	33.62	0.00	296	354	PEAK																																																																																																					







		22																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 106/53_5955MHz																																																																																																		
ANT	4+3																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5883.24</td><td>56.20</td><td>88.20</td><td>-32.00</td><td>44.09</td><td>34.23</td><td>11.43</td><td>33.55</td><td>0.00</td><td>400</td><td>182</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5883.24	56.20	88.20	-32.00	44.09	34.23	11.43	33.55	0.00	400	182	PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>91.76</td><td>-----</td><td>-----</td><td>79.43</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>400</td><td>182</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	91.76	-----	-----	79.43	34.29	11.66	33.62	0.00	400	182
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5883.24	56.20	88.20	-32.00	44.09	34.23	11.43	33.55	0.00	400	182	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	91.76	-----	-----	79.43	34.29	11.66	33.62	0.00	400	182	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5889.74</td><td>46.31</td><td>68.20</td><td>-21.89</td><td>34.16</td><td>34.26</td><td>11.45</td><td>33.56</td><td>0.00</td><td>400</td><td>182</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5889.74	46.31	68.20	-21.89	34.16	34.26	11.45	33.56	0.00	400	182	AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>83.07</td><td>-----</td><td>-----</td><td>70.74</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>400</td><td>182</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	83.07	-----	-----	70.74	34.29	11.66	33.62	0.00	400	182
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5889.74	46.31	68.20	-21.89	34.16	34.26	11.45	33.56	0.00	400	182	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	83.07	-----	-----	70.74	34.29	11.66	33.62	0.00	400	182	AVERAGE																																																																																							



		22																																																																																														
Mode	Band Edge																																																																																															
	U-NII-5_5.945~6.425_802.11ax HE20_CH1_Partial 106/53_5955MHz																																																																																															
ANT	4+3																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.65</td><td>55.35</td><td>88.20</td><td>-32.85</td><td>43.10</td><td>34.30</td><td>11.54</td><td>33.59</td><td>0.00</td><td>274</td><td>6 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.65	55.35	88.20	-32.85	43.10	34.30	11.54	33.59	0.00	274	6 PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>101.15</td><td>-----</td><td>-----</td><td>88.83</td><td>34.30</td><td>11.64</td><td>33.62</td><td>0.00</td><td>274</td><td>6 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.15	-----	-----	88.83	34.30	11.64	33.62	0.00	274
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5916.65	55.35	88.20	-32.85	43.10	34.30	11.54	33.59	0.00	274	6 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	101.15	-----	-----	88.83	34.30	11.64	33.62	0.00	274	6 PEAK																																																																																					
Avg																																																																																																
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.91</td><td>46.35</td><td>68.20</td><td>-21.85</td><td>34.10</td><td>34.30</td><td>11.54</td><td>33.59</td><td>0.00</td><td>274</td><td>6 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.91	46.35	68.20	-21.85	34.10	34.30	11.54	33.59	0.00	274	6 AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>94.04</td><td>-----</td><td>-----</td><td>81.71</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>274</td><td>6 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	94.04	-----	-----	81.71	34.29	11.66	33.62	0.00	274
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5916.91	46.35	68.20	-21.85	34.10	34.30	11.54	33.59	0.00	274	6 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	94.04	-----	-----	81.71	34.29	11.66	33.62	0.00	274	6 AVERAGE																																																																																					







Mode	23																																																																															
	Band Edge																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial 26/8_7095MHz																																																																															
ANT	4+3																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7217.88</td><td>59.79</td><td>88.20</td><td>-28.41</td><td>43.57</td><td>37.07</td><td>13.08</td><td>33.93</td><td>0.00</td><td>300</td><td>200</td><td>PEAK</td></tr></tbody></table>		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7217.88	59.79	88.20	-28.41	43.57	37.07	13.08	33.93	0.00	300	200	PEAK	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>87.62</td><td>-----</td><td>-----</td><td>71.89</td><td>36.60</td><td>13.02</td><td>33.89</td><td>0.00</td><td>300</td><td>200</td><td>PEAK</td></tr></tbody></table>		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7095.00	87.62	-----	-----	71.89	36.60	13.02	33.89	0.00	300	200	PEAK
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	7217.88	59.79	88.20	-28.41	43.57	37.07	13.08	33.93	0.00	300	200	PEAK																																																																				
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	7095.00	87.62	-----	-----	71.89	36.60	13.02	33.89	0.00	300	200	PEAK																																																																				
Avg	 Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7231.52</td><td>51.39</td><td>68.20</td><td>-16.81</td><td>35.07</td><td>37.13</td><td>13.12</td><td>33.93</td><td>0.00</td><td>300</td><td>200</td><td>AVERAGE</td></tr></tbody></table>		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7231.52	51.39	68.20	-16.81	35.07	37.13	13.12	33.93	0.00	300	200	AVERAGE	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>80.52</td><td>-----</td><td>-----</td><td>64.79</td><td>36.60</td><td>13.02</td><td>33.89</td><td>0.00</td><td>300</td><td>200</td><td>AVERAGE</td></tr></tbody></table>		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7095.00	80.52	-----	-----	64.79	36.60	13.02	33.89	0.00	300	200	AVERAGE
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	7231.52	51.39	68.20	-16.81	35.07	37.13	13.12	33.93	0.00	300	200	AVERAGE																																																																				
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	7095.00	80.52	-----	-----	64.79	36.60	13.02	33.89	0.00	300	200	AVERAGE																																																																				







Mode	23																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial 26/8_7095MHz																																																																																																		
ANT	4+3																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>7198.66</td><td>60.21</td><td>88.20</td><td>-27.99</td><td>44.11</td><td>36.99</td><td>13.03</td><td>33.92</td><td>0.00</td><td>182 41 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7198.66	60.21	88.20	-27.99	44.11	36.99	13.03	33.92	0.00	182 41 PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>93.80</td><td>-----</td><td>-----</td><td>78.07</td><td>36.60</td><td>13.02</td><td>33.89</td><td>0.00</td><td>182 41 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7095.00	93.80	-----	-----	78.07	36.60	13.02	33.89	0.00	182 41 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																									
1	7198.66	60.21	88.20	-27.99	44.11	36.99	13.03	33.92	0.00	182 41 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																									
1	7095.00	93.80	-----	-----	78.07	36.60	13.02	33.89	0.00	182 41 PEAK																																																																																									
Avg	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>7235.70</td><td>51.31</td><td>68.20</td><td>-16.89</td><td>34.98</td><td>37.14</td><td>13.13</td><td>33.94</td><td>0.00</td><td>182 41 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7235.70	51.31	68.20	-16.89	34.98	37.14	13.13	33.94	0.00	182 41 AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>88.00</td><td>-----</td><td>-----</td><td>72.35</td><td>36.60</td><td>13.02</td><td>33.89</td><td>0.00</td><td>182 41 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7095.00	88.00	-----	-----	72.35	36.60	13.02	33.89	0.00	182 41 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																									
1	7235.70	51.31	68.20	-16.89	34.98	37.14	13.13	33.94	0.00	182 41 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																									
1	7095.00	88.00	-----	-----	72.35	36.60	13.02	33.89	0.00	182 41 AVERAGE																																																																																									







		24																																																																																								
Mode	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial 52/40_7095MHz																																																																																									
ANT	4+3																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7240.04</td><td>60.39</td><td>88.20 -27.81</td><td>44.03</td><td>37.16</td><td>13.14</td><td>33.94</td><td>0.00</td><td>300</td><td>170 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7240.04	60.39	88.20 -27.81	44.03	37.16	13.14	33.94	0.00	300	170 PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7095.00</td><td>81.19</td><td>-----</td><td>65.46</td><td>36.60</td><td>13.02</td><td>33.89</td><td>0.00</td><td>300</td><td>170 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	81.19	-----	65.46	36.60	13.02	33.89	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7240.04	60.39	88.20 -27.81	44.03	37.16	13.14	33.94	0.00	300	170 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7095.00	81.19	-----	65.46	36.60	13.02	33.89	0.00	300	170 PEAK																																																																																	
Avg																																																																																										
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7214.62</td><td>51.29</td><td>68.20 -16.91</td><td>35.09</td><td>37.06</td><td>13.07</td><td>33.93</td><td>0.00</td><td>300</td><td>170 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7214.62	51.29	68.20 -16.91	35.09	37.06	13.07	33.93	0.00	300	170 AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7095.00</td><td>75.39</td><td>-----</td><td>59.66</td><td>36.60</td><td>13.02</td><td>33.89</td><td>0.00</td><td>300</td><td>170 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	75.39	-----	59.66	36.60	13.02	33.89	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7214.62	51.29	68.20 -16.91	35.09	37.06	13.07	33.93	0.00	300	170 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7095.00	75.39	-----	59.66	36.60	13.02	33.89	0.00	300	170 AVERAGE																																																																																	



		24																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial 52/40_7095MHz																																																																																																	
ANT	4+3																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7206.25</td><td>60.19</td><td>88.20</td><td>-28.01</td><td>44.04</td><td>37.03</td><td>13.05</td><td>33.93</td><td>0.00</td><td>231</td><td>360 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7206.25	60.19	88.20	-28.01	44.04	37.03	13.05	33.93	0.00	231	360 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7095.00</td><td>90.08</td><td>-----</td><td>74.35</td><td>36.60</td><td>13.02</td><td>33.89</td><td>0.00</td><td>231</td><td>360</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7095.00	90.08	-----	74.35	36.60	13.02	33.89	0.00	231	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 7206.25	60.19	88.20	-28.01	44.04	37.03	13.05	33.93	0.00	231	360 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 7095.00	90.08	-----	74.35	36.60	13.02	33.89	0.00	231	360	PEAK																																																																																								
Avg																																																																																																		
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto						Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto																																																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7230.59</td><td>51.33</td><td>68.20</td><td>-16.87</td><td>35.02</td><td>37.12</td><td>13.12</td><td>33.93</td><td>0.00</td><td>231</td><td>360 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7230.59	51.33	68.20	-16.87	35.02	37.12	13.12	33.93	0.00	231	360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7095.00</td><td>83.04</td><td>-----</td><td>67.31</td><td>36.60</td><td>13.02</td><td>33.89</td><td>0.00</td><td>231</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7095.00	83.04	-----	67.31	36.60	13.02	33.89	0.00	231	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 7230.59	51.33	68.20	-16.87	35.02	37.12	13.12	33.93	0.00	231	360 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 7095.00	83.04	-----	67.31	36.60	13.02	33.89	0.00	231	360	AVERAGE																																																																																								



		25																																																																																																					
Mode	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial 106/54_7095MHz																																																																																																						
ANT	4+3																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	 Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7146.11</td><td>60.70</td><td>88.20</td><td>-27.50</td><td>44.81</td><td>36.78</td><td>13.02</td><td>33.91</td><td>0.00</td><td>200</td><td>136 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7146.11	60.70	88.20	-27.50	44.81	36.78	13.02	33.91	0.00	200	136 PEAK	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>94.18</td><td>-----</td><td>-----</td><td>78.45</td><td>36.60</td><td>13.02</td><td>33.89</td><td>0.00</td><td>200</td><td>136 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7095.00	94.18	-----	-----	78.45	36.60	13.02	33.89	0.00	200	136 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	7146.11	60.70	88.20	-27.50	44.81	36.78	13.02	33.91	0.00	200	136 PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	7095.00	94.18	-----	-----	78.45	36.60	13.02	33.89	0.00	200	136 PEAK																																																																																												
Avg	 Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7146.73</td><td>51.49</td><td>68.20</td><td>-16.71</td><td>35.59</td><td>36.79</td><td>13.02</td><td>33.91</td><td>0.00</td><td>200</td><td>136 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7146.73	51.49	68.20	-16.71	35.59	36.79	13.02	33.91	0.00	200	136 AVERAGE	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>87.39</td><td>-----</td><td>-----</td><td>71.66</td><td>36.60</td><td>13.02</td><td>33.89</td><td>0.00</td><td>200</td><td>136 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7095.00	87.39	-----	-----	71.66	36.60	13.02	33.89	0.00	200	136 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	7146.73	51.49	68.20	-16.71	35.59	36.79	13.02	33.91	0.00	200	136 AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	7095.00	87.39	-----	-----	71.66	36.60	13.02	33.89	0.00	200	136 AVERAGE																																																																																												



Mode	25																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial 106/54_7095MHz																																																																																	
ANT	4+3																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7128.13</td><td>60.73</td><td>88.20</td><td>-27.47</td><td>44.90</td><td>36.71</td><td>13.02</td><td>33.90</td><td>0.00</td><td>200 284 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7128.13	60.73	88.20	-27.47	44.90	36.71	13.02	33.90	0.00	200 284 PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>90.97</td><td>-----</td><td>75.24</td><td>36.60</td><td>13.02</td><td>33.89</td><td>0.00</td><td>200</td><td>284 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	90.97	-----	75.24	36.60	13.02	33.89	0.00	200	284 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 7128.13	60.73	88.20	-27.47	44.90	36.71	13.02	33.90	0.00	200 284 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 7095.00	90.97	-----	75.24	36.60	13.02	33.89	0.00	200	284 PEAK																																																																									
Avg	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7229.81</td><td>51.44</td><td>68.20</td><td>-16.76</td><td>35.14</td><td>37.12</td><td>13.11</td><td>33.93</td><td>0.00</td><td>200 284 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7229.81	51.44	68.20	-16.76	35.14	37.12	13.11	33.93	0.00	200 284 AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>82.80</td><td>-----</td><td>67.07</td><td>36.60</td><td>13.02</td><td>33.89</td><td>0.00</td><td>200</td><td>284 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	82.80	-----	67.07	36.60	13.02	33.89	0.00	200	284 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 7229.81	51.44	68.20	-16.76	35.14	37.12	13.11	33.93	0.00	200 284 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 7095.00	82.80	-----	67.07	36.60	13.02	33.89	0.00	200	284 AVERAGE																																																																									




Appendix D. Duty Cycle Plots

<For Radiated Spurious Emission test>


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
4+3	6GHz 802.11a	93.44	1425	0.70	1kHz
4+3	6GHz 802.11ax HE20 Full RU	91.19	1035	0.97	1kHz
4+3	6GHz 802.11ax HE20 26 RU	97.88	1617	0.62	1kHz
4+3	6GHz 802.11ax HE20 52 RU	97.98	1458	0.69	1kHz
4+3	6GHz 802.11ax HE20 106 RU	97.60	1302	0.77	1kHz
4+3	6GHz 802.11ax HE40 Full RU	90.99	1010	0.99	1kHz
4+3	6GHz 802.11ax HE80 Full RU	86.39	730	1.37	3kHz

MIMO <Ant. 4+3>







6GHz 802.11ax HE20 26 RU




6GHz 802.11ax HE20 52 RU




6GHz 802.11ax HE20 106 RU



6GHz 802.11ax HE40 Full RU








<For Conducted test>

Antenna	Band	Duty Cycle(%)	T(us)	Duty Factor(dB)
4+3	802.11a for Ant 4	93.72	1432	0.28
4+3	802.11a for Ant 3	93.46	1430	0.29
4+3	6GHz 802.11ax HE20 Full RU for Ant 4	91.27	1045	0.40
4+3	6GHz 802.11ax HE20 Full RU for Ant 3	91.27	1045	0.40
4+3	6GHz 802.11ax HE20 26 RU for Ant 4	89.47	850	0.48
4+3	6GHz 802.11ax HE20 26 RU for Ant 3	89.47	850	0.48
4+3	6GHz 802.11ax HE20 52 RU for Ant 4	88.57	775	0.53
4+3	6GHz 802.11ax HE20 52 RU for Ant 3	88.57	775	0.53
4+3	6GHz 802.11ax HE20 106 RU for Ant 4	87.42	695	0.58
4+3	6GHz 802.11ax HE20 106 RU for Ant 3	87.34	690	0.59
4+3	6GHz 802.11ax HE40 Full RU for Ant 4	91.11	1025	0.40
4+3	6GHz 802.11ax HE40 Full RU for Ant 3	91.15	1030	0.40
4+3	6GHz 802.11ax HE80 Full RU for Ant 4	88.24	750	0.54
4+3	6GHz 802.11ax HE80 Full RU for Ant 3	88.24	750	0.54

MIMO <Ant. 4>



—THE END—