







Mode	11																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz																																																																																																	
ANT	4																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-04-07 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2315.59</td><td>50.37</td><td>74.00</td><td>-23.63</td><td>37.73</td><td>27.14</td><td>7.02</td><td>31.80</td><td>10.28</td><td>104</td><td>252 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2315.59	50.37	74.00	-23.63	37.73	27.14	7.02	31.80	10.28	104	252 Peak	Level (dBuV/m) Date: 2026-04-07 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>114.07</td><td>-----</td><td>-----</td><td>101.66</td><td>26.80</td><td>7.19</td><td>31.86</td><td>10.28</td><td>104</td><td>252 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	114.07	-----	-----	101.66	26.80	7.19	31.86	10.28	104	252 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2315.59	50.37	74.00	-23.63	37.73	27.14	7.02	31.80	10.28	104	252 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2440.00	114.07	-----	-----	101.66	26.80	7.19	31.86	10.28	104	252 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-04-07 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.24</td><td>45.24</td><td>54.00</td><td>-8.76</td><td>32.89</td><td>26.80</td><td>7.10</td><td>31.83</td><td>10.28</td><td>104</td><td>252 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.24	45.24	54.00	-8.76	32.89	26.80	7.10	31.83	10.28	104	252 Average	Level (dBuV/m) Date: 2026-04-07 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>113.34</td><td>-----</td><td>-----</td><td>100.93</td><td>26.80</td><td>7.19</td><td>31.86</td><td>10.28</td><td>104</td><td>252 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	113.34	-----	-----	100.93	26.80	7.19	31.86	10.28	104	252 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2381.24	45.24	54.00	-8.76	32.89	26.80	7.10	31.83	10.28	104	252 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2440.00	113.34	-----	-----	100.93	26.80	7.19	31.86	10.28	104	252 Average																																																																																							



Mode	11																																												
	Band Edge - R																																												
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz																																												
ANT	4																																												
Pol.	Horizontal	Fundamental																																											
Peak	Level (dBuV/m) Date: 2026-04-07 PEAK_BE_74 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.42</td><td>50.99</td><td>74.00</td><td>-23.01</td><td>38.46</td><td>26.85</td><td>7.27</td><td>31.88</td><td>10.29</td><td>104</td><td>252 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.42	50.99	74.00	-23.01	38.46	26.85	7.27	31.88	10.29	104	252 Peak	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	2485.42	50.99	74.00	-23.01	38.46	26.85	7.27	31.88	10.29	104	252 Peak																																		
Avg	Level (dBuV/m) Date: 2026-04-07 AVG_BE_54 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.62</td><td>45.33</td><td>54.00</td><td>-8.67</td><td>32.74</td><td>26.90</td><td>7.29</td><td>31.89</td><td>10.29</td><td>104</td><td>252 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.62	45.33	54.00	-8.67	32.74	26.90	7.29	31.89	10.29	104	252 Average	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	2498.62	45.33	54.00	-8.67	32.74	26.90	7.29	31.89	10.29	104	252 Average																																		





Mode	11																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz																																																																																																			
ANT	4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-04-07  Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2361.87</td><td>50.73</td><td>74.00</td><td>-23.27</td><td>38.21</td><td>26.98</td><td>7.08</td><td>31.82</td><td>10.28</td><td>391</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2361.87	50.73	74.00	-23.27	38.21	26.98	7.08	31.82	10.28	391	360	Peak	Level (dBuV/m) Date: 2026-04-07  Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>109.79</td><td>-----</td><td>-----</td><td>97.38</td><td>26.80</td><td>7.19</td><td>31.86</td><td>10.28</td><td>391</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	109.79	-----	-----	97.38	26.80	7.19	31.86	10.28	391	360	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2361.87	50.73	74.00	-23.27	38.21	26.98	7.08	31.82	10.28	391	360	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	109.79	-----	-----	97.38	26.80	7.19	31.86	10.28	391	360	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-04-07  Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2338.08</td><td>45.26</td><td>54.00</td><td>-8.74</td><td>32.72</td><td>27.02</td><td>7.05</td><td>31.81</td><td>10.28</td><td>391</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2338.08	45.26	54.00	-8.74	32.72	27.02	7.05	31.81	10.28	391	360	Average	Level (dBuV/m) Date: 2026-04-07  Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>109.32</td><td>-----</td><td>-----</td><td>96.91</td><td>26.80</td><td>7.19</td><td>31.86</td><td>10.28</td><td>391</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	109.32	-----	-----	96.91	26.80	7.19	31.86	10.28	391	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2338.08	45.26	54.00	-8.74	32.72	27.02	7.05	31.81	10.28	391	360	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	109.32	-----	-----	96.91	26.80	7.19	31.86	10.28	391	360	Average																																																																																								



FCC RADIO TEST REPORT



Report No. :FR500118L

Mode	11																																								
	Band Edge - R																																								
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz																																								
ANT	4																																								
Pol.	Vertical	Fundamental																																							
Peak	Date: 2026-04-07  Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2487.76</td><td>50.96</td><td>74.00</td><td>-23.04</td><td>38.40</td><td>26.88</td><td>7.27</td><td>31.88</td><td>10.29</td><td>391</td><td>360</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2487.76	50.96	74.00	-23.04	38.40	26.88	7.27	31.88	10.29	391	360	Peak	Blank
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																													
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																														
1	2487.76	50.96	74.00	-23.04	38.40	26.88	7.27	31.88	10.29	391	360	Peak																													
Avg	Date: 2026-04-07  Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2496.28</td><td>45.54</td><td>54.00</td><td>-8.46</td><td>32.96</td><td>26.90</td><td>7.28</td><td>31.89</td><td>10.29</td><td>391</td><td>360</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2496.28	45.54	54.00	-8.46	32.96	26.90	7.28	31.89	10.29	391	360	Average	Blank
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																													
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																														
1	2496.28	45.54	54.00	-8.46	32.96	26.90	7.28	31.89	10.29	391	360	Average																													



Mode	11																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz																																																																																																																									
ANT	4																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-04-04 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4880.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>33.42</td><td>32.62</td><td>10.57</td><td>32.29</td><td>1.71</td><td>-- -- Peak</td></tr><tr><td>2 7320.00</td><td>49.46</td><td>74.00</td><td>-24.54</td><td>33.14</td><td>37.28</td><td>12.79</td><td>35.68</td><td>1.93</td><td>-- -- Peak</td></tr><tr><td>3 7320.00</td><td>38.90</td><td>54.00</td><td>-15.10</td><td>22.58</td><td>37.28</td><td>12.79</td><td>35.68</td><td>1.93</td><td>-- -- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4880.00	46.03	74.00	-27.97	33.42	32.62	10.57	32.29	1.71	-- -- Peak	2 7320.00	49.46	74.00	-24.54	33.14	37.28	12.79	35.68	1.93	-- -- Peak	3 7320.00	38.90	54.00	-15.10	22.58	37.28	12.79	35.68	1.93	-- -- Average	Level (dBuV/m) Date: 2026-04-04 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4880.00</td><td>45.94</td><td>74.00</td><td>-28.06</td><td>33.33</td><td>32.62</td><td>10.57</td><td>32.29</td><td>1.71</td><td>-- -- Peak</td></tr><tr><td>2 7320.00</td><td>49.79</td><td>74.00</td><td>-24.21</td><td>33.47</td><td>37.28</td><td>12.79</td><td>35.68</td><td>1.93</td><td>-- -- Peak</td></tr><tr><td>3 7320.00</td><td>39.23</td><td>54.00</td><td>-14.77</td><td>22.91</td><td>37.28</td><td>12.79</td><td>35.68</td><td>1.93</td><td>-- -- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4880.00	45.94	74.00	-28.06	33.33	32.62	10.57	32.29	1.71	-- -- Peak	2 7320.00	49.79	74.00	-24.21	33.47	37.28	12.79	35.68	1.93	-- -- Peak	3 7320.00	39.23	54.00	-14.77	22.91	37.28	12.79	35.68	1.93	-- -- Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 4880.00	46.03	74.00	-27.97	33.42	32.62	10.57	32.29	1.71	-- -- Peak																																																																																																																	
2 7320.00	49.46	74.00	-24.54	33.14	37.28	12.79	35.68	1.93	-- -- Peak																																																																																																																	
3 7320.00	38.90	54.00	-15.10	22.58	37.28	12.79	35.68	1.93	-- -- Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 4880.00	45.94	74.00	-28.06	33.33	32.62	10.57	32.29	1.71	-- -- Peak																																																																																																																	
2 7320.00	49.79	74.00	-24.21	33.47	37.28	12.79	35.68	1.93	-- -- Peak																																																																																																																	
3 7320.00	39.23	54.00	-14.77	22.91	37.28	12.79	35.68	1.93	-- -- Average																																																																																																																	



Mode	11	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2440MHz	
ANT	4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-04-04  Frequency (MHz) Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-04-04  Frequency (MHz) Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	12																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																																	
ANT	4																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-04-04 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.09</td><td>52.21</td><td>74.00</td><td>-21.79</td><td>39.70</td><td>26.84</td><td>7.26</td><td>31.88</td><td>10.29</td><td>100</td><td>247 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.09	52.21	74.00	-21.79	39.70	26.84	7.26	31.88	10.29	100	247 Peak	Level (dBuV/m) Date: 2026-04-04 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>114.32</td><td>-----</td><td>-----</td><td>101.86</td><td>26.80</td><td>7.25</td><td>31.88</td><td>10.29</td><td>100</td><td>247 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	114.32	-----	-----	101.86	26.80	7.25	31.88	10.29	100	247 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2484.09	52.21	74.00	-21.79	39.70	26.84	7.26	31.88	10.29	100	247 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2478.00	114.32	-----	-----	101.86	26.80	7.25	31.88	10.29	100	247 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-04-04 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.01</td><td>45.96</td><td>54.00</td><td>-8.04</td><td>33.45</td><td>26.84</td><td>7.26</td><td>31.88</td><td>10.29</td><td>100</td><td>247 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.01	45.96	54.00	-8.04	33.45	26.84	7.26	31.88	10.29	100	247 Average	Level (dBuV/m) Date: 2026-04-04 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>113.67</td><td>-----</td><td>-----</td><td>101.21</td><td>26.80</td><td>7.25</td><td>31.88</td><td>10.29</td><td>100</td><td>247 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	113.67	-----	-----	101.21	26.80	7.25	31.88	10.29	100	247 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2484.01	45.96	54.00	-8.04	33.45	26.84	7.26	31.88	10.29	100	247 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2478.00	113.67	-----	-----	101.21	26.80	7.25	31.88	10.29	100	247 Average																																																																																							



Mode	12																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																																			
ANT	4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-04-04 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.71</td><td>50.73</td><td>74.00</td><td>-23.27</td><td>38.18</td><td>26.87</td><td>7.27</td><td>31.88</td><td>10.29</td><td>365</td><td>118</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.71	50.73	74.00	-23.27	38.18	26.87	7.27	31.88	10.29	365	118	Peak	Level (dBuV/m) Date: 2026-04-04 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>107.61</td><td>-----</td><td>-----</td><td>95.15</td><td>26.80</td><td>7.25</td><td>31.88</td><td>10.29</td><td>365</td><td>118</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	107.61	-----	-----	95.15	26.80	7.25	31.88	10.29	365	118	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2486.71	50.73	74.00	-23.27	38.18	26.87	7.27	31.88	10.29	365	118	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2478.00	107.61	-----	-----	95.15	26.80	7.25	31.88	10.29	365	118	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-04-04 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.53</td><td>45.26</td><td>54.00</td><td>-8.74</td><td>32.68</td><td>26.90</td><td>7.28</td><td>31.89</td><td>10.29</td><td>365</td><td>118</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.53	45.26	54.00	-8.74	32.68	26.90	7.28	31.89	10.29	365	118	Average	Level (dBuV/m) Date: 2026-04-04 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:36.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>107.00</td><td>-----</td><td>-----</td><td>94.54</td><td>26.80</td><td>7.25</td><td>31.88</td><td>10.29</td><td>365</td><td>118</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	107.00	-----	-----	94.54	26.80	7.25	31.88	10.29	365	118	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2493.53	45.26	54.00	-8.74	32.68	26.90	7.28	31.89	10.29	365	118	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2478.00	107.00	-----	-----	94.54	26.80	7.25	31.88	10.29	365	118	Average																																																																																								



Mode	12																																																																																																																																							
	Harmonic																																																																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																																																																							
ANT	4																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak	Level (dBuV/m) Date: 2026-04-04 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>33.97</td><td>32.91</td><td>10.62</td><td>32.25</td><td>1.71</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>7434.00</td><td>51.14</td><td>74.00</td><td>-22.86</td><td>34.93</td><td>37.16</td><td>12.89</td><td>35.78</td><td>1.94</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>7434.00</td><td>40.58</td><td>54.00</td><td>-13.42</td><td>24.37</td><td>37.16</td><td>12.89</td><td>35.78</td><td>1.94</td><td>--</td><td>-- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor						MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	46.96	74.00	-27.04	33.97	32.91	10.62	32.25	1.71	--	-- Peak	2	7434.00	51.14	74.00	-22.86	34.93	37.16	12.89	35.78	1.94	--	-- Peak	3	7434.00	40.58	54.00	-13.42	24.37	37.16	12.89	35.78	1.94	--	-- Average	Level (dBuV/m) Date: 2026-04-04 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>32.75</td><td>32.91</td><td>10.62</td><td>32.25</td><td>1.71</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>7434.00</td><td>50.12</td><td>74.00</td><td>-23.88</td><td>33.91</td><td>37.16</td><td>12.89</td><td>35.78</td><td>1.94</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>7434.00</td><td>39.56</td><td>54.00</td><td>-14.44</td><td>23.35</td><td>37.16</td><td>12.89</td><td>35.78</td><td>1.94</td><td>--</td><td>-- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor						MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	45.74	74.00	-28.26	32.75	32.91	10.62	32.25	1.71	--	-- Peak	2	7434.00	50.12	74.00	-23.88	33.91	37.16	12.89	35.78	1.94	--	-- Peak	3	7434.00	39.56	54.00	-14.44	23.35	37.16	12.89	35.78	1.94	--	-- Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor																																																																																																																																			
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	4956.00	46.96	74.00	-27.04	33.97	32.91	10.62	32.25	1.71	--	-- Peak																																																																																																																													
2	7434.00	51.14	74.00	-22.86	34.93	37.16	12.89	35.78	1.94	--	-- Peak																																																																																																																													
3	7434.00	40.58	54.00	-13.42	24.37	37.16	12.89	35.78	1.94	--	-- Average																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor																																																																																																																																			
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	4956.00	45.74	74.00	-28.26	32.75	32.91	10.62	32.25	1.71	--	-- Peak																																																																																																																													
2	7434.00	50.12	74.00	-23.88	33.91	37.16	12.89	35.78	1.94	--	-- Peak																																																																																																																													
3	7434.00	39.56	54.00	-14.44	23.35	37.16	12.89	35.78	1.94	--	-- Average																																																																																																																													



Mode	12	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz	
ANT	4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-04-04 Frequency (MHz) Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2026-04-04 Frequency (MHz) Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	13																																																																																																																																																																																																																																					
	LF																																																																																																																																																																																																																																					
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																																																																																																																																																																					
ANT	3																																																																																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																																																																																															
QP/ Peak	Level (dBuV/m) Date: 2026-04-14 Site : 03CH23-HY Condition: QP 3m CBL6111D_62028 & 003_251126 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>85.29</td><td>29.74</td><td>40.00</td><td>-10.26</td><td>46.66</td><td>14.51</td><td>0.99</td><td>32.51</td><td>0.09</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>171.62</td><td>30.06</td><td>43.50</td><td>-13.44</td><td>44.98</td><td>15.78</td><td>1.54</td><td>32.48</td><td>0.24</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>216.24</td><td>30.14</td><td>46.00</td><td>-15.86</td><td>45.89</td><td>14.90</td><td>1.75</td><td>32.51</td><td>0.11</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>344.28</td><td>26.94</td><td>46.00</td><td>-19.06</td><td>36.70</td><td>20.21</td><td>2.35</td><td>32.57</td><td>0.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>743.92</td><td>39.38</td><td>46.00</td><td>-6.62</td><td>40.16</td><td>28.07</td><td>3.51</td><td>32.56</td><td>0.20</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>957.32</td><td>32.43</td><td>46.00</td><td>-13.57</td><td>28.14</td><td>31.04</td><td>4.07</td><td>31.07</td><td>0.25</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2026-04-14 Site : 03CH23-HY Condition: QP 3m CBL6111D_62028 & 003_251126 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>31.94</td><td>34.31</td><td>40.00</td><td>-5.69</td><td>43.09</td><td>23.23</td><td>0.47</td><td>32.57</td><td>0.09</td><td>100</td><td>230</td><td>QP</td></tr><tr><td>2</td><td>171.62</td><td>30.17</td><td>43.50</td><td>-13.33</td><td>45.09</td><td>15.78</td><td>1.54</td><td>32.48</td><td>0.24</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>216.24</td><td>26.65</td><td>46.00</td><td>-19.35</td><td>42.40</td><td>14.90</td><td>1.75</td><td>32.51</td><td>0.11</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>403.45</td><td>26.46</td><td>46.00</td><td>-19.54</td><td>34.40</td><td>22.01</td><td>2.51</td><td>32.64</td><td>0.18</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>730.34</td><td>37.32</td><td>46.00</td><td>-8.68</td><td>38.65</td><td>27.57</td><td>3.50</td><td>32.60</td><td>0.20</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>897.18</td><td>38.56</td><td>46.00</td><td>-7.44</td><td>37.12</td><td>29.09</td><td>3.89</td><td>31.71</td><td>0.17</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	85.29	29.74	40.00	-10.26	46.66	14.51	0.99	32.51	0.09	--	--	Peak	2	171.62	30.06	43.50	-13.44	44.98	15.78	1.54	32.48	0.24	--	--	Peak	3	216.24	30.14	46.00	-15.86	45.89	14.90	1.75	32.51	0.11	--	--	Peak	4	344.28	26.94	46.00	-19.06	36.70	20.21	2.35	32.57	0.25	--	--	Peak	5	743.92	39.38	46.00	-6.62	40.16	28.07	3.51	32.56	0.20	--	--	Peak	6	957.32	32.43	46.00	-13.57	28.14	31.04	4.07	31.07	0.25	--	--	Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	31.94	34.31	40.00	-5.69	43.09	23.23	0.47	32.57	0.09	100	230	QP	2	171.62	30.17	43.50	-13.33	45.09	15.78	1.54	32.48	0.24	--	--	Peak	3	216.24	26.65	46.00	-19.35	42.40	14.90	1.75	32.51	0.11	--	--	Peak	4	403.45	26.46	46.00	-19.54	34.40	22.01	2.51	32.64	0.18	--	--	Peak	5	730.34	37.32	46.00	-8.68	38.65	27.57	3.50	32.60	0.20	--	--	Peak	6	897.18	38.56	46.00	-7.44	37.12	29.09	3.89	31.71	0.17	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																												
1	85.29	29.74	40.00	-10.26	46.66	14.51	0.99	32.51	0.09	--	--	Peak																																																																																																																																																																																																																										
2	171.62	30.06	43.50	-13.44	44.98	15.78	1.54	32.48	0.24	--	--	Peak																																																																																																																																																																																																																										
3	216.24	30.14	46.00	-15.86	45.89	14.90	1.75	32.51	0.11	--	--	Peak																																																																																																																																																																																																																										
4	344.28	26.94	46.00	-19.06	36.70	20.21	2.35	32.57	0.25	--	--	Peak																																																																																																																																																																																																																										
5	743.92	39.38	46.00	-6.62	40.16	28.07	3.51	32.56	0.20	--	--	Peak																																																																																																																																																																																																																										
6	957.32	32.43	46.00	-13.57	28.14	31.04	4.07	31.07	0.25	--	--	Peak																																																																																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																												
1	31.94	34.31	40.00	-5.69	43.09	23.23	0.47	32.57	0.09	100	230	QP																																																																																																																																																																																																																										
2	171.62	30.17	43.50	-13.33	45.09	15.78	1.54	32.48	0.24	--	--	Peak																																																																																																																																																																																																																										
3	216.24	26.65	46.00	-19.35	42.40	14.90	1.75	32.51	0.11	--	--	Peak																																																																																																																																																																																																																										
4	403.45	26.46	46.00	-19.54	34.40	22.01	2.51	32.64	0.18	--	--	Peak																																																																																																																																																																																																																										
5	730.34	37.32	46.00	-8.68	38.65	27.57	3.50	32.60	0.20	--	--	Peak																																																																																																																																																																																																																										
6	897.18	38.56	46.00	-7.44	37.12	29.09	3.89	31.71	0.17	--	--	Peak																																																																																																																																																																																																																										



Mode	14																																																																																							
	SHF																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																							
ANT	3																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak	Level (dBuV/m) Date: 2026-04-14 Site : 03CH23-HY Condition: PEAK_74 1m BBHA9170_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>21979.54</td><td>40.22</td><td>74.00</td><td>-33.78</td><td>53.60</td><td>30.26</td><td>20.44</td><td>62.54</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	21979.54	40.22	74.00	-33.78	53.60	30.26	20.44	62.54	-9.54	--	PEAK	Level (dBuV/m) Date: 2026-04-14 Site : 03CH23-HY Condition: PEAK_74 1m BBHA9170_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>21275.89</td><td>38.52</td><td>74.00</td><td>-35.48</td><td>53.10</td><td>38.20</td><td>20.12</td><td>63.36</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	21275.89	38.52	74.00	-35.48	53.10	38.20	20.12	63.36	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	21979.54	40.22	74.00	-33.78	53.60	30.26	20.44	62.54	-9.54	--	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	21275.89	38.52	74.00	-35.48	53.10	38.20	20.12	63.36	-9.54	--	PEAK																																																																													



Mode	15																																																																																																																																																																																																																																												
	LF																																																																																																																																																																																																																																												
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																																																																																																																																																																												
ANT	4																																																																																																																																																																																																																																												
Pol.	Horizontal							Vertical																																																																																																																																																																																																																																					
QP/ Peak	Level (dBuV/m) Date: 2026-04-14 Site : 03CH23-HY Condition: QP 3m CBL6111D_62028 & 003_251126 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>50.37</td><td>33.11</td><td>40.00</td><td>-6.89</td><td>50.05</td><td>14.69</td><td>0.75</td><td>32.53</td><td>0.15</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>215.27</td><td>30.14</td><td>43.50</td><td>-13.36</td><td>45.90</td><td>14.90</td><td>1.74</td><td>32.51</td><td>0.11</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>217.21</td><td>30.38</td><td>46.00</td><td>-15.62</td><td>46.09</td><td>14.94</td><td>1.75</td><td>32.51</td><td>0.11</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>413.15</td><td>27.58</td><td>46.00</td><td>-18.42</td><td>35.09</td><td>22.43</td><td>2.54</td><td>32.64</td><td>0.16</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>716.76</td><td>34.33</td><td>46.00</td><td>-11.67</td><td>36.37</td><td>26.91</td><td>3.48</td><td>32.64</td><td>0.21</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>896.21</td><td>34.02</td><td>46.00</td><td>-11.98</td><td>32.63</td><td>29.05</td><td>3.89</td><td>31.72</td><td>0.17</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	50.37	33.11	40.00	-6.89	50.05	14.69	0.75	32.53	0.15	--	--	--	Peak	2	215.27	30.14	43.50	-13.36	45.90	14.90	1.74	32.51	0.11	--	--	--	Peak	3	217.21	30.38	46.00	-15.62	46.09	14.94	1.75	32.51	0.11	--	--	--	Peak	4	413.15	27.58	46.00	-18.42	35.09	22.43	2.54	32.64	0.16	--	--	--	Peak	5	716.76	34.33	46.00	-11.67	36.37	26.91	3.48	32.64	0.21	--	--	--	Peak	6	896.21	34.02	46.00	-11.98	32.63	29.05	3.89	31.72	0.17	--	--	--	Peak	Level (dBuV/m) Date: 2026-04-14 Site : 03CH23-HY Condition: QP 3m CBL6111D_62028 & 003_251126 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>31.94</td><td>35.10</td><td>40.00</td><td>-4.90</td><td>43.88</td><td>23.23</td><td>0.47</td><td>32.57</td><td>0.09</td><td>101</td><td>263</td><td>QP</td></tr><tr><td>2</td><td>172.59</td><td>30.22</td><td>43.50</td><td>-13.28</td><td>45.22</td><td>15.69</td><td>1.55</td><td>32.48</td><td>0.24</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>217.21</td><td>26.72</td><td>46.00</td><td>-19.28</td><td>42.43</td><td>14.94</td><td>1.75</td><td>32.51</td><td>0.11</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>408.30</td><td>26.65</td><td>46.00</td><td>-19.35</td><td>34.42</td><td>22.18</td><td>2.52</td><td>32.64</td><td>0.17</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>730.34</td><td>38.13</td><td>46.00</td><td>-7.87</td><td>39.46</td><td>27.57</td><td>3.50</td><td>32.60</td><td>0.20</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>898.15</td><td>34.98</td><td>46.00</td><td>-11.02</td><td>33.50</td><td>29.12</td><td>3.89</td><td>31.70</td><td>0.17</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	31.94	35.10	40.00	-4.90	43.88	23.23	0.47	32.57	0.09	101	263	QP	2	172.59	30.22	43.50	-13.28	45.22	15.69	1.55	32.48	0.24	--	--	--	Peak	3	217.21	26.72	46.00	-19.28	42.43	14.94	1.75	32.51	0.11	--	--	--	Peak	4	408.30	26.65	46.00	-19.35	34.42	22.18	2.52	32.64	0.17	--	--	--	Peak	5	730.34	38.13	46.00	-7.87	39.46	27.57	3.50	32.60	0.20	--	--	--	Peak	6	898.15	34.98	46.00	-11.02	33.50	29.12	3.89	31.70	0.17	--	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																															
		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																
1	50.37	33.11	40.00	-6.89	50.05	14.69	0.75	32.53	0.15	--	--	--	Peak																																																																																																																																																																																																																																
2	215.27	30.14	43.50	-13.36	45.90	14.90	1.74	32.51	0.11	--	--	--	Peak																																																																																																																																																																																																																																
3	217.21	30.38	46.00	-15.62	46.09	14.94	1.75	32.51	0.11	--	--	--	Peak																																																																																																																																																																																																																																
4	413.15	27.58	46.00	-18.42	35.09	22.43	2.54	32.64	0.16	--	--	--	Peak																																																																																																																																																																																																																																
5	716.76	34.33	46.00	-11.67	36.37	26.91	3.48	32.64	0.21	--	--	--	Peak																																																																																																																																																																																																																																
6	896.21	34.02	46.00	-11.98	32.63	29.05	3.89	31.72	0.17	--	--	--	Peak																																																																																																																																																																																																																																
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																	
1	31.94	35.10	40.00	-4.90	43.88	23.23	0.47	32.57	0.09	101	263	QP																																																																																																																																																																																																																																	
2	172.59	30.22	43.50	-13.28	45.22	15.69	1.55	32.48	0.24	--	--	--	Peak																																																																																																																																																																																																																																
3	217.21	26.72	46.00	-19.28	42.43	14.94	1.75	32.51	0.11	--	--	--	Peak																																																																																																																																																																																																																																
4	408.30	26.65	46.00	-19.35	34.42	22.18	2.52	32.64	0.17	--	--	--	Peak																																																																																																																																																																																																																																
5	730.34	38.13	46.00	-7.87	39.46	27.57	3.50	32.60	0.20	--	--	--	Peak																																																																																																																																																																																																																																
6	898.15	34.98	46.00	-11.02	33.50	29.12	3.89	31.70	0.17	--	--	--	Peak																																																																																																																																																																																																																																




Mode	16																																																																																							
	SHF																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH76_2478MHz																																																																																							
ANT	4																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak	Level (dBuV/m) Date: 2026-04-14 Site : 03CH23-HY Condition: PEAK_74 1m BBHA9170_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>21979.54</td><td>40.38</td><td>74.00</td><td>-33.62</td><td>53.76</td><td>38.26</td><td>20.44</td><td>62.54</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	21979.54	40.38	74.00	-33.62	53.76	38.26	20.44	62.54	-9.54	--	PEAK	Level (dBuV/m) Date: 2026-04-14 Site : 03CH23-HY Condition: PEAK_74 1m BBHA9170_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>21275.89</td><td>38.62</td><td>74.00</td><td>-35.38</td><td>53.20</td><td>38.20</td><td>20.12</td><td>63.36</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	21275.89	38.62	74.00	-35.38	53.20	38.20	20.12	63.36	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	21979.54	40.38	74.00	-33.62	53.76	38.26	20.44	62.54	-9.54	--	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	21275.89	38.62	74.00	-35.38	53.20	38.20	20.12	63.36	-9.54	--	PEAK																																																																													



Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
3	Bluetooth - LE for GFSK 1Mbps	15.97	46	21.74	22kHz
3	Bluetooth - LE for GFSK 2Mbps	11.11	28	35.71	36kHz
4	Bluetooth - LE for GFSK 1Mbps	15.97	46	21.74	22kHz
4	Bluetooth - LE for GFSK 2Mbps	11.11	28	35.71	36kHz

<Ant. 3>



<Ant. 4>

