



|            |                        |           |            |
|------------|------------------------|-----------|------------|
| Test mode: | High Channel (5795MHz) | Polarity: | Horizontal |
|------------|------------------------|-----------|------------|



| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 11590     | 61.63    | -5.94   | 55.69    | 74       | -18.31 | PK       |
| 11590     | 43.42    | -5.94   | 37.48    | 54       | -16.52 | AV       |

|            |                        |           |          |
|------------|------------------------|-----------|----------|
| Test mode: | High Channel (5795MHz) | Polarity: | Vertical |
|------------|------------------------|-----------|----------|



| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 11590     | 52.69    | -1.59   | 51.1     | 74       | -22.9  | PK       |
| 11590     | 40.41    | -1.59   | 38.82    | 54       | -15.18 | AV       |


➤ Out of Band edge for 5725-5850MHz

| Test CH. | Test Segment | Result  | Limit   |
|----------|--------------|---------|---------|
|          | MHz          | dBm/MHz | dBm/MHz |
| Lowest   | Below 5715   | -37.54  | -27     |
|          | 5715 to 5725 | -36.24  | -17     |
| Highest  | 5850 to 5860 | -34.36  | -17     |
|          | Above 5860   | -36.24  | -27     |

Note: the data just list the worst cases


- For the frequency band 5.15-5.25GHz (802.11ax HE40)
- Harmonics And Spurious Emissions

|            |                       |           |            |
|------------|-----------------------|-----------|------------|
| Test mode: | Low Channel (5190MHz) | Polarity: | Horizontal |
|------------|-----------------------|-----------|------------|




| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 10380     | 59.2     | -5.94   | 53.26    | 74       | -20.74 | PK       |
| 10380     | 43.63    | -5.94   | 37.69    | 54       | -16.31 | AV       |

|            |                       |           |          |
|------------|-----------------------|-----------|----------|
| Test mode: | Low Channel (5190MHz) | Polarity: | Vertical |
|------------|-----------------------|-----------|----------|




| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 10380     | 55.24    | -1.59   | 53.65    | 74       | -20.35 | PK       |
| 10380     | 38.49    | -1.59   | 36.9     | 54       | -17.1  | AV       |

|            |                        |           |            |
|------------|------------------------|-----------|------------|
| Test mode: | High Channel (5230MHz) | Polarity: | Horizontal |
|------------|------------------------|-----------|------------|



| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 10460     | 58.51    | -5.94   | 52.57    | 74       | -21.43 | PK       |
| 10460     | 42.93    | -5.94   | 36.99    | 54       | -17.01 | AV       |

|            |                        |           |          |
|------------|------------------------|-----------|----------|
| Test mode: | High Channel (5230MHz) | Polarity: | Vertical |
|------------|------------------------|-----------|----------|



| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 10460     | 54.37    | -1.59   | 52.78    | 74       | -21.22 | PK       |
| 10460     | 38.5     | -1.59   | 36.91    | 54       | -17.09 | AV       |

➤ Out of Band edge for 5150-5250MHz


| Test CH. | Test Segment | Result  | Limit   |
|----------|--------------|---------|---------|
|          | MHz          | dBm/MHz | dBm/MHz |
| Lowest   | Below 5150   | -36.24  | -27     |
| Highest  | Above 5350   | -31.36  | -27     |

Note: the data just list the worst cases

Reference No.: WTX26X06175439W001


- For the frequency band 5.250-5.350GHz (802.11ax HE40)
- Harmonics And Spurious Emissions

|            |                       |           |            |
|------------|-----------------------|-----------|------------|
| Test mode: | Low Channel (5270MHz) | Polarity: | Horizontal |
|------------|-----------------------|-----------|------------|




| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 10540     | 58.81    | -5.94   | 52.87    | 74       | -21.13 | PK       |
| 10540     | 41.47    | -5.94   | 35.53    | 54       | -18.47 | AV       |

|            |                       |           |          |
|------------|-----------------------|-----------|----------|
| Test mode: | Low Channel (5270MHz) | Polarity: | Vertical |
|------------|-----------------------|-----------|----------|




| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 10540     | 53.17    | -1.59   | 51.58    | 74       | -22.42 | PK       |
| 10540     | 38.52    | -1.59   | 36.93    | 54       | -17.07 | AV       |

|            |                        |           |            |
|------------|------------------------|-----------|------------|
| Test mode: | High Channel (5310MHz) | Polarity: | Horizontal |
|------------|------------------------|-----------|------------|



| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 10620     | 61.08    | -5.94   | 55.14    | 74       | -18.86 | PK       |
| 10620     | 41.71    | -5.94   | 35.77    | 54       | -18.23 | AV       |

|            |                        |           |          |
|------------|------------------------|-----------|----------|
| Test mode: | High Channel (5310MHz) | Polarity: | Vertical |
|------------|------------------------|-----------|----------|



| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 10620     | 54.25    | -1.59   | 52.66    | 74       | -21.34 | PK       |
| 10620     | 39.22    | -1.59   | 37.63    | 54       | -16.37 | AV       |


➤ Out of Band edge for 5250-5350MHz

| Test CH.                                 | Test Segment | Result  | Limit   |
|------------------------------------------|--------------|---------|---------|
|                                          | MHz          | dBm/MHz | dBm/MHz |
| Lowest                                   | Below 5150   | -33.68  | -27     |
| Highest                                  | Above 5350   | -35.64  | -27     |
| Note: the data just list the worst cases |              |         |         |

Reference No.: WTX26X06175439W001


- For the frequency band 5.470-5.725GHz (802.11ax HE40)
- Harmonics And Spurious Emissions

|            |                       |           |            |
|------------|-----------------------|-----------|------------|
| Test mode: | Low Channel (5510MHz) | Polarity: | Horizontal |
|------------|-----------------------|-----------|------------|




| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 11020     | 60.37    | -5.94   | 54.43    | 74       | -19.57 | PK       |
| 11020     | 41.97    | -5.94   | 36.03    | 54       | -17.97 | AV       |

|            |                       |           |          |
|------------|-----------------------|-----------|----------|
| Test mode: | Low Channel (5510MHz) | Polarity: | Vertical |
|------------|-----------------------|-----------|----------|




| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 11020     | 55.41    | -1.59   | 53.82    | 74       | -20.18 | PK       |
| 11020     | 40.65    | -1.59   | 39.06    | 54       | -14.94 | AV       |

|            |                          |           |            |
|------------|--------------------------|-----------|------------|
| Test mode: | Middle Channel (5550MHz) | Polarity: | Horizontal |
|------------|--------------------------|-----------|------------|




| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 11180     | 61.36    | -5.94   | 55.42    | 74       | -18.58 | PK       |
| 11180     | 42.79    | -5.94   | 36.85    | 54       | -17.15 | AV       |

|            |                          |           |          |
|------------|--------------------------|-----------|----------|
| Test mode: | Middle Channel (5785MHz) | Polarity: | Vertical |
|------------|--------------------------|-----------|----------|




| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 11180     | 52       | -1.59   | 50.41    | 74       | -23.59 | PK       |
| 11180     | 39.93    | -1.59   | 38.34    | 54       | -15.66 | AV       |

|            |                        |           |            |
|------------|------------------------|-----------|------------|
| Test mode: | High Channel (5670MHz) | Polarity: | Horizontal |
|------------|------------------------|-----------|------------|



| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 11340     | 60.7     | -5.94   | 54.76    | 74       | -19.24 | PK       |
| 11340     | 42.12    | -5.94   | 36.18    | 54       | -17.82 | AV       |

|            |                        |           |          |
|------------|------------------------|-----------|----------|
| Test mode: | High Channel (5825MHz) | Polarity: | Vertical |
|------------|------------------------|-----------|----------|



| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 11340     | 55.33    | -1.59   | 53.74    | 74       | -20.26 | PK       |
| 11340     | 39.18    | -1.59   | 37.59    | 54       | -16.41 | AV       |

➤ Out of Band edge for 5470-5725MHz


| Test CH. | Test Segment | Result  | Limit   |
|----------|--------------|---------|---------|
|          | MHz          | dBm/MHz | dBm/MHz |
| Lowest   | Below 5470   | -32.14  | -27     |
| Highest  | Above 5725   | -35.38  | -27     |

Note: the data just list the worst cases

Reference No.: WTX26X06175439W001


- For the frequency band 5.725-5.850GHz (802.11ax HE40)
- Harmonics And Spurious Emissions

|            |                       |           |            |
|------------|-----------------------|-----------|------------|
| Test mode: | Low Channel (5755MHz) | Polarity: | Horizontal |
|------------|-----------------------|-----------|------------|




| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 11510     | 58.82    | -5.94   | 52.88    | 74       | -21.12 | PK       |
| 11510     | 43.98    | -5.94   | 38.04    | 54       | -15.96 | AV       |

|            |                       |           |          |
|------------|-----------------------|-----------|----------|
| Test mode: | Low Channel (5755MHz) | Polarity: | Vertical |
|------------|-----------------------|-----------|----------|




| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 11510     | 53.21    | -1.59   | 51.62    | 74       | -22.38 | PK       |
| 11510     | 40.65    | -1.59   | 39.06    | 54       | -14.94 | AV       |

|            |                        |           |            |
|------------|------------------------|-----------|------------|
| Test mode: | High Channel (5795MHz) | Polarity: | Horizontal |
|------------|------------------------|-----------|------------|



| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 11590     | 61.34    | -5.94   | 55.4     | 74       | -18.6  | PK       |
| 11590     | 41.18    | -5.94   | 35.24    | 54       | -18.76 | AV       |

|            |                        |           |          |
|------------|------------------------|-----------|----------|
| Test mode: | High Channel (5795MHz) | Polarity: | Vertical |
|------------|------------------------|-----------|----------|



| Frequency | Reading  | Correct | Result   | Limit    | Margin | Detector |
|-----------|----------|---------|----------|----------|--------|----------|
| (MHz)     | (dBuV/m) | dB      | (dBuV/m) | (dBuV/m) | (dB)   |          |
| 11590     | 53.65    | -1.59   | 52.06    | 74       | -21.94 | PK       |
| 11590     | 39.25    | -1.59   | 37.66    | 54       | -16.34 | AV       |

➤ Out of Band edge for 5725-5850MHz

| Test CH. | Test Segment | Result  | Limit   |
|----------|--------------|---------|---------|
|          | MHz          | dBm/MHz | dBm/MHz |
| Lowest   | Below 5715   | -38.64  | -27     |
|          | 5715 to 5725 | -31.24  | -17     |
| Highest  | 5850 to 5860 | -33.61  | -17     |
|          | Above 5860   | -36.78  | -27     |

Note: the data just list the worst cases

Note: Testing is carried out with frequency rang 9kHz to 40Ghz, other than listed in the table above are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.

## **9. Frequency Stability**

---

### **9.1 Standard Applicable**

According to §15.407(g), manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the users manual.

### **9.2 Test Procedure**

According to §2.1055, the following test procedure was performed.

The Frequency Stability is measured directly with a Frequency Domain Analyzer. Frequency Deviation in ppm is calculated from the measured peak to peak value.

The Carrier Frequency Stability over Power Supply Voltage and over Temperature is measured with a Frequency Domain Analyzer in histogram mode.

### **9.3 Summary of Test Results/Plots**

**Please refer to Appendix D**


## 10. Conducted Emissions

### 10.1 Test Procedure

The setup of EUT is according with per ANSI C63.10-2020 measurement procedure. The specification used was with the FCC Part 15.207 Limit.

The external I/O cables were draped along the test table and formed a bundle 30 to 40cm long in the middle. The spacing between the peripherals was 10cm.

### 10.2 Basic Test Setup Block Diagram




### 10.3 Test Receiver Setup

During the conducted emission test, the test receiver was set with the following configurations:

|                                    |        |
|------------------------------------|--------|
| Start Frequency .....              | 150kHz |
| Stop Frequency .....               | 30MHz  |
| Sweep Speed .....                  | Auto   |
| IF Bandwidth .....                 | 10kHz  |
| Quasi-Peak Adapter Bandwidth ..... | 9kHz   |
| Quasi-Peak Adapter Mode .....      | Normal |


### 10.4 Summary of Test Results/Plots

|           |               |             |           |         |
|-----------|---------------|-------------|-----------|---------|
| Test Mode | Communication | AC120V 60Hz | Polarity: | Neutral |
|-----------|---------------|-------------|-----------|---------|



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB) | Result<br>(dBuV) | Limit<br>(dBuV) | Margin<br>(dB) | Detector |
|-----|--------------------|-------------------|-----------------|------------------|-----------------|----------------|----------|
| 1*  | 0.5140             | 37.38             | 10.21           | 47.59            | 56.00           | -8.41          | QP       |
| 2   | 0.5220             | 24.56             | 10.21           | 34.77            | 46.00           | -11.23         | AVG      |
| 3   | 1.0460             | 28.24             | 10.31           | 38.55            | 56.00           | -17.45         | QP       |
| 4   | 1.0660             | 15.07             | 10.31           | 25.38            | 46.00           | -20.62         | AVG      |
| 5   | 1.7940             | 21.13             | 10.26           | 31.39            | 56.00           | -24.61         | QP       |
| 6   | 1.7940             | 10.08             | 10.26           | 20.34            | 46.00           | -25.66         | AVG      |
| 7   | 3.8500             | 16.25             | 10.10           | 26.35            | 56.00           | -29.65         | QP       |
| 8   | 4.0700             | 5.17              | 10.09           | 15.26            | 46.00           | -30.74         | AVG      |
| 9   | 9.9540             | 10.76             | 9.89            | 20.65            | 60.00           | -39.35         | QP       |
| 10  | 12.1340            | 0.46              | 9.89            | 10.35            | 50.00           | -39.65         | AVG      |
| 11  | 17.8260            | 9.10              | 10.08           | 19.18            | 60.00           | -40.82         | QP       |
| 12  | 18.8700            | -1.50             | 10.15           | 8.65             | 50.00           | -41.35         | AVG      |

|           |               |             |           |      |
|-----------|---------------|-------------|-----------|------|
| Test Mode | Communication | AC120V 60Hz | Polarity: | Line |
|-----------|---------------|-------------|-----------|------|



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB) | Result<br>(dBuV) | Limit<br>(dBuV) | Margin<br>(dB) | Detector |
|-----|--------------------|-------------------|-----------------|------------------|-----------------|----------------|----------|
| 1   | 0.5180             | 37.46             | 10.21           | 47.67            | 56.00           | -8.33          | QP       |
| 2*  | 0.5180             | 32.24             | 10.21           | 42.45            | 46.00           | -3.55          | AVG      |
| 3   | 1.1220             | 16.87             | 10.30           | 27.17            | 46.00           | -18.83         | AVG      |
| 4   | 1.1700             | 27.16             | 10.30           | 37.46            | 56.00           | -18.54         | QP       |
| 5   | 1.8020             | 22.38             | 10.26           | 32.64            | 56.00           | -23.36         | QP       |
| 6   | 1.8020             | 13.63             | 10.26           | 23.89            | 46.00           | -22.11         | AVG      |
| 7   | 4.0660             | 9.77              | 10.09           | 19.86            | 46.00           | -26.14         | AVG      |
| 8   | 4.3580             | 19.36             | 10.06           | 29.42            | 56.00           | -26.58         | QP       |
| 9   | 8.4180             | 5.61              | 9.93            | 15.54            | 50.00           | -34.46         | AVG      |
| 10  | 9.0260             | 13.92             | 9.92            | 23.84            | 60.00           | -36.16         | QP       |
| 11  | 19.4980            | 9.51              | 10.19           | 19.70            | 60.00           | -40.30         | QP       |
| 12  | 19.5980            | -0.20             | 10.20           | 10.00            | 50.00           | -40.00         | AVG      |

APPENDIX SUMMARY

|                   |                    |               |            |
|-------------------|--------------------|---------------|------------|
| Project No.       | WTX26X06175439W001 | Test Engineer | Timi Huang |
| Start date        | 2026/6/30          | Finish date   | 2026/7/1   |
| Temperature       | 24℃                | Humidity      | 56%        |
| RF specifications | U-NII              |               |            |

| APPENDIX | Description of Test Item                  | Result    |
|----------|-------------------------------------------|-----------|
| A        | Power Spectral Density                    | Compliant |
| B        | Emission Bandwidth and Occupied Bandwidth | Compliant |
| C        | Maximum Conducted Output Power            | Compliant |
| D        | Frequency Stability                       | Compliant |

## APPENDIX A

| Power Spectral Density |              |                                   |                    |
|------------------------|--------------|-----------------------------------|--------------------|
| U-NII-1:5150-5250MHz   |              |                                   |                    |
| Operating mode         | Test Channel | Power Spectral Density<br>dBm/MHz | Limit<br>(dBm/MHz) |
| 802.11a                | 5180         | 4.40                              | 11                 |
|                        | 5200         | 4.59                              | 11                 |
|                        | 5240         | 5.27                              | 11                 |
| 802.11n-HT20           | 5180         | 2.34                              | 11                 |
|                        | 5200         | 2.60                              | 11                 |
|                        | 5240         | 3.19                              | 11                 |
| 802.11n-HT40           | 5190         | -3.69                             | 11                 |
|                        | 5230         | -2.90                             | 11                 |
| 802.11ac-VHT20         | 5180         | 1.36                              | 11                 |
|                        | 5200         | 1.58                              | 11                 |
|                        | 5240         | 2.17                              | 11                 |
| 802.11ac-VHT40         | 5190         | -4.75                             | 11                 |
|                        | 5230         | -3.88                             | 11                 |
| 802.11ax-HE20          | 5180         | -1.20                             | 11                 |
|                        | 5200         | -0.88                             | 11                 |
|                        | 5240         | -0.28                             | 11                 |
| 802.11ax-HE40          | 5190         | -6.92                             | 11                 |
|                        | 5230         | -6.08                             | 11                 |

| U-NII-2A: 5250-5350MHz |              |                                   |                    |
|------------------------|--------------|-----------------------------------|--------------------|
| Operating mode         | Test Channel | Power Spectral Density<br>dBm/MHz | Limit<br>(dBm/MHz) |
| 802.11a                | 5260         | 4.55                              | 11                 |
|                        | 5280         | 4.81                              | 11                 |
|                        | 5320         | 4.63                              | 11                 |
| 802.11n-HT20           | 5260         | 2.96                              | 11                 |
|                        | 5280         | 3.27                              | 11                 |
|                        | 5320         | 3.08                              | 11                 |
| 802.11n-HT40           | 5270         | -2.83                             | 11                 |
|                        | 5310         | -2.91                             | 11                 |
| 802.11ac-VHT20         | 5260         | 1.89                              | 11                 |
|                        | 5280         | 2.26                              | 11                 |
|                        | 5320         | 2.06                              | 11                 |
| 802.11ac-VHT40         | 5270         | -3.99                             | 11                 |

|               |      |       |    |
|---------------|------|-------|----|
|               | 5310 | -3.95 | 11 |
| 802.11ax-HE20 | 5260 | -0.50 | 11 |
|               | 5280 | -0.19 | 11 |
|               | 5320 | -0.31 | 11 |
| 802.11ax-HE40 | 5270 | -6.05 | 11 |
|               | 5310 | -6.07 | 11 |




| U-NII-2C: 5470-5725MHz |              |                                   |                    |
|------------------------|--------------|-----------------------------------|--------------------|
| Operating mode         | Test Channel | Power Spectral Density<br>dBm/MHz | Limit<br>(dBm/MHz) |
| 802.11a                | 5500         | 3.79                              | 11                 |
|                        | 5600         | 3.75                              | 11                 |
|                        | 5700         | 3.80                              | 11                 |
| 802.11n-HT20           | 5500         | 2.01                              | 11                 |
|                        | 5600         | 2.23                              | 11                 |
|                        | 5700         | 2.30                              | 11                 |
| 802.11n-HT40           | 5510         | -4.04                             | 11                 |
|                        | 5590         | -3.77                             | 11                 |
|                        | 5670         | -3.22                             | 11                 |
| 802.11ac-VHT20         | 5500         | 1.10                              | 11                 |
|                        | 5600         | 1.29                              | 11                 |
|                        | 5700         | 1.38                              | 11                 |
| 802.11ac-VHT40         | 5510         | -5.04                             | 11                 |
|                        | 5590         | -4.67                             | 11                 |
|                        | 5670         | -4.13                             | 11                 |
| 802.11ax-HE20          | 5500         | --0.33                            | 11                 |
|                        | 5600         | -1.02                             | 11                 |
|                        | 5700         | -1.04                             | 11                 |
| 802.11ax-HE40          | 5510         | -7.14                             | 11                 |
|                        | 5590         | -6.76                             | 11                 |
|                        | 5670         | -6.18                             | 11                 |




| U-NII-3: 5725-5850MHz |              |                                      |        |                                       |                     |
|-----------------------|--------------|--------------------------------------|--------|---------------------------------------|---------------------|
| Operating mode        | Test Channel | Power Spectral Density<br>dBm/300kHz | Factor | Power Spectral Density*<br>dBm/500kHz | Limit<br>dBm/500kHz |
| 802.11a               | 5745         | -0.81                                | 2.22   | 1.41                                  | 30                  |
|                       | 5785         | -1.61                                | 2.22   | 0.61                                  | 30                  |
|                       | 5825         | -1.42                                | 2.22   | 0.80                                  | 30                  |
| 802.11n-HT20          | 5745         | -2.38                                | 2.22   | -0.16                                 | 30                  |
|                       | 5785         | -2.13                                | 2.22   | 0.09                                  | 30                  |




|                                                              |      |        |      |       |    |
|--------------------------------------------------------------|------|--------|------|-------|----|
|                                                              | 5825 | -2.87  | 2.22 | -0.65 | 30 |
| 802.11n HT40                                                 | 5755 | -8.29  | 2.22 | -6.07 | 30 |
|                                                              | 5795 | -7.93  | 2.22 | -5.71 | 30 |
| 802.11ac<br>VHT20                                            | 5745 | -3.39  | 2.22 | -1.17 | 30 |
|                                                              | 5785 | -2.98  | 2.22 | -0.76 | 30 |
|                                                              | 5825 | -3.70  | 2.22 | -1.48 | 30 |
| 802.11ac<br>VHT40                                            | 5755 | -9.12  | 2.22 | -6.90 | 30 |
|                                                              | 5795 | -8.85  | 2.22 | -6.63 | 30 |
| 802.11ax-HE20                                                | 5745 | -5.77  | 2.22 | -3.55 | 30 |
|                                                              | 5785 | -5.33  | 2.22 | -3.11 | 30 |
|                                                              | 5825 | -6.17  | 2.22 | -3.95 | 30 |
| 802.11ax-HE40                                                | 5755 | -11.26 | 2.22 | -9.04 | 30 |
|                                                              | 5795 | -10.93 | 2.22 | -8.71 | 30 |
| *Note: Maximum PSD=PSD(dBm/300kHz)+10log(500kHz/300kHz)=2.22 |      |        |      |       |    |




5150-5250MHz

|                       |                                                                              |
|-----------------------|------------------------------------------------------------------------------|
| <p>802.11a-Low</p>    | <div data-bbox="644 273 1198 712"></div> <p>Date: 30.JUN.2026 18:49:00</p>   |
| <p>802.11a-Middle</p> | <div data-bbox="644 813 1198 1252"></div> <p>Date: 30.JUN.2026 18:51:12</p>  |
| <p>802.11a-High</p>   | <div data-bbox="644 1352 1198 1792"></div> <p>Date: 30.JUN.2026 18:54:24</p> |

|                     |                                                                                                                                                                                                                                                                                                      |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT20-Low    | <div><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz    Marker 1 [T1] 2.34 dBm<br/>*VBW 3 MHz    *SWT 1 s    5.18120000 GHz</p><p>Center 5.18 GHz    4 MHz/    Span 40 MHz</p><p>Date: 30.JUN.2026 18:59:52</p></div>    |
| 802.11n-HT20-Middle | <div><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz    Marker 1 [T1] 2.60 dBm<br/>*VBW 3 MHz    *SWT 1 s    5.201360000 GHz</p><p>Center 5.2 GHz    4 MHz/    Span 40 MHz</p><p>Date: 30.JUN.2026 18:59:01</p></div>   |
| 802.11n-HT20-High   | <div><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz    Marker 1 [T1] 3.19 dBm<br/>*VBW 3 MHz    *SWT 1 s    5.241280000 GHz</p><p>Center 5.24 GHz    4 MHz/    Span 40 MHz</p><p>Date: 30.JUN.2026 18:55:22</p></div> |




|                    |                                                                                                                                  |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT40-Low   | <div><p>Date: 30.JUN.2026 19:02:25</p></div>   |
| 802.11n-HT40-High  | <div><p>Date: 30.JUN.2026 19:04:40</p></div>  |
| 802.11ac-VHT20-Low | <div><p>Date: 30.JUN.2026 19:06:15</p></div> |




|                       |                                                                                                                                  |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT20-Middle | <div><p>Date: 30.JUN.2026 19:07:33</p></div>   |
| 802.11ac-VHT20-High   | <div><p>Date: 30.JUN.2026 19:08:48</p></div>  |
| 802.11ac-VHT40-Low    | <div><p>Date: 30.JUN.2026 19:09:30</p></div> |




|                      |                                                                                                                                  |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT40-High  | <div><p>Date: 30.JUN.2026 19:10:25</p></div>   |
| 802.11ax-HE20-Low    | <div><p>Date: 30.JUN.2026 19:11:29</p></div>  |
| 802.11ax-HE20-Middle | <div><p>Date: 30.JUN.2026 19:12:15</p></div> |




|                     |                                               |
|---------------------|-----------------------------------------------|
| 802.11ax-HE 20-High | <div></div> <p>Date: 30.JUN.2026 19:13:03</p> |
| 802.11ax-HE 40-Low  | <div></div> <p>Date: 30.JUN.2026 19:14:06</p> |
| 802.11ax-HE 40-High | <div></div> <p>Date: 30.JUN.2026 19:14:42</p> |




5250-5350MHz

|                       |                                                                                                                                                                                                                                                                                                                                            |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11a-Low</p>    | <div data-bbox="644 273 1198 712"><p>Ref: 20 dBm    *Att: 30 dB    *RBW: 1 MHz    *VBW: 3 MHz    *SWT: 1 s    Marker 1 [T1]: 4.55 dBm    5.26120000 GHz</p><p>Center: 5.26 GHz    4 MHz/    Span: 40 MHz</p></div> <p>Date: 1.JUL.2026 09:08:05</p>      |
| <p>802.11a-Middle</p> | <div data-bbox="644 813 1198 1252"><p>Ref: 20 dBm    *Att: 30 dB    *RBW: 1 MHz    *VBW: 3 MHz    *SWT: 1 s    Marker 1 [T1]: 4.81 dBm    5.281280000 GHz</p><p>Center: 5.28 GHz    4 MHz/    Span: 40 MHz</p></div> <p>Date: 1.JUL.2026 09:13:10</p>   |
| <p>802.11a-High</p>   | <div data-bbox="644 1352 1198 1792"><p>Ref: 20 dBm    *Att: 30 dB    *RBW: 1 MHz    *VBW: 3 MHz    *SWT: 1 s    Marker 1 [T1]: 4.63 dBm    5.321040000 GHz</p><p>Center: 5.32 GHz    4 MHz/    Span: 40 MHz</p></div> <p>Date: 1.JUL.2026 09:15:15</p> |

|                     |                                                                                                                                                                                                                                                                            |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT20-Low    | <div><p>Ref 20 dBm *Att 30 dB *RBW 1 MHz *VSW 3 MHz *SWT 1 s Marker 1 [T1] 2.96 dBm 5.26120000 GHz</p><p>Center 5.26 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 09:20:19</p></div>    |
| 802.11n-HT20-Middle | <div><p>Ref 20 dBm *Att 30 dB *RBW 1 MHz *VSW 3 MHz *SWT 1 s Marker 1 [T1] 3.27 dBm 5.281280000 GHz</p><p>Center 5.28 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 09:17:16</p></div>  |
| 802.11n-HT20-High   | <div><p>Ref 20 dBm *Att 30 dB *RBW 1 MHz *VSW 3 MHz *SWT 1 s Marker 1 [T1] 3.08 dBm 5.321040000 GHz</p><p>Center 5.32 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 09:16:11</p></div> |




|                    |                                                                                                                                                                                                                                                                            |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT40-Low   | <div><p>Ref 20 dBm *Att 30 dB *RBW 1 MHz *VSW 3 MHz *SWT 1 s Marker 1 [T1] -2.83 dBm 5.272560000 GHz</p><p>Center 5.27 GHz 8 MHz/ Span 80 MHz</p><p>Date: 1.JUL.2026 09:34:23</p></div>  |
| 802.11n-HT40-High  | <div><p>Ref 20 dBm *Att 30 dB *RBW 1 MHz *VSW 3 MHz *SWT 1 s Marker 1 [T1] -2.91 dBm 5.313360000 GHz</p><p>Center 5.31 GHz 8 MHz/ Span 80 MHz</p><p>Date: 1.JUL.2026 09:37:08</p></div> |
| 802.11ac-VHT20-Low | <div><p>Ref 20 dBm *Att 30 dB *RBW 1 MHz *VSW 3 MHz *SWT 1 s Marker 1 [T1] 1.89 dBm 5.261680000 GHz</p><p>Center 5.26 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 09:38:22</p></div> |




|                       |                                                                                                                                 |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT20-Middle | <div><p>Date: 1.JUL.2026 09:39:11</p></div>   |
| 802.11ac-VHT20-High   | <div><p>Date: 1.JUL.2026 09:40:17</p></div>  |
| 802.11ac-VHT40-Low    | <div><p>Date: 1.JUL.2026 09:41:05</p></div> |




|                      |                                                                                                                                                                                                                                                                                                  |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT40-High  | <div><p>Ref 20 dBm *Att 30 dB *RBW 1 MHz *VSW 3 MHz *SWT 1 s Marker 1 [T1] -3.95 dBm 5.312560000 GHz</p><p>20 Offset 1 dB</p><p>Center 5.31 GHz 8 MHz/ Span 80 MHz</p><p>Date: 1.JUL.2026 09:41:58</p></div>   |
| 802.11ax-HE20-Low    | <div><p>Ref 20 dBm *Att 30 dB *RBW 1 MHz *VSW 3 MHz *SWT 1 s Marker 1 [T1] -0.50 dBm 5.261120000 GHz</p><p>20 Offset 1 dB</p><p>Center 5.26 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 09:43:11</p></div>  |
| 802.11ax-HE20-Middle | <div><p>Ref 20 dBm *Att 30 dB *RBW 1 MHz *VSW 3 MHz *SWT 1 s Marker 1 [T1] -0.19 dBm 5.281680000 GHz</p><p>20 Offset 1 dB</p><p>Center 5.28 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 09:44:03</p></div> |




| Channel             | Plot Type      | Frequency (GHz) | Span (MHz) | Marker 1 [T1] (dBm) | Date                |
|---------------------|----------------|-----------------|------------|---------------------|---------------------|
| 802.11ax-HE 20-High | Power Spectrum | 5.32            | 40         | -0.31               | 1.JUL.2026 09:44:56 |
| 802.11ax-HE 40-Low  | Power Spectrum | 5.27            | 80         | -6.05               | 1.JUL.2026 09:45:53 |
| 802.11ax-HE 40-High | Power Spectrum | 5.31            | 80         | -6.07               | 1.JUL.2026 09:46:38 |




5470-5725MHz




|                       |                                                                                                                                                                 |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11a-Low</p>    | <div data-bbox="644 273 1198 712"></div> <p>Date: 1.JUL.2026 11:05:22</p>     |
| <p>802.11a-Middle</p> | <div data-bbox="644 813 1198 1252"></div> <p>Date: 1.JUL.2026 11:08:42</p>   |
| <p>802.11a-High</p>   | <div data-bbox="644 1352 1198 1792"></div> <p>Date: 1.JUL.2026 11:10:15</p> |




|                     |                                                                                                                                                                                                                                                                                                    |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT20-Low    | <div><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz    Marker 1 [T1] 2.01 dBm<br/>*VBW 3 MHz    *SWT 1 s    5.497680000 GHz</p><p>Center 5.5 GHz    4 MHz/    Span 40 MHz</p><p>Date: 1.JUL.2026 11:14:59</p></div>   |
| 802.11n-HT20-Middle | <div><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz    Marker 1 [T1] 2.23 dBm<br/>*VBW 3 MHz    *SWT 1 s    5.593440000 GHz</p><p>Center 5.6 GHz    4 MHz/    Span 40 MHz</p><p>Date: 1.JUL.2026 11:12:36</p></div>  |
| 802.11n-HT20-High   | <div><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz    Marker 1 [T1] 2.30 dBm<br/>*VBW 3 MHz    *SWT 1 s    5.694000000 GHz</p><p>Center 5.7 GHz    4 MHz/    Span 40 MHz</p><p>Date: 1.JUL.2026 11:11:38</p></div> |

|                     |                                                                                                                                 |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT40-Low    | <div><p>Date: 1.JUL.2026 11:16:02</p></div>   |
| 802.11n-HT40-Middle | <div><p>Date: 1.JUL.2026 11:19:04</p></div>  |
| 802.11n-HT40-High   | <div><p>Date: 1.JUL.2026 11:20:00</p></div> |




|                       |                                                                                                                                 |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT20-Low    | <div><p>Date: 1.JUL.2026 11:21:26</p></div>   |
| 802.11ac-VHT20-Middle | <div><p>Date: 1.JUL.2026 11:23:15</p></div>  |
| 802.11ac-VHT20-High   | <div><p>Date: 1.JUL.2026 11:24:14</p></div> |




|                       |                                                                                                                                                                                                                                                                                                         |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT40-Low    | <div><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz    Marker 1 [T1]    -5.04 dBm<br/>*VBW 3 MHz    *SWT 1 s    5.497520000 GHz</p><p>Center 5.51 GHz    8 MHz/    Span 80 MHz</p><p>Date: 1.JUL.2026 11:26:45</p></div>   |
| 802.11ac-VHT40-Middle | <div><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz    Marker 1 [T1]    -4.67 dBm<br/>*VBW 3 MHz    *SWT 1 s    5.601520000 GHz</p><p>Center 5.59 GHz    8 MHz/    Span 80 MHz</p><p>Date: 1.JUL.2026 11:28:56</p></div>  |
| 802.11ac-VHT40-High   | <div><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz    Marker 1 [T1]    -4.13 dBm<br/>*VBW 3 MHz    *SWT 1 s    5.657360000 GHz</p><p>Center 5.67 GHz    8 MHz/    Span 80 MHz</p><p>Date: 1.JUL.2026 11:29:51</p></div> |




|                      |                                                                                                                                 |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11ax-HE20-Low    | <div><p>Date: 1.JUL.2026 11:30:38</p></div>   |
| 802.11ax-HE20-Middle | <div><p>Date: 1.JUL.2026 11:32:32</p></div>  |
| 802.11ax-HE 20-High  | <div><p>Date: 1.JUL.2026 11:33:16</p></div> |




|                       |                                                                                                                                 |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11ax-HE 40-Low    | <div><p>Date: 1.JUL.2026 11:34:04</p></div>   |
| 802.11ax-HE 40-Middle | <div><p>Date: 1.JUL.2026 11:37:08</p></div>  |
| 802.11ax-HE 40-High   | <div><p>Date: 1.JUL.2026 11:38:04</p></div> |




5725-5850MHz




|                |                                                                                                                                 |
|----------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11a-Low    | <div><p>Date: 1.JUL.2026 15:46:25</p></div>   |
| 802.11a-Middle | <div><p>Date: 1.JUL.2026 15:47:34</p></div>  |
| 802.11a-High   | <div><p>Date: 1.JUL.2026 15:48:41</p></div> |

|                     |                                                                                                                                 |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT20-Low    | <div><p>Date: 1.JUL.2026 15:53:04</p></div>   |
| 802.11n-HT20-Middle | <div><p>Date: 1.JUL.2026 15:51:18</p></div>  |
| 802.11n-HT20-High   | <div><p>Date: 1.JUL.2026 15:50:14</p></div> |

|                           |                                                                                                                                                                |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11n-HT40-Low</p>   | <div data-bbox="644 232 1198 741"><p>Date: 1.JUL.2026 15:54:16</p></div>     |
| <p>802.11n-HT40-High</p>  | <div data-bbox="644 770 1198 1279"><p>Date: 1.JUL.2026 15:55:20</p></div>   |
| <p>802.11ac-VHT20-Low</p> | <div data-bbox="644 1308 1198 1816"><p>Date: 1.JUL.2026 15:56:29</p></div> |

|                       |                                                                                                                                 |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT20-Middle | <div><p>Date: 1.JUL.2026 15:57:38</p></div>   |
| 802.11ac-VHT20-High   | <div><p>Date: 1.JUL.2026 16:00:55</p></div>  |
| 802.11ac-VHT40-Low    | <div><p>Date: 1.JUL.2026 16:02:02</p></div> |

|                      |                                                                                                                                                                                                                                                                                |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT40-High  | <div><p>Ref 20 dBm *Att 30 dB *RBW 300 kHz Marker 1 [T1] -8.85 dBm *VBW 1 MHz *SWT 1 s 5.783640000 GHz</p><p>Center 5.795 GHz 8 MHz/ Span 80 MHz</p><p>Date: 1.JUL.2026 16:02:47</p></div>   |
| 802.11ax-HE20-Low    | <div><p>Ref 20 dBm *Att 30 dB *RBW 300 kHz Marker 1 [T1] -5.77 dBm *VBW 1 MHz *SWT 1 s 5.739960000 GHz</p><p>Center 5.745 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 16:05:23</p></div>  |
| 802.11ax-HE20-Middle | <div><p>Ref 20 dBm *Att 30 dB *RBW 300 kHz Marker 1 [T1] -5.33 dBm *VBW 1 MHz *SWT 1 s 5.779960000 GHz</p><p>Center 5.785 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 16:06:45</p></div> |

|                     |                                                                                                                                                                                                                                                                                 |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11ax-HE 20-High | <div><p>Ref 20 dBm *Att 30 dB *RBW 300 kHz Marker 1 [T1] -6.17 dBm *VBW 1 MHz *SWT 1 s 5.818760000 GHz</p><p>Center 5.825 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 16:07:46</p></div>    |
| 802.11ax-HE 40-Low  | <div><p>Ref 20 dBm *Att 30 dB *RBW 300 kHz Marker 1 [T1] -11.26 dBm *VBW 1 MHz *SWT 1 s 5.737560000 GHz</p><p>Center 5.755 GHz 8 MHz/ Span 80 MHz</p><p>Date: 1.JUL.2026 16:08:36</p></div>  |
| 802.11ax-HE 40-High | <div><p>Ref 20 dBm *Att 30 dB *RBW 300 kHz Marker 1 [T1] -10.93 dBm *VBW 1 MHz *SWT 1 s 5.779960000 GHz</p><p>Center 5.795 GHz 8 MHz/ Span 80 MHz</p><p>Date: 1.JUL.2026 16:10:29</p></div> |

## APPENDIX B

### Emission Bandwidth and Occupied Bandwidth

| U-NII-1:5150-5250MHz |                     |                        |                      |              |
|----------------------|---------------------|------------------------|----------------------|--------------|
| Test Mode            | Test Channel<br>MHz | 26 dB Bandwidth<br>MHz | 99% Bandwidth<br>MHz | Limit<br>MHz |
| 802.11a              | 5180                | 26.16                  | 17.76                | Pass         |
|                      | 5200                | 25.32                  | 17.52                | Pass         |
|                      | 5240                | 25.44                  | 17.52                | Pass         |
| 802.11n-HT20         | 5180                | 27.00                  | 18.56                | Pass         |
|                      | 5200                | 27.36                  | 18.48                | Pass         |
|                      | 5240                | 26.16                  | 18.56                | Pass         |
| 802.11n-HT40         | 5190                | 45.60                  | 37.92                | Pass         |
|                      | 5230                | 44.00                  | 37.76                | Pass         |
| 802.11ac-VHT20       | 5180                | 27.12                  | 18.64                | Pass         |
|                      | 5200                | 27.00                  | 18.48                | Pass         |
|                      | 5240                | 26.76                  | 18.48                | Pass         |
| 802.11ac-VHT40       | 5190                | 44.40                  | 37.76                | Pass         |
|                      | 5230                | 45.40                  | 38.08                | Pass         |
| 802.11ax-HE20        | 5180                | 26.40                  | 19.44                | Pass         |
|                      | 5200                | 26.40                  | 19.52                | Pass         |
|                      | 5240                | 25.68                  | 19.52                | Pass         |
| 802.11ax-HE40        | 5190                | 43.00                  | 38.88                | Pass         |
|                      | 5230                | 43.60                  | 39.04                | Pass         |

| U-NII-2A: 5250-5350MHz |                     |                        |                      |              |
|------------------------|---------------------|------------------------|----------------------|--------------|
| Test Mode              | Test Channel<br>MHz | 26 dB Bandwidth<br>MHz | 99% Bandwidth<br>MHz | Limit<br>MHz |
| 802.11a                | 5260                | 27.00                  | 17.68                | Pass         |
|                        | 5280                | 26.52                  | 17.60                | Pass         |
|                        | 5320                | 26.04                  | 17.60                | Pass         |
| 802.11n-HT20           | 5260                | 26.28                  | 18.56                | Pass         |
|                        | 5280                | 26.52                  | 18.64                | Pass         |
|                        | 5320                | 26.76                  | 18.56                | Pass         |
| 802.11n-HT40           | 5270                | 44.20                  | 37.76                | Pass         |
|                        | 5310                | 44.40                  | 37.92                | Pass         |
| 802.11ac-VHT20         | 5260                | 26.88                  | 18.64                | Pass         |
|                        | 5280                | 26.64                  | 18.56                | Pass         |
|                        | 5320                | 27.00                  | 18.56                | Pass         |



|                |      |       |       |      |
|----------------|------|-------|-------|------|
| 802.11ac-VHT40 | 5270 | 43.80 | 37.76 | Pass |
|                | 5310 | 44.20 | 38.08 | Pass |
| 802.11ax-HE20  | 5260 | 25.20 | 19.60 | Pass |
|                | 5280 | 25.20 | 19.44 | Pass |
|                | 5320 | 26.28 | 19.52 | Pass |
| 802.11ax-HE40  | 5270 | 44.40 | 39.04 | Pass |
|                | 5310 | 42.80 | 38.88 | Pass |



| U-NII-2C: 5470-5725MHz |                     |                        |                      |              |
|------------------------|---------------------|------------------------|----------------------|--------------|
| Test Mode              | Test Channel<br>MHz | 26 dB Bandwidth<br>MHz | 99% Bandwidth<br>MHz | Limit<br>MHz |
| 802.11a                | 5500                | 26.76                  | 17.84                | Pass         |
|                        | 5600                | 26.04                  | 18.72                | Pass         |
|                        | 5700                | 26.40                  | 17.68                | Pass         |
| 802.11n-HT20           | 5500                | 26.16                  | 18.64                | Pass         |
|                        | 5600                | 27.00                  | 17.76                | Pass         |
|                        | 5700                | 27.12                  | 18.72                | Pass         |
| 802.11n-HT40           | 5510                | 44.00                  | 38.08                | Pass         |
|                        | 5590                | 43.80                  | 38.24                | Pass         |
|                        | 5670                | 44.00                  | 38.24                | Pass         |
| 802.11ac-VHT20         | 5500                | 27.48                  | 18.72                | Pass         |
|                        | 5600                | 26.64                  | 18.72                | Pass         |
|                        | 5700                | 27.00                  | 18.72                | Pass         |
| 802.11ac-VHT40         | 5510                | 44.40                  | 38.08                | Pass         |
|                        | 5590                | 44.60                  | 38.24                | Pass         |
|                        | 5670                | 45.60                  | 38.24                | Pass         |
| 802.11ax-HE20          | 5500                | 27.96                  | 19.68                | Pass         |
|                        | 5600                | 26.40                  | 19.76                | Pass         |
|                        | 5700                | 25.32                  | 19.60                | Pass         |
| 802.11ax-HE40          | 5510                | 43.00                  | 38.88                | Pass         |
|                        | 5590                | 43.60                  | 39.04                | Pass         |
|                        | 5670                | 43.80                  | 39.04                | Pass         |

| U-NII-3: 5725-5850MHz |                     |                       |                      |              |
|-----------------------|---------------------|-----------------------|----------------------|--------------|
| Test Mode             | Test Channel<br>MHz | 6 dB Bandwidth<br>MHz | 99% Bandwidth<br>MHz | Limit<br>MHz |
| 802.11a               | 5745                | 16.56                 | 18.08                | ≥500         |
|                       | 5785                | 16.56                 | 18.00                | ≥500         |
|                       | 5825                | 16.56                 | 17.84                | ≥500         |
| 802.11n-HT20          | 5745                | 17.76                 | 18.80                | ≥500         |
|                       | 5785                | 17.84                 | 18.88                | ≥500         |




|                |      |       |       |      |
|----------------|------|-------|-------|------|
|                | 5825 | 17.76 | 18.80 | ≥500 |
| 802.11n-HT40   | 5755 | 36.80 | 38.24 | ≥500 |
|                | 5795 | 36.80 | 38.24 | ≥500 |
| 802.11ac VHT20 | 5745 | 17.76 | 18.72 | ≥500 |
|                | 5785 | 17.68 | 18.80 | ≥500 |
|                | 5825 | 17.76 | 19.04 | ≥500 |
| 802.11ac VHT40 | 5755 | 36.64 | 38.56 | ≥500 |
|                | 5795 | 36.64 | 38.72 | ≥500 |
| 802.11ax-HE20  | 5745 | 19.20 | 19.60 | ≥500 |
|                | 5785 | 19.12 | 19.52 | ≥500 |
|                | 5825 | 19.28 | 19.44 | ≥500 |
| 802.11ax-HE40  | 5755 | 38.24 | 39.36 | ≥500 |
|                | 5795 | 38.24 | 39.36 | ≥500 |




26 dB Bandwidth  
5150-5250MHz




|                |                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11a-Low    |  <p>Ref 20 dBm *Att 30 dB RBW 300 kHz Marker 1 [T1] 8.27 dBm<br/>*VBW 1 MHz SWT 20 ms 5.179040000 GHz<br/>20 Offset 1 dB<br/>ndB [T1] 26.00 dB<br/>BW 26.160000000 MHz<br/>Samp 1 [T1] -18.49 dBm<br/>5.166920000 GHz<br/>Temp 2 [T1] -18.14 dBm<br/>5.193080000 GHz<br/>Center 5.18 GHz 6 MHz/ Span 60 MHz<br/>Date: 30.JUN.2026 19:18:36</p> |
| 802.11a-Middle |  <p>Ref 20 dBm *Att 30 dB RBW 300 kHz Marker 1 [T1] 8.91 dBm<br/>*VBW 1 MHz SWT 20 ms 5.201560000 GHz<br/>20 Offset 1 dB<br/>ndB [T1] 26.00 dB<br/>BW 25.320000000 MHz<br/>Samp 1 [T1] -17.37 dBm<br/>5.187520000 GHz<br/>Temp 2 [T1] -17.65 dBm<br/>5.212840000 GHz<br/>Center 5.2 GHz 6 MHz/ Span 60 MHz<br/>Date: 30.JUN.2026 19:19:37</p> |




|                   |                                              |
|-------------------|----------------------------------------------|
| 802.11n-HT20-High | <div><p>Date: 30.JUN.2026 19:21:47</p></div> |
| 802.11n-HT40-Low  | <div><p>Date: 30.JUN.2026 19:25:41</p></div> |
| 802.11n-HT40-High | <div><p>Date: 30.JUN.2026 19:26:54</p></div> |

|                       |                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT20-Low    | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 5.182640000 GHz</p><p>ndB [T1] 26.00 dB<br/>BW 27.120000000 MHz<br/>Sweep 1 [T1 5000]<br/>-20.15 dBm<br/>5.166320000 GHz<br/>Temp 2 [T2 1000]<br/>-19.59 dBm<br/>5.193440000 GHz</p><p>Center 5.18 GHz 6 MHz/ Span 60 MHz</p><p>Date: 30.JUN.2026 19:29:02</p></div>   |
| 802.11ac-VHT20-Middle | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 5.203960000 GHz</p><p>ndB [T1] 26.00 dB<br/>BW 27.000000000 MHz<br/>Sweep 1 [T1 5000]<br/>-19.75 dBm<br/>5.186800000 GHz<br/>Temp 2 [T2 1000]<br/>-19.37 dBm<br/>5.213800000 GHz</p><p>Center 5.2 GHz 6 MHz/ Span 60 MHz</p><p>Date: 30.JUN.2026 19:30:26</p></div>   |
| 802.11ac-VHT20-High   | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 5.241560000 GHz</p><p>ndB [T1] 26.00 dB<br/>BW 26.760000000 MHz<br/>Sweep 1 [T1 5000]<br/>-19.17 dBm<br/>5.226800000 GHz<br/>Temp 2 [T2 1000]<br/>-19.51 dBm<br/>5.253560000 GHz</p><p>Center 5.24 GHz 6 MHz/ Span 60 MHz</p><p>Date: 30.JUN.2026 19:31:18</p></div> |

|                     |                                                                                                                                  |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT40-Low  | <div><p>Date: 30.JUN.2026 19:32:28</p></div>   |
| 802.11ac-VHT40-High | <div><p>Date: 30.JUN.2026 19:34:08</p></div>  |
| 802.11ax-HE20-Low   | <div><p>Date: 30.JUN.2026 19:38:39</p></div> |

|                      |                                                                                                                                  |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------|
| 802.11ax-HE20-Middle | <div><p>Date: 30.JUN.2026 19:41:32</p></div>   |
| 802.11ax-HE 20-High  | <div><p>Date: 30.JUN.2026 19:43:36</p></div>  |
| 802.11ax-HE 40-Low   | <div><p>Date: 30.JUN.2026 19:48:29</p></div> |


802.11ax-HE 40-High




26 dB Bandwidth  
5250-5350MHz

|                       |                                                                             |
|-----------------------|-----------------------------------------------------------------------------|
| <p>802.11a-Low</p>    | <div data-bbox="646 315 1200 752"></div> <p>Date: 1.JUL.2026 09:49:49</p>   |
| <p>802.11a-Middle</p> | <div data-bbox="646 857 1200 1294"></div> <p>Date: 1.JUL.2026 09:51:14</p>  |
| <p>802.11a-High</p>   | <div data-bbox="646 1400 1200 1836"></div> <p>Date: 1.JUL.2026 09:52:22</p> |


802.11n-HT20-Low




802.11n-HT20-Middle




802.11n-HT20-High




802.11n-HT40-Low



802.11n-HT40-High






802.11ac-VHT20-Low









[illegible]









|                     |                                                                                                                                 |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11ax-HE 20-High | <div><p>Date: 1.JUL.2026 10:15:34</p></div>   |
| 802.11ax-HE 40-Low  | <div><p>Date: 1.JUL.2026 10:17:38</p></div>  |
| 802.11ax-HE 40-High | <div><p>Date: 1.JUL.2026 10:19:15</p></div> |

26 dB Bandwidth  
5470-5725MHz

|                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11a-Low</p>    | <div data-bbox="646 315 1200 752"><p>Ref 20 dBm    *Att 30 dB    *RBW 300 kHz    Marker 1 [T1]    8.45 dBm<br/>*VBW 1 MHz    *SWT 20 ms    5.501680000 GHz</p><p>ndB [T1]    26.00 dB<br/>BW 26.760000000 MHz<br/>Temp 1 [T1]    -17.90 dBm<br/>5.486680000 GHz<br/>Temp 2 [T2]    -17.25 dBm<br/>5.513440000 GHz</p><p>Center 5.5 GHz    6 MHz/    Span 60 MHz</p></div> <p>Date: 1.JUL.2026 13:48:57</p>     |
| <p>802.11a-Middle</p> | <div data-bbox="646 857 1200 1294"><p>Ref 20 dBm    *Att 30 dB    *RBW 300 kHz    Marker 1 [T1]    8.78 dBm<br/>*VBW 1 MHz    *SWT 20 ms    5.602880000 GHz</p><p>ndB [T1]    26.00 dB<br/>BW 26.040000000 MHz<br/>Temp 1 [T1]    -16.65 dBm<br/>5.587040000 GHz<br/>Temp 2 [T2]    -16.65 dBm<br/>5.613080000 GHz</p><p>Center 5.6 GHz    6 MHz/    Span 60 MHz</p></div> <p>Date: 1.JUL.2026 13:52:25</p>   |
| <p>802.11a-High</p>   | <div data-bbox="646 1400 1200 1836"><p>Ref 20 dBm    *Att 30 dB    *RBW 300 kHz    Marker 1 [T1]    8.50 dBm<br/>*VBW 1 MHz    *SWT 20 ms    5.694600000 GHz</p><p>ndB [T1]    26.00 dB<br/>BW 26.400000000 MHz<br/>Temp 1 [T1]    -17.72 dBm<br/>5.686320000 GHz<br/>Temp 2 [T2]    -16.93 dBm<br/>5.712720000 GHz</p><p>Center 5.7 GHz    6 MHz/    Span 60 MHz</p></div> <p>Date: 1.JUL.2026 13:53:30</p> |




|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT20-Low    | <div><p>Ref 20 dBm    *Att 30 dB    RBW 300 kHz    Marker 1 [T1]    7.42 dBm<br/>VBW 1 MHz    SWT 20 ms    5.501680000 GHz</p><p>ndB [T1]    26.00 dB<br/>BW 26.160000000 MHz<br/>Sweep 1 [T1] 500 Hz<br/>Temp 1 [T1] 500 Hz<br/>Temp 2 [T1] 500 Hz<br/>Temp 3 [T1] 500 Hz</p><p>Center 5.5 GHz    6 MHz/    Span 60 MHz</p><p>Date: 1.JUL.2026 13:57:33</p></div>   |
| 802.11n-HT20-Middle | <div><p>Ref 20 dBm    *Att 30 dB    RBW 300 kHz    Marker 1 [T1]    7.12 dBm<br/>VBW 1 MHz    SWT 20 ms    5.598320000 GHz</p><p>ndB [T1]    26.00 dB<br/>BW 27.000000000 MHz<br/>Sweep 1 [T1] 500 Hz<br/>Temp 1 [T1] 500 Hz<br/>Temp 2 [T1] 500 Hz<br/>Temp 3 [T1] 500 Hz</p><p>Center 5.6 GHz    6 MHz/    Span 60 MHz</p><p>Date: 1.JUL.2026 13:55:38</p></div>  |
| 802.11n-HT20-High   | <div><p>Ref 20 dBm    *Att 30 dB    RBW 300 kHz    Marker 1 [T1]    7.48 dBm<br/>VBW 1 MHz    SWT 20 ms    5.694120000 GHz</p><p>ndB [T1]    26.00 dB<br/>BW 27.120000000 MHz<br/>Sweep 1 [T1] 500 Hz<br/>Temp 1 [T1] 500 Hz<br/>Temp 2 [T1] 500 Hz<br/>Temp 3 [T1] 500 Hz</p><p>Center 5.7 GHz    6 MHz/    Span 60 MHz</p><p>Date: 1.JUL.2026 13:54:40</p></div> |

|                     |                                                                                                                                 |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT40-Low    | <div><p>Date: 1.JUL.2026 13:58:48</p></div>   |
| 802.11n-HT40-Middle | <div><p>Date: 1.JUL.2026 14:03:08</p></div>  |
| 802.11n-HT40-High   | <div><p>Date: 1.JUL.2026 14:04:32</p></div> |




|                       |                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT20-Low    | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 5.505520000 GHz</p><p>ndB [T1] 26.00 dB<br/>BW 27.480000000 MHz<br/>Temp 1 [T1] -19.04 dBm<br/>5.486320000 GHz<br/>Temp 2 [T2] -19.19 dBm<br/>5.513800000 GHz</p><p>Center 5.5 GHz 6 MHz/ Span 60 MHz</p><p>Date: 1.JUL.2026 14:05:44</p></div>   |
| 802.11ac-VHT20-Middle | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 5.606360000 GHz</p><p>ndB [T1] 26.00 dB<br/>BW 26.640000000 MHz<br/>Temp 1 [T1] -19.90 dBm<br/>5.586680000 GHz<br/>Temp 2 [T2] -19.75 dBm<br/>5.613320000 GHz</p><p>Center 5.6 GHz 6 MHz/ Span 60 MHz</p><p>Date: 1.JUL.2026 14:07:30</p></div>  |
| 802.11ac-VHT20-High   | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 5.692920000 GHz</p><p>ndB [T1] 26.00 dB<br/>BW 27.000000000 MHz<br/>Temp 1 [T1] -20.27 dBm<br/>5.686320000 GHz<br/>Temp 2 [T2] -19.82 dBm<br/>5.713320000 GHz</p><p>Center 5.7 GHz 6 MHz/ Span 60 MHz</p><p>Date: 1.JUL.2026 14:08:26</p></div> |











|                       |                                                                                                                                 |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11ax-HE 40-Low    | <div><p>Date: 1.JUL.2026 14:20:29</p></div>   |
| 802.11ax-HE 40-Middle | <div><p>Date: 1.JUL.2026 14:23:01</p></div>  |
| 802.11ax-HE 40-High   | <div><p>Date: 1.JUL.2026 14:24:28</p></div> |




6 dB Bandwidth  
5725-5850MHz




|                       |                                                                                                                                                                                                                                                                                                                                                                                |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11a-Low</p>    | <div data-bbox="644 315 1200 752"><p>Ref 20 dBm *Att 30 dB RBW 100 kHz Delta 1 [T1] 0.25 dB<br/>VBW 300 kHz 16.56000000 MHz<br/>SWT 20 ms</p><p>Marker 1 [T1] -1.78 dBm<br/>Marker 2 [T1] -5.62 dBm</p><p>Center 5.745 GHz 4 MHz/ Span 40 MHz</p></div> <p>Date: 1.JUL.2026 16:15:49</p>     |
| <p>802.11a-Middle</p> | <div data-bbox="644 857 1200 1294"><p>Ref 20 dBm *Att 30 dB RBW 100 kHz Delta 1 [T1] 0.26 dB<br/>VBW 300 kHz 16.56000000 MHz<br/>SWT 20 ms</p><p>Marker 1 [T1] -2.06 dBm<br/>Marker 2 [T1] -5.01 dBm</p><p>Center 5.785 GHz 4 MHz/ Span 40 MHz</p></div> <p>Date: 1.JUL.2026 16:21:48</p>   |
| <p>802.11a-High</p>   | <div data-bbox="644 1400 1200 1836"><p>Ref 20 dBm *Att 30 dB RBW 100 kHz Delta 1 [T1] 0.75 dB<br/>VBW 300 kHz 16.56000000 MHz<br/>SWT 20 ms</p><p>Marker 1 [T1] -2.45 dBm<br/>Marker 2 [T1] -5.16 dBm</p><p>Center 5.825 GHz 4 MHz/ Span 40 MHz</p></div> <p>Date: 1.JUL.2026 16:23:10</p> |

|                     |                                                                                                                                                                                                                                                                                           |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT20-Low    | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 17.76000000 MHz</p><p>Marker 1 [T1] -1.31 dBm<br/>Marker 2 [T1] -10.08 dB</p><p>Center 5.745 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 16:27:03</p></div>   |
| 802.11n-HT20-Middle | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 17.84000000 MHz</p><p>Marker 1 [T1] -1.07 dBm<br/>Marker 2 [T1] -10.24 dB</p><p>Center 5.785 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 16:25:49</p></div>  |
| 802.11n-HT20-High   | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 17.76000000 MHz</p><p>Marker 1 [T1] -1.85 dBm<br/>Marker 2 [T1] -10.71 dB</p><p>Center 5.825 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 16:24:27</p></div> |




|                    |                                                                                                                                 |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT40-Low   | <div><p>Date: 1.JUL.2026 16:28:25</p></div>   |
| 802.11n-HT40-High  | <div><p>Date: 1.JUL.2026 16:29:47</p></div>  |
| 802.11ac-VHT20-Low | <div><p>Date: 1.JUL.2026 16:31:08</p></div> |




[illegible]




|                      |                                                                                                                                                                                                                                                                                                                                                              |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT40-High  | <div><p>Ref 20 dBm *Att 30 dB RBW 100 kHz Delta 1 [T1] 5.26 dB<br/>VBW 300 kHz SWT 20 ms 36.64000000 MHz</p><p>Marker 1 [T1] -10.71 dBm<br/>Marker 2 [T1] -10.65 dBm</p><p>Offset 1 dB</p><p>Center 5.795 GHz 8 MHz/ Span 80 MHz</p><p>Date: 1.JUL.2026 16:39:31</p></div> |
| 802.11ax-HE20-Low    | <div><p>Ref 20 dBm *Att 30 dB RBW 100 kHz Delta 1 [T1] 2.42 dB<br/>VBW 300 kHz SWT 20 ms 19.20000000 MHz</p><p>Marker 1 [T1] -5.96 dBm<br/>Marker 2 [T1] -2.65 dBm</p><p>Offset 1 dB</p><p>Center 5.745 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 16:40:56</p></div>  |
| 802.11ax-HE20-Middle | <div><p>Ref 20 dBm *Att 30 dB RBW 100 kHz Delta 1 [T1] 0.82 dB<br/>VBW 300 kHz SWT 20 ms 19.12000000 MHz</p><p>Marker 1 [T1] -4.65 dBm<br/>Marker 2 [T1] -2.73 dBm</p><p>Offset 1 dB</p><p>Center 5.785 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 16:42:11</p></div> |




|                     |                                                                                                                                 |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11ax-HE 20-High | <div><p>Date: 1.JUL.2026 16:43:48</p></div>   |
| 802.11ax-HE 40-Low  | <div><p>Date: 1.JUL.2026 16:47:33</p></div>  |
| 802.11ax-HE 40-High | <div><p>Date: 1.JUL.2026 16:49:06</p></div> |




99% Bandwidth  
5150-5250MHz




|                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11a-Low</p>    | <div data-bbox="646 315 1200 752"><p>Ref 20 dBm    *Att 30 dB    *RBW 300 kHz    Marker 1 [T1]    8.94 dBm<br/>*VBW 1 MHz    SWT 20 ms    5.177920000 GHz</p><p>20 Offset 1 dB    1    OBW 17.760000000 MHz<br/>Temp 1 [T1 OBW]    -1.21 dBm<br/>5.171040000 GHz    5.171040000 GHz<br/>Temp 2 [T1 OBW]    -4.03 dBm<br/>5.188800000 GHz    5.188800000 GHz</p><p>Center 5.18 GHz    4 MHz/    Span 40 MHz</p></div> <p>Date: 30.JUN.2026 19:17:29</p>     |
| <p>802.11a-Middle</p> | <div data-bbox="646 857 1200 1294"><p>Ref 20 dBm    *Att 30 dB    *RBW 300 kHz    Marker 1 [T1]    8.94 dBm<br/>*VBW 1 MHz    SWT 20 ms    5.201520000 GHz</p><p>20 Offset 1 dB    1    OBW 17.520000000 MHz<br/>Temp 1 [T1 OBW]    -1.23 dBm<br/>5.191200000 GHz    5.191200000 GHz<br/>Temp 2 [T1 OBW]    -2.13 dBm<br/>5.208720000 GHz    5.208720000 GHz</p><p>Center 5.2 GHz    4 MHz/    Span 40 MHz</p></div> <p>Date: 30.JUN.2026 19:19:17</p>    |
| <p>802.11a-High</p>   | <div data-bbox="646 1400 1200 1836"><p>Ref 20 dBm    *Att 30 dB    *RBW 300 kHz    Marker 1 [T1]    9.68 dBm<br/>*VBW 1 MHz    SWT 20 ms    5.239040000 GHz</p><p>20 Offset 1 dB    1    OBW 17.520000000 MHz<br/>Temp 1 [T1 OBW]    -1.61 dBm<br/>5.231200000 GHz    5.231200000 GHz<br/>Temp 2 [T1 OBW]    -2.19 dBm<br/>5.248720000 GHz    5.248720000 GHz</p><p>Center 5.24 GHz    4 MHz/    Span 40 MHz</p></div> <p>Date: 30.JUN.2026 19:20:10</p> |

|                     |                                                                                                                                  |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT20-Low    | <div><p>Date: 30.JUN.2026 19:23:38</p></div>   |
| 802.11n-HT20-Middle | <div><p>Date: 30.JUN.2026 19:22:30</p></div>  |
| 802.11n-HT20-High   | <div><p>Date: 30.JUN.2026 19:21:24</p></div> |

|                    |                                                                                                                                                                                                                                          |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT40-Low   | <div><p>Ref 20 dBm *Att 30 dB RBW 1 MHz Marker 1 [T1] 10.44 dBm</p><p>Center 5.19 GHz 8 MHz/ Span 80 MHz</p><p>Date: 30.JUN.2026 19:25:10</p></div>    |
| 802.11n-HT40-High  | <div><p>Ref 20 dBm *Att 30 dB RBW 1 MHz Marker 1 [T1] 10.53 dBm</p><p>Center 5.23 GHz 8 MHz/ Span 80 MHz</p><p>Date: 30.JUN.2026 19:26:23</p></div>   |
| 802.11ac-VHT20-Low | <div><p>Ref 20 dBm *Att 30 dB RBW 300 kHz Marker 1 [T1] 6.27 dBm</p><p>Center 5.18 GHz 4 MHz/ Span 40 MHz</p><p>Date: 30.JUN.2026 19:28:32</p></div> |

|                       |                                                                                                                                  |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT20-Middle | <div><p>Date: 30.JUN.2026 19:29:33</p></div>   |
| 802.11ac-VHT20-High   | <div><p>Date: 30.JUN.2026 19:30:58</p></div>  |
| 802.11ac-VHT40-Low    | <div><p>Date: 30.JUN.2026 19:32:03</p></div> |

|                      |                                                                                                                                  |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT40-High  | <div><p>Date: 30.JUN.2026 19:33:36</p></div>   |
| 802.11ax-HE20-Low    | <div><p>Date: 30.JUN.2026 19:35:58</p></div>  |
| 802.11ax-HE20-Middle | <div><p>Date: 30.JUN.2026 19:40:39</p></div> |

|                     |                                                                                                                                  |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------|
| 802.11ax-HE 20-High | <div><p>Date: 30.JUN.2026 19:42:50</p></div>   |
| 802.11ax-HE 40-Low  | <div><p>Date: 30.JUN.2026 19:45:23</p></div>  |
| 802.11ax-HE 40-High | <div><p>Date: 30.JUN.2026 19:50:02</p></div> |

99% dB Bandwidth


5250-5350MHz

Waltek Testing Group (Shenzhen) Co., Ltd.


Http://www.waltek.com.cn

|                |                                                                                                                                                                                                                                                                                                        |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11a-Low    | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms Marker 1 [T1 ] 9.49 dBm<br/>5.257680000 GHz</p><p>OSW 17.680000000 MHz<br/>Temp 1 [T1 OBW] -3.22 dBm<br/>5.251200000 GHz<br/>Temp 2 [T1 OBW] -34.16 dBm<br/>5.268800000 GHz</p><p>Center 5.26 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 09:48:11</p></div> |
| 802.11a-Middle | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms Marker 1 [T1 ] 9.51 dBm<br/>5.275840000 GHz</p><p>OSW 17.600000000 MHz<br/>Temp 1 [T1 OBW] -3.74 dBm<br/>5.271200000 GHz<br/>Temp 2 [T1 OBW] -35.28 dBm<br/>5.288800000 GHz</p><p>Center 5.28 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 09:50:28</p></div> |
| 802.11a-High   | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms Marker 1 [T1 ] 9.46 dBm<br/>5.319200000 GHz</p><p>OSW 17.600000000 MHz<br/>Temp 1 [T1 OBW] -3.82 dBm<br/>5.311200000 GHz<br/>Temp 2 [T1 OBW] -35.33 dBm<br/>5.328800000 GHz</p><p>Center 5.32 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 09:52:00</p></div> |


802.11n-HT20-Low






802.11n-HT20-Middle









802.11n-HT20-High






|                           |                                                                             |
|---------------------------|-----------------------------------------------------------------------------|
| <p>802.11n-HT40-Low</p>   | <div data-bbox="644 232 1198 741"></div> <p>Date: 1.JUL.2026 09:56:55</p>   |
| <p>802.11n-HT40-High</p>  | <div data-bbox="644 770 1198 1279"></div> <p>Date: 1.JUL.2026 10:02:37</p>  |
| <p>802.11ac-VHT20-Low</p> | <div data-bbox="644 1308 1198 1816"></div> <p>Date: 1.JUL.2026 10:03:49</p> |




|                       |                                                                                                                                 |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT20-Middle | <div><p>Date: 1.JUL.2026 10:05:11</p></div>   |
| 802.11ac-VHT20-High   | <div><p>Date: 1.JUL.2026 10:06:04</p></div>  |
| 802.11ac-VHT40-Low    | <div><p>Date: 1.JUL.2026 10:07:06</p></div> |




|                      |                                                                                                                                 |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT40-High  | <div><p>Date: 1.JUL.2026 10:08:22</p></div>   |
| 802.11ax-HE20-Low    | <div><p>Date: 1.JUL.2026 10:11:18</p></div>  |
| 802.11ax-HE20-Middle | <div><p>Date: 1.JUL.2026 10:13:18</p></div> |

|                     |                                                                                                                                 |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11ax-HE 20-High | <div><p>Date: 1.JUL.2026 10:14:49</p></div>   |
| 802.11ax-HE 40-Low  | <div><p>Date: 1.JUL.2026 10:16:40</p></div>  |
| 802.11ax-HE 40-High | <div><p>Date: 1.JUL.2026 10:18:32</p></div> |




99%dB Bandwidth  
5470-5725MHz

|                       |                                                                                                                                                                 |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11a-Low</p>    | <div data-bbox="644 315 1198 752"></div> <p>Date: 1.JUL.2026 13:48:22</p>     |
| <p>802.11a-Middle</p> | <div data-bbox="644 857 1198 1294"></div> <p>Date: 1.JUL.2026 13:55:19</p>   |
| <p>802.11a-High</p>   | <div data-bbox="644 1400 1198 1836"></div> <p>Date: 1.JUL.2026 13:53:02</p> |

|                     |                                                                                                                                 |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT20-Low    | <div><p>Date: 1.JUL.2026 13:57:13</p></div>   |
| 802.11n-HT20-Middle | <div><p>Date: 1.JUL.2026 13:52:07</p></div>  |
| 802.11n-HT20-High   | <div><p>Date: 1.JUL.2026 13:54:16</p></div> |

|                     |                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT40-Low    | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms</p><p>Marker 1 [T1] 9.96 dBm</p><p>OSW 38.08000000 MHz</p><p>Temp 1 [T1 OBN] 9.96 dBm</p><p>Temp 2 [T1 OBN] 5.490960000 GHz</p><p>LVL -11.79 dBm</p><p>Center 5.51 GHz 8 MHz/ Span 80 MHz</p><p>Date: 1.JUL.2026 13:58:20</p></div>     |
| 802.11n-HT40-Middle | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms</p><p>Marker 1 [T1] 9.92 dBm</p><p>OSW 38.24000000 MHz</p><p>Temp 1 [T1 OBN] 9.92 dBm</p><p>Temp 2 [T1 OBN] 5.570960000 GHz</p><p>LVL -11.03 dBm</p><p>Center 5.59 GHz 8 MHz/ Span 80 MHz</p><p>Date: 1.JUL.2026 14:02:40</p></div>    |
| 802.11n-HT40-High   | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms</p><p>Marker 1 [T1] 11.44 dBm</p><p>OSW 38.24000000 MHz</p><p>Temp 1 [T1 OBN] 11.44 dBm</p><p>Temp 2 [T1 OBN] 5.650800000 GHz</p><p>LVL -11.87 dBm</p><p>Center 5.67 GHz 8 MHz/ Span 80 MHz</p><p>Date: 1.JUL.2026 14:03:59</p></div> |

|                       |                                                                                                                                                                                                                                                                                                               |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT20-Low    | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms</p><p>Marker 1 [T1] 5.504560000 GHz 6.23 dBm</p><p>OSW 18.720000000 MHz</p><p>Temp 1 [T1 OSW] -4.63 dBm</p><p>5.490640000 GHz</p><p>Temp 2 [T1 OSW] -4.14 dBm</p><p>5.509360000 GHz</p><p>Center 5.5 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 14:05:22</p></div> |
| 802.11ac-VHT20-Middle | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms</p><p>Marker 1 [T1] 5.607200000 GHz 6.41 dBm</p><p>OSW 18.720000000 MHz</p><p>Temp 1 [T1 OSW] -3.85 dBm</p><p>5.590640000 GHz</p><p>Temp 2 [T1 OSW] -3.94 dBm</p><p>5.609360000 GHz</p><p>Center 5.6 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 14:07:13</p></div> |
| 802.11ac-VHT20-High   | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms</p><p>Marker 1 [T1] 5.693360000 GHz 6.70 dBm</p><p>OSW 18.720000000 MHz</p><p>Temp 1 [T1 OSW] -5.32 dBm</p><p>5.690560000 GHz</p><p>Temp 2 [T1 OSW] -5.20 dBm</p><p>5.709280000 GHz</p><p>Center 5.7 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 14:08:05</p></div> |

|                       |                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT40-Low    | <div><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz    *VBW 3 MHz    Marker 1 [T1]    9.81 dBm    5.497200000 GHz</p><p>OSW 38.080000000 MHz    Temp 1 [T1]    0.41 dBm    5.490960000 GHz    LVL    0.98 dBm    5.529040000 GHz    30dB</p><p>Center 5.51 GHz    8 MHz/    Span 80 MHz</p><p>Date: 1.JUL.2026 14:09:18</p></div>   |
| 802.11ac-VHT40-Middle | <div><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz    *VBW 3 MHz    Marker 1 [T1]    9.15 dBm    5.586640000 GHz</p><p>OSW 38.240000000 MHz    Temp 1 [T1]    0.37 dBm    5.570960000 GHz    LVL    1.21 dBm    5.609200000 GHz    30dB</p><p>Center 5.59 GHz    8 MHz/    Span 80 MHz</p><p>Date: 1.JUL.2026 14:11:27</p></div>  |
| 802.11ac-VHT40-High   | <div><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz    *VBW 3 MHz    Marker 1 [T1]    9.81 dBm    5.664240000 GHz</p><p>OSW 38.240000000 MHz    Temp 1 [T1]    0.08 dBm    5.650800000 GHz    LVL    0.99 dBm    5.689040000 GHz    30dB</p><p>Center 5.67 GHz    8 MHz/    Span 80 MHz</p><p>Date: 1.JUL.2026 14:12:34</p></div> |

802.11ax-HE20-Low

Ref 20 dBm \*Att 30 dB  
RBW 300 kHz Marker 1 [T1]  
VBW 1 MHz  
SWT 20 ms  
5.50840000 GHz  
20 Offset 1 dB  
OSW 19.68000000 MHz  
Temp 1 [T1 OBW]  
1.91 dBm  
5.490160000 GHz  
Temp 2 [T1 OBW]  
-1.91 dBm  
5.509840000 GHz  
LVL  
30dB  
Center 5.5 GHz 4 MHz/ Span 40 MHz

Date: 1.JUL.2026 14:14:12

802.11ax-HE20-Middle




Ref 20 dBm \*Att 30 dB  
RBW 300 kHz Marker 1 [T1]  
VBW 1 MHz  
SWT 20 ms  
5.591840000 GHz  
20 Offset 1 dB  
OSW 19.76000000 MHz  
Temp 1 [T1 OBW]  
1.72 dBm  
5.590160000 GHz  
Temp 2 [T1 OBW]  
-1.72 dBm  
5.609920000 GHz  
LVL  
30dB  
Center 5.6 GHz 4 MHz/ Span 40 MHz

Date: 1.JUL.2026 14:17:27

802.11ax-HE 20-High




Ref 20 dBm \*Att 30 dB  
RBW 300 kHz Marker 1 [T1]  
VBW 1 MHz  
SWT 20 ms  
5.693760000 GHz  
20 Offset 1 dB  
OSW 19.60000000 MHz  
Temp 1 [T1 OBW]  
1.14 dBm  
5.690160000 GHz  
Temp 2 [T1 OBW]  
-1.14 dBm  
5.709760000 GHz  
LVL  
30dB  
Center 5.7 GHz 4 MHz/ Span 40 MHz




Date: 1.JUL.2026 14:18:33

|                       |                                                                                                                                 |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11ax-HE 40-Low    | <div><p>Date: 1.JUL.2026 14:19:58</p></div>   |
| 802.11ax-HE 40-Middle | <div><p>Date: 1.JUL.2026 14:22:32</p></div>  |
| 802.11ax-HE 40-High   | <div><p>Date: 1.JUL.2026 14:23:52</p></div> |




99% dB Bandwidth  
5725-5850MHz

|                                                                                  |                                                                                                                                                            |
|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div data-bbox="225 562 378 595" data-label="Text"><p>802.11a-Low</p></div>      | <div data-bbox="644 315 1200 752" data-label="Figure"></div> <div data-bbox="644 810 850 828" data-label="Text"><p>Date: 1.JUL.2026 16:14:21</p></div>     |
| <div data-bbox="209 1104 392 1137" data-label="Text"><p>802.11a-Middle</p></div> | <div data-bbox="644 857 1200 1294" data-label="Figure"></div> <div data-bbox="644 1352 850 1370" data-label="Text"><p>Date: 1.JUL.2026 16:18:33</p></div>  |
| <div data-bbox="221 1644 381 1677" data-label="Text"><p>802.11a-High</p></div>   | <div data-bbox="644 1400 1200 1836" data-label="Figure"></div> <div data-bbox="644 1895 850 1912" data-label="Text"><p>Date: 1.JUL.2026 16:22:29</p></div> |

|                     |                                                                                                                                 |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT20-Low    | <div><p>Date: 1.JUL.2026 16:26:32</p></div>   |
| 802.11n-HT20-Middle | <div><p>Date: 1.JUL.2026 16:25:11</p></div>  |
| 802.11n-HT20-High   | <div><p>Date: 1.JUL.2026 16:23:48</p></div> |

|                           |                                                                                                                                                                 |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11n-HT40-Low</p>   | <div data-bbox="644 232 1198 741"></div> <p>Date: 1.JUL.2026 16:27:48</p>     |
| <p>802.11n-HT40-High</p>  | <div data-bbox="644 770 1198 1279"></div> <p>Date: 1.JUL.2026 16:29:09</p>   |
| <p>802.11ac-VHT20-Low</p> | <div data-bbox="644 1308 1198 1816"></div> <p>Date: 1.JUL.2026 16:30:36</p> |

|                       |                                                                                                                                                                                                                                                                                                                  |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT20-Middle | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 5.781640000 GHz</p><p>Marker 1 [T1] 6.62 dBm</p><p>OBW 18.800000000 MHz</p><p>Temp 1 [T1 OBW] -4.33 dBm</p><p>5.775560000 GHz</p><p>Temp 2 [T1 OBW] -22.53 dBm</p><p>5.794360000 GHz</p><p>Center 5.785 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 16:31:51</p></div> |
| 802.11ac-VHT20-High   | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 5.820840000 GHz</p><p>Marker 1 [T1] 6.50 dBm</p><p>OBW 18.800000000 MHz</p><p>Temp 1 [T1 OBW] -6.31 dBm</p><p>5.815400000 GHz</p><p>Temp 2 [T1 OBW] -5.58 dBm</p><p>5.834400000 GHz</p><p>Center 5.825 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 16:34:02</p></div>  |
| 802.11ac-VHT40-Low    | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 5.766360000 GHz</p><p>Marker 1 [T1] 9.19 dBm</p><p>OBW 38.560000000 MHz</p><p>Temp 1 [T1 OBW] -6.77 dBm</p><p>5.735480000 GHz</p><p>Temp 2 [T1 OBW] -11.10 dBm</p><p>5.774040000 GHz</p><p>Center 5.755 GHz 8 MHz/ Span 80 MHz</p><p>Date: 1.JUL.2026 16:37:35</p></div> |

|                      |                                                                                                                                                                                                                                                                                                                                                                                                     |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT40-High  | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 5.782680000 GHz</p><p>Marker 1 [T1] 9.44 dBm</p><p>OSW 38.720000000 MHz</p><p>Temp 1 [T1 OSW] -20.22 dBm</p><p>5.775480000 GHz</p><p>Temp 2 [T1 OSW] -20.82 dBm</p><p>5.814200000 GHz</p><p>Center 5.795 GHz 8 MHz/ Span 80 MHz</p><p>Date: 1.JUL.2026 16:38:56</p></div> |
| 802.11ax-HE20-Low    | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 5.752360000 GHz</p><p>Marker 1 [T1] 7.00 dBm</p><p>OSW 19.600000000 MHz</p><p>Temp 1 [T1 OSW] -2.14 dBm</p><p>5.735160000 GHz</p><p>Temp 2 [T1 OSW] -5.18 dBm</p><p>5.754760000 GHz</p><p>Center 5.745 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 16:40:18</p></div>  |
| 802.11ax-HE20-Middle | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 5.776120000 GHz</p><p>Marker 1 [T1] 7.55 dBm</p><p>OSW 19.520000000 MHz</p><p>Temp 1 [T1 OSW] -0.41 dBm</p><p>5.775240000 GHz</p><p>Temp 2 [T1 OSW] -2.43 dBm</p><p>5.794760000 GHz</p><p>Center 5.785 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 16:41:35</p></div> |

|                     |                                                                                                                                                                                                                                                                                                               |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11ax-HE 20-High | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 5.826040000 GHz</p><p>Marker 1 [T1] 19.440000000 MHz 7.00 dBm</p><p>Temp 1 [T1 OBW] 11.51 dBm</p><p>Temp 2 [T1 OBW] 5.815320000 GHz 22.32 dBm</p><p>LVL 5.834760000 GHz</p><p>3dB</p><p>Center 5.825 GHz 4 MHz/ Span 40 MHz</p><p>Date: 1.JUL.2026 16:42:46</p></div> |
| 802.11ax-HE 40-Low  | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 5.740760000 GHz</p><p>Marker 1 [T1] 39.360000000 MHz 11.40 dBm</p><p>Temp 1 [T1 OBW] 1.01 dBm</p><p>Temp 2 [T1 OBW] 5.735160000 GHz 1.51 dBm</p><p>LVL 5.774520000 GHz</p><p>3dB</p><p>Center 5.755 GHz 8 MHz/ Span 80 MHz</p><p>Date: 1.JUL.2026 16:46:22</p></div>  |
| 802.11ax-HE 40-High | <div><p>Ref 20 dBm *Att 30 dB SWT 20 ms 5.780920000 GHz</p><p>Marker 1 [T1] 39.360000000 MHz 12.00 dBm</p><p>Temp 1 [T1 OBW] 0.83 dBm</p><p>Temp 2 [T1 OBW] 5.775160000 GHz 1.10 dBm</p><p>LVL 5.814520000 GHz</p><p>3dB</p><p>Center 5.795 GHz 8 MHz/ Span 80 MHz</p><p>Date: 1.JUL.2026 16:48:21</p></div>  |

## APPENDIX C

### Maximum Conducted Output Power




| U-NII-1:5150-5250MHz                           |                  |                        |              |                  |                        |        |  |  |
|------------------------------------------------|------------------|------------------------|--------------|------------------|------------------------|--------|--|--|
| Test mode                                      | Frequency<br>MHz | Output<br>Power<br>dBm | Limit<br>dBm | E.I.R.P<br>(dBm) | E.I.R.P<br>Limit (dBm) | Result |  |  |
| 802.11a                                        | 5180             | 17.45                  | /            | 20.44            | 23.98                  | Pass   |  |  |
|                                                | 5200             | 17.59                  |              | 20.58            | 23.98                  |        |  |  |
|                                                | 5240             | 18.02                  |              | 21.01            | 23.98                  |        |  |  |
| 802.11n-HT20                                   | 5180             | 16.27                  |              | 19.26            | 23.98                  |        |  |  |
|                                                | 5200             | 16.45                  |              | 19.44            | 23.98                  |        |  |  |
|                                                | 5240             | 17.02                  |              | 20.01            | 23.98                  |        |  |  |
| 802.11n-HT40                                   | 5190             | 16.30                  |              | 19.29            | 23.98                  |        |  |  |
|                                                | 5230             | 16.71                  |              | 19.70            | 23.98                  |        |  |  |
| 802.11ac<br>VHT20                              | 5180             | 15.25                  |              | 18.24            | 23.98                  |        |  |  |
|                                                | 5200             | 15.32                  |              | 18.31            | 23.98                  |        |  |  |
|                                                | 5240             | 15.83                  |              | 18.82            | 23.98                  |        |  |  |
| 802.11ac<br>VHT40                              | 5190             | 15.21                  |              | 18.20            | 23.98                  |        |  |  |
|                                                | 5230             | 15.67                  |              | 18.66            | 23.98                  |        |  |  |
| 802.11ax<br>HE20                               | 5180             | 14.04                  |              | 17.03            | 23.98                  |        |  |  |
|                                                | 5200             | 14.23                  |              | 17.22            | 23.98                  |        |  |  |
|                                                | 5240             | 14.81                  |              | 17.80            | 23.98                  |        |  |  |
| 802.11ax<br>HE40                               | 5190             | 14.12                  |              | 17.11            | 23.98                  |        |  |  |
|                                                | 5230             | 14.65                  |              | 17.64            | 23.98                  |        |  |  |
| Note1: Antenna Gain: 2.99dBi;                  |                  |                        |              |                  |                        |        |  |  |
| Note2: E.I.R.P = Measured Power + Antenna Gain |                  |                        |              |                  |                        |        |  |  |




| U-NII-2A: 5250-5350MHz                         |                  |                        |              |                  |                        |        |  |  |
|------------------------------------------------|------------------|------------------------|--------------|------------------|------------------------|--------|--|--|
| Test mode                                      | Frequency<br>MHz | Output<br>Power<br>dBm | Limit<br>dBm | E.I.R.P<br>(dBm) | E.I.R.P<br>Limit (dBm) | Result |  |  |
| 802.11a                                        | 5260             | 17.75                  | /            | 20.74            | 23.98                  | Pass   |  |  |
|                                                | 5280             | 17.94                  |              | 20.93            | 23.98                  |        |  |  |
|                                                | 5320             | 17.87                  |              | 20.86            | 23.98                  |        |  |  |
| 802.11n-HT20                                   | 5260             | 16.49                  |              | 19.48            | 23.98                  |        |  |  |
|                                                | 5280             | 16.75                  |              | 19.74            | 23.98                  |        |  |  |
|                                                | 5320             | 16.68                  |              | 19.67            | 23.98                  |        |  |  |
| 802.11n-HT40                                   | 5270             | 16.54                  |              | 19.53            | 23.98                  |        |  |  |
|                                                | 5310             | 16.65                  |              | 19.64            | 23.98                  |        |  |  |
| 802.11ac<br>VHT20                              | 5260             | 15.32                  |              | 18.31            | 23.98                  |        |  |  |
|                                                | 5280             | 15.58                  |              | 18.57            | 23.98                  |        |  |  |
|                                                | 5320             | 15.48                  |              | 18.47            | 23.98                  |        |  |  |
| 802.11ac<br>VHT40                              | 5270             | 15.36                  |              | 18.35            | 23.98                  |        |  |  |
|                                                | 5310             | 15.52                  |              | 18.51            | 23.98                  |        |  |  |
| 802.11ax<br>HE20                               | 5260             | 14.34                  |              | 17.33            | 23.98                  |        |  |  |
|                                                | 5280             | 14.47                  |              | 17.46            | 23.98                  |        |  |  |
|                                                | 5320             | 14.42                  |              | 17.41            | 23.98                  |        |  |  |
| 802.11ax<br>HE40                               | 5270             | 14.31                  |              | 17.30            | 23.98                  |        |  |  |
|                                                | 5310             | 14.49                  |              | 17.48            | 23.98                  |        |  |  |
| Note1: Antenna Gain: 2.99dBi;                  |                  |                        |              |                  |                        |        |  |  |
| Note2: E.I.R.P = Measured Power + Antenna Gain |                  |                        |              |                  |                        |        |  |  |

| U-NII-2C: 5470-5725MHz                         |                  |                        |              |                  |                        |        |  |  |
|------------------------------------------------|------------------|------------------------|--------------|------------------|------------------------|--------|--|--|
| Test mode                                      | Frequency<br>MHz | Output<br>Power<br>dBm | Limit<br>dBm | E.I.R.P<br>(dBm) | E.I.R.P<br>Limit (dBm) | Result |  |  |
| 802.11a                                        | 5500             | 17.17                  | /            | 20.16            | 23.98                  | Pass   |  |  |
|                                                | 5600             | 17.05                  |              | 20.04            | 23.98                  |        |  |  |
|                                                | 5700             | 17.03                  |              | 20.02            | 23.98                  |        |  |  |
| 802.11n-HT20                                   | 5500             | 16.09                  |              | 19.08            | 23.98                  |        |  |  |
|                                                | 5600             | 16.11                  |              | 19.10            | 23.98                  |        |  |  |
|                                                | 5700             | 16.08                  |              | 19.07            | 23.98                  |        |  |  |
| 802.11n-HT40                                   | 5510             | 16.01                  |              | 19.00            | 23.98                  |        |  |  |
|                                                | 5590             | 16.08                  |              | 19.07            | 23.98                  |        |  |  |
|                                                | 5670             | 16.61                  |              | 19.60            | 23.98                  |        |  |  |
| 802.11ac<br>VHT20                              | 5500             | 15.16                  |              | 18.15            | 23.98                  |        |  |  |
|                                                | 5600             | 15.18                  |              | 18.17            | 23.98                  |        |  |  |
|                                                | 5700             | 15.13                  |              | 18.12            | 23.98                  |        |  |  |
| 802.11ac<br>VHT40                              | 5510             | 15.02                  |              | 18.01            | 23.98                  |        |  |  |
|                                                | 5590             | 15.14                  |              | 18.13            | 23.98                  |        |  |  |
|                                                | 5670             | 15.66                  |              | 18.65            | 23.98                  |        |  |  |
| 802.11ax<br>HE20                               | 5500             | 14.18                  |              | 17.17            | 23.98                  |        |  |  |
|                                                | 5600             | 14.16                  |              | 17.15            | 23.98                  |        |  |  |
|                                                | 5700             | 14.10                  |              | 17.09            | 23.98                  |        |  |  |
| 802.11ax<br>HE40                               | 5510             | 14.00                  |              | 16.99            | 23.98                  |        |  |  |
|                                                | 5590             | 14.20                  |              | 17.19            | 23.98                  |        |  |  |
|                                                | 5670             | 14.67                  |              | 17.66            | 23.98                  |        |  |  |
| Note1: Antenna Gain: 2.99dBi;                  |                  |                        |              |                  |                        |        |  |  |
| Note2: E.I.R.P = Measured Power + Antenna Gain |                  |                        |              |                  |                        |        |  |  |




| U-NII-3: 5725-5850MHz                          |                  |                        |              |                  |                        |        |
|------------------------------------------------|------------------|------------------------|--------------|------------------|------------------------|--------|
| Test mode                                      | Frequency<br>MHz | Output<br>Power<br>dBm | Limit<br>dBm | E.I.R.P<br>(dBm) | E.I.R.P<br>Limit (dBm) | Result |
| 802.11a                                        | 5745             | 17.40                  | 30           | 20.39            | /                      | Pass   |
|                                                | 5785             | 16.91                  |              | 19.9             |                        |        |
|                                                | 5825             | 17.01                  |              | 20.00            |                        |        |
| 802.11n-HT20                                   | 5745             | 16.40                  |              | 19.39            |                        |        |
|                                                | 5785             | 16.71                  |              | 19.70            |                        |        |
|                                                | 5825             | 16.01                  |              | 19.00            |                        |        |
| 802.11n-HT40                                   | 5755             | 16.29                  |              | 19.28            |                        |        |
|                                                | 5795             | 16.49                  |              | 19.48            |                        |        |
| 802.11ac<br>VHT20                              | 5745             | 15.42                  |              | 18.41            |                        |        |
|                                                | 5785             | 15.74                  |              | 18.73            |                        |        |
|                                                | 5825             | 15.01                  |              | 18.00            |                        |        |
| 802.11ac<br>VHT40                              | 5755             | 15.31                  |              | 18.30            |                        |        |
|                                                | 5795             | 15.70                  |              | 18.69            |                        |        |
| 802.11ax<br>HE20                               | 5745             | 14.34                  |              | 17.33            |                        |        |
|                                                | 5785             | 14.74                  |              | 17.73            |                        |        |
|                                                | 5825             | 14.05                  |              | 17.04            |                        |        |
| 802.11ax<br>HE40                               | 5755             | 14.20                  |              | 17.19            |                        |        |
|                                                | 5795             | 14.69                  |              | 17.68            |                        |        |
| Note1: Antenna Gain: 2.99dBi;                  |                  |                        |              |                  |                        |        |
| Note2: E.I.R.P = Measured Power + Antenna Gain |                  |                        |              |                  |                        |        |




## 5150-5250MHz



|                         |                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11a-Middle</p>   | <div data-bbox="644 232 1198 488"><p>Ref 20 dBm    *Att 30 dB    RBW 1 MHz<br/>Offset 1 dB    VBW 3 MHz    SWT 20 ms</p><p>Center 5.2 GHz    4 MHz/    Span 40 MHz</p><p><b>Tx Channel</b><br/>Bandwidth    20 MHz    Power    17.59 dBm</p></div> <p>Date: 30.JUN.2026 18:29:12</p>      |
| <p>802.11a-High</p>     | <div data-bbox="644 770 1198 1025"><p>Ref 20 dBm    *Att 30 dB    RBW 1 MHz<br/>Offset 1 dB    VBW 3 MHz    SWT 20 ms</p><p>Center 5.24 GHz    4 MHz/    Span 40 MHz</p><p><b>Tx Channel</b><br/>Bandwidth    20 MHz    Power    18.02 dBm</p></div> <p>Date: 30.JUN.2026 18:30:23</p>   |
| <p>802.11n-HT20-Low</p> | <div data-bbox="644 1308 1198 1563"><p>Ref 20 dBm    *Att 30 dB    RBW 1 MHz<br/>Offset 1 dB    VBW 3 MHz    SWT 20 ms</p><p>Center 5.18 GHz    4 MHz/    Span 40 MHz</p><p><b>Tx Channel</b><br/>Bandwidth    20 MHz    Power    16.27 dBm</p></div> <p>Date: 30.JUN.2026 18:33:24</p> |

|                            |                                                                                                                                                                  |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11n-HT20-Middle</p> | <div data-bbox="644 232 1198 488"></div> <p>Date: 30.JUN.2026 18:32:56</p>     |
| <p>802.11n-HT20-High</p>   | <div data-bbox="644 775 1198 1030"></div> <p>Date: 30.JUN.2026 18:32:17</p>   |
| <p>802.11n-HT40-Low</p>    | <div data-bbox="644 1317 1198 1572"></div> <p>Date: 30.JUN.2026 18:34:32</p> |

|                              |                                                                              |
|------------------------------|------------------------------------------------------------------------------|
| <p>802.11n-HT40-High</p>     | <div data-bbox="644 232 1198 488"></div> <p>Date: 30.JUN.2026 18:35:02</p>   |
| <p>802.11ac-VHT20-Low</p>    | <div data-bbox="644 770 1198 1025"></div> <p>Date: 30.JUN.2026 18:35:57</p>  |
| <p>802.11ac-VHT20-Middle</p> | <div data-bbox="644 1308 1198 1563"></div> <p>Date: 30.JUN.2026 18:36:23</p> |




|                            |                                                                                                                                                                 |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11ac-VHT20-High</p> | <div data-bbox="644 232 1198 488"><p>Date: 30.JUN.2026 18:36:45</p></div>     |
| <p>802.11ac-VHT40-Low</p>  | <div data-bbox="644 772 1198 1028"><p>Date: 30.JUN.2026 18:37:27</p></div>   |
| <p>802.11ac-VHT40-High</p> | <div data-bbox="644 1312 1198 1568"><p>Date: 30.JUN.2026 18:37:59</p></div> |

|                             |                                                                                                                                                                 |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11ax-HE20-Low</p>    | <div data-bbox="646 230 1198 488"><p>Date: 30.JUN.2026 18:39:38</p></div>     |
| <p>802.11ax-HE20-Middle</p> | <div data-bbox="646 772 1198 1030"><p>Date: 30.JUN.2026 18:40:16</p></div>   |
| <p>802.11ax-HE 20-High</p>  | <div data-bbox="646 1314 1198 1572"><p>Date: 30.JUN.2026 18:41:03</p></div> |




|                            |                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11ax-HE 40-Low</p>  | <div data-bbox="646 230 1198 488"><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz<br/>*VBW 3 MHz    SWT 20 ms</p><p>Offset 1 dB</p><p>Center 5.19 GHz    8 MHz/    Span 80 MHz</p><p><b>Tx Channel</b><br/>Bandwidth    40 MHz    Power    14.12 dBm</p></div> <p>Date: 30.JUN.2026 18:42:06</p>   |
| <p>802.11ax-HE 40-High</p> | <div data-bbox="646 770 1198 1028"><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz<br/>*VBW 3 MHz    SWT 20 ms</p><p>Offset 1 dB</p><p>Center 5.23 GHz    8 MHz/    Span 80 MHz</p><p><b>Tx Channel</b><br/>Bandwidth    40 MHz    Power    14.65 dBm</p></div> <p>Date: 30.JUN.2026 18:42:51</p> |




## 5250-5350MHz




|                                                                                    |                                                                                                                                                               |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div data-bbox="221 521 379 551" data-label="Text"> <p>802.11a-Low</p> </div>      | <div data-bbox="643 273 1197 526" data-label="Figure"> </div> <div data-bbox="643 768 850 784" data-label="Text"> <p>Date: 1.JUL.2026 08:52:41</p> </div>     |
| <div data-bbox="209 1064 394 1093" data-label="Text"> <p>802.11a-Middle</p> </div> | <div data-bbox="643 815 1197 1066" data-label="Figure"> </div> <div data-bbox="643 1308 850 1323" data-label="Text"> <p>Date: 1.JUL.2026 08:53:50</p> </div>  |
| <div data-bbox="221 1603 381 1630" data-label="Text"> <p>802.11a-High</p> </div>   | <div data-bbox="643 1355 1197 1608" data-label="Figure"> </div> <div data-bbox="643 1850 847 1865" data-label="Text"> <p>Date: 1.JUL.2026 08:54:42</p> </div> |

|                            |                                                                                                                                                                 |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11n-HT20-Low</p>    | <div data-bbox="644 232 1198 488"></div> <p>Date: 1.JUL.2026 08:58:59</p>     |
| <p>802.11n-HT20-Middle</p> | <div data-bbox="644 772 1198 1028"></div> <p>Date: 1.JUL.2026 08:58:32</p>   |
| <p>802.11n-HT20-High</p>   | <div data-bbox="644 1312 1198 1568"></div> <p>Date: 1.JUL.2026 08:55:36</p> |




|                           |                                                                             |
|---------------------------|-----------------------------------------------------------------------------|
| <p>802.11n-HT40-Low</p>   | <div data-bbox="646 230 1198 488"></div> <p>Date: 1.JUL.2026 08:59:40</p>   |
| <p>802.11n-HT40-High</p>  | <div data-bbox="646 770 1198 1028"></div> <p>Date: 1.JUL.2026 09:00:09</p>  |
| <p>802.11ac-VHT20-Low</p> | <div data-bbox="646 1310 1198 1568"></div> <p>Date: 1.JUL.2026 09:01:14</p> |

|                       |                                                                                                                                                                                                                                                                                                                                            |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT20-Middle | <div><p>Ref 20 dBm<br/>Offset 1 dB<br/>Att 30 dB<br/>RBW 1 MHz<br/>VBW 3 MHz<br/>SWT 20 ms</p><p>Center 5.28 GHz<br/>4 MHz/<br/>Span 40 MHz</p><p><b>Tx Channel</b><br/>Bandwidth 20 MHz<br/>Power 15.58 dBm</p><p>Date: 1.JUL.2026 09:01:36</p></div>   |
| 802.11ac-VHT20-High   | <div><p>Ref 20 dBm<br/>Offset 1 dB<br/>Att 30 dB<br/>RBW 1 MHz<br/>VBW 3 MHz<br/>SWT 20 ms</p><p>Center 5.32 GHz<br/>4 MHz/<br/>Span 40 MHz</p><p><b>Tx Channel</b><br/>Bandwidth 20 MHz<br/>Power 15.48 dBm</p><p>Date: 1.JUL.2026 09:02:00</p></div>  |
| 802.11ac-VHT40-Low    | <div><p>Ref 20 dBm<br/>Offset 1 dB<br/>Att 30 dB<br/>RBW 1 MHz<br/>VBW 3 MHz<br/>SWT 20 ms</p><p>Center 5.27 GHz<br/>8 MHz/<br/>Span 80 MHz</p><p><b>Tx Channel</b><br/>Bandwidth 40 MHz<br/>Power 15.36 dBm</p><p>Date: 1.JUL.2026 09:02:39</p></div> |




|                             |                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11ac-VHT40-High</p>  | <div data-bbox="646 230 1198 488"><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz<br/>*VBW 3 MHz    *SWT 20 ms</p><p>Offset 1 dB</p><p>Center 5.31 GHz    8 MHz/    Span 80 MHz</p><p><b>Tx Channel</b><br/>Bandwidth    40 MHz    Power    15.52 dBm</p></div> <p>Date: 1.JUL.2026 09:03:08</p>     |
| <p>802.11ax-HE20-Low</p>    | <div data-bbox="646 770 1198 1028"><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz<br/>*VBW 3 MHz    *SWT 20 ms</p><p>Offset 1 dB</p><p>Center 5.26 GHz    4 MHz/    Span 40 MHz</p><p><b>Tx Channel</b><br/>Bandwidth    20 MHz    Power    14.34 dBm</p></div> <p>Date: 1.JUL.2026 09:04:18</p>   |
| <p>802.11ax-HE20-Middle</p> | <div data-bbox="646 1310 1198 1568"><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz<br/>*VBW 3 MHz    *SWT 20 ms</p><p>Offset 1 dB</p><p>Center 5.28 GHz    4 MHz/    Span 40 MHz</p><p><b>Tx Channel</b><br/>Bandwidth    20 MHz    Power    14.47 dBm</p></div> <p>Date: 1.JUL.2026 09:04:41</p> |




|                            |                                                                                                                                                                |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11ax-HE 20-High</p> | <div data-bbox="644 232 1198 488"><p>Date: 1.JUL.2026 09:05:03</p></div>     |
| <p>802.11ax-HE 40-Low</p>  | <div data-bbox="644 775 1198 1030"><p>Date: 1.JUL.2026 09:06:07</p></div>   |
| <p>802.11ax-HE 40-High</p> | <div data-bbox="644 1317 1198 1572"><p>Date: 1.JUL.2026 09:06:55</p></div> |




5470-5725MHz




|                       |                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11a-Low</p>    | <div data-bbox="646 275 1198 528"><p>Ref: 20 dBm    *Att: 30 dB    RBW: 1 MHz    VBW: 3 MHz    SWT: 20 ms</p><p>Offset: 1 dB</p><p>Center: 5.5 GHz    Span: 40 MHz    4 MHz/div</p><p><b>Tx Channel</b></p><p>Bandwidth: 20 MHz    Power: 17.17 dBm</p></div> <p>Date: 1.JUL.2026 10:35:01</p>     |
| <p>802.11a-Middle</p> | <div data-bbox="646 815 1198 1068"><p>Ref: 20 dBm    *Att: 30 dB    RBW: 1 MHz    VBW: 3 MHz    SWT: 20 ms</p><p>Offset: 1 dB</p><p>Center: 5.6 GHz    Span: 40 MHz    4 MHz/div</p><p><b>Tx Channel</b></p><p>Bandwidth: 20 MHz    Power: 17.05 dBm</p></div> <p>Date: 1.JUL.2026 10:37:27</p>   |
| <p>802.11a-High</p>   | <div data-bbox="646 1355 1198 1608"><p>Ref: 20 dBm    *Att: 30 dB    RBW: 1 MHz    VBW: 3 MHz    SWT: 20 ms</p><p>Offset: 1 dB</p><p>Center: 5.7 GHz    Span: 40 MHz    4 MHz/div</p><p><b>Tx Channel</b></p><p>Bandwidth: 20 MHz    Power: 17.03 dBm</p></div> <p>Date: 1.JUL.2026 10:38:10</p> |




|                            |                                                                             |
|----------------------------|-----------------------------------------------------------------------------|
| <p>802.11n-HT20-Low</p>    | <div data-bbox="644 232 1198 488"></div> <p>Date: 1.JUL.2026 10:41:03</p>   |
| <p>802.11n-HT20-Middle</p> | <div data-bbox="644 770 1198 1025"></div> <p>Date: 1.JUL.2026 10:40:02</p>  |
| <p>802.11n-HT20-High</p>   | <div data-bbox="644 1308 1198 1563"></div> <p>Date: 1.JUL.2026 10:39:28</p> |

|                     |                                                                                                                                 |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT40-Low    | <div><p>Date: 1.JUL.2026 10:43:46</p></div>   |
| 802.11n-HT40-Middle | <div><p>Date: 1.JUL.2026 10:45:21</p></div>  |
| 802.11n-HT40-High   | <div><p>Date: 1.JUL.2026 10:46:08</p></div> |




|                              |                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11ac-VHT20-Low</p>    | <div data-bbox="644 232 1198 488"><p>Ref 20 dBm    *Att 30 dB    RBW 1 MHz<br/>Offset 1 dB    VBW 3 MHz    SWT 20 ms</p><p>Center 5.5 GHz    4 MHz/    Span 40 MHz</p><p><b>Tx Channel</b><br/>Bandwidth    20 MHz    Power    15.16 dBm</p></div> <p>Date: 1.JUL.2026 10:47:43</p>     |
| <p>802.11ac-VHT20-Middle</p> | <div data-bbox="644 770 1198 1025"><p>Ref 20 dBm    *Att 30 dB    RBW 1 MHz<br/>Offset 1 dB    VBW 3 MHz    SWT 20 ms</p><p>Center 5.6 GHz    4 MHz/    Span 40 MHz</p><p><b>Tx Channel</b><br/>Bandwidth    20 MHz    Power    15.18 dBm</p></div> <p>Date: 1.JUL.2026 10:49:05</p>   |
| <p>802.11ac-VHT20-High</p>   | <div data-bbox="644 1308 1198 1563"><p>Ref 20 dBm    *Att 30 dB    RBW 1 MHz<br/>Offset 1 dB    VBW 3 MHz    SWT 20 ms</p><p>Center 5.7 GHz    4 MHz/    Span 40 MHz</p><p><b>Tx Channel</b><br/>Bandwidth    20 MHz    Power    15.13 dBm</p></div> <p>Date: 1.JUL.2026 10:49:38</p> |




|                       |                                                                                                                                 |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT40-Low    | <div><p>Date: 1.JUL.2026 10:51:05</p></div>   |
| 802.11ac-VHT40-Middle | <div><p>Date: 1.JUL.2026 10:52:13</p></div>  |
| 802.11ac-VHT40-High   | <div><p>Date: 1.JUL.2026 10:52:53</p></div> |




|                             |                                                                                                                                                                |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11ax-HE20-Low</p>    | <div data-bbox="644 232 1198 488"><p>Date: 1.JUL.2026 10:53:42</p></div>     |
| <p>802.11ax-HE20-Middle</p> | <div data-bbox="644 770 1198 1025"><p>Date: 1.JUL.2026 10:56:19</p></div>   |
| <p>802.11ax-HE 20-High</p>  | <div data-bbox="644 1308 1198 1563"><p>Date: 1.JUL.2026 10:56:54</p></div> |




|                              |                                                                                                                                                                |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11ax-HE 40-Low</p>    | <div data-bbox="644 232 1198 488"><p>Date: 1.JUL.2026 10:58:25</p></div>     |
| <p>802.11ax-HE 40-Middle</p> | <div data-bbox="644 775 1198 1030"><p>Date: 1.JUL.2026 11:01:23</p></div>   |
| <p>802.11ax-HE 40-High</p>   | <div data-bbox="644 1317 1198 1572"><p>Date: 1.JUL.2026 11:02:22</p></div> |




5725-5850MHz




|                       |                                                                                                                                                                                                                                                                                                                                         |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11a-Low</p>    | <div data-bbox="646 315 1198 571"><p>Ref 20 dBm *Att 30 dB RBW 1 MHz VBW 3 MHz SNT 20 ms</p><p>Offset 1 dB</p><p>Center 5.745 GHz 4 MHz/ Span 40 MHz</p><p>Tx Channel Bandwidth 20 MHz Power 17.40 dBm</p></div> <p>Date: 1.JUL.2026 15:17:17</p>     |
| <p>802.11a-Middle</p> | <div data-bbox="646 857 1198 1113"><p>Ref 20 dBm *Att 30 dB RBW 1 MHz VBW 3 MHz SNT 20 ms</p><p>Offset 1 dB</p><p>Center 5.785 GHz 4 MHz/ Span 40 MHz</p><p>Tx Channel Bandwidth 20 MHz Power 16.91 dBm</p></div> <p>Date: 1.JUL.2026 15:20:52</p>   |
| <p>802.11a-High</p>   | <div data-bbox="646 1400 1198 1655"><p>Ref 20 dBm *Att 30 dB RBW 1 MHz VBW 3 MHz SNT 20 ms</p><p>Offset 1 dB</p><p>Center 5.825 GHz 4 MHz/ Span 40 MHz</p><p>Tx Channel Bandwidth 20 MHz Power 17.01 dBm</p></div> <p>Date: 1.JUL.2026 15:23:00</p> |

|                     |                                                                                                                                                                                                                                                                                                                         |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11n-HT20-Low    | <div><p>Ref 20 dBm *Att 30 dB RBW 1 MHz VBW 3 MHz SWT 20 ms</p><p>Offset 1 dB</p><p>1. dB MAX</p><p>Center 5.745 GHz 4 MHz/ Span 40 MHz</p><p>Tx Channel Bandwidth 20 MHz Power 16.40 dBm</p><p>Date: 1.JUL.2026 15:25:15</p></div>   |
| 802.11n-HT20-Middle | <div><p>Ref 20 dBm *Att 30 dB RBW 1 MHz VBW 3 MHz SWT 20 ms</p><p>Offset 1 dB</p><p>1. dB MAX</p><p>Center 5.785 GHz 4 MHz/ Span 40 MHz</p><p>Tx Channel Bandwidth 20 MHz Power 16.71 dBm</p><p>Date: 1.JUL.2026 15:24:28</p></div>  |
| 802.11n-HT20-High   | <div><p>Ref 20 dBm *Att 30 dB RBW 1 MHz VBW 3 MHz SWT 20 ms</p><p>Offset 1 dB</p><p>1. dB MAX</p><p>Center 5.825 GHz 4 MHz/ Span 40 MHz</p><p>Tx Channel Bandwidth 20 MHz Power 16.01 dBm</p><p>Date: 1.JUL.2026 15:24:00</p></div> |

|                           |                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11n-HT40-Low</p>   | <div data-bbox="644 232 1198 488"><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz<br/>*VBW 3 MHz    *SWT 20 ms</p><p>Offset 1 dB</p><p>1.00 VMAX</p><p>Center 5.755 GHz    8 MHz/    Span 80 MHz</p><p><b>Tx Channel</b><br/>Bandwidth    40 MHz    Power    16.29 dBm</p></div> <p>Date: 1.JUL.2026 15:25:57</p>     |
| <p>802.11n-HT40-High</p>  | <div data-bbox="644 772 1198 1028"><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz<br/>*VBW 3 MHz    *SWT 20 ms</p><p>Offset 1 dB</p><p>1.00 VMAX</p><p>Center 5.795 GHz    8 MHz/    Span 80 MHz</p><p><b>Tx Channel</b><br/>Bandwidth    40 MHz    Power    16.49 dBm</p></div> <p>Date: 1.JUL.2026 15:26:34</p>   |
| <p>802.11ac-VHT20-Low</p> | <div data-bbox="644 1312 1198 1568"><p>Ref 20 dBm    *Att 30 dB    *RBW 1 MHz<br/>*VBW 3 MHz    *SWT 20 ms</p><p>Offset 1 dB</p><p>1.00 VMAX</p><p>Center 5.745 GHz    4 MHz/    Span 40 MHz</p><p><b>Tx Channel</b><br/>Bandwidth    20 MHz    Power    15.42 dBm</p></div> <p>Date: 1.JUL.2026 15:27:17</p> |

|                       |                                                                                                                                                                                                                                                                                                                                          |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 802.11ac-VHT20-Middle | <div><p>Ref 20 dBm<br/>Offset 1 dB<br/>Att 30 dB<br/>RBW 1 MHz<br/>VBW 3 MHz<br/>SWT 20 ms</p><p>Center 5.785 GHz<br/>4 MHz/<br/>Span 40 MHz</p><p><b>Tx Channel</b><br/>Bandwidth 20 MHz Power 15.74 dBm</p></div> <p>Date: 1.JUL.2026 15:27:53</p>   |
| 802.11ac-VHT20-High   | <div><p>Ref 20 dBm<br/>Offset 1 dB<br/>Att 30 dB<br/>RBW 1 MHz<br/>VBW 3 MHz<br/>SWT 20 ms</p><p>Center 5.825 GHz<br/>4 MHz/<br/>Span 40 MHz</p><p><b>Tx Channel</b><br/>Bandwidth 20 MHz Power 15.01 dBm</p></div> <p>Date: 1.JUL.2026 15:28:28</p>  |
| 802.11ac-VHT40-Low    | <div><p>Ref 20 dBm<br/>Offset 1 dB<br/>Att 30 dB<br/>RBW 1 MHz<br/>VBW 3 MHz<br/>SWT 20 ms</p><p>Center 5.755 GHz<br/>8 MHz/<br/>Span 80 MHz</p><p><b>Tx Channel</b><br/>Bandwidth 40 MHz Power 15.31 dBm</p></div> <p>Date: 1.JUL.2026 15:29:11</p> |

|                             |                                                                                                                                                                                                                                                                                                                                                         |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11ac-VHT40-High</p>  | <div data-bbox="646 230 1198 488"><p>Ref 20 dBm<br/>Offset 1 dB<br/>Att 30 dB<br/>RBW 1 MHz<br/>VBW 3 MHz<br/>SWT 20 ms</p><p>Center 5.795 GHz<br/>Span 80 MHz<br/>Tx Channel<br/>Bandwidth 40 MHz<br/>Power 15.70 dBm</p></div> <p>Date: 1.JUL.2026 15:30:00</p>     |
| <p>802.11ax-HE20-Low</p>    | <div data-bbox="646 772 1198 1030"><p>Ref 20 dBm<br/>Offset 1 dB<br/>Att 30 dB<br/>RBW 1 MHz<br/>VBW 3 MHz<br/>SWT 20 ms</p><p>Center 5.745 GHz<br/>Span 40 MHz<br/>Tx Channel<br/>Bandwidth 20 MHz<br/>Power 14.34 dBm</p></div> <p>Date: 1.JUL.2026 15:31:18</p>   |
| <p>802.11ax-HE20-Middle</p> | <div data-bbox="646 1314 1198 1572"><p>Ref 20 dBm<br/>Offset 1 dB<br/>Att 30 dB<br/>RBW 1 MHz<br/>VBW 3 MHz<br/>SWT 20 ms</p><p>Center 5.785 GHz<br/>Span 40 MHz<br/>Tx Channel<br/>Bandwidth 20 MHz<br/>Power 14.74 dBm</p></div> <p>Date: 1.JUL.2026 15:31:53</p> |

|                            |                                                                                                                                                                |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>802.11ax-HE 20-High</p> | <div data-bbox="646 230 1198 488"><p>Date: 1.JUL.2026 15:32:21</p></div>     |
| <p>802.11ax-HE 40-Low</p>  | <div data-bbox="646 772 1198 1030"><p>Date: 1.JUL.2026 15:33:03</p></div>   |
| <p>802.11ax-HE 40-High</p> | <div data-bbox="646 1314 1198 1572"><p>Date: 1.JUL.2026 15:33:44</p></div> |

## APPENDIX D

### Frequency Stability

| U-NII-1:5150-5250MHz worst case at 802.11a middle channel |            |          |              |           |
|-----------------------------------------------------------|------------|----------|--------------|-----------|
| Voltage(%)                                                | Power(VDC) | TEMP(°C) | Freq.Dev(Hz) | Deviation |
| 100%                                                      | 12.0       | -30      | 500          | 0.096     |
| 100%                                                      |            | -20      | 500          | 0.096     |
| 100%                                                      |            | -10      | 500          | 0.096     |
| 100%                                                      |            | 0        | 496          | 0.095     |
| 100%                                                      |            | +10      | 501          | 0.096     |
| 100%                                                      |            | +20      | 499          | 0.096     |
| 100%                                                      |            | +30      | 504          | 0.097     |
| 100%                                                      |            | +40      | 500          | 0.096     |
| 100%                                                      |            | +50      | 498          | 0.096     |
| Low Battery power                                         | 10.8       | +20      | 500          | 0.096     |
| High Battery power                                        | 13.2       | +20      | 501          | 0.096     |

| U-NII-1: 5250-5350MHz worst case at 802.11a middle channel |            |          |              |           |
|------------------------------------------------------------|------------|----------|--------------|-----------|
| Voltage(%)                                                 | Power(VDC) | TEMP(°C) | Freq.Dev(Hz) | Deviation |
| 100%                                                       | 12.0       | -30      | 497          | 0.094     |
| 100%                                                       |            | -20      | 498          | 0.094     |
| 100%                                                       |            | -10      | 502          | 0.095     |
| 100%                                                       |            | 0        | 495          | 0.094     |
| 100%                                                       |            | +10      | 505          | 0.096     |
| 100%                                                       |            | +20      | 503          | 0.095     |
| 100%                                                       |            | +30      | 496          | 0.094     |
| 100%                                                       |            | +40      | 504          | 0.096     |
| 100%                                                       |            | +50      | 497          | 0.094     |
| Low Battery power                                          | 10.8       | +20      | 500          | 0.095     |
| High Battery power                                         | 13.2       | +20      | 495          | 0.094     |

| <b>U-NII-1: 5470-5725MHz worst case at 802.11a middle channel</b> |            |          |              |           |
|-------------------------------------------------------------------|------------|----------|--------------|-----------|
| Voltage(%)                                                        | Power(VDC) | TEMP(°C) | Freq.Dev(Hz) | Deviation |
| 100%                                                              | 12.0       | -30      | 496          | 0.090     |
| 100%                                                              |            | -20      | 500          | 0.091     |
| 100%                                                              |            | -10      | 495          | 0.090     |
| 100%                                                              |            | 0        | 501          | 0.091     |
| 100%                                                              |            | +10      | 496          | 0.090     |
| 100%                                                              |            | +20      | 496          | 0.090     |
| 100%                                                              |            | +30      | 505          | 0.092     |
| 100%                                                              |            | +40      | 505          | 0.092     |
| 100%                                                              |            | +50      | 503          | 0.092     |
| Low Battery power                                                 | 10.8       | +20      | 497          | 0.090     |
| High Battery power                                                | 13.2       | +20      | 500          | 0.091     |

| <b>U-NII-1:5725-5850MHz worst case at 802.11a middle channel</b> |            |          |              |           |
|------------------------------------------------------------------|------------|----------|--------------|-----------|
| Voltage(%)                                                       | Power(VDC) | TEMP(°C) | Freq.Dev(Hz) | Deviation |
| 100%                                                             | 12.0       | -30      | 499          | 0.086     |
| 100%                                                             |            | -20      | 495          | 0.086     |
| 100%                                                             |            | -10      | 501          | 0.087     |
| 100%                                                             |            | 0        | 499          | 0.086     |
| 100%                                                             |            | +10      | 501          | 0.087     |
| 100%                                                             |            | +20      | 498          | 0.086     |
| 100%                                                             |            | +30      | 496          | 0.086     |
| 100%                                                             |            | +40      | 503          | 0.087     |
| 100%                                                             |            | +50      | 499          | 0.086     |
| Low Battery power                                                | 10.8       | +20      | 499          | 0.086     |
| High Battery power                                               | 13.2       | +20      | 496          | 0.086     |

## APPENDIX PHOTOGRAPHS

---

Please refer to “ANNEX”

\*\*\*\*\* END OF REPORT \*\*\*\*\*