




声美，我们听的更多！
SoundMAGIC, we listen more!



P60BT ANC
OVER EAR BLUETOOTH HEADPHONES WITH
ACTIVE HYBRID NOISE CANCELLATION
包耳式主动混合降噪蓝牙耳机

使用说明书
User Manual



NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:




- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Packing List




- | | | |
|------------------------------|--------------------|---------------|
| ① Headphone bag | ② Headphone | ③ User manual |
| ④ Cable storage bag | ⑤ Computer adapter | ⑥ USB Cable |
| ⑦ Cable with microphone boom | | |

Technical specification


Technical standard	Bluetooth 5.0
Driver	Dynamic 40mm Neodymium
Transmission range	up to 15m
Impedance	$38 \pm 10\% \Omega$
MIC sensitivity	$-42 \pm 3 \text{ dB}$
Continuous play time	50h
Continuous talk time	50h
Headphone weight	311g
Ambient temperature	$-20^{\circ}\text{C}-60^{\circ}\text{C}$

Functional diagram:




Operation/Function

1. Power on




1. Long press the button for 3 seconds to turn on the headphone, the blue indicator blinks 3 times, the voice prompts "Power on"
2. Power button: if there's no pairing record, it will automatically enter the pairing mode after power on. If the headphone and the phones had connected before, they will connect each other after power on. If fail to re-connect after 10 seconds, it will enter the pairing mode

2. Power off



1. Manual power off: long press 5 seconds to power off, the red light blinks 3 times. The power off function is shielded during incoming call or in a call. The voice prompts "Power off"
2. Automatic power off: if there is no connected device, it will automatically power off after 5 minutes, and the red light will blink 3 times, the voice prompts "Power off"

3. Incoming call



Double-click TCP: answer/hang up