

Huizhou Qitai Electronic Technology Co., LTD



SPECIFICATIONS SHEET

CUSTOMER :	ZhongliGuanda (Shenzhen) Intelligent TechnologyCO.,Ltd
DESCRIPTION :	ZLGD-A1-0493
CUSTOMER P/N :	
PART NUMBER :	
DATE OF APPLICATION :	2026-8-26

CLASSIFICATION OF SPEC. PRESENTATION. (Tick the relevant box "√")

- ☐ New application
- ✓ New part is added to accepted specification
- ☐ Revision of accepted specification

ACCEPTANCE STAMP

APPROVAL BY	CHECK BY	PREPARE BY
 zhao ziqi		Feng xin 冯欣

ADDRESS : 3rd Floor, No. 181, Mingyue 2nd Road, Shiwang Town, Boluo County, Huizhou city

TELEPHONE : 0752-6668681

E-MAIL : 839689578@qq.com

Huizhou Qitai Electronic Technology Co., LTD

History For Revised Specification

CUSTOMER P/N :

PART NUMBER :

ZLGD-A1-0493

[illegible]

APPROVED BY

CHECKED BY

PREPARED BY

DATE

PAGE

昆蟲奇

冯欣

2026-8-26

1 of 3


Zhao ziqi

Feng xin

Specification	CUSTOMER P/N :	
	PART NUMBER :	ZLGD-A1-0493

1. DIMENSIONS : Unit: mm

Unit: mm



A	B	C	D	E	F	G	
21Max	14.5±0.5	7.5±0.5	8±1	2±1	2.7Refx	2..2±0.1	

1. This product Apply a $\phi 18$ mm pure white adhesive backing

2. Magnet specifications: $\phi 7.5*2.2$, Magnetic field force (3000GS±100GS) 。

3. Groove at the soft magnetic lead-out point.

APPROVED BY	CHECKED BY	PREPARED BY	DATE	PAGE
晁子奇		冯欣	2026-8-26	2 of 3

Zhao ziqi

Feng xin

Huizhou Qitai Electronic Technology Co., LTD

Specification

CUSTOMER P/N :

PART NUMBER :

ZLGD-A1-0493

2. WINDING DETAILS Coil1

Turns	Wire Dia	Wdg. Type Spred/Close	Wdg.Direction	Intersect Yes/Not
15TS	0.08*24P Hot Air stranded Wire (red)	Close	Reverse winding	Yes

3. ELECTRICAL CHARACTERISTICS:
TEMPERATURE:25±10 ℃, **RELATIVE HUMIDITY:**65±10%

•c.

RELATIVE HUMIDITY:65±10%

NO.	ITEM	TERMINAL	SPECIFICATION	TEST FREQUENCY	TEST EQUIPMENTS
Coil 1					
1.	IND	S-F	10.5uh±0.3uh	100kHz/V	UC2906A
2.	Q	S-F	25Min	100kHz/V	UC2906A
3.	DCR	S-F	150Max	100kHz/V	UC2906A

APPROVED BY	CHECKED BY	PREPARED BY	DATE	PAGE
昆子奇		冯欣	2026-8-26	3 of 3

Zhao ziqi

Feng xin