

Appendix A: Test Results of Radiated Emissions& Mains Conducted Emission Test

Band Edges, 2.31GHz ~ 7GHz


802.11ax HE20 2437(Traffic)+ 802.11a 5825 (Traffic)+ 802.11ac 2462(Scan)+BLE 2M 2402

(Horizontal) Peak

(Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2338.03	66.35	29.01	37.34	74.00	-7.65		100	360	Peak	Horizontal	
2 *	2402.00	103.01	65.38	37.63	74.00	29.01		111	359	Peak	Horizontal	
3 *	2437.00	118.20	80.52	37.68	74.00	44.20		102	109	Peak	Horizontal	
4 *	2462.00	109.98	72.25	37.73	74.00	35.98		139	357	Peak	Horizontal	
5 !	2484.32	72.72	34.92	37.80	74.00	-1.28		200	360	Peak	Horizontal	
6	3353.32	56.17	17.21	38.96	74.00	-17.83		212	0	Peak	Horizontal	
7	5620.00	57.54	14.14	43.40	68.20	-10.66		100	247	Peak	Horizontal	
8	5678.50	57.50	13.94	43.56	68.20	-11.83		100	300	Peak	Horizontal	
9	5709.00	57.41	13.74	43.67	107.72	-50.31		300	336	Peak	Horizontal	
10	5720.50	57.15	13.47	43.68	111.94	-54.79		300	331	Peak	Horizontal	
11 *	5825.00	124.95	81.03	43.92	122.20	2.75		190	19	Peak	Horizontal	
12	5850.00	88.87	44.88	43.99	122.20	-33.33		300	321	Peak	Horizontal	
13	5855.00	87.12	43.11	44.01	110.80	-23.68		200	60	Peak	Horizontal	
14	5875.00	77.13	33.07	44.06	105.20	-28.07		200	70	Peak	Horizontal	
15	5944.00	60.28	16.02	44.26	68.20	-7.92		300	308	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2335.40	67.83	30.50	37.33	74.00	-6.17		252	0	Peak	Vertical	
2 *	2402.00	101.47	63.84	37.63	74.00	27.47		359	17	Peak	Vertical	
3 *	2437.00	120.17	82.49	37.68	74.00	46.17		400	358	Peak	Vertical	
4 *	2462.00	106.30	68.57	37.73	74.00	32.30		198	13	Peak	Vertical	
5 !	2483.89	72.86	35.06	37.80	74.00	-1.14		200	360	Peak	Vertical	
6	3352.00	54.20	15.23	38.97	74.00	-19.80		200	349	Peak	Vertical	
7	5630.50	57.97	14.56	43.41	68.20	-10.23		200	38	Peak	Vertical	
8	5682.50	58.11	14.53	43.58	92.29	-34.18		400	248	Peak	Vertical	
9	5719.00	57.82	14.14	43.68	110.52	-52.70		200	330	Peak	Vertical	
10	5722.00	57.13	13.45	43.68	115.36	-58.23		100	52	Peak	Vertical	
11 *	5825.00	122.57	78.65	43.92	122.20	0.37		200	62	Peak	Vertical	
12	5852.00	89.49	45.50	43.99	117.64	-28.15		400	360	Peak	Vertical	
13	5855.00	87.39	43.38	44.01	110.80	-23.41		300	66	Peak	Vertical	
14	5876.50	73.77	29.70	44.07	104.09	-30.32		100	25	Peak	Vertical	
15	5928.50	59.05	14.83	44.22	68.20	-9.15		400	19	Peak	Vertical	

802.11ax HE20 2437(Traffic)+ 802.11a 5825 (Traffic)+ 802.11ac 2462(Scan)+BLE 2M 2402
(Horizontal) Average **(Vertical) Average**




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.72	52.45	14.87	37.58	54.00	-1.55	180	360	Average	Horizontal	
2	2402.00	101.71	64.08	37.63	54.00	47.71	111	359	Average	Horizontal	
3	2437.00	107.42	69.74	37.68	54.00	53.42	102	109	Average	Horizontal	
4	2462.00	99.79	62.06	37.73	54.00	45.79	339	357	Average	Horizontal	
5	2485.20	52.54	14.74	37.80	54.00	-1.46	200	360	Average	Horizontal	
6	3355.94	46.73	7.79	38.94	54.00	-7.27	200	349	Average	Horizontal	
7	5825.00	115.07	71.15	43.92	54.00	61.07	198	19	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.84	52.89	15.31	37.58	54.00	-1.11	252	0	Average	Vertical	
2	2402.00	100.52	62.89	37.63	54.00	46.52	359	17	Average	Vertical	
3	2437.00	109.13	71.45	37.68	54.00	55.13	400	358	Average	Vertical	
4	2462.00	95.46	57.73	37.73	54.00	41.46	198	13	Average	Vertical	
5	2484.76	52.65	14.85	37.80	54.00	-1.35	200	360	Average	Vertical	
6	3356.02	45.37	6.43	38.94	54.00	-8.63	198	360	Average	Vertical	
7	5825.00	112.31	68.39	43.92	54.00	58.31	200	62	Average	Vertical	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11ax HE20 2437(Traffic)+ 802.11a 5825 (Traffic)+ 802.11ac 2462(Scan)+BLE 2M 2402

Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	36.11	36.61	44.87	-8.26	40.00	-3.39	100	111	QP	Horizontal		
2	82.77	38.79	51.00	-12.21	40.00	-1.21	200	101	QP	Horizontal		
3	156.78	41.79	48.34	-6.55	43.50	-1.71	100	125	QP	Horizontal		
4	260.76	39.49	46.33	-6.84	46.00	-6.51	200	27	QP	Horizontal		
5	640.03	40.30	40.00	0.30	46.00	-5.70	127	360	QP	Horizontal		
6	960.04	37.42	32.70	4.72	54.00	-16.58	300	8	QP	Horizontal		

Vertical



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	31.94	37.92	46.47	-8.55	40.00	-2.08	100	360	QP	Vertical		
2	44.45	38.28	45.12	-6.84	40.00	-1.72	100	335	QP	Vertical		
3	79.47	36.69	48.23	-11.54	40.00	-3.31	400	2	QP	Vertical		
4	156.78	37.51	44.06	-6.55	43.50	-5.99	200	167	QP	Vertical		
5	259.21	40.82	47.75	-6.93	46.00	-5.18	100	284	QP	Vertical		
6	861.87	35.04	31.78	3.26	46.00	-10.96	100	18	QP	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz


802.11ax HE20 2437(Traffic)+ 802.11a 5825 (Traffic)+ 802.11ac 2462(Scan)+BLE 2M 2402

(Horizontal) Peak

(Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	47.80	57.67	-9.87	74.00	-26.20	192	38	Peak	Horizontal		
2	4874.00	44.62	54.39	-9.77	74.00	-29.38	294	152	Peak	Horizontal		
3	4924.00	53.05	62.73	-9.68	74.00	-20.95	100	182	Peak	Horizontal		
4	7311.00	44.63	52.14	-7.51	74.00	-29.37	197	298	Peak	Horizontal		
5	7386.00	47.59	55.02	-7.43	74.00	-26.41	352	246	Peak	Horizontal		
6	11650.00	45.27	46.21	-0.94	54.00	-8.73	201	289	Average	Horizontal		
7	11650.00	57.36	58.30	-0.94	74.00	-16.64	201	289	Peak	Horizontal		
8	17475.00	56.68	49.73	6.95	68.20	-11.52	201	69	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	45.14	55.01	-9.87	74.00	-28.86	302	345	Peak	Vertical		
2	4874.00	45.99	55.76	-9.77	74.00	-28.01	198	275	Peak	Vertical		
3	4924.00	52.65	62.33	-9.68	74.00	-21.35	298	6	Peak	Vertical		
4	7311.00	45.52	53.03	-7.51	74.00	-28.48	342	359	Peak	Vertical		
5	7386.00	46.13	53.56	-7.43	74.00	-27.87	102	54	Peak	Vertical		
6	11650.00	53.36	54.30	-0.94	74.00	-20.64	150	34	Peak	Vertical		
7	17475.00	57.61	50.66	6.95	68.20	-10.59	161	359	Peak	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz

802.11ax HE20 2437(Traffic)+ 802.11a 5825 (Traffic)+ 802.11ac 2462(Scan)+BLE 2M 2402


Worst Band for Adapter

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dB			
1	0.15	30.72	21.03	9.69	55.92	-25.20 Average	line1	
2	0.15	50.56	40.87	9.69	65.92	-15.36 QP	line1	
3	0.16	33.65	23.96	9.69	55.46	-21.81 Average	line1	
4	0.16	50.54	40.85	9.69	65.46	-14.92 QP	line1	
5	0.28	36.92	27.24	9.68	50.95	-14.03 Average	line1	
6	0.28	39.72	30.04	9.68	60.95	-21.23 QP	line1	
7	0.30	39.20	29.53	9.67	50.37	-11.17 Average	line1	
8	0.30	41.29	31.62	9.67	60.37	-19.08 QP	line1	
9	3.87	13.39	3.65	9.74	46.00	-32.61 Average	line1	
10	3.87	20.29	10.55	9.74	56.00	-35.71 QP	line1	
11	7.36	15.27	5.48	9.79	50.00	-34.73 Average	line1	
12	7.36	22.80	13.01	9.79	60.00	-37.20 QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dB			
1	0.15	30.82	21.15	9.67	56.00	-25.18 Average	neutral	
2	0.15	51.09	41.42	9.67	66.00	-14.91 QP	neutral	
3	0.16	34.20	24.53	9.67	55.42	-21.22 Average	neutral	
4	0.16	50.00	40.33	9.67	65.42	-15.42 QP	neutral	
5	0.18	29.76	20.10	9.66	54.39	-24.63 Average	neutral	
6	0.18	45.95	36.29	9.66	64.39	-18.44 QP	neutral	
7	0.30	33.39	23.74	9.65	50.37	-16.98 Average	neutral	
8	0.30	40.04	30.39	9.65	60.37	-20.33 QP	neutral	
9	1.34	17.36	7.69	9.67	46.00	-28.64 Average	neutral	
10	1.34	21.29	11.62	9.67	56.00	-34.71 QP	neutral	
11	8.01	17.97	8.20	9.77	50.00	-32.03 Average	neutral	
12	8.01	24.39	14.62	9.77	60.00	-35.61 QP	neutral	

802.11ax HE20 2437(Traffic)+ 802.11a 5825 (Traffic)+ 802.11ac 2462(Scan)+BLE 2M 2402


Worst Band for POE

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase	Note
		dBuV	Factor		dB			
1	0.15	33.15	23.46	9.69	55.75	-22.60 Average	line1	
2	0.15	48.65	38.96	9.69	65.75	-17.10 QP	line1	
3	0.17	27.81	18.12	9.69	54.92	-27.11 Average	line1	
4	0.17	45.29	35.60	9.69	64.92	-19.63 QP	line1	
5	0.20	25.01	15.33	9.68	53.47	-28.46 Average	line1	
6	0.20	40.60	30.92	9.68	63.47	-22.87 QP	line1	
7	0.48	39.34	29.66	9.68	46.40	-7.06 Average	line1	
8	0.48	44.63	34.95	9.68	56.40	-11.77 QP	line1	
9	1.91	31.47	21.75	9.72	46.00	-14.53 Average	line1	
10	1.91	35.56	25.84	9.72	56.00	-20.44 QP	line1	
11	13.38	24.81	15.00	9.81	50.00	-25.19 Average	line1	
12	13.38	29.99	20.18	9.81	60.00	-30.01 QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase	Note
		dBuV	Factor		dB			
1	0.15	32.99	23.32	9.67	55.79	-22.80 Average	neutral	
2	0.15	48.71	39.04	9.67	65.79	-17.08 QP	neutral	
3	0.17	27.36	17.70	9.66	54.80	-27.44 Average	neutral	
4	0.17	44.98	35.32	9.66	64.80	-19.82 QP	neutral	
5	0.20	23.23	13.57	9.66	53.56	-30.33 Average	neutral	
6	0.20	40.59	30.93	9.66	63.56	-22.97 QP	neutral	
7	0.47	40.23	30.57	9.66	46.44	-6.21 Average	neutral	
8	0.47	44.86	35.20	9.66	56.44	-11.58 QP	neutral	
9	0.90	27.90	18.24	9.66	46.00	-18.10 Average	neutral	
10	0.90	31.47	21.81	9.66	56.00	-24.53 QP	neutral	
11	13.38	23.60	13.77	9.83	50.00	-26.40 Average	neutral	
12	13.38	28.65	18.82	9.83	60.00	-31.35 QP	neutral	