

Appendix F: Test Results of Radiation Spurious Emissions & Mains Radiation Emission (POE with Traffic Mode)

Band Edges, 4.5GHz ~ 7GHz


U-NII-1

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5143.50	62.67	19.89	42.78	74.00	-11.33		157	306	Peak	Horizontal	
2 *	5200.00	120.05	75.91	43.14	74.00	46.05		157	306	Peak	Horizontal	
3	5395.00	57.47	13.88	43.59	74.00	-16.53		157	306	Peak	Horizontal	


CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	58.63	15.83	42.80	74.00	-15.37		195	38	Peak	Vertical	
2 *	5200.00	118.30	75.16	43.14	74.00	44.30		195	38	Peak	Vertical	
3	5387.50	58.32	14.77	43.55	74.00	-15.68		195	38	Peak	Vertical	




U-NII-2A

802.11ax HE80

CH 58 (Horizontal) Peak




TIV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Head Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBm	dBm	dBm/m	Limit	dB	cm	deg		
1	5134.00	58.28	15.50	42.78	74.00	-15.72	300	65 Peak	Horizontal	
2 *	5290.00	110.18	67.24	42.94	74.00	36.18	300	65 Peak	Horizontal	
3	5353.50	64.79	21.81	42.96	74.00	-9.21	300	65 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5081.00	58.02	15.44	42.58	74.00	-15.98	310	26	Peak	Vertical	
2	5290.00	110.52	67.58	42.94	74.00	36.52	310	26	Peak	Vertical	
3	5355.50	66.01	23.02	42.99	74.00	-7.99	310	26	Peak	Vertical	



U-NII-2C

802.11ax HE40

CH 102 (Horizontal) Peak

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2022-01-26


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.50	60.04	16.78	43.26	74.00	-13.96	114	335	Peak	Horizontal	
2	5468.00	60.34	17.07	43.27	68.20	-7.86	114	335	Peak	Horizontal	
3	5510.00	115.49	72.17	43.32	68.20	47.29	114	335	Peak	Horizontal	
4	5754.50	59.98	16.26	43.72	68.20	-8.22	114	335	Peak	Horizontal	

CH 102 (Vertical) Peak


TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322


Level (dBuV/m) Date: 2022-01-26

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5249.00	58.91	15.93	42.98	74.00	-15.09	185	41	Peak	Vertical	
2	5462.00	59.55	16.29	43.26	68.20	-8.65	185	41	Peak	Vertical	
3	5510.00	116.13	72.81	43.32	68.20	47.93	185	41	Peak	Vertical	
4	5822.50	59.81	15.90	43.91	68.20	-8.39	185	41	Peak	Vertical	



U-NII-3





Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1

802.11a

CH 40 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2021-09-30

Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10400.00	57.57	60.89	-3.32	68.20	-10.63	300	48	Peak	Horizontal	
2	15600.00	48.50	44.78	3.72	54.00	-5.50	200	286	Average	Horizontal	
3	15600.00	62.79	59.07	3.72	74.00	-11.21	200	286	Peak	Horizontal	

CH 40 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2021-09-30

Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10400.00	55.81	59.13	-3.32	68.20	-12.39	400	358	Peak	Vertical	
2	15600.00	46.31	42.59	3.72	54.00	-7.69	292	345	Average	Vertical	
3	15600.00	60.48	56.76	3.72	74.00	-13.52	292	345	Peak	Vertical	

U-NII-2A


802.11ax HE80

CH 58 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2022-01-21




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10580.00	45.03	47.96	-2.93	68.20	-23.17	300	55 Peak	Horizontal	

CH 58 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2022-01-21



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10580.00	46.35	49.28	-2.93	68.20	-21.85	100	32 Peak	Vertical	

U-NII-2C

802.11ax HE40

CH 102 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Frequency (MHz)

120

110

90

70

50

30

10

0

1000

4000

8000

12000

16000

20000

24000

28000

32000

36000

40000

2022-01-22

2

FCC Class B PK(B3)

-5dB

FCC Class B AVG

-5dB

Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11020.00	50.40	52.64	-2.24	54.00	-3.60	100	38 Average	Horizontal	
2	11020.00	53.93	56.17	-2.24	74.00	-20.07	100	38 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Frequency (MHz)

120

110

90

70

50

30

10

0

1000

4000

8000

12000

16000

20000

24000

28000

32000

36000

40000

2022-01-22

2

FCC Class B PK(B3)

-5dB

FCC Class B AVG

-5dB

Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11020.00	50.77	53.01	-2.24	54.00	-3.23	104	43 Average	Vertical	
2	11020.00	54.38	56.62	-2.24	74.00	-19.62	104	43 Peak	Vertical	

U-NII-3

802.11a

CH 165 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2022-01-28

Frequency (MHz)

Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	46.48	47.42	-0.94	54.00	-7.52	100	295 Average	Horizontal	
2	11650.00	61.29	62.23	-0.94	74.00	-12.71	100	295 Peak	Horizontal	
3	17475.00	57.13	58.18	6.95	68.20	-11.07	200	341 Peak	Horizontal	

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2022-01-28

Frequency (MHz)

Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	44.83	45.77	-0.94	54.00	-9.17	100	304 Average	Vertical	
2	11650.00	59.30	60.24	-0.94	74.00	-14.70	100	304 Peak	Vertical	
3	17475.00	56.83	49.88	6.95	68.20	-11.37	300	15 Peak	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1

802.11a

CH 40 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2022-03-03

FCC Class B_PK(B1&B2)

Frequency (MHz)

	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	73.36	30.56	41.87	-11.31	40.00	-9.44	100	58	QP	Horizontal		
2	153.58	33.65	41.64	-7.99	43.50	-9.85	100	106	QP	Horizontal		
3	214.40	35.33	46.23	-10.90	43.50	-8.17	100	2	QP	Horizontal		
4	217.68	38.64	49.54	-10.90	46.00	-7.36	100	360	QP	Horizontal		
5	599.97	36.70	38.12	-1.42	46.00	-9.30	100	30	QP	Horizontal		
6	640.03	40.40	41.31	-0.91	46.00	-5.60	100	2	QP	Horizontal		

CH 40 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2022-03-03

FCC Class B_PK(B1&B2)

Frequency (MHz)

	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	31.36	33.01	43.03	-10.02	40.00	-6.99	100	224	QP	Vertical		
2	42.51	37.51	45.70	-8.19	40.00	-2.49	100	347	QP	Vertical		
3	51.53	33.00	41.63	-7.83	40.00	-6.20	100	126	QP	Vertical		
4	61.72	34.73	43.81	-9.08	40.00	-5.27	100	167	QP	Vertical		
5	74.04	36.02	47.57	-11.55	40.00	-3.98	100	241	QP	Vertical		
6	153.58	34.91	42.90	-7.99	43.50	-8.59	100	184	QP	Vertical		

U-NII-2A

802.11ax HE80

CH 58 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2022-03-03

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	73.94	29.44	40.97	-11.53	40.00	-10.56	100	240 QP	Horizontal		
2	153.58	34.08	42.07	-7.99	43.50	-9.42	100	92 QP	Horizontal		
3	214.40	36.10	47.00	-10.90	43.50	-7.40	100	3 QP	Horizontal		
4	217.68	38.51	49.41	-10.90	46.00	-7.49	100	3 QP	Horizontal		
5	599.97	36.06	37.48	-1.42	46.00	-9.94	100	346 QP	Horizontal		
6	640.03	40.93	41.84	-0.91	46.00	-5.07	100	2 QP	Horizontal		

CH 58 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2022-03-03

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	30.97	30.73	40.82	-10.09	40.00	-9.27	100	21 QP	Vertical		
2	42.80	37.73	45.86	-8.13	40.00	-2.27	100	195 QP	Vertical		
3	52.00	33.49	41.32	-7.83	40.00	-6.51	100	201 QP	Vertical		
4	61.72	35.46	44.54	-9.08	40.00	-4.54	100	201 QP	Vertical		
5	73.84	33.33	44.82	-11.49	40.00	-6.67	100	148 QP	Vertical		
6	153.58	36.47	44.46	-7.99	43.50	-7.03	100	161 QP	Vertical		

U-NII-2C

802.11ax HE40

CH 102 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2022-03-03

FCC Class B_PK(B3)

5dB

Frequency (MHz)

	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	74.23	29.59	41.16	-11.57	40.00	-10.41	100	207 QP	Horizontal		
2	153.58	34.42	42.41	-7.99	43.50	-9.08	100	100 QP	Horizontal		
3	214.40	35.10	46.00	-10.90	43.50	-8.40	100	360 QP	Horizontal		
4	217.60	38.20	49.10	-10.90	46.00	-7.80	100	46 QP	Horizontal		
5	640.03	40.90	41.81	-0.91	46.00	-5.10	100	339 QP	Horizontal		
6	680.00	35.33	35.63	-0.30	46.00	-10.67	100	9 QP	Horizontal		

CH 102 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2022-03-03


FCC Class B_PK(B3)

5dB

Frequency (MHz)


	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	30.87	35.71	45.79	-10.08	40.00	-4.29	100	150 QP	Vertical		
2	42.80	37.53	45.66	-8.13	40.00	-2.47	100	34 QP	Vertical		
3	52.89	35.15	42.97	-7.82	40.00	-4.85	100	277 QP	Vertical		
4	61.43	35.87	44.90	-9.03	40.00	-4.13	100	168 QP	Vertical		
5	73.36	35.00	46.31	-11.31	40.00	-5.00	100	304 QP	Vertical		
6	599.97	40.58	42.00	-1.42	46.00	-5.42	100	330 QP	Vertical		

U-NII-3



Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

U-NII-1




802.11a

CH 40 (Close) (9kHz ~ 150kHz)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2022-03-03




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.02	43.88	25.56	18.32	123.29	-79.41	100	181	QP	Close	
2	0.03	40.78	21.23	19.55	118.05	-77.27	100	189	QP	Close	
3	0.06	39.04	19.94	19.10	111.84	-72.80	100	22	QP	Close	
4	0.12	27.60	9.26	18.34	105.82	-78.22	100	55	QP	Close	
5	0.13	26.20	7.83	18.37	105.32	-79.12	100	338	QP	Close	
6	0.14	25.79	7.40	18.39	104.77	-78.98	100	170	QP	Close	

CH 40 (Close) (150kHz ~ 30MHz)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2022-03-03



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4.41	53.17	33.77	19.40	69.50	-16.33	100	11	QP	Close	
2	6.45	49.73	29.79	19.94	69.50	-19.77	100	360	QP	Close	
3	8.25	51.29	30.62	20.67	69.50	-18.21	100	57	QP	Close	
4	13.56	57.66	36.84	21.62	69.50	-11.84	100	288	QP	Close	
5	17.68	55.39	33.49	21.90	69.50	-14.11	100	155	QP	Close	
6	17.82	56.13	34.22	21.91	69.50	-13.37	100	155	QP	Close	

U-NII-2A

802.11ax HE80


CH 58 (Open) (9kHz ~ 150kHz)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2022-03-03




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	54.12	36.38	17.74	127.58	-73.46	100	59 QP	Open
2	0.03	43.34	23.79	19.55	118.05	-74.71	100	254 QP	Open
3	0.06	40.52	21.42	19.10	111.83	-71.31	100	254 QP	Open
4	0.10	28.33	10.06	18.27	107.37	-79.04	100	360 QP	Open
5	0.12	28.33	9.99	18.34	105.82	-77.49	100	63 QP	Open
6	0.14	26.08	7.69	18.39	104.89	-78.81	100	164 QP	Open



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2022-03-03



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.26	47.73	28.90	18.83	99.29	-51.56	100	319 QP	Open
2	0.52	40.69	21.69	19.00	73.27	-32.58	100	271 QP	Open
3	4.45	38.34	18.95	19.39	69.50	-31.16	100	133 QP	Open
4	13.56	40.88	19.26	21.62	69.50	-28.62	100	334 QP	Open
5	17.99	38.69	16.77	21.92	69.50	-30.81	100	200 QP	Open
6	26.72	36.41	14.11	22.30	69.50	-33.09	100	175 QP	Open


802.11ax HE80

CH 58 (Close) (9kHz ~ 150kHz)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2022-03-03




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	48.71	30.96	17.75	127.62	-78.91	100	230 QP	Close
2	0.06	37.80	18.70	19.10	111.84	-74.04	100	211 QP	Close
3	0.07	33.91	14.94	18.97	111.05	-77.14	100	330 QP	Close
4	0.07	31.68	12.81	18.87	110.46	-78.78	100	123 QP	Close
5	0.09	29.87	11.48	18.39	108.15	-78.28	100	348 QP	Close
6	0.12	27.26	8.92	18.34	105.86	-78.60	100	294 QP	Close

CH 58 (Close) (150kHz ~ 30MHz)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322


Date: 2022-03-03



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4.41	53.64	34.24	19.40	69.50	-15.86	100	128 QP	Close
2	8.25	50.93	30.26	20.67	69.50	-18.57	100	161 QP	Close
3	8.91	49.99	29.06	20.93	69.50	-19.51	100	360 QP	Close
4	13.56	57.53	35.91	21.62	69.50	-11.97	100	85 QP	Close
5	17.21	52.57	30.71	21.86	69.50	-16.93	100	25 QP	Close
6	17.92	53.99	32.07	21.92	69.50	-15.51	100	25 QP	Close

U-NII-2C





U-NII-3

