

Appendix B: Test Results of Radiation Spurious Emissions & Mains

Conducted Emission

<Adapter Mode>

Band Edges, 4.5GHz ~ 7GHz

U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.500	58.58	17.34	41.16	74.00	-15.50	293	35	Peak	Horizontal	
2	5200.000	120.04	79.63	41.21	68.28	52.64	293	35	Peak	Horizontal	
3	5351.000	60.98	19.43	41.55	74.00	-13.02	293	35	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5135.500	58.49	17.39	41.10	74.00	-15.51	255	325	Peak	Vertical	
2	5200.000	120.08	79.79	41.21	68.28	51.80	255	325	Peak	Vertical	
3	5352.500	60.43	18.89	41.54	74.00	-13.57	255	325	Peak	Vertical	

802.11a

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.000	44.00	2.06	41.22	54.00	-9.92	293	35	Average	Horizontal	
2	5250.000	110.53	69.32	41.21	54.00	56.53	293	35	Average	Horizontal	
3	5351.000	45.13	3.58	41.55	54.00	-8.87	293	35	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.000	44.48	3.34	41.14	54.00	-9.52	255	325	Average	Vertical	
2	5250.000	110.02	68.81	41.21	54.00	56.02	255	325	Average	Vertical	
3	5351.000	44.25	2.70	41.55	54.00	-9.75	255	325	Average	Vertical	

802.11a

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.000	56.12	14.99	41.13	74.00	-17.88	306	38	Peak	Horizontal	
2 *	5300.000	119.98	78.48	41.50	68.20	51.68	306	38	Peak	Horizontal	
3	5353.500	64.23	22.69	41.54	74.00	-9.77	306	38	Peak	Horizontal	

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.500	56.72	15.55	41.17	74.00	-17.28	300	195	Peak	Vertical	
2 *	5300.000	117.67	76.35	41.32	68.20	49.47	300	195	Peak	Vertical	
3 !	5353.500	69.10	27.56	41.54	74.00	-4.90	300	195	Peak	Vertical	

802.11a

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.000	43.84	2.71	41.13	54.00	-10.16	306	38 Average	Horizontal	
2	* 5300.000	106.85	67.53	41.32	54.00	54.85	306	38 Average	Horizontal	
3	5350.000	47.49	5.94	41.55	54.00	-6.51	306	38 Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.000	43.30	2.14	41.16	54.00	-10.70	300	195 Average	Vertical	
2	* 5300.000	106.50	67.18	41.32	54.00	54.59	300	195 Average	Vertical	
3	! 5351.000	51.92	10.37	41.55	54.00	-2.08	300	195 Average	Vertical	

802.11a

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5123.000	54.02	13.03	40.99	74.00	-19.98	262	30	Peak	Horizontal	
2	* 5330.000	117.61	76.20	41.41	68.20	49.41	262	30	Peak	Horizontal	
3	5353.000	59.38	17.84	41.54	74.00	-14.62	262	30	Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4873.500	55.42	14.27	41.15	74.00	-18.58	259	192	Peak	Vertical	
2	* 5330.000	113.25	71.84	41.41	68.20	45.05	259	192	Peak	Vertical	
3	5350.500	66.49	24.94	41.55	74.00	-7.51	259	192	Peak	Vertical	

802.11a

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.500	43.00	1.82	41.18	54.00	-11.00	262	30 Average	Horizontal	
2	5320.000	106.94	65.53	41.41	54.00	52.94	262	30 Average	Horizontal	
3	5352.500	46.30	4.76	41.54	54.00	-7.70	262	30 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4877.500	44.76	3.63	41.13	54.00	-9.24	259	192 Average	Vertical	
2	5320.000	104.44	63.03	41.41	54.00	50.44	259	192 Average	Vertical	
3	5350.000	47.16	5.61	41.55	54.00	-6.84	259	192 Average	Vertical	


802.11be EHT20

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.500	56.94	15.75	41.19	74.00	-17.06	188	66	Peak	Horizontal	
2 *	5200.000	118.85	77.64	41.21	68.20	50.65	188	66	Peak	Horizontal	
3	5351.000	57.07	15.52	41.55	74.00	-16.93	188	66	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.000	55.44	14.23	41.21	74.00	-18.56	224	313	Peak	Vertical	
2 *	5200.000	117.07	75.86	41.21	68.20	48.87	224	313	Peak	Vertical	
3	5352.500	55.34	13.80	41.54	74.00	-18.66	224	313	Peak	Vertical	

802.11be EHT20

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.000	44.04	2.90	41.14	54.00	-9.96	100	66	Average	Horizontal	
2 *	5250.000	103.73	62.52	41.21	54.00	49.73	100	66	Average	Horizontal	
3	5351.000	44.32	2.77	41.55	54.00	-9.68	100	66	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.000	43.25	2.05	41.20	54.00	-10.75	224	313	Average	Vertical	
2 *	5250.000	102.07	60.86	41.21	54.00	48.07	224	313	Average	Vertical	
3	5350.000	43.56	2.01	41.55	54.00	-10.44	224	313	Average	Vertical	

802.11be EHT20

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.000	55.96	14.80	41.16	74.00	-18.04	107	66	Peak	Horizontal	
2 *	5300.000	118.65	77.33	41.32	68.20	50.45	107	66	Peak	Horizontal	
3 !	5352.500	68.13	26.59	41.54	74.00	-5.87	107	66	Peak	Horizontal	

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.000	55.44	14.24	41.20	74.00	-18.56	240	312	Peak	Vertical	
2 *	5300.000	117.05	75.73	41.32	68.20	48.85	240	312	Peak	Vertical	
3	5356.000	66.93	25.40	41.53	74.00	-7.07	240	312	Peak	Vertical	

802.11be EHT20

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.000	43.40	2.24	41.16	54.00	-10.60	107	66	Average	Horizontal	
2 *	5300.000	103.01	61.69	41.32	54.00	49.01	107	66	Average	Horizontal	
3 !	5352.000	49.53	7.99	41.54	54.00	-4.47	107	66	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5141.000	43.33	2.18	41.15	54.00	-10.67	240	312	Average	Vertical	
2 *	5300.000	100.66	59.34	41.32	54.00	46.66	240	312	Average	Vertical	
3 !	5350.500	49.11	7.56	41.55	54.00	-4.89	240	312	Average	Vertical	

802.11be EHT20

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5108.500	56.08	15.21	40.87	74.00	-17.92	250	328	Peak	Horizontal	
2 *	5320.000	117.94	76.53	41.41	68.20	49.74	250	328	Peak	Horizontal	
3 !	5350.000	68.55	27.00	41.55	74.00	-5.45	250	328	Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5125.000	55.62	14.61	41.01	74.00	-18.38	252	312	Peak	Vertical	
2 *	5320.000	114.90	73.49	41.41	68.20	46.70	252	312	Peak	Vertical	
3 !	5352.000	68.92	27.38	41.54	74.00	-5.08	252	312	Peak	Vertical	

802.11be EHT20

CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5080.000	44.98	4.16	40.82	54.00	-9.02	250	328	Average	Horizontal	
2 *	5320.000	101.44	60.03	41.41	54.00	47.44	250	328	Average	Horizontal	
3 !	5351.000	50.45	8.90	41.55	54.00	-3.55	250	328	Average	Horizontal	

CH 64 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5080.000	43.67	2.85	40.82	54.00	-10.33	252	312	Average	Vertical	
2 *	5320.000	99.95	58.14	41.41	54.00	45.95	252	312	Average	Vertical	
3 !	5350.500	51.91	10.36	41.55	54.00	-2.09	252	312	Average	Vertical	


802.11be EHT40

CH 54 (Horizontal) Peak

CH 54 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.500	60.75	19.54	41.21	74.00	-13.25	322	348	Peak	Horizontal	
2 *	5270.000	114.98	73.74	41.24	68.20	46.78	322	348	Peak	Horizontal	
3	5350.000	65.90	24.35	41.55	74.00	-8.10	322	348	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5138.000	59.58	18.46	41.12	74.00	-14.42	386	312	Peak	Vertical	
2 *	5270.000	114.30	73.06	41.24	68.20	46.10	386	312	Peak	Vertical	
3 !	5350.000	68.15	26.60	41.55	74.00	-5.85	386	312	Peak	Vertical	

802.11be EHT40

CH 54 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 ! 5150.000	48.71	7.49	41.22	54.00	-5.29	322	348	Average	Horizontal	
2 * 5270.000	105.19	63.95	41.24	54.00	51.19	322	348	Average	Horizontal	
3 ! 5352.500	52.06	10.52	41.54	54.00	-1.94	322	348	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5149.500	47.23	6.01	41.22	54.00	-6.77	386	312	Average	Vertical	
2 * 5270.000	102.68	61.43	41.25	54.00	48.68	386	312	Average	Vertical	
3 ! 5352.000	52.41	10.87	41.54	54.00	-1.59	386	312	Average	Vertical	


802.11be EHT40

CH 62 (Horizontal) Peak


CH 62 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT40

CH 62 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5070.000	46.69	5.86	40.83	54.00	-7.31	100	115	Average	Horizontal	
2 *	5310.000	103.42	62.05	41.37	54.00	49.42	100	115	Average	Horizontal	
3 !	5353.500	52.24	10.70	41.54	54.00	-1.76	100	115	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.000	43.68	2.48	41.20	54.00	-10.32	104	274	Average	Vertical	
2 *	5310.000	100.61	59.24	41.37	54.00	46.61	104	274	Average	Vertical	
3 !	5350.500	51.57	10.02	41.55	54.00	-2.43	104	274	Average	Vertical	


802.11be EHT80

CH 58 (Horizontal) Peak

CH 58 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.000	56.87	15.68	41.19	74.00	-17.13	234	254 Peak	Horizontal		
2 *	5250.000	107.53	66.24	41.29	68.20	39.33	234	254 Peak	Horizontal		
3	5356.000	63.46	21.93	41.53	74.00	-10.54	234	254 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.000	55.25	14.06	41.19	74.00	-18.75	266	183 Peak	Vertical		
2 *	5250.000	105.92	64.63	41.29	68.20	37.72	266	183 Peak	Vertical		
3	5355.500	59.08	17.55	41.53	74.00	-14.92	266	183 Peak	Vertical		

802.11be EHT80

CH 58 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.000	44.31	3.09	41.22	54.00	-9.69	234	254	Average	Horizontal	
2	5250.000	97.24	55.95	41.29	54.00	43.24	234	254	Average	Horizontal	
3	5356.000	52.25	10.72	41.53	54.00	-1.75	234	254	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.000	43.83	2.65	41.18	54.00	-10.17	266	183	Average	Vertical	
2	5250.000	95.85	54.56	41.29	54.00	41.85	266	183	Average	Vertical	
3	5351.000	48.64	7.09	41.55	54.00	-5.36	266	183	Average	Vertical	


802.11be EHT160

CH 50 (Horizontal) Peak


CH 50 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT160

CH 50 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 ! 5114.500	52.49	11.57	40.92	54.00	-1.51	294	340	Average	Horizontal	
2 * 5250.000	93.14	51.95	41.19	54.00	39.14	294	340	Average	Horizontal	
3 ! 5361.500	48.15	6.67	41.48	54.00	-5.85	294	340	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 ! 5105.500	51.71	10.87	40.84	54.00	-2.29	299	186	Average	Vertical	
2 * 5250.000	90.50	49.31	41.19	54.00	36.50	299	186	Average	Vertical	
3 ! 5361.500	49.73	8.22	41.51	54.00	-4.27	299	186	Average	Vertical	

Band Edges, 4.5GHz ~ 7GHz
U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.500	61.90	20.36	41.54	74.00	-12.10	236	110	Peak	Horizontal	
2	5468.000	66.16	24.60	41.56	68.20	-2.04	236	110	Peak	Horizontal	
3	5500.000	116.47	74.82	41.65	68.20	48.27	236	110	Peak	Horizontal	
4	5834.000	57.12	15.16	41.96	68.20	-11.08	236	110	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.500	61.06	19.52	41.54	74.00	-12.94	262	336	Peak	Vertical	
2	5468.000	66.75	25.19	41.56	68.20	-1.45	262	336	Peak	Vertical	
3	5500.000	113.82	72.17	41.65	68.20	45.62	262	336	Peak	Vertical	
4	5819.000	56.20	14.25	41.95	68.20	-12.00	262	336	Peak	Vertical	

802.11a

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5400.000	45.94	4.40	41.54	54.00	-8.06	236	110	Average	Horizontal	
2	5500.000	105.95	64.30	41.65	54.00	51.95	236	110	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5400.000	45.00	3.46	41.54	54.00	-9.00	262	336	Average	Vertical	
2	5500.000	104.58	62.93	41.65	54.00	50.58	262	336	Average	Vertical	

802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.000	61.10	19.56	41.54	74.00	-12.90	100	98	Peak	Horizontal	
2	5470.000	61.29	19.72	41.57	68.20	-6.91	100	98	Peak	Horizontal	
3	* 5580.000	121.97	80.43	41.54	68.20	53.77	100	98	Peak	Horizontal	
4	! 5735.500	64.09	22.27	41.82	68.20	-4.11	100	98	Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5450.500	58.56	17.05	41.51	74.00	-15.44	248	194	Peak	Vertical	
2	5469.000	59.28	17.71	41.57	68.20	-8.92	248	194	Peak	Vertical	
3	* 5580.000	120.42	78.88	41.54	68.20	52.22	248	194	Peak	Vertical	
4	5750.000	57.54	15.74	41.80	68.20	-10.66	248	194	Peak	Vertical	

802.11a

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5460.000	45.37	3.83	41.54	54.00	-8.63	100	98	Average	Horizontal	
2 * 5580.000	111.69	70.15	41.54	54.00	57.69	100	98	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5460.000	44.70	3.16	41.54	54.00	-9.30	248	194	Average	Vertical	
2 * 5580.000	110.73	69.19	41.54	54.00	56.73	248	194	Average	Vertical	


802.11a

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5443.000	55.28	13.78	41.50	74.00	-18.72	100	102	Peak	Horizontal	
2	5464.500	55.70	14.15	41.55	68.20	-12.50	100	102	Peak	Horizontal	
3	* 5700.000	117.69	75.82	41.87	68.20	49.49	100	102	Peak	Horizontal	
4	! 5732.000	65.70	23.87	41.83	68.20	-2.50	100	102	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5363.500	55.14	13.63	41.51	74.00	-18.86	241	198	Peak	Vertical	
2	5469.500	54.49	12.92	41.57	68.20	-13.71	241	198	Peak	Vertical	
3	* 5700.000	114.12	72.25	41.87	68.20	45.92	241	198	Peak	Vertical	
4	! 5725.000	64.82	22.98	41.84	68.20	-3.38	241	198	Peak	Vertical	

802.11a

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5400.000	44.09	2.55	41.54	54.00	-9.91	100	102	Average	Horizontal	
2 *	5700.000	107.14	65.27	41.67	54.00	53.14	100	102	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5447.500	42.65	1.15	41.50	54.00	-11.35	241	198	Average	Vertical	
2 *	5700.000	104.50	62.63	41.67	54.00	50.50	241	198	Average	Vertical	

802.11a

CH 144 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5422.500	54.65	13.21	41.44	74.00	-19.35	100	100	Peak	Horizontal	
2	5466.000	53.90	12.35	41.55	68.20	-14.30	100	100	Peak	Horizontal	
3 *	5720.000	122.90	81.06	41.84	122.20	6.70	100	100	Peak	Horizontal	
4	5856.500	64.28	22.28	42.00	110.38	-46.10	100	100	Peak	Horizontal	

CH 144 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5411.000	54.57	13.16	41.41	74.00	-19.43	206	173	Peak	Vertical	
2	5460.500	53.99	12.45	41.54	68.20	-14.21	206	173	Peak	Vertical	
3 !	5720.000	119.69	77.85	41.84	122.20	-2.51	206	173	Peak	Vertical	
4	6944.500	58.77	15.12	43.65	68.20	-9.43	206	173	Peak	Vertical	

802.11a


CH 144 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.000	56.82	15.28	41.54	74.00	-17.18	278	112	Peak	Horizontal	
2	5469.500	65.06	23.49	41.57	68.20	-3.14	278	112	Peak	Horizontal	
3	5500.000	116.05	74.42	41.63	68.20	47.85	278	112	Peak	Horizontal	
4	5780.000	56.21	14.33	41.88	68.20	-11.99	278	112	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5453.500	55.00	13.55	41.53	74.00	-18.92	115	96	Peak	Vertical	
2	5467.500	60.98	19.43	41.55	68.20	-7.22	115	96	Peak	Vertical	
3	5500.000	112.29	70.64	41.65	68.20	44.09	115	96	Peak	Vertical	
4	5793.000	56.19	14.27	41.92	68.20	-12.01	115	96	Peak	Vertical	

802.11be EHT20

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.000	45.43	3.89	41.54	54.00	-8.57	278	112	Average	Horizontal	
2 *	5500.000	100.82	59.17	41.65	54.00	46.82	278	112	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.000	43.15	1.61	41.54	54.00	-10.85	115	96	Average	Vertical	
2 *	5500.000	97.57	55.92	41.65	54.00	43.57	115	96	Average	Vertical	


802.11be EHT20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5456.500	55.68	14.15	41.53	74.00	-18.32	111	100	Peak	Horizontal
2	5461.000	55.69	14.15	41.54	68.20	-12.51	111	100	Peak	Horizontal
3	* 5580.000	118.52	76.98	41.54	68.20	50.32	111	100	Peak	Horizontal
4	5758.000	57.72	15.89	41.83	68.20	-10.48	111	100	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5456.000	55.15	13.62	41.53	74.00	-18.85	100	52	Peak	Vertical
2	5466.500	55.39	13.84	41.55	68.20	-12.81	100	52	Peak	Vertical
3	* 5580.000	115.35	73.81	41.54	68.20	47.15	100	52	Peak	Vertical
4	5768.500	56.08	14.23	41.85	68.20	-12.12	100	52	Peak	Vertical

802.11be EHT20

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.000	42.88	1.34	41.54	54.00	-11.12	111	100	Average	Horizontal	
2	* 5580.000	103.14	61.60	41.54	54.00	49.14	111	100	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.000	42.44	0.90	41.54	54.00	-11.56	100	52	Average	Vertical	
2	* 5580.000	100.27	58.73	41.54	54.00	46.27	100	52	Average	Vertical	


802.11be EHT20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5386.000	56.83	15.40	41.43	74.00	-17.17	250	102	Peak	Horizontal	
2	5468.000	55.83	14.27	41.56	68.20	-12.37	250	102	Peak	Horizontal	
3	* 5700.000	116.78	74.91	41.87	68.20	48.58	250	102	Peak	Horizontal	
4	! 5726.500	66.51	24.67	41.84	68.20	-1.69	250	102	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5434.500	55.50	14.03	41.47	74.00	-18.50	276	360	Peak	Vertical	
2	5462.000	54.13	12.59	41.54	68.20	-14.07	276	360	Peak	Vertical	
3	* 5700.000	113.10	71.23	41.87	68.20	44.90	276	360	Peak	Vertical	
4	! 5727.000	59.51	17.67	41.84	68.20	-8.69	276	360	Peak	Vertical	

802.11be EHT20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5460.000	44.65	3.11	41.54	54.00	-9.35	250	102	Average	Horizontal	
2 * 5700.000	103.62	61.75	41.87	54.00	49.62	250	102	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5460.000	43.12	1.58	41.54	54.00	-10.88	276	360	Average	Vertical	
2 * 5700.000	97.68	55.81	41.87	54.00	43.68	276	360	Average	Vertical	

802.11be EHT20

CH 144 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5453.500	55.45	13.92	41.53	74.00	-18.55	110	102 Peak	Horizontal	
2	5460.000	54.86	13.32	41.54	68.20	-13.34	110	102 Peak	Horizontal	
3	5720.000	120.73	78.89	41.84	122.20	-1.47	110	102 Peak	Horizontal	
4	6925.000	59.45	15.78	43.67	68.20	-8.75	110	102 Peak	Horizontal	

CH 144 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5428.500	55.74	14.28	41.46	74.00	-18.26	258	341 Peak	Vertical	
2	5460.000	54.85	13.29	41.56	68.20	-13.35	258	341 Peak	Vertical	
3	5720.000	117.88	76.84	41.84	122.20	-4.32	258	341 Peak	Vertical	
4	6999.000	60.94	17.27	43.67	68.20	-7.26	258	341 Peak	Vertical	

802.11be EHT20

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5440.000	42.87	1.38	41.49	54.00	-11.13	110	102	Average	Horizontal	
2 *	5720.000	103.70	61.86	41.84	54.00	49.70	110	102	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5440.000	42.43	0.94	41.49	54.00	-11.57	258	341	Average	Vertical	
2 *	5720.000	101.39	59.55	41.84	54.00	47.39	258	341	Average	Vertical	


802.11be EHT40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.000	59.13	17.60	41.53	74.00	-14.87	400	115	Peak	Horizontal	
2	5466.000	65.55	24.00	41.55	68.20	-2.65	400	115	Peak	Horizontal	
3	5510.000	114.31	72.68	41.63	68.20	46.11	400	115	Peak	Horizontal	
4	5750.500	56.77	14.97	41.80	68.20	-11.43	400	115	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.000	60.14	18.60	41.54	74.00	-13.86	335	192	Peak	Vertical	
2	5463.500	64.70	23.15	41.55	68.20	-3.50	335	192	Peak	Vertical	
3	5510.000	112.27	70.64	41.63	68.20	44.07	335	192	Peak	Vertical	
4	5845.500	56.36	14.40	41.96	68.20	-11.84	335	192	Peak	Vertical	

802.11be EHT40

CH 102 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5458.000	46.76	5.22	41.54	54.00	-7.24	400	115	Average	Horizontal	
2 * 5510.000	103.12	61.49	41.63	54.00	49.12	400	115	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5458.500	48.38	6.84	41.54	54.00	-5.62	335	192	Average	Vertical	
2 * 5510.000	102.28	60.65	41.63	54.00	48.28	335	192	Average	Vertical	


802.11be EHT40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.500	65.56	24.02	41.54	74.00	-8.44	100	98	Peak	Horizontal	
2	5468.500	66.78	25.21	41.57	68.20	-1.42	100	98	Peak	Horizontal	
3	5558.000	116.42	74.84	41.58	68.20	48.22	100	98	Peak	Horizontal	
4	5799.000	57.46	15.53	41.93	68.20	-10.74	100	98	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5456.000	62.76	21.23	41.53	74.00	-11.24	236	346	Peak	Vertical	
2	5466.500	63.85	22.30	41.55	68.20	-4.35	236	346	Peak	Vertical	
3	5558.000	113.10	71.52	41.58	68.20	44.90	236	346	Peak	Vertical	
4	5770.500	57.21	15.35	41.86	68.20	-10.99	236	346	Peak	Vertical	

802.11be EHT40

CH 110 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5459.000	49.19	7.65	41.54	54.00	-4.81	100	98	Average	Horizontal	
2 * 5550.000	105.05	63.47	41.58	54.00	51.05	100	98	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5457.000	46.51	4.98	41.53	54.00	-7.49	236	346	Average	Vertical	
2 * 5550.000	101.98	60.40	41.58	54.00	47.98	236	346	Average	Vertical	

802.11be EHT40

CH 134 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5456.000	54.71	13.18	41.53	74.00	-19.29	105	100	Peak	Horizontal	
2	5470.000	54.78	13.21	41.57	68.20	-13.42	105	100	Peak	Horizontal	
3 *	5678.000	115.17	73.38	41.79	68.20	46.97	105	100	Peak	Horizontal	
4 !	5733.500	66.37	24.55	41.82	68.20	-1.83	105	100	Peak	Horizontal	

CH 134 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5429.500	54.53	13.07	41.46	74.00	-19.47	273	182	Peak	Vertical	
2	5470.000	54.75	13.18	41.57	68.20	-13.45	273	182	Peak	Vertical	
3 *	5678.000	112.41	70.62	41.79	68.20	44.21	273	182	Peak	Vertical	
4 !	5725.000	62.58	20.74	41.84	68.20	-5.62	273	182	Peak	Vertical	

802.11be EHT40

CH 134 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5430.000	43.86	2.40	41.46	54.00	-10.14	105	100	Average	Horizontal	
2 *	5670.000	104.95	63.16	41.79	54.00	50.95	105	100	Average	Horizontal	

CH 134 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5430.000	42.96	1.50	41.46	54.00	-11.04	273	182	Average	Vertical	
2 *	5670.000	102.93	61.14	41.79	54.00	48.93	273	182	Average	Vertical	


802.11be EHT40

CH 142 (Horizontal) Peak

CH 142 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5376.000	55.32	13.86	41.46	74.00	-18.68	100	19	Peak	Horizontal	
2	5465.500	53.73	12.18	41.55	68.20	-14.47	100	19	Peak	Horizontal	
3	5718.000	116.78	74.92	41.86	122.20	-5.42	100	19	Peak	Horizontal	
4	6918.500	58.88	15.20	43.68	68.20	-9.32	100	19	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5376.000	54.86	13.39	41.47	74.00	-19.14	302	244	Peak	Vertical	
2	5469.500	53.55	11.98	41.57	68.20	-14.65	302	244	Peak	Vertical	
3	5718.000	112.45	70.59	41.86	122.20	-9.75	302	244	Peak	Vertical	
4	6952.500	58.99	15.35	43.64	68.20	-9.21	302	244	Peak	Vertical	

802.11be EHT40

CH 142 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

