


**802.11be EHT80**

**CH 106 (Horizontal) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|--------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |            |      |
| 1 | 5456.000 | 62.35  | 20.82 | 41.53  | 74.00  | -11.65 | 400  | 115  | Peak   | Horizontal |      |
| 2 | 5466.500 | 65.72  | 24.17 | 41.55  | 68.20  | -2.48  | 400  | 115  | Peak   | Horizontal |      |
| 3 | 5530.000 | 109.82 | 68.22 | 41.60  | 68.20  | 41.62  | 400  | 115  | Peak   | Horizontal |      |
| 4 | 5802.500 | 57.04  | 15.10 | 41.94  | 68.20  | -11.16 | 400  | 115  | Peak   | Horizontal |      |

**CH 106 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|--------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |           |      |
| 1 | 5435.500 | 61.82  | 20.35 | 41.47  | 74.00  | -12.18 | 270  | 180  | Peak   | Vertical  |      |
| 2 | 5465.500 | 62.14  | 20.59 | 41.55  | 68.20  | -6.06  | 270  | 180  | Peak   | Vertical  |      |
| 3 | 5530.000 | 108.39 | 66.79 | 41.60  | 68.20  | 40.19  | 270  | 180  | Peak   | Vertical  |      |
| 4 | 5804.000 | 55.94  | 14.00 | 41.94  | 68.20  | -12.26 | 270  | 180  | Peak   | Vertical  |      |

**802.11be EHT80**

**CH 106 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read  | Factor | Limit  | Over  | APos | TPos | Remark  | Pol/Phase  | Note |
|--------------|--------|-------|--------|--------|-------|------|------|---------|------------|------|
| MHz          | dBuV/m | dBuV  | dB/m   | dBuV/m | dB    | cm   | deg  |         |            |      |
| 1   5456.000 | 51.95  | 10.42 | 41.53  | 54.00  | -2.05 | 400  | 115  | Average | Horizontal |      |
| 2 * 5530.000 | 98.93  | 57.33 | 41.60  | 54.00  | 44.93 | 400  | 115  | Average | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read  | Factor | Limit  | Over  | APos | TPos | Remark  | Pol/Phase | Note |
|--------------|--------|-------|--------|--------|-------|------|------|---------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m   | dBuV/m | dB    | cm   | deg  |         |           |      |
| 1   5455.500 | 50.41  | 8.88  | 41.53  | 54.00  | -3.59 | 270  | 180  | Average | Vertical  |      |
| 2 * 5530.000 | 98.09  | 56.49 | 41.60  | 54.00  | 44.09 | 270  | 180  | Average | Vertical  |      |


**802.11be EHT80**

**CH 122 (Horizontal) Peak**

**CH 122 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq       | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|---|------------|--------|-------|--------|--------|--------|------|------|--------|------------|------|
|   | MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |            |      |
| 1 | 5458.500   | 58.98  | 17.44 | 41.54  | 74.00  | -15.02 | 100  | 100  | Peak   | Horizontal |      |
| 2 | 5469.000   | 61.78  | 20.21 | 41.57  | 68.20  | -6.42  | 100  | 100  | Peak   | Horizontal |      |
| 3 | * 5610.000 | 112.19 | 70.64 | 41.55  | 68.20  | 43.99  | 100  | 100  | Peak   | Horizontal |      |
| 4 | ! 5744.000 | 65.61  | 23.80 | 41.81  | 68.20  | -2.59  | 100  | 100  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq       | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase | Note |
|---|------------|--------|-------|--------|--------|--------|------|------|--------|-----------|------|
|   | MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |           |      |
| 1 | 5433.000   | 60.52  | 19.05 | 41.47  | 74.00  | -13.48 | 276  | 185  | Peak   | Vertical  |      |
| 2 | ! 5462.500 | 62.72  | 21.18 | 41.54  | 68.20  | -5.48  | 276  | 185  | Peak   | Vertical  |      |
| 3 | * 5610.000 | 109.28 | 67.73 | 41.55  | 68.20  | 41.08  | 276  | 185  | Peak   | Vertical  |      |
| 4 | ! 5731.500 | 60.24  | 18.41 | 41.83  | 68.20  | -7.96  | 276  | 185  | Peak   | Vertical  |      |

**802.11be EHT80**


**CH 122 (Horizontal) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**802.11be EHT80**

**CH 138 (Horizontal) Peak**

**CH 138 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|--------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |            |      |
| 1 | 5450.000 | 55.67  | 14.16 | 41.51  | 74.00  | -18.33 | 121  | 21   | Peak   | Horizontal |      |
| 2 | 5469.500 | 57.13  | 15.56 | 41.57  | 68.20  | -11.07 | 121  | 21   | Peak   | Horizontal |      |
| 3 | 5690.000 | 111.87 | 70.83 | 41.84  | 122.20 | -10.33 | 121  | 21   | Peak   | Horizontal |      |
| 4 | 5858.000 | 64.64  | 22.64 | 42.00  | 109.96 | -45.32 | 121  | 21   | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|--------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |        |           |      |
| 1 | 5444.500 | 55.32  | 13.82 | 41.50  | 74.00  | -18.68 | 299  | 192  | Peak   | Vertical  |      |
| 2 | 5468.000 | 55.68  | 14.12 | 41.56  | 68.20  | -12.52 | 299  | 192  | Peak   | Vertical  |      |
| 3 | 5690.000 | 109.38 | 67.54 | 41.84  | 122.20 | -12.82 | 299  | 192  | Peak   | Vertical  |      |
| 4 | 7000.000 | 59.73  | 16.06 | 43.67  | 68.20  | -8.47  | 299  | 192  | Peak   | Vertical  |      |


**802.11be EHT80**

**CH 138 (Horizontal) Average**

**CH 138 (Vertical) Average**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|-----|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|     | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1   | 5458.000 | 43.26  | 1.72  | 41.54  | 54.00  | -10.74 | 121  | 21   | Average | Horizontal |      |
| 2 * | 5698.000 | 100.99 | 59.15 | 41.84  | 54.00  | 46.99  | 121  | 21   | Average | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|-----|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|     | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1   | 5442.000 | 43.17  | 1.68  | 41.49  | 54.00  | -10.83 | 299  | 192  | Average | Vertical  |      |
| 2 * | 5698.000 | 98.36  | 56.52 | 41.84  | 54.00  | 44.36  | 299  | 192  | Average | Vertical  |      |


**802.11be EHT160**

**CH 114 (Horizontal) Peak**


**CH 114 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**802.11be EHT160**

**CH 114 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read  | Level | Factor | Limit | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|-------|------|------|---------|------------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | dB   | cm   | deg     |            |           |      |
| 1   5438.500 | 52.12  | 10.61 | 41.51 | 54.00  | -1.88 | 288  | 262  | Average | Horizontal |           |      |
| 2 * 5570.000 | 95.15  | 53.60 | 41.55 | 54.00  | 41.15 | 288  | 262  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read  | Level | Factor | Limit | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|-------|------|------|---------|----------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | dB   | cm   | deg     |          |           |      |
| 1   5438.500 | 50.19  | 8.70  | 41.49 | 54.00  | -3.81 | 257  | 196  | Average | Vertical |           |      |
| 2 * 5570.000 | 92.41  | 50.86 | 41.55 | 54.00  | 38.41 | 257  | 196  | Average | Vertical |           |      |

## Spurious Emissions, Tx Mode, 9kHz ~30MHz


**802.11a**

**CH 149 (Open) (9kHz ~ 150kHz)**

**CH 149 (Open) (150kHz ~ 30MHz)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq  | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|-------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
|   | MHz   | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |           |      |
| 1 | 0.010 | 61.20  | 43.09 | 18.11 | 127.60 | -66.40 | 100  | 229  | Peak | Open   |           |      |
| 2 | 0.030 | 48.64  | 28.83 | 20.01 | 118.05 | -69.21 | 100  | 229  | Peak | Open   |           |      |
| 3 | 0.063 | 40.06  | 21.94 | 18.12 | 111.57 | -71.51 | 100  | 134  | Peak | Open   |           |      |
| 4 | 0.102 | 32.68  | 14.64 | 18.04 | 107.46 | -74.78 | 100  | 174  | Peak | Open   |           |      |
| 5 | 0.115 | 38.01  | 19.89 | 18.12 | 106.37 | -68.36 | 100  | 155  | Peak | Open   |           |      |
| 6 | 0.133 | 27.74  | 9.51  | 18.23 | 105.11 | -77.37 | 100  | 175  | Peak | Open   |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq   | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|--------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
|   | MHz    | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |           |      |
| 1 | 0.747  | 49.16  | 30.32 | 18.84 | 70.14  | -20.98 | 100  | 178  | Peak | Open   |           |      |
| 2 | 1.523  | 40.75  | 21.98 | 18.77 | 63.95  | -23.20 | 100  | 178  | Peak | Open   |           |      |
| 3 | 2.389  | 33.61  | 14.77 | 18.84 | 69.50  | -35.89 | 100  | 178  | Peak | Open   |           |      |
| 4 | 13.105 | 33.78  | 12.36 | 21.42 | 69.50  | -35.72 | 100  | 244  | Peak | Open   |           |      |
| 5 | 17.075 | 34.14  | 11.96 | 22.18 | 69.50  | -35.36 | 100  | 213  | Peak | Open   |           |      |
| 6 | 24.806 | 34.87  | 11.95 | 22.92 | 69.50  | -34.63 | 100  | 236  | Peak | Open   |           |      |

## Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


### 802.11a

#### CH 149 (Horizontal)

#### CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase  | Note |
|---|---------|--------|-------|-------|--------|--------|------|----------|------------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |            |      |
| 1 | 62.818  | 27.60  | 34.52 | -6.92 | 40.00  | -12.40 | 100  | 64 Peak  | Horizontal |      |
| 2 | 198.780 | 33.91  | 42.53 | -8.62 | 43.50  | -9.59  | 100  | 129 Peak | Horizontal |      |
| 3 | 288.020 | 31.39  | 37.22 | -5.83 | 46.00  | -14.61 | 100  | 253 Peak | Horizontal |      |
| 4 | 390.840 | 29.69  | 33.32 | -3.63 | 46.00  | -16.31 | 100  | 211 Peak | Horizontal |      |
| 5 | 715.790 | 33.23  | 31.02 | 2.21  | 46.00  | -12.77 | 100  | 211 Peak | Horizontal |      |
| 6 | 845.770 | 34.01  | 36.17 | 3.84  | 46.00  | -11.99 | 100  | 90 Peak  | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1 | 32.910  | 36.06  | 43.00 | -7.84 | 40.00  | -3.94  | 100  | 345 QP   | Vertical  |      |
| 2 | 44.550  | 35.35  | 41.00 | -6.45 | 40.00  | -4.65  | 100  | 66 QP    | Vertical  |      |
| 3 | 53.280  | 36.14  | 42.10 | -5.96 | 40.00  | -3.86  | 100  | 166 QP   | Vertical  |      |
| 4 | 61.040  | 36.57  | 43.40 | -6.83 | 40.00  | -3.43  | 100  | 48 QP    | Vertical  |      |
| 5 | 198.780 | 35.94  | 44.56 | -8.62 | 43.50  | -7.56  | 100  | 284 Peak | Vertical  |      |
| 6 | 920.460 | 34.56  | 29.66 | 4.90  | 46.00  | -11.44 | 100  | 145 Peak | Vertical  |      |

**Spurious Emissions, Tx Mode, 1GHz ~ 40GHz**  
**U-NII-2A**


**802.11a**

**CH 52 (Horizontal)**

**CH 52 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over  | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|--------|--------|-------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB    | cm   | deg  |         |            |      |
| 1 18520.000 | 58.53  | 64.05 | -5.52  | 68.20  | -9.67 | 282  | 360  | Peak    | Horizontal |      |
| 2 15780.000 | 49.95  | 48.45 | 1.40   | 54.00  | -4.15 | 100  | 314  | Average | Horizontal |      |
| 3 15780.000 | 64.14  | 62.74 | 1.40   | 74.00  | -9.86 | 100  | 314  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over  | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|--------|--------|-------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB    | cm   | deg  |         |           |      |
| 1 18520.000 | 61.62  | 67.14 | -5.52  | 68.20  | -6.58 | 240  | 0    | Peak    | Vertical  |      |
| 2 15780.000 | 52.40  | 51.00 | 1.40   | 54.00  | -1.52 | 331  | 360  | Average | Vertical  |      |
| 3 15780.000 | 65.95  | 64.55 | 1.40   | 74.00  | -8.05 | 331  | 360  | Peak    | Vertical  |      |


**802.11a**

**CH 60 (Horizontal)**

**CH 60 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|-------------|--------|-------|-------|--------|--------|------|-------------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 18600.000 | 47.44  | 52.70 | -5.26 | 54.00  | -6.56  | 311  | 360 Average | Horizontal |      |
| 2 18600.000 | 61.23  | 66.49 | -5.26 | 74.00  | -12.77 | 311  | 360 Peak    | Horizontal |      |
| 3 15900.000 | 49.98  | 48.29 | 1.69  | 54.00  | -4.02  | 100  | 257 Average | Horizontal |      |
| 4 15900.000 | 64.90  | 63.21 | 1.69  | 74.00  | -9.10  | 100  | 257 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Limit | Over   | APos   | TPos | Remark     | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|--------|------|------------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg        |           |      |
| 1 18600.000 | 52.56  | 57.82 | -5.26 | 54.00  | -1.44  | 281  | 27 Average | Vertical  |      |
| 2 18600.000 | 66.46  | 71.72 | -5.26 | 74.00  | -7.54  | 281  | 27 Peak    | Vertical  |      |
| 3 15900.000 | 48.98  | 47.29 | 1.69  | 54.00  | -5.02  | 300  | 0 Average  | Vertical  |      |
| 4 15900.000 | 63.82  | 62.13 | 1.69  | 74.00  | -10.18 | 300  | 0 Peak     | Vertical  |      |


**802.11a**

**CH 64 (Horizontal)**

**CH 64 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |            |           |      |
| 1 18640.000 | 46.43  | 51.64 | -5.21 | 54.00  | -7.57  | 100  | 56   | Average | Horizontal |           |      |
| 2 18640.000 | 60.37  | 65.58 | -5.21 | 74.00  | -13.63 | 100  | 56   | Peak    | Horizontal |           |      |
| 3 15960.000 | 41.58  | 39.92 | 1.66  | 54.00  | -12.42 | 100  | 256  | Average | Horizontal |           |      |
| 4 15960.000 | 58.32  | 56.66 | 1.66  | 74.00  | -15.68 | 100  | 256  | Peak    | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |          |           |      |
| 1 18640.000 | 52.18  | 57.39 | -5.21 | 54.00  | -1.82  | 287  | 25   | Average | Vertical |           |      |
| 2 18640.000 | 66.50  | 71.71 | -5.21 | 74.00  | -7.50  | 287  | 25   | Peak    | Vertical |           |      |
| 3 15960.000 | 42.89  | 41.23 | 1.66  | 54.00  | -11.11 | 100  | 273  | Average | Vertical |           |      |
| 4 15960.000 | 58.46  | 56.80 | 1.66  | 74.00  | -15.54 | 100  | 273  | Peak    | Vertical |           |      |


**802.11be EHT20**

**CH 52 (Horizontal)**


**CH 52 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**802.11be EHT20**

**CH 60 (Horizontal)**

**CH 60 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 18600.000 | 45.48  | 50.74 | -5.26  | 54.00  | -8.52  | 300  | 353  | Average | Horizontal |      |
| 2 18600.000 | 60.42  | 65.68 | -5.26  | 74.00  | -13.50 | 300  | 353  | Peak    | Horizontal |      |
| 3 15900.000 | 47.77  | 46.08 | 1.69   | 54.00  | -6.23  | 100  | 275  | Average | Horizontal |      |
| 4 15900.000 | 64.03  | 62.34 | 1.69   | 74.00  | -9.97  | 100  | 275  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 18600.000 | 47.43  | 52.69 | -5.26  | 54.00  | -6.57  | 100  | 76   | Average | Vertical  |      |
| 2 18600.000 | 63.29  | 68.55 | -5.26  | 74.00  | -10.71 | 100  | 76   | Peak    | Vertical  |      |
| 3 15900.000 | 48.91  | 47.22 | 1.69   | 54.00  | -5.09  | 101  | 272  | Average | Vertical  |      |
| 4 15900.000 | 64.20  | 62.51 | 1.69   | 74.00  | -9.00  | 101  | 272  | Peak    | Vertical  |      |


**802.11be EHT20**

**CH 64 (Horizontal)**

**CH 64 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 18640.000 | 46.94  | 51.25 | -5.21  | 54.00  | -7.96  | 331  | 354  | Average | Horizontal |      |
| 2 18640.000 | 60.33  | 65.54 | -5.21  | 74.00  | -13.67 | 331  | 354  | Peak    | Horizontal |      |
| 3 15960.000 | 44.78  | 43.12 | 1.66   | 54.00  | -9.22  | 105  | 273  | Average | Horizontal |      |
| 4 15960.000 | 60.99  | 59.33 | 1.66   | 74.00  | -13.01 | 105  | 273  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 18640.000 | 47.48  | 52.69 | -5.21  | 54.00  | -6.52  | 106  | 8    | Average | Vertical  |      |
| 2 18640.000 | 63.01  | 68.22 | -5.21  | 74.00  | -10.99 | 106  | 8    | Peak    | Vertical  |      |
| 3 15960.000 | 44.75  | 43.09 | 1.66   | 54.00  | -9.25  | 100  | 270  | Average | Vertical  |      |
| 4 15960.000 | 61.39  | 59.73 | 1.66   | 74.00  | -12.61 | 100  | 270  | Peak    | Vertical  |      |


**802.11be EHT40**

**CH 54 (Horizontal)**

**CH 54 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |            |           |      |
| 1 18540.000 | 49.61  | 55.06 | -5.45 | 68.20  | -18.59 | 100  | 108  | Peak    | Horizontal |           |      |
| 2 15810.000 | 47.87  | 46.40 | 1.47  | 54.00  | -6.13  | 100  | 253  | Average | Horizontal |           |      |
| 3 15810.000 | 61.79  | 60.32 | 1.47  | 74.00  | -12.21 | 100  | 253  | Peak    | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |          |           |      |
| 1 18540.000 | 52.40  | 57.85 | -5.45 | 68.20  | -15.80 | 300  | 18   | Peak    | Vertical |           |      |
| 2 15810.000 | 47.01  | 45.54 | 1.47  | 54.00  | -6.99  | 301  | 236  | Average | Vertical |           |      |
| 3 15810.000 | 59.48  | 58.01 | 1.47  | 74.00  | -14.52 | 301  | 236  | Peak    | Vertical |           |      |


**802.11be EHT40**

**CH 62 (Horizontal)**

**CH 62 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 18620.000 | 42.35  | 47.49 | -5.23  | 54.00  | -11.74 | 100  | 106  | Average | Horizontal |      |
| 2 18620.000 | 53.96  | 59.19 | -5.23  | 74.00  | -20.04 | 100  | 106  | Peak    | Horizontal |      |
| 3 15930.000 | 39.16  | 37.48 | 1.68   | 54.00  | -14.84 | 100  | 250  | Average | Horizontal |      |
| 4 15930.000 | 53.04  | 51.36 | 1.68   | 74.00  | -20.96 | 100  | 250  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 18620.000 | 45.80  | 51.03 | -5.23  | 54.00  | -8.20  | 100  | 74   | Average | Vertical  |      |
| 2 18620.000 | 57.72  | 62.95 | -5.23  | 74.00  | -16.28 | 100  | 74   | Peak    | Vertical  |      |
| 3 15930.000 | 38.92  | 37.24 | 1.68   | 54.00  | -15.08 | 300  | 0    | Average | Vertical  |      |
| 4 15930.000 | 51.38  | 49.70 | 1.68   | 74.00  | -22.62 | 300  | 0    | Peak    | Vertical  |      |


**802.11be EHT80**

**CH 58 (Horizontal)**

**CH 58 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 18580.000 | 45.47  | 50.79 | -5.32  | 68.20  | -22.73 | 132  | 360  | Peak    | Horizontal |      |
| 2 15870.000 | 35.64  | 34.02 | 1.62   | 54.00  | -18.36 | 200  | 213  | Average | Horizontal |      |
| 3 15870.000 | 48.86  | 47.24 | 1.62   | 74.00  | -25.14 | 200  | 213  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 18580.000 | 43.87  | 49.19 | -5.32  | 68.20  | -24.33 | 300  | 14   | Peak    | Vertical  |      |
| 2 15870.000 | 35.55  | 33.93 | 1.62   | 54.00  | -18.45 | 300  | 184  | Average | Vertical  |      |
| 3 15870.000 | 47.66  | 46.04 | 1.62   | 74.00  | -26.34 | 300  | 184  | Peak    | Vertical  |      |


**802.11be EHT160**

**CH 50 (Horizontal)**

**CH 50 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 18500.000 | 44.58  | 50.17 | -5.59  | 68.20  | -23.62 | 100  | 212  | Peak    | Horizontal |      |
| 2 15750.000 | 36.93  | 34.71 | 1.32   | 54.00  | -17.97 | 100  | 239  | Average | Horizontal |      |
| 3 15750.000 | 48.94  | 47.62 | 1.32   | 74.00  | -25.06 | 100  | 230  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 18500.000 | 45.47  | 51.06 | -5.59  | 68.20  | -22.73 | 100  | 196  | Peak    | Vertical  |      |
| 2 15750.000 | 36.20  | 34.88 | 1.32   | 54.00  | -17.80 | 100  | 87   | Average | Vertical  |      |
| 3 15750.000 | 48.77  | 47.45 | 1.32   | 74.00  | -25.23 | 100  | 87   | Peak    | Vertical  |      |

**U-NII-2C**


**802.11a**

**CH 100 (Horizontal)**

**CH 100 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 11000.000 | 45.85  | 50.61 | -4.76  | 54.00  | -8.15  | 100  | 356  | Average | Horizontal |      |
| 2 11800.000 | 59.99  | 64.75 | -4.76  | 74.00  | -14.01 | 100  | 356  | Peak    | Horizontal |      |
| 3 16500.000 | 60.77  | 57.73 | 3.04   | 68.20  | -7.43  | 100  | 273  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 11000.000 | 49.22  | 53.98 | -4.76  | 54.00  | -4.78  | 302  | 27   | Average | Vertical  |      |
| 2 11800.000 | 63.70  | 68.46 | -4.76  | 74.00  | -10.30 | 302  | 27   | Peak    | Vertical  |      |
| 3 16500.000 | 58.62  | 55.58 | 3.04   | 68.20  | -9.58  | 225  | 0    | Peak    | Vertical  |      |


**802.11a**

**CH 116 (Horizontal)**

**CH 116 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 11160.000  | 44.66  | 49.14 | -4.48 | 54.00  | -9.34  | 100  | 40   | Average | Horizontal |           |      |
| 2 11160.000  | 58.95  | 62.53 | -4.48 | 74.00  | -15.95 | 100  | 40   | Peak    | Horizontal |           |      |
| 3 116740.000 | 63.37  | 59.86 | 3.51  | 68.20  | -4.83  | 210  | 271  | Peak    | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read  | Level | Factor | Limit | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|-------|------|------|---------|----------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | dB   | cm   | deg     |          |           |      |
| 1 11160.000  | 50.68  | 55.16 | -4.48 | 54.00  | -3.32 | 110  | 87   | Average | Vertical |           |      |
| 2 11160.000  | 64.04  | 68.52 | -4.48 | 74.00  | -9.96 | 110  | 87   | Peak    | Vertical |           |      |
| 3 116740.000 | 65.87  | 62.36 | 3.51  | 68.20  | -2.33 | 100  | 243  | Peak    | Vertical |           |      |


**802.11a**

**CH 140 (Horizontal)**

**CH 140 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 11400.000 | 33.19  | 37.08 | -3.89  | 54.00  | -20.81 | 100  | 40   | Average | Horizontal |      |
| 2 11400.000 | 47.00  | 50.89 | -3.89  | 74.00  | -27.00 | 100  | 40   | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 11403.000 | 36.78  | 40.67 | -3.89  | 54.00  | -17.22 | 100  | 256  | Average | Vertical  |      |
| 2 11403.000 | 52.11  | 56.00 | -3.89  | 74.00  | -21.89 | 100  | 256  | Peak    | Vertical  |      |


**802.11a**

**CH 144 (Horizontal)**

**CH 144 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |            |           |      |
| 1 11440.000  | 41.30  | 45.11 | -3.81 | 54.00  | -12.70 | 100  | 268  | Average | Horizontal |           |      |
| 2 11440.000  | 55.30  | 59.11 | -3.81 | 74.00  | -18.70 | 100  | 268  | Peak    | Horizontal |           |      |
| 3 117160.000 | 64.94  | 61.05 | 3.89  | 68.20  | -3.26  | 100  | 306  | Peak    | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |          |           |      |
| 1 11440.000  | 45.26  | 49.07 | -3.81 | 54.00  | -8.74  | 200  | 278  | Average | Vertical |           |      |
| 2 11440.000  | 58.44  | 62.25 | -3.81 | 74.00  | -15.56 | 200  | 278  | Peak    | Vertical |           |      |
| 3 117160.000 | 65.67  | 61.78 | 3.89  | 68.20  | -2.53  | 104  | 286  | Peak    | Vertical |           |      |


**802.11be EHT20**

**CH 100 (Horizontal)**

**CH 100 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 11000.000 | 42.89  | 47.65 | -4.76  | 54.00  | -11.11 | 183  | 356  | Average | Horizontal |      |
| 2 11000.000 | 58.46  | 63.22 | -4.76  | 74.00  | -15.54 | 183  | 356  | Peak    | Horizontal |      |
| 3 16500.000 | 57.31  | 54.27 | 3.04   | 68.20  | -10.89 | 229  | 275  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 11000.000 | 46.29  | 51.05 | -4.76  | 54.00  | -7.71  | 187  | 83   | Average | Vertical  |      |
| 2 11000.000 | 61.97  | 66.73 | -4.76  | 74.00  | -12.03 | 187  | 83   | Peak    | Vertical  |      |
| 3 16500.000 | 59.45  | 56.41 | 3.04   | 68.20  | -8.75  | 180  | 41   | Peak    | Vertical  |      |

|   | Freq      | Level  | Read<br>Line | Limit | Over<br>Limit | APos   | TPos | Remark     | Pol/Phase | Note |
|---|-----------|--------|--------------|-------|---------------|--------|------|------------|-----------|------|
|   | Hz        | dBuV/m | dBuV         | dB/m  | dBuV/m        | dB     | cm   | deg        |           |      |
| 1 | 11160.000 | 44.21  | 48.69        | -4.48 | 54.00         | -9.79  | 110  | 83 Average | Vertical  |      |
| 2 | 11160.000 | 59.55  | 64.03        | -4.48 | 74.00         | -14.45 | 110  | 83 Peak    | Vertical  |      |
| 3 | 16740.000 | 61.61  | 58.10        | 3.51  | 68.20         | -6.59  | 107  | 240 Peak   | Vertical  |      |


**802.11be EHT20**

**CH 140 (Horizontal)**

**CH 140 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 11400.000 | 36.83  | 40.72 | -3.89  | 54.00  | -17.17 | 204  | 173  | Average | Horizontal |      |
| 2 11400.000 | 50.15  | 54.04 | -3.89  | 74.00  | -23.85 | 204  | 173  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 11400.000 | 38.94  | 42.83 | -3.89  | 54.00  | -15.06 | 248  | 274  | Average | Vertical  |      |
| 2 11400.000 | 52.62  | 56.51 | -3.89  | 74.00  | -21.38 | 248  | 274  | Peak    | Vertical  |      |


**802.11be EHT20**

**CH 144 (Horizontal)**

**CH 144 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq      | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|-----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz       | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11440.000 | 36.41  | 40.22 | -3.81  | 54.00  | -17.59 | 307  | 283  | Average | Horizontal |      |
| 2 | 11440.000 | 50.42  | 54.23 | -3.81  | 74.00  | -23.58 | 307  | 283  | Peak    | Horizontal |      |
| 3 | 17160.000 | 59.82  | 55.93 | 3.89   | 68.20  | -8.38  | 100  | 305  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq      | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|-----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz       | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11440.000 | 38.10  | 41.91 | -3.81  | 54.00  | -15.90 | 109  | 83   | Average | Vertical  |      |
| 2 | 11440.000 | 53.04  | 56.85 | -3.81  | 74.00  | -20.96 | 109  | 83   | Peak    | Vertical  |      |
| 3 | 17160.000 | 60.06  | 56.17 | 3.89   | 68.20  | -8.14  | 209  | 283  | Peak    | Vertical  |      |


**802.11be EHT40**

**CH 102 (Horizontal)**

**CH 102 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 11020.000 | 39.74  | 44.46 | -4.72  | 54.00  | -14.26 | 100  | 350  | Average | Horizontal |      |
| 2 11020.000 | 52.65  | 57.37 | -4.72  | 74.00  | -21.35 | 100  | 350  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 11020.000 | 44.63  | 49.35 | -4.72  | 54.00  | -9.37  | 300  | 21   | Average | Vertical  |      |
| 2 11020.000 | 57.33  | 62.05 | -4.72  | 74.00  | -16.67 | 300  | 21   | Peak    | Vertical  |      |


**802.11be EHT40**

**CH 110 (Horizontal)**

**CH 110 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 11100.000 | 39.47  | 44.82 | -4.55  | 54.00  | -14.53 | 200  | 349  | Average | Horizontal |      |
| 2 11100.000 | 52.93  | 57.48 | -4.55  | 74.00  | -21.07 | 200  | 349  | Peak    | Horizontal |      |
| 3 16650.000 | 46.38  | 43.18 | 3.20   | 68.20  | -21.82 | 100  | 50   | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 11100.000 | 43.96  | 48.51 | -4.55  | 54.00  | -10.04 | 297  | 22   | Average | Vertical  |      |
| 2 11100.000 | 55.87  | 60.42 | -4.55  | 74.00  | -18.13 | 297  | 22   | Peak    | Vertical  |      |
| 3 16650.000 | 51.91  | 48.71 | 3.20   | 68.20  | -16.29 | 100  | 318  | Peak    | Vertical  |      |


**802.11be EHT40**

**CH 134 (Horizontal)**

**CH 134 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq      | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|-----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz       | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 11340.000 | 32.23  | 36.25 | -4.02 | 54.00  | -21.77 | 200  | 168 Average | Horizontal |      |
| 2 | 11340.000 | 44.23  | 48.25 | -4.02 | 74.00  | -29.77 | 200  | 168 Peak    | Horizontal |      |
| 3 | 17810.000 | 46.53  | 42.67 | 3.86  | 68.20  | -21.67 | 285  | 0 Peak      | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq      | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|-----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz       | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 11340.000 | 33.86  | 37.88 | -4.02 | 54.00  | -20.14 | 300  | 210 Average | Vertical  |      |
| 2 | 11340.000 | 46.41  | 50.43 | -4.02 | 74.00  | -27.59 | 300  | 210 Peak    | Vertical  |      |
| 3 | 17810.000 | 50.21  | 46.35 | 3.86  | 68.20  | -17.99 | 300  | 284 Peak    | Vertical  |      |


**802.11be EHT40**

**CH 142 (Horizontal)**

**CH 142 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 11420.000 | 33.28  | 37.13 | -3.85  | 54.00  | -20.72 | 100  | 20   | Average | Horizontal |      |
| 2 11420.000 | 45.28  | 49.13 | -3.85  | 74.00  | -28.72 | 100  | 20   | Peak    | Horizontal |      |
| 3 17130.000 | 49.85  | 45.91 | 3.94   | 68.20  | -18.35 | 100  | 231  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 11420.000 | 33.70  | 37.55 | -3.85  | 54.00  | -20.30 | 100  | 86   | Average | Vertical  |      |
| 2 11420.000 | 46.40  | 50.25 | -3.85  | 74.00  | -27.60 | 100  | 86   | Peak    | Vertical  |      |
| 3 17130.000 | 50.36  | 46.42 | 3.94   | 68.20  | -17.84 | 270  | 0    | Peak    | Vertical  |      |


**802.11be EHT80**

**CH 106 (Horizontal)**

**CH 106 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 11060.000 | 32.07  | 36.70 | -4.63  | 54.00  | -21.93 | 100  | 134  | Average | Horizontal |      |
| 2 11060.000 | 45.46  | 50.09 | -4.63  | 74.00  | -28.54 | 100  | 134  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 11060.000 | 38.08  | 42.71 | -4.63  | 54.00  | -15.92 | 100  | 85   | Average | Vertical  |      |
| 2 11060.000 | 51.40  | 56.03 | -4.63  | 74.00  | -22.60 | 100  | 85   | Peak    | Vertical  |      |


**802.11be EHT80**

**CH 122 (Horizontal)**

**CH 122 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 11220.000 | 32.32  | 36.69 | -4.37  | 54.00  | -21.68 | 100  | 69   | Average | Horizontal |      |
| 2 11220.000 | 45.02  | 49.39 | -4.37  | 74.00  | -28.98 | 100  | 69   | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 11220.000 | 35.98  | 40.35 | -4.37  | 54.00  | -18.02 | 100  | 87   | Average | Vertical  |      |
| 2 11220.000 | 48.97  | 53.34 | -4.37  | 74.00  | -25.03 | 100  | 87   | Peak    | Vertical  |      |


**802.11be EHT80**

**CH 138 (Horizontal)**

**CH 138 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq      | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|-----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz       | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11380.000 | 35.09  | 39.03 | -3.94  | 54.00  | -18.91 | 100  | 22   | Average | Horizontal |      |
| 2 | 11380.000 | 46.67  | 50.61 | -3.94  | 74.00  | -27.33 | 100  | 22   | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq      | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|-----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz       | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11380.000 | 36.21  | 40.15 | -3.94  | 54.00  | -17.79 | 100  | 270  | Average | Vertical  |      |
| 2 | 11380.000 | 48.38  | 52.32 | -3.94  | 74.00  | -25.62 | 100  | 270  | Peak    | Vertical  |      |


**802.11be EHT160**

**CH 114 (Horizontal)**

**CH 114 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 11140.000 | 32.10  | 36.60 | -4.50  | 54.00  | -21.90 | 100  | 253  | Average | Horizontal |      |
| 2 11140.000 | 45.98  | 49.58 | -4.50  | 74.00  | -28.92 | 100  | 253  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 11140.000 | 32.27  | 36.77 | -4.50  | 54.00  | -21.73 | 100  | 360  | Average | Vertical  |      |
| 2 11140.000 | 45.43  | 49.93 | -4.50  | 74.00  | -28.57 | 100  | 360  | Peak    | Vertical  |      |

## Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


### Worst Band

#### (Line)

#### (Neutral)



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

|    | Freq   | Level | Read  | Factor | Limit | Over   | Remark  | Pol/Phase | Note |
|----|--------|-------|-------|--------|-------|--------|---------|-----------|------|
|    | MHz    | dBuV  | dBuV  | dB     | dBuV  | dB     |         |           |      |
| 1  | 0.157  | 33.16 | 23.51 | 9.65   | 55.63 | -22.47 | Average | line1     |      |
| 2  | 0.157  | 48.07 | 38.42 | 9.65   | 65.63 | -17.56 | QP      | line1     |      |
| 3  | 0.205  | 24.89 | 15.25 | 9.64   | 53.39 | -28.50 | Average | line1     |      |
| 4  | 0.205  | 41.85 | 32.21 | 9.64   | 63.39 | -21.54 | QP      | line1     |      |
| 5  | 1.012  | 13.69 | 4.03  | 9.66   | 46.00 | -32.31 | Average | line1     |      |
| 6  | 1.012  | 19.46 | 9.80  | 9.66   | 56.00 | -36.54 | QP      | line1     |      |
| 7  | 2.978  | 20.14 | 10.44 | 9.70   | 46.00 | -25.86 | Average | line1     |      |
| 8  | 2.978  | 31.02 | 21.32 | 9.70   | 56.00 | -24.98 | QP      | line1     |      |
| 9  | 13.181 | 22.04 | 12.24 | 9.80   | 50.00 | -27.96 | Average | line1     |      |
| 10 | 13.181 | 27.14 | 17.34 | 9.80   | 60.00 | -32.86 | QP      | line1     |      |
| 11 | 28.684 | 31.52 | 21.77 | 9.75   | 50.00 | -18.48 | Average | line1     |      |
| 12 | 28.684 | 36.79 | 27.04 | 9.75   | 60.00 | -23.21 | QP      | line1     |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

|    | Freq   | Level | Read  | Factor | Limit | Over   | Remark  | Pol/Phase | Note |
|----|--------|-------|-------|--------|-------|--------|---------|-----------|------|
|    | MHz    | dBuV  | dBuV  | dB     | dBuV  | dB     |         |           |      |
| 1  | 0.159  | 32.47 | 22.83 | 9.64   | 55.50 | -23.03 | Average | neutral   |      |
| 2  | 0.159  | 48.10 | 38.46 | 9.64   | 65.50 | -17.40 | QP      | neutral   |      |
| 3  | 0.477  | 23.49 | 13.85 | 9.64   | 46.40 | -22.91 | Average | neutral   |      |
| 4  | 0.477  | 29.86 | 20.22 | 9.64   | 56.40 | -26.54 | QP      | neutral   |      |
| 5  | 0.925  | 8.92  | -0.74 | 9.66   | 46.00 | -37.08 | Average | neutral   |      |
| 6  | 0.925  | 19.32 | 9.66  | 9.66   | 56.00 | -36.68 | QP      | neutral   |      |
| 7  | 2.811  | 19.73 | 10.04 | 9.69   | 46.00 | -26.27 | Average | neutral   |      |
| 8  | 2.811  | 29.75 | 20.06 | 9.69   | 56.00 | -26.25 | QP      | neutral   |      |
| 9  | 9.486  | 17.88 | 8.09  | 9.79   | 50.00 | -32.12 | Average | neutral   |      |
| 10 | 9.486  | 23.00 | 13.21 | 9.79   | 60.00 | -37.00 | QP      | neutral   |      |
| 11 | 27.978 | 32.21 | 22.33 | 9.88   | 50.00 | -17.79 | Average | neutral   |      |
| 12 | 27.978 | 37.58 | 27.70 | 9.88   | 60.00 | -22.42 | QP      | neutral   |      |

**<POE Mode>**

**Spurious Emissions, Tx Mode, 9kHz ~30MHz**


**802.11a**

**CH 149(Open) (9kHz ~ 150kHz)**

**CH 149(Open) (150kHz ~ 30MHz)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq  | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|---|-------|--------|-------|-------|--------|--------|------|----------|-----------|------|
|   | MHz   | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1 | 0.010 | 61.64  | 43.53 | 18.11 | 127.60 | -65.96 | 100  | 14 Peak  | Open      |      |
| 2 | 0.030 | 48.14  | 28.13 | 20.01 | 118.05 | -69.91 | 100  | 300 Peak | Open      |      |
| 3 | 0.063 | 39.52  | 21.40 | 18.12 | 111.57 | -72.05 | 100  | 329 Peak | Open      |      |
| 4 | 0.088 | 31.89  | 13.82 | 18.07 | 108.75 | -76.86 | 100  | 275 Peak | Open      |      |
| 5 | 0.116 | 35.98  | 17.85 | 18.13 | 106.29 | -70.31 | 100  | 193 Peak | Open      |      |
| 6 | 0.124 | 29.87  | 11.69 | 18.18 | 105.70 | -75.83 | 100  | 162 Peak | Open      |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq   | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|---|--------|--------|-------|-------|--------|--------|------|----------|-----------|------|
|   | MHz    | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1 | 0.747  | 50.40  | 31.56 | 18.84 | 70.14  | -19.74 | 100  | 150 Peak | Open      |      |
| 2 | 1.523  | 42.73  | 23.96 | 18.77 | 63.95  | -21.22 | 100  | 150 Peak | Open      |      |
| 3 | 2.269  | 34.72  | 15.90 | 18.82 | 69.50  | -34.78 | 100  | 150 Peak | Open      |      |
| 4 | 11.612 | 33.84  | 12.31 | 21.53 | 69.50  | -35.66 | 100  | 108 Peak | Open      |      |
| 5 | 16.329 | 35.29  | 13.41 | 21.88 | 69.50  | -34.21 | 100  | 168 Peak | Open      |      |
| 6 | 25.940 | 34.86  | 12.21 | 22.65 | 69.50  | -34.64 | 100  | 294 Peak | Open      |      |

## Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


**802.11a**

### CH 149 (Horizontal)

### CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark   | Pol/Phase  | Note |
|---|---------|--------|-------|--------|--------|--------|------|------|----------|------------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |          |            |      |
| 1 | 68.878  | 29.97  | 36.53 | -6.56  | 40.00  | -10.03 | 200  |      | 162 Peak | Horizontal |      |
| 2 | 125.868 | 31.86  | 40.62 | -8.76  | 43.50  | -11.64 | 200  |      | 272 Peak | Horizontal |      |
| 3 | 222.060 | 33.54  | 42.05 | -8.51  | 46.00  | -12.46 | 200  |      | 262 Peak | Horizontal |      |
| 4 | 311.300 | 33.66  | 39.01 | -5.35  | 46.00  | -12.34 | 100  |      | 61 Peak  | Horizontal |      |
| 5 | 869.050 | 33.60  | 29.25 | 4.35   | 46.00  | -12.40 | 100  |      | 310 Peak | Horizontal |      |
| 6 | 939.860 | 34.07  | 28.72 | 5.35   | 46.00  | -11.93 | 157  |      | 360 Peak | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark   | Pol/Phase | Note |
|---|---------|--------|-------|--------|--------|--------|------|------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |          |           |      |
| 1 | 44.550  | 37.65  | 44.10 | -6.45  | 40.00  | -2.35  | 100  |      | 1 QP     | Vertical  |      |
| 2 | 54.250  | 37.74  | 43.70 | -5.96  | 40.00  | -2.26  | 100  |      | 277 QP   | Vertical  |      |
| 3 | 125.060 | 33.42  | 42.18 | -8.76  | 43.50  | -10.08 | 100  |      | 138 Peak | Vertical  |      |
| 4 | 299.660 | 31.86  | 37.48 | -5.62  | 46.00  | -14.14 | 100  |      | 171 Peak | Vertical  |      |
| 5 | 844.800 | 34.20  | 30.38 | 3.82   | 46.00  | -11.80 | 200  |      | 360 Peak | Vertical  |      |
| 6 | 927.250 | 34.01  | 29.06 | 4.95   | 46.00  | -11.99 | 100  |      | 127 Peak | Vertical  |      |

# Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


## Worst Band

### (Line)

### (Neutral)



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

|    | Freq   | Level | Read Level Factor | Limit Line | Over Limit Remark | Pol/Phase | Note          |
|----|--------|-------|-------------------|------------|-------------------|-----------|---------------|
|    | MHz    | dBuV  | dBuV              | dB         | dBuV              | dB        |               |
| 1  | 0.154  | 36.34 | 26.69             | 9.65       | 55.79             | -19.45    | Average line1 |
| 2  | 0.154  | 56.02 | 46.37             | 9.65       | 65.79             | -9.77     | QP line1      |
| 3  | 0.193  | 31.17 | 21.53             | 9.64       | 53.89             | -22.72    | Average line1 |
| 4  | 0.193  | 47.69 | 38.05             | 9.64       | 63.89             | -16.20    | QP line1      |
| 5  | 0.524  | 39.15 | 29.51             | 9.64       | 46.00             | -6.85     | Average line1 |
| 6  | 0.524  | 48.07 | 38.43             | 9.64       | 56.00             | -7.93     | QP line1      |
| 7  | 2.825  | 29.75 | 20.06             | 9.69       | 46.00             | -16.25    | Average line1 |
| 8  | 2.825  | 36.04 | 26.35             | 9.69       | 56.00             | -19.96    | QP line1      |
| 9  | 8.759  | 30.73 | 20.97             | 9.76       | 50.00             | -19.27    | Average line1 |
| 10 | 8.759  | 35.68 | 25.92             | 9.76       | 60.00             | -24.32    | QP line1      |
| 11 | 11.294 | 36.65 | 26.86             | 9.79       | 50.00             | -13.35    | Average line1 |
| 12 | 11.294 | 41.78 | 31.99             | 9.79       | 60.00             | -18.22    | QP line1      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

|    | Freq   | Level | Read Level Factor | Limit Line | Over Limit Remark | Pol/Phase | Note            |
|----|--------|-------|-------------------|------------|-------------------|-----------|-----------------|
|    | MHz    | dBuV  | dBuV              | dB         | dBuV              | dB        |                 |
| 1  | 0.152  | 31.71 | 22.07             | 9.64       | 55.88             | -24.17    | Average neutral |
| 2  | 0.152  | 50.58 | 40.94             | 9.64       | 65.88             | -15.30    | QP neutral      |
| 3  | 0.173  | 31.35 | 21.72             | 9.63       | 54.80             | -23.45    | Average neutral |
| 4  | 0.173  | 47.84 | 38.21             | 9.63       | 64.80             | -16.96    | QP neutral      |
| 5  | 0.522  | 41.85 | 32.21             | 9.64       | 46.00             | -4.15     | Average neutral |
| 6  | 0.522  | 48.40 | 38.76             | 9.64       | 56.00             | -7.60     | QP neutral      |
| 7  | 3.030  | 23.84 | 14.14             | 9.70       | 46.00             | -22.16    | Average neutral |
| 8  | 3.030  | 30.96 | 21.26             | 9.70       | 56.00             | -25.04    | QP neutral      |
| 9  | 5.268  | 24.62 | 14.89             | 9.73       | 50.00             | -25.38    | Average neutral |
| 10 | 5.268  | 32.64 | 22.91             | 9.73       | 60.00             | -27.36    | QP neutral      |
| 11 | 10.799 | 34.05 | 24.25             | 9.80       | 50.00             | -15.95    | Average neutral |
| 12 | 10.799 | 39.52 | 29.72             | 9.80       | 60.00             | -20.48    | QP neutral      |