




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7818G	110.19	Inf	-Inf	2.86	3	Vertical	335	2.62	107.33	34.19	5.80	37.13
PK	5.6402G	64.04	68.20	-4.16	1.84	3	Vertical	335	2.62	62.20	33.36	5.72	37.24
PK	5.7806G	122.57	Inf	-Inf	2.85	3	Vertical	335	2.62	119.72	34.18	5.80	37.13
PK	6.0842G	58.11	68.20	-10.09	3.45	3	Vertical	335	2.62	54.66	34.43	5.96	36.94

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	101.00	Inf	-Inf	2.98	3	Horizontal	69	2.77	98.02	34.29	5.81	37.12
PK	5.645G	62.41	68.20	-5.79	1.87	3	Horizontal	69	2.77	60.54	33.38	5.72	37.23
PK	5.7998G	113.52	Inf	-Inf	2.99	3	Horizontal	69	2.77	110.53	34.30	5.81	37.12
PK	6.035G	58.31	68.20	-9.89	3.48	3	Horizontal	69	2.77	54.83	34.50	5.94	36.96


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX






5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX






5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX





5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.141G	46.54	54.00	-7.46	1.62	3	Vertical	83	2.30	44.92	33.40	5.46	37.24
AV	5.253G	101.66	Inf	-Inf	1.34	3	Vertical	83	2.30	100.32	33.09	5.52	37.27
AV	5.353G	53.18	54.00	-0.82	1.28	3	Vertical	83	2.30	51.90	33.00	5.58	37.30
PK	5.141G	58.91	74.00	-15.09	1.62	3	Vertical	83	2.30	57.29	33.40	5.46	37.24
PK	5.272G	114.14	Inf	-Inf	1.31	3	Vertical	83	2.30	112.83	33.06	5.53	37.28
PK	5.352G	66.54	74.00	-7.46	1.28	3	Vertical	83	2.30	65.26	33.00	5.58	37.30
PK	5.519G	58.15	68.20	-10.05	1.49	3	Vertical	83	2.30	56.66	33.16	5.66	37.33

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.147G	42.87	54.00	-11.13	1.62	3	Horizontal	54	1.00	41.25	33.40	5.46	37.24
AV	5.283G	87.23	Inf	-Inf	1.29	3	Horizontal	54	1.00	85.94	33.03	5.54	37.28
AV	5.352G	43.28	54.00	-10.72	1.28	3	Horizontal	54	1.00	42.00	33.00	5.58	37.30
PK	5.147G	55.60	74.00	-18.40	1.62	3	Horizontal	54	1.00	53.98	33.40	5.46	37.24
PK	5.264G	100.69	Inf	-Inf	1.33	3	Horizontal	54	1.00	99.36	33.07	5.53	37.27
PK	5.353G	56.24	74.00	-17.76	1.28	3	Horizontal	54	1.00	54.96	33.00	5.58	37.30
PK	5.538G	56.16	68.20	-12.04	1.48	3	Horizontal	54	1.00	54.68	33.12	5.67	37.31




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	43.64	54.00	-10.36	1.28	3	Vertical	55	2.56	42.36	33.00	5.58	37.30
AV	5.446G	53.34	54.00	-0.66	1.40	3	Vertical	55	2.56	51.94	33.09	5.63	37.32
AV	5.564G	103.61	Inf	-Inf	1.52	3	Vertical	55	2.56	102.09	33.13	5.68	37.29
PK	5.337G	57.42	68.20	-10.78	1.28	3	Vertical	55	2.56	56.14	33.00	5.57	37.29
PK	5.447G	65.51	74.00	-8.49	1.39	3	Vertical	55	2.56	64.12	33.09	5.63	37.33
PK	5.465G	67.31	68.20	-0.89	1.44	3	Vertical	55	2.56	65.87	33.13	5.64	37.33
PK	5.524G	116.16	Inf	-Inf	1.50	3	Vertical	55	2.56	114.66	33.15	5.67	37.32
PK	5.751G	60.04	68.20	-8.16	2.64	3	Vertical	55	2.56	57.40	34.01	5.78	37.15

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.11	54.00	-11.89	1.28	3	Horizontal	141	2.45	40.83	33.00	5.58	37.30
AV	5.456G	48.25	54.00	-5.75	1.42	3	Horizontal	141	2.45	46.83	33.11	5.64	37.33
AV	5.509G	95.77	Inf	-Inf	1.51	3	Horizontal	141	2.45	94.26	33.18	5.66	37.33
PK	5.33G	55.43	68.20	-12.77	1.28	3	Horizontal	141	2.45	54.15	33.00	5.57	37.29
PK	5.456G	62.90	74.00	-11.10	1.42	3	Horizontal	141	2.45	61.48	33.11	5.64	37.33
PK	5.461G	61.19	68.20	-7.01	1.43	3	Horizontal	141	2.45	59.76	33.12	5.64	37.33
PK	5.509G	107.30	Inf	-Inf	1.51	3	Horizontal	141	2.45	105.79	33.18	5.66	37.33
PK	5.761G	57.09	68.20	-11.11	2.71	3	Horizontal	141	2.45	54.38	34.07	5.79	37.15




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX






5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)	(°)	(m)	(dBuV)	(dB)	(dB)	(dB)	(dB)				
AV	5.7798G	105.43	Inf	-Inf	2.85	3	Vertical	297	2.87	102.58	34.18	5.80	37.13				
PK	5.6394G	65.61	68.20	-2.59	1.84	3	Vertical	297	2.87	63.77	33.36	5.72	37.24				
PK	5.7798G	116.81	Inf	-Inf	2.85	3	Vertical	297	2.87	113.96	34.18	5.80	37.13				
PK	6.027G	58.02	68.20	-10.18	3.47	3	Vertical	297	2.87	54.55	34.50	5.93	36.96				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)	(°)	(m)	(dBuV)	(dB)	(dB)	(dB)	(dB)				
AV	5.7738G	96.57	Inf	-Inf	2.80	3	Horizontal	54	2.51	93.77	34.14	5.80	37.14				
PK	5.6502G	58.08	68.35	-10.27	1.90	3	Horizontal	54	2.51	56.18	33.40	5.73	37.23				
PK	5.7738G	108.67	Inf	-Inf	2.80	3	Horizontal	54	2.51	105.87	34.14	5.80	37.14				
PK	6.0474G	57.96	68.20	-10.24	3.49	3	Horizontal	54	2.51	54.47	34.50	5.94	36.95				


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1336G	52.72	54.00	-1.28	1.61	3	Vertical	81	2.81	51.11	33.40	5.45	37.24
AV	5.2128G	97.89	Inf	-Inf	1.49	3	Vertical	81	2.81	96.40	33.25	5.50	37.26
AV	5.3532G	51.85	54.00	-2.15	1.28	3	Vertical	81	2.81	50.57	33.00	5.58	37.30
PK	5.1132G	68.69	74.00	-5.31	1.61	3	Vertical	81	2.81	67.08	33.40	5.44	37.23
PK	5.1924G	110.87	Inf	-Inf	1.56	3	Vertical	81	2.81	109.31	33.32	5.49	37.25
PK	5.3532G	65.59	74.00	-8.41	1.28	3	Vertical	81	2.81	64.31	33.00	5.58	37.30
PK	5.472G	61.89	68.20	-6.31	1.45	3	Vertical	81	2.81	60.44	33.14	5.64	37.33

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	45.38	54.00	-8.62	1.62	3	Horizontal	49	2.37	43.76	33.40	5.46	37.24
AV	5.2224G	89.81	Inf	-Inf	1.45	3	Horizontal	49	2.37	88.36	33.21	5.50	37.26
AV	5.3724G	44.00	54.00	-10.00	1.29	3	Horizontal	49	2.37	42.71	33.00	5.59	37.30
PK	5.1324G	57.86	74.00	-16.14	1.61	3	Horizontal	49	2.37	56.25	33.40	5.45	37.24
PK	5.2224G	101.85	Inf	-Inf	1.45	3	Horizontal	49	2.37	100.40	33.21	5.50	37.26
PK	5.3964G	57.28	74.00	-16.72	1.30	3	Horizontal	49	2.37	55.98	33.00	5.61	37.31
PK	5.5392G	56.01	68.20	-12.19	1.48	3	Horizontal	49	2.37	54.53	33.12	5.67	37.31




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4428G	51.19	54.00	-2.81	1.40	3	Vertical	54	2.42	49.79	33.09	5.63	37.32
AV	5.6444G	99.26	Inf	-Inf	1.87	3	Vertical	54	2.42	97.39	33.38	5.72	37.23
PK	5.3192G	58.39	68.20	-9.81	1.27	3	Vertical	54	2.42	57.12	33.00	5.56	37.29
PK	5.4236G	64.99	74.00	-9.01	1.35	3	Vertical	54	2.42	63.64	33.05	5.62	37.32
PK	5.4632G	64.24	68.20	-3.96	1.44	3	Vertical	54	2.42	62.80	33.13	5.64	37.33
PK	5.564G	111.63	Inf	-Inf	1.52	3	Vertical	54	2.42	110.11	33.13	5.68	37.29
PK	5.7452G	66.37	68.20	-1.83	2.60	3	Vertical	54	2.42	63.77	33.98	5.78	37.16

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4476G	47.47	54.00	-6.53	1.40	3	Horizontal	142	2.57	46.07	33.10	5.63	37.33
AV	5.5088G	91.43	Inf	-Inf	1.51	3	Horizontal	142	2.57	89.92	33.18	5.66	37.33
PK	5.348G	56.26	68.20	-11.94	1.28	3	Horizontal	142	2.57	54.98	33.00	5.58	37.30
PK	5.4488G	59.81	74.00	-14.19	1.40	3	Horizontal	142	2.57	58.41	33.10	5.63	37.33
PK	5.468G	60.31	68.20	-7.89	1.45	3	Horizontal	142	2.57	58.86	33.14	5.64	37.33
PK	5.5676G	103.40	Inf	-Inf	1.54	3	Horizontal	142	2.57	101.86	33.14	5.69	37.29
PK	5.7548G	59.09	68.20	-9.11	2.67	3	Horizontal	142	2.57	56.42	34.03	5.79	37.15


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	8.21121G	35.18	54.00	-18.82	Vertical

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.14824G	21.48	54.00	-32.52	3	Vertical	181	1.50
Mode 1	Pass	AV	1.71179G	20.26	68.20	-47.94	3	Vertical	246	1.50
Mode 1	Pass	AV	8.21121G	35.18	54.00	-18.82	3	Vertical	39	2.04
Mode 1	Pass	PK	1.14824G	34.63	74.00	-39.37	3	Vertical	181	1.50
Mode 1	Pass	PK	1.71179G	33.99	88.20	-54.21	3	Vertical	246	1.50
Mode 1	Pass	PK	8.21121G	49.08	74.00	-24.92	3	Vertical	39	2.04
Mode 1	Pass	AV	1.71745G	20.30	68.20	-47.90	3	Horizontal	286	1.49
Mode 1	Pass	AV	3.72699G	26.50	54.00	-27.50	3	Horizontal	4	1.43
Mode 1	Pass	AV	8.00313G	35.83	68.20	-32.37	3	Horizontal	339	2.24
Mode 1	Pass	PK	1.71745G	33.66	88.20	-54.54	3	Horizontal	286	1.49
Mode 1	Pass	PK	3.72699G	40.45	74.00	-33.55	3	Horizontal	4	1.43
Mode 1	Pass	PK	8.00313G	49.65	88.20	-38.55	3	Horizontal	339	2.24

Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1

