



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX






5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	7.0345G	94.44	Inf	-Inf	8.67	3	Vertical	326	2.64	BP 1MHz	85.77	35.81	7.61	34.75
AV	7.0325G	87.88	Inf	-Inf	8.65	3	Vertical	326	2.64	BP 1MHz	79.23	35.79	7.61	34.75
PK	7.1375G	66.36	88.20	-21.84	9.22	3	Vertical	326	2.64	BP 1MHz	57.14	36.35	7.69	34.82
AV	7.1345G	52.76	68.20	-15.44	9.21	3	Vertical	326	2.64	BP 1MHz	43.55	36.34	7.68	34.81

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	6.9525G	106.75	Inf	-Inf	8.43	3	Horizontal	25	2.03	BP 1MHz	98.32	35.60	7.56	34.73
AV	6.9495G	100.79	Inf	-Inf	8.43	3	Horizontal	25	2.03	BP 1MHz	92.36	35.60	7.56	34.73
PK	7.1365G	80.54	88.20	-7.66	9.23	3	Horizontal	25	2.03	BP 1MHz	71.31	36.35	7.69	34.81
AV	7.1385G	62.73	68.20	-5.47	9.22	3	Horizontal	25	2.03	BP 1MHz	53.51	36.35	7.69	34.82


6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.916G	51.10	68.20	-17.10	3.34	3	Vertical	168	2.72	47.76	34.50	5.87	37.03				
AV	6.041G	85.05	Inf	-Inf	3.49	3	Vertical	168	2.72	81.56	34.50	5.94	36.95				
PK	5.91G	67.89	88.20	-20.31	3.33	3	Vertical	168	2.72	64.56	34.50	5.87	37.04				
PK	6.041G	97.32	Inf	-Inf	3.49	3	Vertical	168	2.72	93.83	34.50	5.94	36.95				

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)			
AV	5.915G	57.30	68.20	-10.90	3.34	3	Horizontal	352	2.65	53.96	34.50	5.87	37.03			
AV	6.098G	97.14	Inf	-Inf	3.43	3	Horizontal	352	2.65	93.71	34.40	5.96	36.93			
PK	5.918G	76.17	88.20	-12.03	3.34	3	Horizontal	352	2.65	72.83	34.50	5.87	37.03			
PK	6.139G	110.63	Inf	-Inf	3.47	3	Horizontal	352	2.65	107.16	34.40	5.98	36.91			




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX






6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.8385G	90.92	Inf	-Inf	5.94	3	Vertical	323	2.60	22_BP 1M	84.98	36.25	6.37	36.68
AV	7.1255G	54.49	68.20	-13.71	6.75	3	Vertical	323	2.60	22_BP 1M	47.74	36.85	6.49	36.59
PK	6.8385G	99.43	Inf	-Inf	5.94	3	Vertical	323	2.60	22_BP 1M	93.49	36.25	6.37	36.68
PK	7.1495G	74.15	88.20	-14.05	6.91	3	Vertical	323	2.60	22_BP 1M	67.24	37.00	6.50	36.59

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.7495G	101.04	Inf	-Inf	5.92	3	Horizontal	351	3.00	80_BP 1M	95.12	36.30	6.32	36.70
AV	7.1485G	62.23	68.20	-5.97	6.90	3	Horizontal	351	3.00	80_BP 1M	55.33	36.99	6.50	36.59
PK	6.7505G	109.93	Inf	-Inf	5.93	3	Horizontal	351	3.00	80_BP 1M	104.00	36.30	6.33	36.70
PK	7.2085G	84.16	88.20	-4.04	7.09	3	Horizontal	351	3.00	80_BP 1M	77.07	37.13	6.53	36.57


6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



Antenna Gain (dBi)
Minimum gain
4.26

Contention Based protocol 802.11be EHT20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-73.26	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-72.26	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-73.26	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-73.26	OFF	10	100	90	Pass

Contention Based protocol 802.11be EHT320											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	63	320	6265	Low edge	6110	-67.26	OFF	10	100	90	Pass
				Center	6185	-65.26	OFF	10	100	90	Pass
				High edge	6260	-68.26	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-71.26	OFF	10	100	90	Pass
				Center	6505	-68.26	OFF	10	100	90	Pass
				High edge	6580	-68.26	OFF	10	100	90	Pass
7,8	159	320	6745	Low edge	6590	-72.26	OFF	10	100	90	Pass
				Center	6665	-67.26	OFF	10	100	90	Pass
				High edge	6740	-67.26	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6910	-67.26	OFF	10	100	90	Pass
				Center	6985	-73.26	OFF	10	100	90	Pass
				High edge	7060	-66.26	OFF	10	100	90	Pass


Contention Based protocol 802.11be EHT20										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Inteference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-69.00	4.26	-73.26	≤ -62
						Minimal	-70.00	4.26	-74.26	≤ -62
						ON	-71.00	4.26	-75.26	≤ -62
6	101	20	6455	Center	6455	OFF	-68.00	4.26	-72.26	≤ -62
						Minimal	-69.00	4.26	-73.26	≤ -62
						ON	-69.00	4.26	-73.26	≤ -62
7	149	20	6695	Center	6695	OFF	-69.00	4.26	-73.26	≤ -62
						Minimal	-70.00	4.26	-74.26	≤ -62
						ON	-71.00	4.26	-75.26	≤ -62
8	213	20	7015	Center	7015	OFF	-69.00	4.26	-73.26	≤ -62
						Minimal	-71.00	4.26	-75.26	≤ -62
						ON	-72.00	4.26	-76.26	≤ -62

Contention Based protocol 802.11be EHT320										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	63	320	6265	Low edge	6110	OFF	-63.00	4.26	-67.26	≤ -62
						Minimal	-64.00	4.26	-68.26	≤ -62
						ON	-68.00	4.26	-72.26	≤ -62
				Center	6265	OFF	-61.00	4.26	-65.26	≤ -62
						Minimal	-62.00	4.26	-66.26	≤ -62
						ON	-64.00	4.26	-68.26	≤ -62
				High edge	6420	OFF	-64.00	4.26	-68.26	≤ -62
						Minimal	-65.00	4.26	-69.26	≤ -62
						ON	-68.00	4.26	-72.26	≤ -62
6,7	127	320	6585	Low edge	6430	OFF	-67.00	4.26	-71.26	≤ -62
						Minimal	-68.00	4.26	-72.26	≤ -62
						ON	-69.00	4.26	-73.26	≤ -62
				Center	6585	OFF	-64.00	4.26	-68.26	≤ -62
						Minimal	-65.00	4.26	-69.26	≤ -62
						ON	-66.00	4.26	-70.26	≤ -62
				High edge	6740	OFF	-64.00	4.26	-68.26	≤ -62
						Minimal	-65.00	4.26	-69.26	≤ -62
						ON	-66.00	4.26	-70.26	≤ -62
6,7	159	320	6745	Low edge	6590	OFF	-68.00	4.26	-72.26	≤ -62
						Minimal	-69.00	4.26	-73.26	≤ -62
						ON	-70.00	4.26	-74.26	≤ -62
				Center	6745	OFF	-63.00	4.26	-67.26	≤ -62
						Minimal	-64.00	4.26	-68.26	≤ -62
						ON	-65.00	4.26	-69.26	≤ -62
				High edge	6900	OFF	-63.00	4.26	-67.26	≤ -62
						Minimal	-64.00	4.26	-68.26	≤ -62
						ON	-65.00	4.26	-69.26	≤ -62
7,8	191	320	6905	Low edge	6750	OFF	-63.00	4.26	-67.26	≤ -62
						Minimal	-64.00	4.26	-68.26	≤ -62
						ON	-65.00	4.26	-69.26	≤ -62
				Center	6905	OFF	-69.00	4.26	-73.26	≤ -62
						Minimal	-70.00	4.26	-74.26	≤ -62
						ON	-72.00	4.26	-76.26	≤ -62
				High edge	7060	OFF	-62.00	4.26	-66.26	≤ -62
						Minimal	-63.00	4.26	-67.26	≤ -62
						ON	-63.00	4.26	-67.26	≤ -62

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

92.0875ms

All TX Sample

7367

Duty Cycle

0.92076

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.625ms

All TX Sample

7490

Duty Cycle

0.936133

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

91.35ms

All TX Sample

7308

Duty Cycle

0.913386

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.9875ms

All TX Sample

7519

Duty Cycle

0.939758

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6110MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.9ms

All TX Sample

7512

Duty Cycle

0.938883

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6265MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

90.55ms

All TX Sample

7244

Duty Cycle

0.905387

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6420MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.225ms

All TX Sample

7458

Duty Cycle

0.932133

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6430MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

92.1ms

All TX Sample

7368

Duty Cycle

0.920885

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6585MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

94.625ms

All TX Sample

7570

Duty Cycle

0.946132

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6740MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

94.3625ms

All TX Sample

7549

Duty Cycle

0.943507

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6590MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

95.6625ms

All TX Sample

7653

Duty Cycle

0.956505

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6745MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

92.425ms

All TX Sample

7394

Duty Cycle

0.924134

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6900MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

95.2125ms

All TX Sample

7617

Duty Cycle

0.952006

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6750MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.3625ms

All TX Sample

7469

Duty Cycle

0.933508

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6905MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

90.2875ms

All TX Sample

7223

Duty Cycle

0.902762

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 7060MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

90.425ms

All TX Sample

7234

Duty Cycle

0.904137


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz



Date: 22.NOV.2023 08:50:29

AWGN Bandwidth: 10MHz

Frequency (MHz): 7015 MHz




Date: 22.NOV.2023 08:53:21

AWGN Bandwidth: 10MHz

802.11be EHT320


Frequency (MHz): 6110 MHz



Date: 22.NOV.2023 13:58:22

AWGN Bandwidth: 10MHz


Frequency (MHz): 6265 MHz



Date: 22.NOV.2023 14:01:02

AWGN Bandwidth: 10MHz


Frequency (MHz): 6420 MHz



Date: 22.NOV.2023 14:06:07

AWGN Bandwidth: 10MHz


Frequency (MHz): 6430 MHz



Date: 22.NOV.2023 13:35:17

AWGN Bandwidth: 10MHz


Frequency (MHz): 6585 MHz



Date: 22.NOV.2023 09:07:26

AWGN Bandwidth: 10MHz


Frequency (MHz): 6740 MHz



Date: 22.NOV.2023 09:08:22

AWGN Bandwidth: 10MHz


Frequency (MHz): 6590 MHz



Date: 22.NOV.2023 13:45:53

AWGN Bandwidth: 10MHz


Frequency (MHz): 6745 MHz



Date: 22.NOV.2023 13:41:44

AWGN Bandwidth: 10MHz


Frequency (MHz): 6900 MHz



Date: 22.NOV.2023 13:47:28

AWGN Bandwidth: 10MHz


Frequency (MHz): 6750 MHz



Date: 22.NOV.2023 13:40:05

AWGN Bandwidth: 10MHz


Frequency (MHz): 6905 MHz



Date: 22.NOV.2023 09:09:51

AWGN Bandwidth: 10MHz


Frequency (MHz): 7060 MHz




Date: 22.NOV.2023 09:10:36

AWGN Bandwidth: 10MHz

2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 63 ; Incumbent signal 6110 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 63 ; Incumbent signal 6265 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 63 ; Incumbent signal 6420 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 159 ; Incumbent signal 6590 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 159 ; Incumbent signal 6745 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 159 ; Incumbent signal 6900 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20


Frequency (MHz): 6215 MHz (Threshold Level: -69 dBm)

Time Analysis




Frequency (MHz): 6215 MHz (Threshold Level: -70dBm)

Time Analysis



Frequency (MHz): 6215 MHz (Threshold Level: -71 dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 6110 MHz (Threshold Level: -63dBm)

Time Analysis




Frequency (MHz): 6110 MHz (Threshold Level: -64dBm)

Time Analysis




Frequency (MHz): 6110 MHz (Threshold Level: -68dBm)

Time Analysis




Frequency (MHz): 6265 MHz (Threshold Level: -61dBm)

Time Analysis



Frequency (MHz): 6265 MHz (Threshold Level: -62dBm)


Time Analysis



Bandwidth (MHz): 320


Frequency (MHz): 6265 MHz (Threshold Level: -64dBm)

Time Analysis




Frequency (MHz): 6420 MHz (Threshold Level: -64dBm)

Time Analysis




Frequency (MHz): 6420 MHz (Threshold Level: -65dBm)

Time Analysis



Frequency (MHz): 6420 MHz (Threshold Level: -68dBm)

Time Analysis






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	8.21121G	35.18	54.00	-18.82	Vertical

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.14824G	21.48	54.00	-32.52	3	Vertical	181	1.50
Mode 1	Pass	AV	1.71179G	20.26	68.20	-47.94	3	Vertical	246	1.50
Mode 1	Pass	AV	8.21121G	35.18	54.00	-18.82	3	Vertical	39	2.04
Mode 1	Pass	PK	1.14824G	34.63	74.00	-39.37	3	Vertical	181	1.50
Mode 1	Pass	PK	1.71179G	33.99	88.20	-54.21	3	Vertical	246	1.50
Mode 1	Pass	PK	8.21121G	49.08	74.00	-24.92	3	Vertical	39	2.04
Mode 1	Pass	AV	1.71745G	20.30	68.20	-47.90	3	Horizontal	286	1.49
Mode 1	Pass	AV	3.72699G	26.50	54.00	-27.50	3	Horizontal	4	1.43
Mode 1	Pass	AV	8.00313G	35.83	68.20	-32.37	3	Horizontal	339	2.24
Mode 1	Pass	PK	1.71745G	33.66	88.20	-54.54	3	Horizontal	286	1.49
Mode 1	Pass	PK	3.72699G	40.45	74.00	-33.55	3	Horizontal	4	1.43
Mode 1	Pass	PK	8.00313G	49.65	88.20	-38.55	3	Horizontal	339	2.24

Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1

